CSC 412 – Operating Systems

Programming Assignment 04 [Rev. 1], Spring 2023

Tuesday, February 28th, 2023 [Rev. 2023-03-07]

Due date: Thursday, March 23rd, 11:55pm.

1 What This Assignment Is About

1.1 Objectives

The objectives of this assignment are for you to

- Get (re-)acquainted with C++ STL lists;
- Implement a simplified version of a runtime memory manager;
- develop testing coe for your memory manager.

This is an individual assignment. Again, this one is packed with different things to learn or do, so don't start working on it a couple of days before the deadline. On the other hand, don't spend your break working on it day and night. Rest and do some fun stuff. Coming back to school rested and in good shape March 16th for the second half of the semester is important too.

1.2 The switch to C++

From now on, all your assignments will be written in C++, to benefit from the STL container types (list, vector) and of easier string manipulation if you prefer. Of course, the system calls still all use C syntax, but we will make these calls from the—very relative—comfort of a C++ program. The g++ compiler is also picky about a lot of things, and will report more questionable coding.

1.3 Memory manager

You are going to write new functions to "replace" the standard malloc, calloc, and free functions of C. Of course, you are not really going to replace these functions, as we will still need a call to malloc to create our "heap," but you will get to manage the list of allocated and free space inside that heap.

At the beginning of the execution of your program, you will allocate a large section of memory¹. Subsequently, calls to your replacement malloc and free functions will reserve and free space within that memory section under your control.

At the beginning of your program you will use C preprocessor commands (macros) to switch at build time between the regular C runtime memory manager and your replacement manager.

¹Of course, that memory section will be within the true heap of your process: We are just pretend-replacing the regular memory manager.

1.4 Handout

The handout for this assignment consists of this document as a pdf file, as well as a small header file giving a simple way to enable/disable the replacement memory manager.

2 Part I: Runtime Memory Manager

2.1 Source and header files

This week we need to start with this aspect of the project. Let's look at what needs to be implemented.

- Your "main" source file will need to be able to operate either with the regular memory management functions (and therefore to load the stdlib.h header file) or with your replacement functions. This will be achieve by defining or disabling preprocessor macro USE_REPLACEMENT_MANAGER.
- Your replacement malloc and free functions cannot be enabled in a source file where the cstdlib header has been loaded. They could still be implemented in the "main" source files and be disabled (through a preprocessor #if or #ifdef statement) when stdlib.h is loaded, but really, such low-level functions have no business being in the main source file. You will therefore implement them in a separate source file replacementManager.cpp with a companion header replacementManager.h. The main source file will load either that header or the stdlib.h header.
- When using your custom runtime memory manager, you still need to allocate, using the regular malloc, a large chunk of memory at the beginning of execution. This *cannot* take place in the main source file since we would be in the case where stdlib.h has not been loaded, and for the same reason it cannot take place in the source file where the replacement malloc and free functions are implemented. We have no choice here: We will need a third source file with its companion header.
- The size of that chunk of memory to allocate for the memory manager to use as "fake heap" is specified in the header file heapSize.h (in the original version of the assignment, that heap size was an additional argument to the program, which is not pretty).
- But now we have a problem: The "pretend heap" (including lists of free and allocated space) is allocated in a function implemented in that source file, but the functions implemented in replacementManager.c need to have access to that information (and it cannot be passed as argument(s) to the functions since we want to preserve the syntax and semantics of malloc and free). The only way to do this is to use application-level global variables, using the extern keyword².

²Be careful not to develop the bad habit of using extern throughout your programs instead of passing parameters to functions. Yes, it is convenient, but it is something that you should only do if there is no reasonable alternative solution. The overuse of global variables is a sign of bad code design.

2.2 **Summary of the above discussion**

- The source file of the main program will be modified to check if USE_REPLACEMENT_MANAGER has been defined, to know whether it should be compiled in "replacement malloc" or regular mode. When in USE_REPLACEMENT_MANAGER mode, your program should make an initialization call to the memory manager to allocate "heap space." At the end of the program, when in USE_REPLACEMENT_MANAGER mode, the main function should make a "shut down" call to the memory manager to free the "heap" that it had allocated. At this point, the memory manager should verify that all space allocated has been freed, and print a warning if some space was not freed.
- Your replacement malloc and free functions will be implemented in the source file replacementMalloc.cpp. These functions will be declared in the companion header replacement Malloc. h (the latter is loaded in the main program when in replacement manager mode).
- The source file replacement Manager.cpp will contain all the functions dealing with the management of the list of memory blocks and hole-finding strategy. The companion header file, replacementManager.h is loaded in replacementMalloc.cpp (and in that file only).
- The header file heapSize.h, containing (besides the mandatory header guard) a sin-#define HEAPSIZE <number of bytes> is only #included in the source file replacement Manager.cpp. You may modify the value assigned to the heap size, but cannot add any other line of code, and in particular any other macro definition (again, besides the header guard) to this file.

2.3 **Preprocessor statements (macros)**

The sample header file mallocChoice.h of the handout gives you a simple way to decide whether a program should work with the replacement malloc or the regular one, and when in replacement malloc mode, whether the replacement manager should be "verbose" (print out each time it allocates or frees a block) or not.

This is simple preprocessor code that just relies on the programmer setting two macros to either 0 or 1. Feel free to add to it if needed.

2.4 **Data structures**

Your runtime memory manager is going to maintain a list of all the space already allocated or free within the "heap." It will store that information in the form of a list of nodes. The head of this list is "private" to your memory manager and therefore should not be accessible directly from your main program. The information to store at a node will a minima include a start address, a size, and a flag indicating whether the node represents free space or space allocated (and of course the pointers necessary to implement the list, as we saw in lab this week).

Feel free to include any other information that you may find relevant. Discuss the design of your node struct in the report.

2.5 Memory allocation algorithm

You will implement two different versions of the memory manager, one using a *first fit* strategy, the other a *best fit* strategy, to allocate space when requested by the program.

Just as it is possible for the programmer to indicate whether the program should be compile in replacement or regular malloc mode, we need to make it possible to select either the first fit or the best fit algorithm for the hole finding strategy.

2.6 Handle failure

When your memory manager cannot find a hole large enough for the amount required, your malloc replacement function should return NULL. When the program calls free for a pointer for which you didn't record an allocation, your free replacement function should terminate execution with an error message.

2.7 Heap map

Implement a function void printHeapMap () that takes no argument and prints out a "heap map" giving the list of allocated and free space on your heap.

Add a "verbose" state variable to your memory manager so that when in "verbose" mode the memory manager prints the heap map following each memory allocating or freeing operation.

2.8 Organization

All files pertaining to the memory manager will be grouped in a folder named MemoryManager containing two subfolders:

- src contains replacementMalloc.cpp and replacementManager.cpp
- include contains replacementMalloc.h and replacementManager.h

A folder named Applications will contain the source file of your main program (and the edited version of the mallocChoice.h header file if you retain it).

Both folders will be located at the root of your Proq04 project folder.

2.9 Extra credit

2.9.1 Extra credit 1 (2 points)

Implement a replacement function for calloc. If you do so, don't forget to include calls to this function in your hard-coded test sequence in the main function.

2.9.2 Extra credit 2 (6 points)

Implement the worst fit algorithm. To select the algorithm to run, define new macros FIRST_FIT, BEST_FIT, and WORST_FIT, and assign one of these three values to a macro ALGORITHM_CHOICE. Based on the value selected, the appropriate implementation of malloc should be called.

There are 3 points of extra credit for each algorithm implementation and 2 more points of extra credit for a good implementation of the preprocessor commands that handle the algorithm selection.

2.9.3 Extra credit 3 (8 points)

Combine your hole fitting algorithm with a "smart search" strategy that maintains separate lists of common hole sizes (small, medium, large, very large).

3 Part II: The Test Code

3.1 Changes to the C++ code

You are going to implement a test program prog04_01.cpp that consists of a single main function and that simply allocates and frees memory based on the list of arguments it gets at launch time.

The list of arguments may start with the optional argument $\neg \lor$ which indicates that the memory manager should be operating in "verbose" mode (that is, print to the standard output stratus information about blocks that it allocates and frees: index, start address, size).

The only mandatory argument is the size (in bytes) of the memory block allocated (using the regular malloc) to simulate the heap of your program.

The other arguments take the form of a list of memory management commands:

- m <size in bytes>: simply means: allocate a block of the required size.
- c <size in bytes>: if you implemented the replacement calloc, clear (set to 0) and allocate a block of the required size.
- f <index of block>: means free the block indicated by the given index.

An example of valid list of arguments for the script would be

```
-\mathrm{v}\ \frac{15000}{1000}\ \mathrm{m}\ 3000\ \mathrm{m}\ 1000\ \mathrm{m}\ 2400\ \mathrm{m}\ 500\ \mathrm{f}\ 1\ \mathrm{m}\ 500\ \mathrm{m}\ 2000\ \mathrm{m}\ 1500\ \mathrm{f}\ 2\ \mathrm{m}\ 200\ \mathrm{f}\ 0\ \mathrm{f}\ 6\ \mathrm{f}\ 7\ \mathrm{f}\ 4\ \mathrm{f}\ 5\ \mathrm{f}\ 3
```

This would mean that your program should operate in verbose mode, allocate 15000 bytes to simulate a heap, and then perform the following commands:

- Allocate a block of 3000 bytes (block index 0). For example, this would correspond to a statement block [0] = (char*) malloc(3000); where it is assumed that block has been properly defined/initialized.
- Allocate a block of 1000 bytes (block index 1).
- Allocate a block of 2400 bytes (block index 2).
- Allocate a block of 500 bytes (block index 3).
- Free Block (free (block [1]); and possibly remove block [1] from the list).

- Allocate a block of 500 bytes (block index 4).
- Allocate a block of 2000 bytes (block index 5).
- Allocate a block of 1500 bytes (block index 6).
- Free Block 2.
- Allocate a block of 200 bytes (block index 7).
- Free Blocks 0, 6, 7, 4, 5, 3 (in that order).

3.2 Run sequences

Don't just copy and run the above sequence. You will need to come up with a few *meaningful* test sequences of your own. By this I mean sequence that properly test your memory manager by illustrating differences between best fit and first fit, showing how your manager handles failure, etc.

You should therefore create a folder named RunSequences that will contain several text files storing examples of lists of arguments to run your program with. For example, if we have built your executable at the root level of Prog04 and one of your list of argument files is named runSeq1.txt, we should be able to execute

```
./prog04 < RunSequences/runSeq1.txt
```

In addition to your run sequence files, the RunSequences folder should contain another text files in which you state, for each sequence file, what its purpose was (what you were trying to test). We will test your memory manager against our own lists of arguments, but you will also be evaluated on the quality of your test files.

4 Part III: Another Example Program for the Image Library

4.1 What it's about

Your memory manager shouldn't work only for toy test programs. It should be able to operate just as well with code that you have already developed, and in particular with the image library code.

4.2 What to do

First, you are going to add to your Prog04 folder the Image library folder that you developed for Prog02³

Next, in the Applications folder, you will add the code of a new program that uses the library to perform a series of tasks on images (reads images, computes cropped and rotated images, writes images to output files, frees images, etc.). Your purpose in implementing this program is to *test* the replacement memory manager in a meaningful way. In particular, this means that you

³If you didn't complete Prog02, you may use the code of a willing classmate, as long as you clearly indicate so in your comments and in your report.

should select the operations that you perform so as to make sure to create holes in your replacement heap).

Your evaluation for this part of the assignment will be entirely about the quality of your test strategy. In other words, just reading a couple of images and writing out cropped and rotated versions of these images will score few-to-no points at all. The purpose is not to test image cropping and rotating (that was the purpose of Prog02) but the replacement memory manager.

5 Part IV: Runtime Memory Manager, Version 2 (Handles)

5.1 Motivation

One problem with our small memory manager is that after a while the heap can become severely fragmented. We will see in the second half of the semester how modern memory management addresses this problem. The old Mac OS (pre OS X) did so by relying massively on *handles* (in relatively recent years, Window's .Net has introduce handles for some memory management operations, which shows that old clever solutions may always come back in a new setup).

Before I explain what a handle is and how it helps address (no pun intended) the memory fragmentation problem, let me explain what that problem is. Let's say that you allocate an array of 1000 int values: int* a = (int*) calloc(1000, sizeof(int));

Later on, the memory manager determines that if only it could move that block of 4000 bytes at some other location on the heap, it could regroup together a big chunk of free space. The only problem is that it cannot do that because the value stored in a would be invalid, and the memory manager has no way to know in which of your variables that address value is stored, so it cannot go modify the value stored in that variable to be that of the relocated block of 4000 bytes.

5.2 The handles solution

Here come in *handles*. Handles are nothing more than pointers to pointers. The variables of your program storing pointers to memory locations would not be allowed anymore to store "master pointers" but pointers to master pointers, that is, handles. In our example, we would need a new function to produce handles (and a new Handle data type. So, for example we would write

```
Handle a = makeHandle(1000, sizeof(int));
```

If we wanted to access the data, we could to dereference the pointer twice:

```
int* av = (int*)(*a);
av[120] = 2019;
```

There are two major issues with this scheme. The first is that it is cumbersome; the second is that it is prone to leading to data type errors. Both objections are valid, but before we look at fixes or workarounds, let's see why the handles solution was/is considered worth the trouble. Let's consider the state of our heap after the process has been executing for a while, dynamically allocating and freeing memory. Things could look as pictured in Figure 1.




Figure 1: Example of state of the heap, master pointers, and local handles after a process has been running for a while.

The handles are local variables in the various functions currently on the stack. They point to master pointers managed by the memory manager. These master pointers point to the actual data stored on the heap. Now, the memory manager can rearrange the blocks of memory to defragment the heap, and it can do so because it can change the addresses stored in the master pointers, while the values stored in the user-controlled handles remain unchanged: They still point to the same master pointers, resulting in the heap map shown in Figure 2.




Figure 2: State of the heap, master pointers, and local handles after the memory manager has defragmented the heap.

To summarize what just happened: The runtime memory manager can now perform warehousing operations in the background without the user process even being "aware" of such operations. There is still a big problem with the implementation of the scheme. We will address this problem later, and implement a solution, but I hope you appreciate the cleverness of the solution and see why it is worth a good amount of trouble: It gives the possibility to eliminate the problem of heap external fragmentation in a way that it almost transparent to the developer.

5.3 How is the Handle type defined?

How do we differentiate a handle used to access double data from one used to access int or struct Node data? If there exists a single Handle data type, then we cannot. Since all pointers have the same size, an int** handle or a struct Node** both will occupy 8 bytes (on a 64-bit OS. So, simplest, most C-ish way to define the type is:

```
typedef void* Handle;
```

Note the single * in the definition. Now, before dereferencing the handle to access the data, it must be cast to the proper type:

```
Handle a = makeHandle(1000, sizeof(int));
int* av = *((int**)a);
av[520] = 2019;
```

If you find this weird, you had better get used to it, because this is a very common way to implement type abstraction in C, and we will encounter it over and over when we start looking at process and thread creation.

Practical issues on the developer's side 5.4

As mentioned earlier, there are two immediate issues with the handle solution: It is slightly cumbersome, adding one more step (dereferencing the handle to get access to the master pointer), and it is prone to to leading to data type errors. The first issue is casually dismissed as being a negligible cost to pay for the benefits of the solution. The second issue is more problematic. Let's look again at that code fragment:

```
Handle a = makeHandle(1000, sizeof(int));
int* av = *((int**)a);
av[120] = 2019;
```

There is nothing in the name Handle that informs us about the type of the data it gives access to. The declaration of the handle and its dereferencing may be distant from each other, which could lead to a mistake when casting. I could have mistakenly written

```
Handle a = makeHandle(1000, sizeof(int));
double* av = *((double**)a);
av[520] = 2019;
```

I wouldn't get any compiler warning, and the program may even seem to run fine for a while, but the address that av [520] refers to is outside of the memory area allocated for the array. Again, this is a common problem in C, and the common wisdom is that because it is so easy to make this kind of mistakes in C, one just has to be extra careful.

One way of being "extra careful" is by creating new types for specific types of handles, in order to get as much of type enforcement help as we can from the compiler. So, for example, we could define

```
typedef int* IntPointer;
typedef double* DoublePointer;
typedef int** IntHandle;
typedef double** DoubleHandle;
```

and now we could dereference our handles without an explicit typecast:

```
IntHandle a = (IntHandle) makeHandle(1000, sizeof(int));
IntPointer av = *a;
av[520] = 20.19;
```

We now would get a compiler error, or at least a warning if we mis-cast:

```
IntHandle a = (IntHandle) makeHandle(1000, sizeof(int));
DoublePointer av = *a; // implicit cast *int --> *double
av[520] = 20.19;
```

The drawback of this approach is that it forces us to define specific handle and pointer types for all the data types that we want to use. This is the way that the old Mac OS operated. There were handle types for every single data type encountered in the API: buttons, movies, text, windows,

Another way to "be extra careful" is to adopt a convention for variable identifiers that informs about the type of the data. The most famous such convention is the "Hungarian notation." In this convention, a variable's identifier is prefixed with one or more letters that indicate the type of the data. For example:

- strName would indicate that the variable stores a string;
- u8Label or ucLabel indicates that the label is of type unsigned char;
- iCounter indicates that the counter is of type int;
- afHeight indicates that the height is stored in an array of float;
- etc.

I am not the biggest fan of the Hungarian notation, would it be only because I think that it's ugly, but I am not opposed to people using it (as long as I don't pay for the development). You can consult the Wikipedia page if you want to further investigate this naming convention.

5.5 The real problem with handles, and its solution

Let's look once more at that code fragment, with some minor additions:

```
IntHandle a = (IntHandle) makeHandle(1000, sizeof(int));
...
IntPointer av = *a;
for (int k=0; k<1000; k++) {
     // do things with av[i]
}</pre>
```

To see what the potential problem is, you have to start thinking in a multi-processed way: The memory manager is running concurrently with your process. What would happen if, while your process is going through the above loop, in the middle of that "do things with av[i]" block, the memory manager decided that now is a good time to defragment the heap, and therefore maybe relocate the memory block storing the array's data? The av pointer would not point to the right location anymore, and therefore the program would end up reading the wrong data and/or overwriting the data of another data structure.

How can we solve this problem: By adding two functions to lock and unlock respectively the location of the memory block addressed by a handle. When a handle is "locked," the memory manager is not allowed to relocate the memory block it refers to (but may still move the blocks of other unlocked handles). Our new code would become

```
IntHandle a = (IntHandle) makeHandle(1000, sizeof(int));
...
lock(a);
IntPointer av = *a;
for (int k=0; k<1000; k++) {
    // do things with av[i]
}
unlock(a);</pre>
```

Yes, that code is more complicated than what we started with, but now our heap can be safely defragmented while the process is executing, and the gains are well worth the price of a few extra lines of coding.

Note that we don't need to pass a pointer to the handle, because the handle is not what is being modified: The handle gives us access to the table where the master pointer is stored, and the locked/unlicked information needs to be added to that table in addition to the value of the master pointer.

At this point, some may object that our av pointer still points to the location in memory were the data was last seen. It would be silly to add a pointer to unlock just so that the function would clear the pointer (thus guaranteeing a crash if it is dereferenced. Furthermore, this goes somewhat against the C philosophy, which considers that it is not really worth it to try to make APIs "idiot-proof." This is even almost viewed as a way to challenge/encourage Nature into producing a more efficient idiot.

A better solution would be to limit the scope of av to a small block of code:

```
IntHandle a = (IntHandle) makeHandle(1000, sizeof(int));
...
{
```

```
lock(a);
    IntPointer av = *a;
    for (int k=0; k<1000; k++) {
        // do things with av[i]
    unlock(a);
// av not defined anymore
```

5.6 What to implement

You are going to define the Handle data type and add the following functions to your runtime memory manager:

- void lock (Handle h),
- void unlock (Handle h).
- a heap defragmentation function that gets called when the new command defrag is encountered in the list of arguments.

In addition, at the end of your program's execution, the memory manager should print out a warning if some handles are still locked.

Next, you are going to revise your main program to work with the new handle-based API and add support for the "defragment" command in your interpretation of the arguments. Your revised data files (lists of memory management commands) should include some "defragment" commands.

What to submit 6

6.1 The pieces

All your work should be organized inside a folder named Prog04. Inside this folder you should place:

- A folder named MemoryManager containing your "memory management library" organized as specified;
- A folder named ImageLibrary containing our Image processing library;
- The Applications folder containing the source code of your test programs;
- The folder RunSequences containing some of the lists of arguments you used for the first test program;
- A folder named Documentation containing the doxygen-produced html documentation for your memory management library;
- Your report as a pdf file.

6.2 Grading

• Quality of C/C++ code: 25%

- Memory manager library: 15%

- Testing code: 10%

• Execution: 55%

- Memory manager library (verbose mode): 35%

* Version 25: 7%

* Version 2 (handles): 10%

- Memory manager testing: 20%

* Run sequences: 12%

* Image library test: 8%

• Doxygen documentation: 10%

• Report: 10%