| Part# Qt | y Description | Cost/Each | Total Cost | |
|--|--|--------------------|---------------------|---|
| | | | | http://www.amazon.com/Lexan-Sheet-Polycarbonate-Thick-Nominal/dp/B00CAWRVJO/ref=pd_sim_sbs_indust_12?ie=UTF8&refRID=1PFE2E4NCQ |
| .177in thick Acrylic or Polycarbonate 1/4" Eccentric Spacer | 7 .177in thick Acrylic or Polycarbonate 8 1/4" Eccentric Spacer | \$15.70 \$2.00 | \$109.90 \$16.00 | N54G3M8816 |
| 1078A311 | 3 Plastic Handle included with e3d kit (needs to be 24v if 24V power supply is | \$3.76 | \$11.28 | http://www.mcmaster.com/#cad-2d/=w7lpr0 |
| 30x30_Fan 380mmx380mm_800W_ | 2 used) AliRubber Custom Silicon Heated Bed (You can spec Voltage, | | \$0.00 | |
| 120V_Silicone_Heater(Alirubber) | Wattage, Size, Thermistor Location, Etc.) Teflon tube for extruder drive inlet and bowden tube from | \$34.30 | \$34.30 | |
| 4mmODx2mmID_Teflon_Tube_Section | 2 extruder to the carriage | \$12.00 | \$24.00 | |
| 50x50x15_Fonsoning_FSY5015S24H_Blower | 50x50x15 centrifugal blower fan (needs to be 24V if 24V power 2 supply is used) | \$6.81 | \$13.62 | |
| 5972K164 | 1 10mm x 22mm x 6mm (6900 series bearing) (10 pack) | \$9.99 | \$9.99 | http://www.fasteddybearings.com/10-units-10x22x6-rubber-sealed-bearing-6900-2rs/ |
| 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear | 6 608ZZ Bearing 2 Filament Drive Gear | \$0.30 \$9.95 | \$1.80 \$19.90 | |
| 90214A422 90576A102 | 1 10mmx16mmx0.5mm Shim (10 pack) 1 3mm nylock hex nut (25 pack) | \$11.73 \$0.44 | \$11.73 \$0.44 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=234 |
| 90591A121 | 2 3mm hex nut (Din 934) (25 pack) | \$0.24 | \$0.48 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=133 |
| 90965A160 91100A120 | 1 5mm stainless flat washer (25 pack) 1 3mm oversized flat washer (Din 9021) (100 pack) | \$0.19 \$1.10 | \$0.19 \$1.10 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=231 http://www.mcmaster.com/#91100a120/=w7kv5a |
| 91100A140 91239A224 | 1 5mm oversized flat washer (DIN 9021) (100 pack) 3 5mm x 10mm button head screw | \$3.45 \$7.93 | \$3.45 \$23.79 | http://www.mcmaster.com/#91100a140/=w7kusz http://www.mcmaster.com/#91239a224/=w7kw2c |
| 91239A232 91290A125 | 1 5mm x 16mm button head socket cap screw (25 pack) 1 3mm x 25mm socket head cap screw (25 pack) | \$1.22 \$0.89 | \$1.22 \$0.89 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=52 http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=197 |
| 91290A135 91290A137 | 1 3mm x 35mm socket head cap screw (25 pack) 1 3mm x 50mm socket head cap screw (25 pack) | \$0.89 \$3.34 | \$0.89 \$3.34 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=194 http://www.mcmaster.com/#91290a137/=w7l1at |
| 91290A252 91290A254 | 1 5mm x 25mm socket head cap screw (25 pack) 1 5mm x 30mm socket head cap screw (12 pack) | \$1.91 \$1.31 | \$1.91 \$1.31 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=179 http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=180 |
| 91292A029 | 1 3mm x 18mm socket head cap screw (25 pack) | \$0.89 | \$0.89 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=434 |
| 91292A123 91294A207 | 1 3mm x 20mm socket head cap screw (25 pack) 1 5mm x 8mm flat head socket cap screw (100 pack) | \$0.84 \$6.57 | \$0.84 \$6.57 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=170 http://www.mcmaster.com/#91294a207/=w7lc9s |
| 92095A183 92095A184 | 1 3mm x 12mm button head socket cap screw (25 pack) 1 3mm x 16mm button head socket cap screw (25 pack) | \$0.77 \$0.83 | \$0.77 \$0.83 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=23 http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=26 |
| 92095A185 92125A219 | 1 3mm x 20mm button head socket cap screw (25 pack) 1 5mm x 70mm flat head socket cap screw (10 pack) | \$0.99 \$4.38 | \$0.99 \$4.38 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=27 http://www.mcmaster.com/#92125a219/=w7lg57 |
| 92125A220 92290A228 | 1 5mm x 30mm flat head socket cap screw (25 pack) 1 5mm x 12mm SST socket head cap screw (25 pack) | \$6.55 \$7.72 | \$6.55 \$7.72 | http://www.mcmaster.com/#92125a220/=w7lhvz http://www.mcmaster.com/#92290a228/=w7lj6a |
| 93475A210 94150A335 | 1 3mm flat washer (DIN 125) (25 pack) 1 4mm hex nut (DIN 934) (25 pack) | \$0.14 \$0.34 | \$0.14 \$0.34 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=230 http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=134 |
| 94205A240 | 1 5mm nylock nut (DIN 985) (25 pack) | \$0.66 | \$0.66 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=236 |
| 94500A222 94500A223 | 1 3mm x 8mm button head socket cap screw (25 pack) 2 3mm x 10mm button head socket cap screw (25 pack) | \$0.52 \$0.64 | \$0.52 \$1.28 | http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=25 http://www.trimcraftaviationrc.com/index.php?_a=product&product_id=37 |
| 94500A230 94545A225 | 1 5mm x 8mm button head socket cap screw (50 pack) 1 5mm wing nut (DIN 315) (10 pack) | \$6.15 \$6.21 | \$6.15 \$6.21 | http://www.mcmaster.com/#94500a230/=w7lmba http://www.mcmaster.com/#94545a225/=w7lnl4 |
| 9657K283 9657K292 | 1 Spring (0.75"L x 0.187" OD x 0.029" Wire) (12 pack) 1 Spring (0.75"L x 0.50"OD x 0.062"wire) (6 pack) | \$10.35 \$8.84 | \$10.35 \$8.84 | http://www.mcmaster.com/#9657k283/=w7lo18 http://www.mcmaster.com/#9657k292/=w7loha |
| A 6R51M113060 | 113 tooth (226mm long) closed loop GT2 Belt (2mm pitch x 2 6mm wide) | \$0.50 | \$1.00 | |
| a_7z41mpsb10m | 3 10mm self aligning bronze sintered bushings (4 pack) 1 1/4" ASTM B209-10 5052-H32 Aluminum Plate | \$9.99 | \$29.97 | |
| Aluminum_Build_Plate Amazon_Electrical_Fused_Plug | 1 Fuse & Power Socket 10A 250V 3 Pin IEC320 C14 | \$32.07 \$3.01 | \$32.07 \$3.01 | |
| Azteeg X3 V2 Bulk GT2 (2MM pitch x 6mm wide) Belt | 1 Printer Controler Board 5 Bulk GT2 (2MM pitch x 6mm wide) Belt | \$174.99 \$1.80 | \$174.99 \$9.00 | |
| Cable Sleaving CAT5 Tooless IDC Keystone Jack | Cable Sleave to keep wiring clean Network Keystone Jack | \$1.99 \$4.35 | \$0.00 \$4.35 | |
| Dual_V_Wheel_Bolt_Assembly | 8 Open Builds V-slot wheel kit | \$3.85 | \$30.80 | |
| E3D_V6 | Hot End (need 24V fan and heater cartridge if 24V power supply 2 is used, by default E3D V6 is designed for 12V system) | \$79.99 | \$159.98 | |
| | | | | |
| G3NA_220B GT2_Aluminum_Timing | 1 20A DC to AC Solid State Relay (to run heated bed at 120C AC) | \$27.32 | \$27.32 | |
| _Pulley_36_Tooth GT2_Aluminum_Timing_Pulley_20_Tooth | 2 GT2 2mm pitch, 8mm ID, 36 tooth pulley 3 20 tooth GT2 Pulley (5mm ID) (2mm pitch) | \$2.50 \$1.85 | \$5.00 \$5.55 | |
| GT2_Aluminum_Timing_Pulley_32_Tooth HFC5-2020-B | 10 GT2 2mm pitch, 10mm ID, 32 tooth pulley 4 Extrusion Endcap | \$2.10 \$1.88 | \$21.00 \$7.52 | |
| HFS5-2020-100 HFS5-2020-218 | 1 20x20x100mm Extruded Aluminum 2 20x20x218mm Extruded Aluminum | \$3.03 \$3.03 | \$3.03 \$6.06 | |
| HFS5-2020-300 HFS5-2020-407.5 | 4 20x20x300mm Extruded Aluminum 2 20x20x407.5mm Extruded Aluminum | \$1.71 \$2.32 | \$6.84 \$4.64 | |
| HFS5-2020-515 HFS5-2020-519 5 | 1 20x20x515mm Extruded Aluminum 2 20x20x519.5mm Extruded Aluminum | \$2.93 2.95 | \$2.93 \$5.90 | |
| HFS5-2020-54.5 | 1 20x20x54.5mm Extruded Aluminum | \$3.03 | \$3.03 | |
| HFS5-2020-567.5 HFS5-2020-569.5 | 4 20x20x567.5mm Extruded Aluminum 8 20x20x569.5mm Extruded Aluminum | \$3.23 \$3.24 | \$12.92 \$25.92 | |
| | 20mmx20mm609.5mm aluminum extrusion for vertical supports at the corners. Extrusions requires holes be drilled. 3d model for | | | |
| HFS5-2020-609.5 HFS5-2080-569.5 | 4 drill guide available. 9 20x80x569.5mm aluminum extrusions. | \$3.47 \$11.90 | \$13.88 \$107.10 | |
| HHPSN5 Hinge(McMaster_1598A180) | 6 Hinge for 20x20 Extrusion 1 Hinge top swing electronics out of the way | \$5.60 \$1.83 | \$33.60 \$1.83 | |
| HNTTSN5-5 (bag of 100) HSCA5-R (2M Lengths) | 2 T-Slot Nuts 12 T-SLot Covers (To Hold Clear Panels) | \$28.00 \$2.38 | \$56.00 \$28.56 | |
| Jamicon_KF0410-01 Limit Switch Mounting Bracket | 2 40x40mm 24v fan 1 Aluminum Limit Switch Mounting Bracket | \$2.95 \$2.00 | \$5.90 \$2.00 | |
| | 3/4" MDF Insulator board from local hardware store (Hand | | | |
| MDF_Insulator_Board | 1 Routed) 24V 450W Power Supply (Lower Watt Version can be used with | \$11.97 | \$11.97 | |
| Meanwell_SE-450-24 Micro Switch Button | 1 120V bed) 3 NO / NC Limit Switch | \$64.95 \$1.99 | \$64.95 \$5.97 | |
| MTSBRW12-480-F10-V8-S26-Q8 MTSRN12 | 2 12mm Lead Screw 480L (both ends stepped to 8mm) 2 12mm / 2mm pitch lead screw nut | \$51.25 \$25.95 | \$102.50 \$51.90 | |
| NEMA_17_5.18_Planetary | 2 5.18:1 planetary reduced 40mm Long Nema 17 Stepper Motor | \$30.00 | \$60.00 | |
| NEMA_17_60mm_1.5A | 3 High Torque 6.5kg/cm 60mm Long Nema 17 Stepper Motor | \$11.80 | \$35.40 | |
| Q24169PCDCC | 1 Hoffman Qline Enclosure (233x153x84mm) | \$58.34 | \$58.34 | |
| raspberrypi_b+ Rod_End_Knob | 1 Raspberry Pi B+ Print Server (for octoprint / octopi) 2 3D Printed | \$39.99 | \$39.99 \$0.00 | |
| SFJ10-512 | 2 10mm x 512mm hardened precicion rods for x/y overhead gantry | \$15.10 | \$30.20 | |
| SFJ10-610 | 4 10mm x 610mm hardened precicion rods for x/y axis guides | \$20.33 | \$81.32 | |
| Smooth_ldler_Pulley kit Timing Belt GT2 Profile - 2mm pitch - 6mm wide | 2 GT2 Smooth Idler Pulley | \$4.85 | \$9.70 | |
| 1164mm long ViKi LCD | 1 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 1 print controller lcd | \$9.95 \$75.00 | \$9.95 \$75.00 | |
| V-Slot_20mmX80mm489.5mm (1000mm cut in 2) | 1 20mmx80mmx489.5mm Vslot Extrusion | \$10.00 | \$10.00 | |
| Window_Glass_420mm X 430mm | 1 Window Glass 420mm X 430mm or Boro Glass ASTM B221-08 6063-T52 Aluminum Architectural Lineauel Log Angle 3 | \$5.00 | \$5.00 | |
| Z_Gantry_Plate | Architectural Unequal Leg Angle 3- 2 1/2" x 1-1/4" x 1/8" | \$8.88 | \$17.76 | |
| | | Total | \$1,857.21 | |

| Printed Parts | Qty: |
|---|------|
| Z_ldler_Slide_Support | 2 |
| Z_Leadscrew_Bearing_ | |
| Holder_Base | 2 |
| Z_Leadscrew_Bearing_Holder_Top | 2 |
| Bed_Glass_Clip | 2 |
| Bed_Glass_Clip_Mirror | 2 |
| Blower_Duct_1 | 1 |
| Blower_Duct_1Mirror | 1 |
| Bowden_Tube_Nut_Trap | 4 |
| Corner_Bearing_Bracket_A | 2 |
| Corner_Bearing_Bracket_B | 2 |
| Double Carriage_E3DV6 | 1 |
| Dual_Bowden_Tube_Carriage_Adapter_E3DV6 | 1 |
| Dual_Fan_Shroud_E3DV6 | 1 |
| External_Motor | 3 |
| Front_Clamp_With_Fan_Mount_E3DV6 | 1 |
| HercuLien_Extruder_Base_V2 | 2 |
| HercuStruder_Bearing_Pivot | 2 |
| HercuStruder_Dogbone_Connector | 2 |
| HercuStruder_Pin | 2 |
| Outlet_Switch_And_Network_Mount | 1 |
| Power Supply Bracket 1 | 1 |
| Power Supply Bracket 2 | 2 |
| Spool_Holder_Flange | 2 |
| XY Axis Belt Tensioner A | 2 |
| XY Axis Belt Tensioner B | 2 |
| XY Axis Belt Tensioner Block A | 2 |
| XY Axis Belt Tensioner Block B | 2 |
| XY_LimitSwitch_Mount_A | 1 |
| XY_LimitSwitch_Mount_B | 1 |
| 50mm_Threaded_Spool_Holder_Full_Round | 2 |

| ITEM NO. | QTY. Per Subassembly | Qty Total | PART NUMBER | DESCRIPTION | Supplier 1: Links & Price ea. | Supplier 2: Links & Price ea. |
|-----------------|-------------------------|------------|---|---|--------------------------------------|--|
| 1 | 1 | | Herculien_Frame (Subassembly) | | | |
| 1.1 | 4 | 4 | HFS5-2020-609.5(holes_added) | 20mmx20mm609.5mm aluminum extrusion for vertical supports at the corners. Extrusions requires holes be drilled. 3d model for drill guide available. | \$15.00 / 1500mm | <u>\$3.47</u> |
| 1.2 | 2 | 2 | HFS5-2080-569.5 (SidesBottom_Holes) | 20x80x569.5mm aluminum extrusions. | \$30.00 / 1500mm | <u>\$11.90</u> |
| 1.3 | 1 | 1 | HFS5-2080-569.5 (LeftTop_Holes) | 20x80x569.5mm aluminum extrusions. | \$30.00 / 1500mm | \$11.90 |
| 1.4 1.5 | 1 3 | 3 | HFS5-2080-569.5 (RightTop_Holes) HFS5-2080-569.5 (Default_No Holes) | 20x80x569.5mm aluminum extrusions. 20x80x569.5mm aluminum extrusions. | \$30.00 / 1500mm \$30.00 / 1500mm | \$11.90 \$11.90 |
| 1.6 | 1 | 1 | HFS5-2080-569.5 (BackTop_Holes) | 20x80x569.5mm aluminum extrusions. | \$30.00 / 1500mm | \$11.90 |
| 1.7 | 1 | 1 | HFS5-2080-569.5 (FrontTop_Holes) | 20x80x569.5mm aluminum extrusions. | \$30.00 / 1500mm | \$11.90 |
| 1.8 | 2 | 2 | V-Slot_20mmX80mm489.5mm | 20mmx80mmx489.5mm Vslot Extrusion | \$20.00 / 1000 | \$20.00 / 1000 |
| 1.9 1.1 | <u>16</u> 6 | 16 6 | HNTTSN5-5 Optional: HSCA5-R 460mm | T-Slot Nuts T-SLot Covers (To Hold Clear Panels) | <u>\$0.20</u> \$3.00 / 1000mm | \$28.00 / 100 \$2.38 / 2000mm |
| 1.11 | 6 | 6 | Optional: HSCA5-R_569.5mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 1.12 | 1 | 1 | Optional: 4.3mm thick Acrylic_or_Polycarbonate_Rightside_Panel | http://goo.gl/oR3krK | \$15.70 (24"x24") | |
| 1.13 | 1 | 1 | Optional: 4.3mm thick Acrylic_or_Polycarbonate_Leftside_Panel Optional: 4.3mm thick | http://goo.gl/YAD9aY | \$15.70 (24"x24") | |
| 1.14 | 1 | 1 | Acrylic_or_Polycarbonate_Backside_Panel | http://goo.gl/BmHRNU | \$15.70 (24"x24") | |
| 1.15 1.16 | 72 16 | 72 16 | 91239A224 94500A230 | 5mm x 10mm button head screw 5mm x 8mm button head socket cap screw | \$7.93 / 100 \$6.15 / 50 | |
| 2 | 1 | | Top_Cover (Subassembly) (Optional, not needed for printer function) | | | |
| 2.1 | 3 | 3 | HFS5-2020-300 | 20x20x300mm Extruded Aluminum | \$10.00 / 1000mm | \$1.71 |
| 2.2 2.3 | 1 8 | 8 | HFS5-2020-300 (configuration) HFS5-2020-569.5 | 20x20x300mm Extruded Aluminum 20x20x569.5mm Extruded Aluminum | \$10.00 / 1000mm \$15.00 / 1500mm | \$1.71 \$3.24 |
| 2.3 | 1 | 1 | HFS5-2020-509.5 | 20x20x569.5mm Extruded Aluminum 20x20x515mm Extruded Aluminum | \$15.00 / 1500mm | \$3.24 |
| 2.5 | 1 | 1 | HFS5-2020-100 | 20x20x100mm Extruded Aluminum | from drop cut | \$3.03 |
| 2.6 | 1 | 1 | HFS5-2020-54.5 | 20x20x54.5mm Extruded Aluminum | from drop cut | \$3.03 |
| 2.7 2.8 | <u>4</u> 20 | 20 | HHPSN5 HNTTSN5-5 | Hinge for 20x20 Extrusion T-Slot Nuts | <u>\$5.60</u> \$0.20 | \$28.00 / 100 |
| 2.8 | 5 | 5 | HSCA5-R 300mm | T-Slot Nuts T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 2.10 | 1 | 1 | HSCA5-R_515mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 2.11 | 1 | 1 | HSCA5-R_98mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 2.12 2.13 | 1 | 1 | HSCA5-R_48.5 HSCA5-R_200mm | T-SLot Covers (To Hold Clear Panels) T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 2.13 | <u>'</u> 11 | 11 | HSCA5-R_200IIIII | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm \$3.00 / 1000mm | \$2.38 / 2000mm \$2.38 / 2000mm |
| 2.15 | 4 | 4 | HFC5-2020-B | Extrusion Endcap | \$1.88 | • • • • • • • • • • • • • • • • • • • |
| 2.16 | 3 | 3 | .177in thick Acrylic or Polycarbonate Left Front Back Cover | http://goo.gl/mjZ4er | \$15.70 (24"x24") | |
| 2.17 | 1 | 1 | .177in thick Acrylic or Polycarbonate Right Cover | http://goo.gl/rPAJGD | <u>\$15.70 (24"x24")</u> | |
| 2.18 2.19 | 1 24 | 1 24 | .177in thick Acrylic or Polycarbonate Split Top Cover 91239A224 | http://goo.gl/l9hLrq 5mm x 10mm button head socket cap screw | \$15.70 (24"x24") \$7.93 / 100 | |
| 2.19 | 16 | 16 | 91239A224 91294A207 | 5mm x 8mm flat head socket cap screw | \$6.75 / 100 | |
| 2.21 | 2 | 2 | 1078A311 | Plastic Handle | \$3.76 | |
| 2.22 | 2 | 2 | 90965A160 | 5mm stainless flat washer | \$4.62 / 100 | |
| 2.23 2.24 | <u>4</u> 2 | 2 | 92290A228 HFS5-2020-567.5 | 5mm x 12mm SST socket head cap screw 20x20x567.5mm Extruded Aluminum | \$7.72 / 25 \$15.00 / 1500mm | \$3.23 |
| 2.24 | 2 | 2 | HFS5-2020-367.5 | 20x20x367.5mm Extruded Aluminum 20x20x218mm Extruded Aluminum | \$15.00 / 1500mm | \$3.03 |
| 2.26 | 2 | 2 | HSCA5-R_170mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 2.27 | 2 | 2 | HSCA5-R_537.5mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 3 | 1 | | Front_Door (Optional, Subassembly) | | * | 40.00 |
| 3.1 3.2 | 2 2 | 2 2 | HFS5-2020-407.5 HFS5-2020-567.5 | 20x20x407.5mm Extruded Aluminum 20x20x567.5mm Extruded Aluminum | \$10.00 / 1000mm \$10.00 / 1000mm | \$2.32 \$3.23 |
| 3.3 | 2 | 2 | HHPSN5 | Hinge for 20x20 Extrusion | \$5.60 | φ3.23 |
| 3.4 | 8 | 8 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | \$28.00 / 100 |
| 3.5 | 2 | 2 | HSCA5-R_537.5mm | T-SLot Covers (To Hold Clear Panels) | \$3.00 / 1000mm | \$2.38 / 2000mm |
| 3.6 3.7 | <u>2</u> 1 | 1 | HSCA5-R_407.5mm .177in thick | T-SLot Covers (To Hold Clear Panels) http://goo.gl/HMq1ng | \$3.00 / 1000mm \$15.70 (24"x24") | \$2.38 / 2000mm |
| 3.8 | 8 | 8 | Acrylic_or_Polycarbonate_Door_Window 91294A207 | 5mm x 8mm flat head socket cap screw | \$6.75 / 100 | |
| 3.9 | 4 | 4 | 91239A224 | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 4 | 1 | 1 | Power Supply (Subassembly) | 24V 450W Power Supply (Lower Watt Version can be | \$64.0F | 20.00 |
| 4.1 | 1 | 1 | Meanwell_SE-450-24 Power Supply Bracket 1 | used with 120V bed) 3D Printed | <u>\$64.95</u> <u>NA</u> | 39.99 |
| 4.3 | 2 | 2 | Power Supply Bracket 2 | 3D Printed | <u>NA</u> | |
| 5 | 1 | | Electronics_Package (Subassembly) | Hattman Olive Feelesses (200, 170, 21) | # 50.04 | DEO 11 |
| 5.1 5.2 | <u> </u> | 1 | Q24169PCDCC Hinge(McMaster_1598A180) | Hoffman Qline Enclosure (233x153x84mm) Hinge top swing electronics out of the way | <u>\$58.34</u> \$1.83 | <u>\$58.41</u> |
| 5.3 | 1 | 1 | Azteeg X3 V2 | Printer Controler Board | \$174.99 w/ stepper | \$109.99 or \$41.99 |
| 5.4 | 1 | 1 | raspberrypi_b+ | Raspberry Pi B+ Print Server (for octoprint / octopi) | \$39.99 | |
| 5.5 5.6 | <u> </u> | 1 | ViKi LCD | print controller lcd | \$75.00 \$2.05 | <u>\$12.99</u> |
| 5.6 5.7 | 2 1 lot | 2 1 lot | Jamicon_KF0410-01 Cable Sleaving | 40x40mm 24v fan Cable Sleave to keep wiring clean | \$2.95 \$1.99 / Meter | |
| 6 | 1 | 1 101 | Outlet And Network Mount | Cable Cleare to Reop Willing Gloan | y 1.00 / IVIGIGI | |
| 6.1 | 1 | 1 | Outlet_Switch_And_Network_Mount | 3D Printed | NA | |
| 6.2 | 1 | 1 | Amazon_Electrical_Fused_Plug | Fuse & Power Socket 10A 250V 3 Pin IEC320 C14 | \$3.01 | |
| 6.3 7 | 1 1 | 1 | CAT5 Tooless IDC Keystone Jack Solid State Relay (Subassembly) | Network Keystone Jack | <u>\$4.35</u> | |
| 7.1 | 1 | 1 | G3NA_220B | 20A DC to AC Solid State Relay (to run heated bed at 120C AC) | <u>\$27.32</u> | |
| 7.2 | 2 | 2 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | <u>\$28.00 / 100</u> |
| 7.3 | 2 | 2 | 91239A224 | 5mm x 10mm button head socket cap screw | <u>\$7.93 / 100</u> | |
| 8 8.1 | 1 | 1 | Y_Limit_Switch (Subassembly) XY_LimitSwitch_Mount_A | 3D Printed | NA | |
| 8.1 | 1 | 1 | Micro Switch Button | NO / NC Limit Switch | <u>NA</u> \$1.99 | \$2.00 |
| . 0.2 | • | | , | | <u> </u> | <u> </u> |

| | | | 1 | | | |
|--|---|---|--|--|--|--|
| 8.3 | 1 | 1 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | <u>\$28.00 / 100</u> |
| 8.4 8.5 | 2 | 2 | 94500A223 91239A224 | 3mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw | \$6.08 / 100 \$7.93 / 100 | |
| 9 | 1 | | X_Limit_Switch (Subassembly) | onini x Tonini button nead socket cap screw | ψ1.337 100 | |
| 9.1 | 1 | 1 | XY_LimitSwitch_Mount_B | 3D Printed | NA | |
| 9.2 | 1 | 1 | Micro Switch Button | NO / NC Limit Switch | \$1.99 | \$2.00 |
| 9.3 | 1 | 1 | HNTTSN5-5 | T-Slot Nuts | <u>\$0.20</u> | \$28.00 / 100 |
| 9.4 | 2 | 2 | 94500A223 | 3mm x 10mm button head socket cap screw | \$6.08 / 100 | |
| 9.5 | 1 | 1 | 91239A224 | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 10 | 2 | | Drive_Corner_Bracket_A (Subassembly) | | | |
| 10.1 | 1 | 2 | Corner_Bearing_Bracket_A | 3D Printed | NA Co. 20 | COO OO / 400 |
| 10.2 10.3 | 14 2 | 28 | HNTTSN5-5 5972K164 | T-Slot Nuts 10mm x 22mm x 6mm (6900 series bearing) | \$0.20 \$9.99 / 10 | <u>\$28.00 / 100</u> |
| 10.3 | 2 | 4 | 90214A422 | 10mmx16mmx0.5mm Shim | \$11.73 / 10 | |
| 10.5 | 14 | 28 | 91239A224 | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 11 | 2 | | Drive_Corner_Bracket_B (Subassembly) | | | |
| 11.1 | 1 | 2 | Corner_Bearing_Bracket_B | 3D Printed | <u>NA</u> | |
| 11.2 | 14 | 28 | HNTTSN5-5 | T-Slot Nuts | <u>\$0.20</u> | <u>\$28.00 / 100</u> |
| 11.3 | 2 | 4 | 5972K164 | 10mm x 22mm x 6mm (6900 series bearing) | \$9.99 / 10 | |
| 11.4 11.5 | 2 14 | 28 | 90214A422 91239A224 | 10mmx16mmx0.5mm Shim | \$11.73 / 10 \$7.03 / 100 | |
| 12 | 14 | 20 | X/Y Gantry Rods (Subassembly) | 5mm x 10mm button head socket cap screw | <u>\$7.93 / 100</u> | |
| 12 | | | A F Galitry Rous (Subassellibly) | 10mm x 610mm hardened precicion rods for x/y axis | | |
| 12.1 | 4 | 4 | SFJ10-610 | quides | <u>\$20.33</u> | |
| 40.0 | | | 05.40.540 | 10mm x 512mm hardened precicion rods for x/y | 045.40 | |
| 12.2 | 2 | 2 | SFJ10-512 | overhead gantry | <u>\$15.10</u> | |
| 13 | 2 | | XY_Axis_Belt_Tensioner_A | | | |
| 13.1 | 1 | 2 | XY Axis Belt Tensioner A | 3D Printed | <u>NA</u> | |
| 13.2 | 1 | 2 | XY Axis Belt Tensioner Block A | 3D Printed | <u>NA</u> | |
| 13.3 | 2 | 4 | a_7z41mpsb10m | 10mm self aligning bronze sintered bushings | \$9.99 / 4 \$3.34 / 25 | |
| 13.4 13.5 | <u>2</u> 4 | 8 | 91290A137 90576A102 | 3mm x 50mm socket head cap screw 3mm nylock hex nut | \$3.34 / 25 \$3.27 / 100 | |
| 13.6 | 1 | 2 | 90576A102 90591A146 | 3mm standard hex nut (DIN 934) | \$2.08 / 100 | |
| 13.7 | 1 | 2 | 91239A232 | 5mm x 16mm button head socket cap screw | \$8.82 / 100 | |
| 13.8 | 2 | 4 | 91290A125 | 3mm x 25mm socket head cap screw | \$11.74 / 100 | |
| 14 | 2 | | XY_Axis_Belt_Tensioner_B | | | |
| 14.1 | 1 | 2 | XY Axis Belt Tensioner B | 3D Printed | <u>NA</u> | |
| 14.2 | 1 | 2 | XY Axis Belt Tensioner Block B | 3D Printed | NA Dana () | |
| 14.3 | 2 | 4 | a_7z41mpsb10m | 10mm self aligning bronze sintered bushings | \$9.99 / 4 | |
| 14.4 14.5 | <u>2</u> 4 | 8 | 91290A137 90576A102 | 3mm x 50mm socket head cap screw 3mm nylock hex nut | \$3.34 / 25 \$3.27 / 100 | |
| 14.6 | 4 | 2 | 90591A146 | 3mm standard hex nut (DIN 934) | \$2.08 / 100 | |
| 14.7 | 1 | 2 | 91239A232 | 5mm x 16mm button head socket cap screw | \$8.82 / 100 | |
| 14.8 | 2 | 4 | 91290A125 | 3mm x 25mm socket head cap screw | \$11.74 / 100 | |
| 15 | 1 | | XY Gantry Belts and Pullies | | | |
| 15.1 | 10 | 10 | GT2_Aluminum_Timing_Pulley_32_Tooth | GT2 2mm pitch, 10mm ID, 32 tooth pulley | <u>\$2.10</u> | |
| 15.2 | 5 | 5 | Bulk GT2 (2MM pitch x 6mm wide) Belt | Bulk GT2 (2MM pitch x 6mm wide) Belt | \$1.8 / Meter | <u>\$2 / meter</u> |
| 15.3 | 2 | 2 | A 6R51M113060 | 113 tooth (226mm long) closed loop GT2 Belt (2mm | \$0.50 | <u>\$4.86</u> |
| | | | | pitch x 6mm wide) | <u> </u> | <u>, </u> |
| 16 | 2 | | X/Y Gantry Drive Motor (Subassembly) | OD Drives d | NIA | |
| 16.1 | 1 | 2 | External_Motor | 3D Printed High Torque 6.5kg/cm 60mm Long Nema 17 Stepper | <u>NA</u> | |
| 16.2 | 1 | 2 | NEMA_17_60mm_1.5A | Motor | <u>\$11.80</u> | |
| 16.3 | 4 | 8 | 91290A137 | 3mm x 50mm socket head cap screw | \$3.34 / 25 | |
| 16.4 | 4 | 8 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | \$28.00 / 100 |
| 16.5 | 1 | 2 | GT2_Aluminum_Timing_Pulley_20_Tooth | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) | <u>\$1.85</u> | <u>\$5.49</u> |
| 16.6 | 4 | 8 | 94500A223 | 3mm x 10mm button head socket cap screw | \$6.08 / 100 | |
| 16.7 | 4 | | 91239A224 | | | |
| 17 | 1 | 8 | | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 17.01 | 4 | 8 | Carriage_Dual_E3DV6 | | \$7.93 / 100 | |
| 17 00 | 1 | 1 1 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 | 3D Printed | \$7.93 / 100 NA | |
| 17.02 17.03 | 1 1 1 | 1 1 1 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 | 3D Printed 3D Printed | \$7.93 / 100 NA NA | |
| 17.02 17.03 17.04 | 1 1 1 1 | 1 1 1 1 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 | 3D Printed | \$7.93 / 100 NA | |
| 17.03 | 1 1 1 1 1 | 8 1 1 1 1 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 | 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed | \$7.93 / 100 NA NA NA | |
| 17.03 17.04 17.05 17.06 | 1 1 1 1 1 | 8 1 1 1 1 1 1 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 | 3D Printed | \$7.93 / 100 NA NA NA NA NA NA NA NA NA | |
| 17.03 17.04 17.05 | 1 1 1 1 1 1 4 | 8 1 1 1 1 1 1 4 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 | 3D Printed 10mm self aligning bronze sintered bushings | \$7.93 / 100 NA NA NA NA NA NA | |
| 17.03 17.04 17.05 17.06 17.07 | | 1 1 1 1 1 1 4 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V | \$7.93 / 100 NA NA NA NA NA NA NA NA NA | |
| 17.03 17.04 17.05 17.06 | 1 1 1 1 1 1 4 | 8 1 1 1 1 1 1 4 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed | \$7.93 / 100 NA NA NA NA NA NA NA NA NA | |
| 17.03 17.04 17.05 17.06 17.07 | 2 | 1 1 1 1 1 1 4 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) | \$7.93 / 100 NA NA NA NA NA NA NA NA S9.99 / 4 \$79.99 | |
| 17.03 17.04 17.05 17.06 17.07 | | 1 1 1 1 1 1 4 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if | \$7.93 / 100 NA NA NA NA NA NA NA NA NA | |
| 17.03 17.04 17.05 17.06 17.07 17.08 | 2 | 1 1 1 1 1 1 4 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) | \$7.93 / 100 NA NA NA NA NA NA NA NA S9.99 / 4 \$79.99 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 | 2 2 2 | 1 1 1 1 1 1 4 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 | 2 2 2 11 | 1 1 1 1 1 1 4 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 | 2 2 2 11 4 | 1 1 1 1 1 1 4 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 | 2 2 2 11 4 7 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 | 2 2 2 11 4 7 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 | 2 2 2 11 4 7 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 | 2 2 2 11 4 7 2 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 | 2 2 2 11 4 7 2 2 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18.1 18.2 | 2 2 2 11 4 7 2 2 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 | 2 2 2 11 4 7 2 2 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 | 2 2 2 11 4 7 2 2 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) | \$7.93 / 100 NA NA NA NA NA NA S9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 19 19.1 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly Z_Axis_Module (Sub-Sub Assembly) | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm x 20mm socket head cap screw 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) 3mm x 8mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 \$5.90 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 19 19.1 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly Z_Axis_Module (Sub-Sub Assembly) MTSBRW12-480-F10-V8-S26-Q8 | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm oversized flat washer (Din 9021) 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) 3mm x 8mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 \$5.90 / 100 \$5.90 / 100 | |
| 17.03 17.04 17.05 17.06 17.07 17.08 17.09 17.10 17.11 17.12 17.13 17.14 17.15 17.16 18 18.1 18.2 18.3 19 19.1 | 2 2 2 11 4 7 2 2 2 2 2 1 1 1 1 2 | 1 1 1 1 1 1 4 2 2 2 2 11 4 7 2 2 2 2 2 2 2 2 | Carriage_Dual_E3DV6 Double Carriage_E3DV6 Dual_Bowden_Tube_Carriage_Adapter_E3DV6 Blower_Duct_1 Blower_Duct_1Mirror Front_Clamp_With_Fan_Mount_E3DV6 Dual_Fan_Shroud_E3DV6 a_7z41mpsb10m E3D_V6 50x50x15_Fonsoning_FSY5015S24H_Blower 30x30_Fan 90591A121 92095A185 92095A184 91292A029 91100A120 91292A123 Manual_Movement_Knob Rod_End_Knob 90591A121 94500A222 Z_Bed_Assembly Z_Axis_Module (Sub-Sub Assembly) | 3D Printed 10mm self aligning bronze sintered bushings Hot End (need 24V fan and heater cartridge if 24V power supply is used, by default E3D V6 is designed for 12V system) 50x50x15 centrifugal blower fan (needs to be 24V if 24V power supply is used) included with e3d kit (needs to be 24v if 24V power supply is used) 3mm hex nut (Din 934) 3mm x 20mm button head socket cap screw 3mm x 16mm button head socket cap screw 3mm x 18mm socket head cap screw 3mm x 20mm socket head cap screw 3mm x 20mm socket head cap screw 3D Printed 3mm hex nut (Din 934) 3mm x 8mm button head socket cap screw | \$7.93 / 100 NA NA NA NA NA NA \$9.99 / 4 \$79.99 \$6.81 Request 24v when ordering \$1.39 / 100 \$5.31 / 50 \$8.85 / 100 \$5.60 / 100 \$1.10 / 100 \$6.00 / 100 NA \$1.39 / 100 \$5.90 / 100 | |

| 19.1.4 | 2 | 4 | 608ZZ-8x22x7 | 608ZZ Bearing | \$0.90 | \$0.30 |
|---|--|---|---|--|--|--|
| 19.1.5 | 1 | 2 | GT2_Aluminum_Timing _Pulley_36_Tooth | GT2 2mm pitch, 8mm ID, 36 tooth pulley | \$2.50 | <u>\$11.95</u> |
| 19.1.6 | 2 | 4 | 91290A252 | 5mm x 25mm socket head cap screw | \$7.24 / 50 | |
| 19.1.7 | | 8 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | <u>\$28.00 / 100</u> |
| 19.1.8 19.2 | 2 2 | 4 | 91239A232 Z_Gantry_Angle_Plate (Sub-Sub Assembly) | 5mm x 16mm button head socket cap screw | <u>\$8.82 / 100</u> | |
| 19.2.1 | 1 | 2 | Z_Gantry_Plate | ASTM B221-08 6063-T52 Aluminum Architectural Unequal Leg Angle 3- 1/2" x 1-1/4" x 1/8" | \$8.88 | |
| 19.2.2 | | 8 | Dual_V_Wheel_Bolt_Assembly | Open Builds V-slot wheel kit | \$3.85_ | \$3.85_ \$0.00 |
| 19.2.3 19.2.4 | | 8 2 | 1/4" Eccentric Spacer MTSRN12 | 1/4" Eccentric Spacer 12mm / 2mm pitch lead screw nut | \$2.00 \$25.95 | \$2.00 |
| 19.2.5 | | 8 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | \$28.00 / 10 <u>0</u> |
| 19.2.6 | | 8 | 94500A230 | 5mm x 8mm button head socket cap screw | \$6.15 / 50 | |
| 19.2.7 19.3 | 2 | 4 | 91239A224 Heated_Bed_Assembly | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 19.3.01 | 1 | 1 | Aluminum_Build_Plate | 1/4" ASTM B209-10 5052-H32 Aluminum Plate | \$32.07 | |
| 19.3.02 | 1 | 1 | MDF_Insulator_Board | 3/4" MDF Insulator board from local hardware store | <u>\$11.97</u> | |
| 19.3.03 | | 4 | 92125A219 | 5mm x 70mm flat head socket cap screw | \$4.38 / 10 | |
| 19.3.04 19.3.05 | | 14 | 9657K292 91100A140 | Spring (0.75"L x 0.50"OD x 0.062"wire) 5mm oversized flat washer (DIN 9021) | \$8.38 / 6 \$3.45 / 100 | |
| 19.3.06 | | 2 | 92125A220 | 5mm x 30mm flat head socket cap screw | \$6.55 / 25 | |
| 19.3.07 | | 6 | 94205A240 | 5mm nylock nut (DIN 985) | \$6.09 / 50 | |
| 19.3.08 | 4 | 4 | 94545A225 | 5mm wing nut (DIN 315) | \$6.21 / 1 <u>0</u> | |
| 19.3.09 | 1 | 1 | 380mmx380mm_800W_ 120V_Silicone_Heater(Alirubber) | AliRubber Custom Silicon Heated Bed (You can spec Voltage, Wattage, Size, Thermistor Location, Etc.) | \$34.30 + Shipping | |
| 19.3.10 | 1 | 1 | Window_Glass_420mm X 430mm | Window Glass 420mm X 430mm or Boro Glass | <u>\$5.00</u> | |
| 19.3.11 | 2 | 2 | Bed_Glass_Clip | 3D Printed | <u>NA</u> | |
| 19.3.12 | | 2 | Bed_Glass_Clip_Mirror | 3D Printed | <u>NA</u> | 0.05 |
| 19.3.13 19.4 | 2 | 2 | HFS5-2020-519_5 Z_Limit_Assembly | 20x20x519.5mm Extruded Aluminum | \$15.00 / 1500mm | <u>2.95</u> |
| 19.4.1 | 1 | 1 | Limit Switch Mounting Bracket | Aluminum Limit Switch Mounting Bracket | \$2.00 | \$2.00 |
| 19.4.2 | 1 | 1 | Micro Switch Button | NO / NC Limit Switch | \$1.99 | \$2.00 |
| 19.4.3 | | 1 | HNTTSN5-5 | T-Slot Nuts | \$0.20 | <u>\$28.00 / 100</u> |
| 19.4.4 19.4.5 | | 2 2 | 94500A223 93475A210 | 3mm x 10mm button head socket cap screw 3mm flat washer (DIN 125) | \$6.08 / 100 \$1.62 / 100 | |
| 19.4.6 | | 1 | 91239A224 | 5mm x 10mm button head socket cap screw | \$7.93 / 100 | |
| 20 | 1 | | Z_Drive_Mount_With_Nema17_60mm | | | |
| 20.1 | 1 | 1 | External_Motor | 3D Printed | <u>NA</u> | |
| 20.2 | | 1 | NEMA_17_60mm_1.5A | High Torque 6.5kg/cm 60mm Long Nema 17 Stepper Motor | \$11.80 | |
| 20.3 20.4 | | 4 | 91290A137 | 3mm x 50mm socket head cap screw | \$3.34 / 25 | |
| , , , , , , | 1 | 1 | IUNTTQNE_E | II - SIOT NILITO | 1 40.20 1 | \$28 AA / 1AA |
| | | 4 | HNTTSN5-5 GT2 Aluminum Timing Pulley 20 Tooth | T-Slot Nuts 20 tooth GT2 Pulley (5mm ID) (2mm pitch) | \$0.20 \$1.85 | \$28.00 / 100 \$5.49 |
| 20.4 20.5 20.6 | 1 | 4 1 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 | \$28.00 / 100 \$5.49 |
| 20.5 20.6 20.7 | 1 4 1 | 1 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) | \$1.85 \$6.08 / 100 \$9.95 | |
| 20.5 20.6 20.7 20.8 | 1 4 1 4 | 1 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm | \$1.85 \$6.08 / 100 | |
| 20.5 20.6 20.7 20.8 21 | 1 4 1 | 1 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 | |
| 20.5 20.6 20.7 20.8 21 21.1 | 1 4 1 4 2 1 | 1 4 1 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 | \$5.49 |
| 20.5 20.6 20.7 20.8 21 | 1 4 1 4 2 1 1 | 1 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 | |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 | 1 4 1 4 2 1 1 2 1 | 1 4 1 4 2 2 4 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 | \$5.49 \$4.85 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 | 1 4 1 4 2 1 1 2 1 | 1 4 1 4 2 2 2 4 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 | \$5.49 \$4.85 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 | 1 4 1 4 2 1 1 2 1 | 1 4 1 4 2 2 2 4 2 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 | \$5.49 \$4.85 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 | 1 4 1 2 1 1 2 1 1 2 | 1 4 1 4 2 2 4 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 | \$5.49 \$4.85 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 | 1 4 1 4 2 2 2 4 2 2 2 2 2 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed 3D Printed T-Slot Nuts | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 | \$5.49 \$4.85 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 4 4 4 | 1 4 1 4 2 2 2 4 2 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 | 1 4 1 4 2 2 2 4 2 2 2 2 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 4 4 4 4 | 1 4 1 4 2 2 2 4 2 2 2 2 2 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 4 4 4 4 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 2 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Dogbone_Connector | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 | 1 4 1 4 2 1 1 2 1 1 1 4 4 2 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Dogbone_Connector HercuStruder_Pin | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23.01 23.02 23.03 23.04 23.05 | 1 4 1 4 2 1 1 2 1 1 2 1 1 4 4 4 4 4 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Pin Bowden_Tube_Nut_Trap | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 | \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 | 1 4 1 4 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 2 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Dogbone_Connector HercuStruder_Pin | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 | \$5.49 \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 | 1 4 1 4 2 1 1 1 2 1 1 1 4 4 4 2 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 23.10 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Bearing_Pivot HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 5D P | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 | 1 4 1 4 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 5D P | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 7-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 5D Pr | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmlD_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 7-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 5D Pr | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 92095A183 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 3D Printed 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed T-Slot Nuts Teflon tube for extruder drive inlet and bowden tube from extruder to the carriage 608ZZ Bearing Filament Drive Gear 5.18:1 planetary reduced 40mm Long Nema 17 Stepper Motor 3mm hex nut (Din 934) 3mm x 50mm socket head cap screw 3mm flat washer (DIN 125) 3mm oversized flat washer (Din 9021) 3mm x 12mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA S0.20 \$12.00 \$12.00 \$1.39 / 100 \$3.34 / 25 \$1.62 / 100 \$4.00 / 100 | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmlD_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 7-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 5D Pr | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 23.15 23.16 23.17 23.18 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 2 2 2 2 2 2 2 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 92095A183 94500A223 91290A135 90576A102 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed T-Slot Nuts Teflon tube for extruder drive inlet and bowden tube from extruder to the carriage 608ZZ Bearing Filament Drive Gear 5.18:1 planetary reduced 40mm Long Nema 17 Stepper Motor 3mm hex nut (Din 934) 3mm x 50mm socket head cap screw 3mm flat washer (DIN 125) 3mm oversized flat washer (Din 9021) 3mm x 12mm button head socket cap screw 3mm x 10mm button head socket cap screw 3mm x 35mm socket head cap screw 3mm nylock hex nut | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA S0.20 \$12.00 \$12.00 \$1.39 / 100 \$3.34 / 25 \$1.62 / 100 \$1.10 / 100 \$4.00 / 100 \$9.07 / 50 \$3.27 / 100 | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 23.15 23.16 23.17 23.18 23.19 | 1 4 1 4 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 2 2 2 2 2 2 2 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuStruder_Bearing_Pivot HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 92095A183 94500A223 91290A135 90576A102 91239A224 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed T-Slot Nuts Teflon tube for extruder drive inlet and bowden tube from extruder to the carriage 608ZZ Bearing Filament Drive Gear 5.18:1 planetary reduced 40mm Long Nema 17 Stepper Motor 3mm hex nut (Din 934) 3mm x 50mm socket head cap screw 3mm flat washer (DIN 125) 3mm oversized flat washer (Din 9021) 3mm x 12mm button head socket cap screw 3mm x 10mm button head socket cap screw 3mm nylock hex nut 5mm x 10mm button head socket cap screw | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA NA NA NA N | \$4.85 \$28.00 / 100 \$28.00 / 100 |
| 20.5 20.6 20.7 20.8 21 21.1 21.2 21.3 21.4 21.5 22 22.1 22.2 22.3 22.4 23 23.01 23.02 23.03 23.04 23.05 23.06 23.07 23.08 23.09 23.10 23.11 23.12 23.13 23.14 23.15 23.16 23.17 23.18 | 1 4 1 4 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 | 1 4 1 4 2 2 2 4 2 2 2 8 8 8 8 2 2 2 2 2 2 2 2 | GT2_Aluminum_Timing_Pulley_20_Tooth 94500A223 Timing Belt GT2 Profile - 2mm pitch - 6mm wide 1164mm long 91239A224 Z_Belt_Idler Z_Idler_Slide_Support Smooth_Idler_Pulley kit HNTTSN5-5 91290A254 91239A224 Spool_and_Holder Spool_Holder_Flange 50mm_Threaded_Spool_Holder_Full_Round HNTTSN5-5 91239A224 HercuStruder_V2 HercuLien_Extruder_Base_V2 HercuStruder_Bearing_Pivot HercuStruder_Dogbone_Connector HercuStruder_Pin Bowden_Tube_Nut_Trap HNTTSN5-5 4mmODx2mmID_Teflon_Tube_Section 608ZZ-8x22x7 8mm_Shaft_Hobb_Gear NEMA_17_5.18_Planetary 90591A121 91290A137 93475A210 91100A120 92095A183 94500A223 91290A135 90576A102 | 20 tooth GT2 Pulley (5mm ID) (2mm pitch) 3mm x 10mm button head socket cap screw 1164mm Long GT2 (2mm pitch) (6mm wide) (1164mm Long) 5mm x 10mm button head socket cap screw 3D Printed GT2 Smooth Idler Pulley T-Slot Nuts 5mm x 30mm socket head cap screw 5mm x 10mm button head socket cap screw 5mm x 10mm button head socket cap screw 3D Printed T-Slot Nuts 5mm x 10mm button head socket cap screw (recommended alternative = Bondtech Extruder) 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed 3D Printed T-Slot Nuts Teflon tube for extruder drive inlet and bowden tube from extruder to the carriage 608ZZ Bearing Filament Drive Gear 5.18:1 planetary reduced 40mm Long Nema 17 Stepper Motor 3mm hex nut (Din 934) 3mm x 50mm socket head cap screw 3mm flat washer (DIN 125) 3mm oversized flat washer (Din 9021) 3mm x 12mm button head socket cap screw 3mm x 10mm button head socket cap screw 3mm x 35mm socket head cap screw 3mm nylock hex nut | \$1.85 \$6.08 / 100 \$9.95 \$7.93 / 100 NA \$4.85 \$0.20 \$7.87 / 50 \$7.93 / 100 NA NA NA \$0.20 \$7.93 / 100 NA NA NA NA NA NA NA NA NA NA S0.20 \$12.00 \$12.00 \$1.39 / 100 \$3.34 / 25 \$1.62 / 100 \$1.10 / 100 \$4.00 / 100 \$9.07 / 50 \$3.27 / 100 | \$4.85 \$28.00 / 100 \$28.00 / 100 |

Other good suppliers and resources for parts

Bolts: http://www.trimcraftaviationrc.com/
Extruder: http://www.bondtech.se/