

ACROW

Formwork Technology

Circular Column formwork

ACROW MISR Provides Full Site Service Based On More Than 35 Years Experience In The Field



ACROW
Formwork Technology



Contents

Introduction	2
Product Description	3
Circular Column Formwork	4
Application	5
Components	6

ACROW
Formwork Technology

Introduction

• **Easy for erection and adjustment:**
The column formwork two halves are manufactured with the highest quality in order to avoid the need of matching pairs which simplifies it's daily use.

• **Release agent coating:**
It minimizes the concrete adhesion and therefore the cleaning costs.

• **Connecting panels:**
The Acrow bolts for panel connections ensure not only the flushness and tightness of the connection, but it also ensures that the connection doesn't wear after prolonged use.

• **Cross Section:**
The column diameter varies from 250 to 17,000 mm with 50 mm increments. Moreover, special size could be produced upon request.

• **Height increments:**
Using the viable panel heights, height increments of 1000 mm could be easily achieved.









Product Description

• **Advantages:**
– The special steel circular column formwork provides first class concrete surfaces.
– Allows for high permissible fresh concrete pressure. The Acrow circular formwork is designed for a fresh concrete pressure up to 150 KN/m² enabling for fast and economical concreting.
• **Basic Elements:**
– Two column formwork halves.
– Acrow both for connecting the column halves.
– Lifting eye for easy handling.
• **Concrete Platform:**
It is used to ensure a safe working on different heights and cross sections.










Circular Column Formwork

- Height increments of 500 mm can be acheived using varible panel height.
- Panel height (50 - 100 -300) cm.
- Panel diameters varible (30 cm to 200 cm) special sizes on request.




Panel Height (50-100-300)cm










Acrow Bolt



• The Acrow bolts for panel connecteions





Applications








Components

Item	Description	Code no.	Weight(kg)
	Half Circular Form D =0.30 m, H=0.5m	6221177004217	24.50
	Half Circular Form D =0.30 m, H=1.0 m	6221177004224	45.20
	Half Circular Form D =0.30 m, H=3.0 m	6221177004231	107.50
	Half Circular Form D =0.50 m, H=0.5 m	6221177004330	31.10
	Half Circular Form D =0.50 m, H=1.0 m	6221177004347	56.60
	Half Circular Form D =0.50 m, H=3.0 m	6221177004354	135.20
	Half Circular Form D=0.75 m, H=0.50 m	6221177004484	39.80
	Half Circular Form D=0.75 m , H=1.0 m	6221177004491	72.30
	Half Circular Form D=0.75 m , H=3.0 m	6221177004507	178.90
	Half Circular Form D=1.0 m , H=0.50 m	6221177004644	48.30
	Half Circular Form D=1.0 m , H=1.0 m	6221177004651	88.90
	Half Circular Form D=1.0 m , H=3.0 m	6221177004637	219.80
	Half Circular Form D=1.25 m , H=0.50 m	6221177004781	56.90
	Half Circular Form D=1.25 m , H=1.0 m	6221177004798	104.06
	Half Circular Form D=1.25 m , H=3.0 m	6221177004804	257.20
	Half Circular Form D=1.50 m , H=0.50 m	6221177004934	65.52
	Half Circular Form D=1.50 m , H=1.0 m	6221177004941	119.20
	Half Circular Form D=1.50 m , H=3.0 m	6221177004958	294.60
	Half Circular Form D=2.00m , H=0.50 m	6221177035389	82.65
	Half Circular Form D=2.00 m , H=1.0 m	6221177035396	149.50
	Half Circular Form D=2.00 m , H=3.0 m	6221177035419	369.40
	Acrow Bolt 16mm, L = 8 cm	6221177000110	0.16
	Platform Bracket Type (1.40*1.40 m)	6221177027018	37.66
	Platform Bracket Type (1.80*1.80 m)	6221177040697	50.26
	Platform Bracket Type (2.10*2.10 m)	6221177039196	63.75
	Lifting Eye Angle Type	6221177011116	1.04

Components

Item	Description	Code no.	Weight(kg)
	Push Pull PPS 131 Push Pull PPS 132 Push Pull PPS 161 Push Pull PPS 162 Push Pull PPS 201 Push Pull PPS 202 Push Pull PPS 252 Push Pull PPS 302 Push Pull PPS 352	6221177014254 6221177014261 6221177014278 6221177014285 6221177014292 6221177014308 6221177014315 6221177014322 6221177014339	9.00 11.40 9.85 12.45 13.15 15.30 17.20 19.00 23.10
	Tilt up shor X0 1.04 - 1.83 m Tilt up shor X1 1.75 - 3.20 m Tilt up shor X2 1.98 - 3.35 m Tilt up shor X3 2.95 - 3.96 m Tilt up shor X4 3.20 - 4.88 m	6221177023942 6221177023959 6221177023966 6221177023976 6221177023980	10.90 17.50 18.65 21.25 25.64
	Double Base Plate Single Base Plate	6221177000813 6221177000882	2.40 1.45
	Spring Clip large Spring Clip small	6221177022617 6221177022624	0.03 0.01
	Rivet Pin = 17 mm	6221177012298	0.25