

UKAS QUALITY MANAGEMENT 005

SYSTEM CERTIFICATION ISO 9001:2008 SGS

ACROW

Formwork Technology

Acrow Ring Lock Shoring System

ACROW MISR Provides Full Site Service Based On More Than 35 Years Experience In The Field


ACROW
Formwork Technology



ACROW
Formwork Technology



Contents

Introduction	2
Advantages	3
Features	4
Ring Lock Standards Loadings	6
Application	7
Components	10

ACROW Formwork Technology

Introduction

Being one of the largest formwork and scaffolding companies, we are introducing the Ring lock system. Acrow all round kit (ARK) is one of the most popular and widely used systems in newly constructed projects. It can be used to act as a shoring system for slabs and for facades for external plaster. In addition, the disappearance of the modular plain brace together with the no need for tubes or couplers in the diagonals is what makes the system easier and faster. Moreover, hot dip galvanization extends the service life of the ARK system components. The system components are light and could be man handled easily. The ARK system also conforms to the latest occupational safety standards to provide the clients with applicable and cost effective solutions for the whole requirements.



Advantages

•It can be used for simple facades, complex industrial structural and sophisticated supporting structures.
•The latest technology together with the easy to handle system is what makes it a fast cost effective system.
•The Acrow scaffolding system is highly flexible, which enables it to be used for complicated layouts with varying heights.
•It is composed of a perforated steel disc with 4 small openings for ledger positions and 4 wide openings for aligning the ledgers and the diagonal braces at angles.
•Detailed information regarding the connectors load bearing capacity Due to the lightness of the system components All can be easily handled by one man.









Features

1- Standards

The vertical ring has different lengths to enable for the highest vertical ring used in the standards shoring system scaffolding and grandstand.




Model Overveiw




Features

2 - Ledger

The ledger is the horizontal member used to connect the standards in both the longitudinal and transversal directions.
Ledger sizes vary from 0.6 m to 2.4 m.




item Overveiw




Ring Lock Standards loadings

Technical Data

- Restrained From 2 Directions




- Restrained From 4 Directions



Application

Ring lock can be used as:
- Shoring
- Scaffolding
- Staircase


Ring lock use as shoring



Application


Ring lock scaffolding concept:
•Improve safety during erection.
•Improve logistics for erecting.
•Reduce the necessary amount of investment.
•Improve the material scaffolding use,

Ring lock use as scaffolding




Application





Ring lock use as staircase






Components

Item	Description	Code no.	Weight (kg)
	Ringlock vertical		
	L=0.50 m	6221177029579	2.90
	L=1.00 m	6221177029586	5.93
	L=1.50 m	6221177029593	8.90
	L=2.00 m	6221177029609	11.86
	L=2.50 m	6221177029616	14.50
	L=3.00 m	6221177029623	17.00
	Ring ledger		
	L=0.60 m	6221177029630	1.70
	L=0.90 m	6221177029647	2.60
	L=1.20 m	6221177029654	3.50
	L=1.50 m	6221177029661	4.35
	L=1.80 m	6221177029678	5.25
	L=2.10 m	6221177029685	6.10
	L=2.40 m	6221177029692	8.40
	Diagonal Brace		
	L=0.60 m x 1.5	6221177008871	4.60
	L=0.90 m x 1.5	6221177008888	4.98
	L=1.20 m x 1.5	6221177008895	5.47
	L=1.50 m x 1.5	6221177008901	6.05
	L=1.80 m x 1.5	6221177008918	6.67
	L=2.10 m x 1.5	6221177008925	7.35
	L=2.40 m x 1.5	6221177008932	8.06
	L=0.60 m x 2.0	6221177008949	5.95
	L=0.90 m x 2.0	6221177008956	6.25
	L=1.20 m x 2.0	6221177029746	6.65
	L=1.50 m x 2.0	6221177029715	7.15
	L=1.80 m x 2.0	6221177029722	7.65
	L=2.10 m x 2.0	6221177008994	8.25
	L=2.40 m x 2.0	6221177009007	8.90





Components


Item	Description	Code no.	Weight (kg)
	L =2.50 m L =2.90 m L =3.00 m L =3.30 m L =3.60 m L =3.90 m L =4.50 m L =4.90 m L =5.90 m	6221177024062 6221177024079 6221177024086 6221177024093 6221177024109 6221177024116 6221177024130 6221177024147 6221177024154	12.50 14.50 15.00 16.50 18.00 19.50 22.50 24.50 29.50
	Frame Connector	6221177006341	0.50
	Acrow U-Head Jack Solid	6221177025939	7.40
	Post Head Jack Solid	6221177013097	5.47

Components

Item	Description	Code no.	Weight (kg)
	U-head Jack angle type (for H20)	6221177025892	8.70
	handrail connection type 2 for Soldier	6221177010119	2.70
	Stair Handrail	6221177020309	24.08
	Broken Beam	6221177010102	41.12

Components

Item	Description	Code no.	Weight (kg)
	Landing filler	6221177020255	4.06
	Handrial to Handrial Clip	6221177005986	3.65
	Fixing plate	6221177003876	0.25
	Outriger for ringlock	6221177013110	28.85



acrow

1 Egypt

Acrow Misr
Head Office, Factory:
Wady Houf, Helwan
Tel: +202 23690 616 / 23690 739
+202 23695 700 / 23699 976
Fax: +202 23695 260
E.mail: info@acrow.co

Alex Branch
27 Dr. mahmoud Daoud st.,
Tel: +203 4200 289
E.mail: acrowalex@acrow.co

Port Said Branch
El freepor Bulding
Tel: +2066 3232542
acrowportsaid@acrow.co

2 KSA

Acrow Al saudia Ltd co.
P.O.Box : 305746-Riyadh-11361
Saudi Arabia Riyadh branch:
Tel : +966 1 2160504
Fax : +966 1 2160503
Email : acrowriyadh@acrow.co

Jeddah branch:
Tel : +966 2 639 16 24
Fax :+966 2 691 85 45
Email : acrowjeddah@acrow.co


Damam branch:
Tel: +966 3 8054151

3 Kuwait

Khalid Ali, Al Kaharafi
& Bros. Co. W.LL
Tel: +965 4813 127 / 4817 289
Fax: +965 4835 501
E.mail: acrowkuwait@acrow.co

4 Libya

Acrow Tripoli
Tel: +218 91 411 6873 / 91 331 9367
Fax: +218 21 351 3838
E.mail: acrowlibya@acrow.co



acrow

5 Algeria

ACROW-DZ COMPANY
Tel: +213 (0) 21 75 54 74/63/64
Tel: +213 (0) 21 50 55 58
Fax: +213 (0) 21 50 55 58
Address : Siege Social cité des travailleurs
lot. 09 groupe 02 Dar El beida, Alger
Email : acrow-dz@acrow.co

6 Oman

Acrow Muscat
Tel: +968 9828 76 82
E.mail: acrowmuscat@acrow.co

7 Morocco

38 Rue Abou El Waqt, Res
Haydar El Jarrah, Rez
Chausser No. 10
Casblanca
e-mail: acrowmorocco@acrow.co

8 UAE

Acrow Gulf
Tel: +971 4343 94 98
Fax: +971 4343 95 98
E.mail: acrowgulf@acrow.co

9 Qatar

Acrow Qatar
Tel: +974 4582 357
Fax: +974 4582 376
E.mail: acrowqatar@acrow.co

ACROW
Formwork Technology


Acrow H20 & solider


Acrow One shutter solider


Acrow V.M.C


Acrow Tech-Form


Acrow Cuplock


Acrow Bridge table form



Acrow Circular column



Acrow climbing system


Acrow shorbrace Table form


Acrow Big steel panel


Acrow European prop


Acrow Vari form


Acrow Prop table form


Acrow frame


Acrow early striking system


Acrow Ring lock

www.acrow.co

02\2013, Code No.: 2007050061005