



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteLib Namespace

[Send Feedback](#)

Functionality to communicate with a Nintendo Wii Remote (Wiimote) from .NET.

Classes

	Class	Description
	Wiimote	Implementation of Wiimote
	WiimoteChangedEventArgs	Argument sent through the WiimoteChangedEvent
	WiimoteCollection	Used to manage multiple Wiimotes
	WiimoteException	Represents errors that occur during the execution of the Wiimote library
	WiimoteExtensionChangedEventArgs	Argument sent through the WiimoteExtensionChangedEvent
	WiimoteNotFoundException	Thrown when no Wiimotes are found in the HID device list
	WiimoteState	Current overall state of the Wiimote and all attachments

Structures

	Structure	Description
	AccelCalibrationInfo	Accelerometer calibration information
	AccelState	Current state of the accelerometers
	BalanceBoardCalibrationInfo	Calibration information
	BalanceBoardSensors	The 4 sensors on the Balance Board (short values)
	BalanceBoardSensorsF	The 4 sensors on the Balance Board (float values)
	BalanceBoardState	Current state of the Wii Fit Balance Board controller
	ButtonState	Current button state
	ClassicControllerButtonState	Current button state of the Classic Controller
	ClassicControllerCalibrationInfo	Calibration information stored on the Classic Controller
	ClassicControllerState	Current state of the Classic Controller
	DrumsState	Current state of the Drums controller
	GuitarButtonState	Current button state of the Guitar controller
	GuitarFretButtonState	Current fret button state of the Guitar controller
	GuitarState	Current state of the Guitar controller
	IRSensor	Current state of a single IR sensor
	IRState	Current state of the IR camera
	LEDState	Current state of LEDs
	MotionPlusState	Current state of the MotionPlus controller
	NunchukCalibrationInfo	Calibration information stored on the Nunchuk
	NunchukState	Current state of the Nunchuk extension
	Point	Point structure for int 2D positions (X, Y)
	Point3	Point structure for int 3D positions (X, Y, Z)
	Point3F	Point structure for floating point 3D positions (X, Y, Z)

	PointF	Point structure for floating point 2D positions (X, Y)
	TaikoDrumState	Current state of the Taiko Drum (TaTaCon) controller

Enumerations

	Enumeration	Description
	ExtensionType	The extension plugged into the Wiimote
	GuitarType	Type of guitar extension: Guitar Hero 3 or Guitar Hero World Tour
	InputReport	The report format in which the Wiimote should return data
	IRMode	The mode of data reported for the IR sensor
	IRSensitivity	Sensitivity of the IR camera on the Wiimote
	LastReadStatus	Last ReadData status

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

AccelCalibrationInfo Structure

[Members](#) [See Also](#) [Send Feedback](#)

Accelerometer calibration information

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)

```
public struct AccelCalibrationInfo
```

Visual Basic (Declaration)

[<SerializableAttribute>](#) _

```
Public Structure AccelCalibrationInfo
```

Visual C++

[\[SerializableAttribute\]](#)

```
public value class AccelCalibrationInfo
```

See Also

[AccelCalibrationInfo Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

AccelCalibrationInfo Members

[AccelCalibrationInfo Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [AccelCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	X0	Zero point of accelerometer
	XG	Gravity at rest of accelerometer
	Y0	Zero point of accelerometer
	YG	Gravity at rest of accelerometer
	Z0	Zero point of accelerometer
	ZG	Gravity at rest of accelerometer

See Also

[AccelCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

AccelCalibrationInfo Fields

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [AccelCalibrationInfo](#) type exposes the following members.

Fields

	Name	Description
	X0	Zero point of accelerometer
	XG	Gravity at rest of accelerometer
	Y0	Zero point of accelerometer
	YG	Gravity at rest of accelerometer
	Z0	Zero point of accelerometer
	ZG	Gravity at rest of accelerometer

See Also

[AccelCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

AccelCalibrationInfo....X0 Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Zero point of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte X0
```

Visual Basic (Declaration)

```
Public X0 As Byte
```

Visual C++

```
public:
    unsigned char X0
```

See Also

[AccelCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

AccelCalibrationInfo....XG Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Gravity at rest of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte XG
```

Visual Basic (Declaration)

```
Public XG As Byte
```

Visual C++

```
public:  
unsigned char XG
```

See Also

[AccelCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

AccelCalibrationInfo....Y0 Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Zero point of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte Y0
```

Visual Basic (Declaration)

```
Public Y0 As Byte
```

Visual C++

```
public:  
unsigned char Y0
```

See Also

[AccelCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

AccelCalibrationInfo....: YG Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Gravity at rest of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte YG
```

Visual Basic (Declaration)

```
Public YG As Byte
```

Visual C++

```
public:  
unsigned char YG
```

See Also

[AccelCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

AccelCalibrationInfo....Z0 Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Zero point of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

≡ Syntax

C#

```
public byte Z0
```

Visual Basic (Declaration)

```
Public Z0 As Byte
```

Visual C++

```
public:
    unsigned char Z0
```

≡ See Also

[AccelCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

≡ 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

AccelCalibrationInfo....ZG Field

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Gravity at rest of accelerometer

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

≡ Syntax

C#

```
public byte ZG
```

Visual Basic (Declaration)

```
Public ZG As Byte
```

Visual C++

```
public:
    unsigned char ZG
```

≡ See Also

[AccelCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

AccelCalibrationInfo Methods

[AccelCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [AccelCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[AccelCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

AccelState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the accelerometers

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct AccelState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure AccelState
```

Visual C++

```
[SerializableAttribute]  
public value class AccelState
```

See Also

[AccelState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

AccelState Members

[AccelState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [AccelState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	RawValues	Raw accelerometer data.
		Remarks
		Values range between 0 - 255
		Normalized accelerometer data.
	Values	
		Remarks
		Values range between 0 - ?, but values > 3 and < -3 are inaccurate.

See Also

[AccelState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

AccelState Fields

[AccelState Structure](#) [See Also](#) [Send Feedback](#)

The [AccelState](#) type exposes the following members.

Fields

	Name	Description
	RawValues	Raw accelerometer data.
		Remarks
		Values range between 0 - 255
		Normalized accelerometer data.
	Values	
		Remarks
		Values range between 0 - ?, but values > 3 and < -3 are inaccurate.

See Also

[AccelState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

AccelState....RawValues Field

[AccelState Structure](#) [See Also](#) [Send Feedback](#)

Raw accelerometer data.

Remarks

Values range between 0 - 255

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point3 RawValues
```

Visual Basic (Declaration)

```
Public RawValues As Point3
```

Visual C++

```
public:  
Point3 RawValues
```

See Also

[AccelState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

AccelState....Values Field

[AccelState Structure](#) [See Also](#) [Send Feedback](#)

Normalized accelerometer data.

Remarks

Values range between 0 - ?, but values > 3 and < -3 are inaccurate.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point3F Values
```

Visual Basic (Declaration)

```
Public Values As Point3F
```

Visual C++

```
public:  
Point3F Values
```

See Also

[AccelState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☐ ☐ ☐

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

AccelState Methods

[AccelState Structure](#) [See Also](#) [Send Feedback](#)

The [AccelState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)



To String
 Returns the fully qualified type name of this instance.
(Inherited from [ValueType](#).)

See Also

[AccelState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)




- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardCalibrationInfo Structure

[Members](#) [See Also](#) [Send Feedback](#)

Calibration information

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)

```
public struct BalanceBoardCalibrationInfo
```

Visual Basic (Declaration)

[<SerializableAttribute>](#)

```
Public Structure BalanceBoardCalibrationInfo
```

Visual C++

[\[SerializableAttribute\]](#)

```
public value class BalanceBoardCalibrationInfo
```

See Also

[BalanceBoardCalibrationInfo Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)





- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardCalibrationInfo Members

[BalanceBoardCalibrationInfo Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	Kg0	Calibration information at 0kg
	Kg17	Calibration information at 17kg
	Kg34	Calibration information at 34kg

See Also

[BalanceBoardCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

- ☐  
☐ Visual Basic
☐ Visual C++
☐ Include Protected Members
☐ Include Inherited Members

WiimoteLib

BalanceBoardCalibrationInfo Fields

[BalanceBoardCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardCalibrationInfo](#) type exposes the following members.

Fields

	Name	Description
	Kg0	Calibration information at 0kg
	Kg17	Calibration information at 17kg
	Kg34	Calibration information at 34kg

See Also

[BalanceBoardCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardCalibrationInfo...:Kg0 Field

[BalanceBoardCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Calibration information at 0kg

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public BalanceBoardSensors Kg0
```

Visual Basic (Declaration)

```
Public Kg0 As BalanceBoardSensors
```

Visual C++

```
public:  
BalanceBoardSensors Kg0
```

See Also

[BalanceBoardCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardCalibrationInfo...:Kg17 Field

[BalanceBoardCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Calibration information at 17kg

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public BalanceBoardSensors Kg17
```

Visual Basic (Declaration)

```
Public Kg17 As BalanceBoardSensors
```

Visual C++

```
public:  
BalanceBoardSensors Kg17
```

■ See Also

[BalanceBoardCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

■ 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

BalanceBoardCalibrationInfo....Kg34 Field

[BalanceBoardCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Calibration information at 34kg

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public BalanceBoardSensors Kg34
```

Visual Basic (Declaration)

```
Public Kg34 As BalanceBoardSensors
```

Visual C++

```
public:  
BalanceBoardSensors Kg34
```

■ See Also

[BalanceBoardCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardCalibrationInfo Methods

[BalanceBoardCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[BalanceBoardCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensors Structure

[Members](#) [See Also](#) [Send Feedback](#)

The 4 sensors on the Balance Board (short values)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct BalanceBoardSensors
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure BalanceBoardSensors
```

Visual C++

```
[SerializableAttribute]  
public value class BalanceBoardSensors
```

See Also

[BalanceBoardSensors Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardSensors Members

[BalanceBoardSensors Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensors](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	BottomLeft	Sensor at bottom left
	BottomRight	Sensor at bottom right
	TopLeft	Sensor at top left
	TopRight	Sensor at top right

See Also

[BalanceBoardSensors Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardSensors Fields

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensors](#) type exposes the following members.

Fields

	Name	Description
	BottomLeft	Sensor at bottom left
	BottomRight	Sensor at bottom right
	TopLeft	Sensor at top left
	TopRight	Sensor at top right

See Also

[BalanceBoardSensors Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensors....BottomLeft Field

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

Sensor at bottom left

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public short BottomLeft
```

Visual Basic (Declaration)

```
Public BottomLeft As Short
```

Visual C++

```
public:  
short BottomLeft
```

■ See Also

[BalanceBoardSensors Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

BalanceBoardSensors....BottomRight Field

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

Sensor at bottom right

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public short BottomRight
```

Visual Basic (Declaration)

```
Public BottomRight As Short
```

Visual C++

```
public:  
short BottomRight
```

■ See Also

[BalanceBoardSensors Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensors...:TopLeft Field

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

Sensor at top left

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public short TopLeft
```

Visual Basic (Declaration)

```
Public TopLeft As Short
```

Visual C++

```
public:  
short TopLeft
```

See Also

[BalanceBoardSensors Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensors...:TopRight Field

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

Sensor at top right

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public short TopRight
```

Visual Basic (Declaration)

```
Public TopRight As Short
```

Visual C++

public:
[short](#) TopRight

See Also

[BalanceBoardSensors Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardSensors Methods

[BalanceBoardSensors Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensors](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[BalanceBoardSensors Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensorsF Structure

[Members](#) [See Also](#) [Send Feedback](#)

The 4 sensors on the Balance Board (float values)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)

```
public struct BalanceBoardSensorsF
```

Visual Basic (Declaration)

<[SerializableAttribute](#)> _

```
Public Structure BalanceBoardSensorsF
```

Visual C++

[\[SerializableAttribute\]](#)

```
public value class BalanceBoardSensorsF
```

See Also

[BalanceBoardSensorsF Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardSensorsF Members

[BalanceBoardSensorsF Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensorsF](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
		Returns the hash code for this instance.

	GetHashCode	(Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	BottomLeft	Sensor at bottom left
	BottomRight	Sensor at bottom right
	TopLeft	Sensor at top left
	TopRight	Sensor at top right

See Also

[BalanceBoardSensorsF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardSensorsF Fields

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensorsF](#) type exposes the following members.

Fields

	Name	Description
	BottomLeft	Sensor at bottom left
	BottomRight	Sensor at bottom right
	TopLeft	Sensor at top left
	TopRight	Sensor at top right

See Also

[BalanceBoardSensorsF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensorsF...:BottomLeft Field

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

Sensor at bottom left

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float BottomLeft
```

Visual Basic (Declaration)

```
Public BottomLeft As Single
```

Visual C++

```
public:
float BottomLeft
```

See Also

[BalanceBoardSensorsF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensorsF...:BottomRight Field

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

Sensor at bottom right

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float BottomRight
```

Visual Basic (Declaration)

```
Public BottomRight As Single
```

Visual C++

```
public:
    float BottomRight
```

See Also

[BalanceBoardSensorsF Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensorsF....TopLeft Field

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

Sensor at top left

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float TopLeft
```

Visual Basic (Declaration)

```
Public TopLeft As Single
```

Visual C++

```
public:
    float TopLeft
```

See Also

[BalanceBoardSensorsF Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardSensorsF....TopRight Field

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

Sensor at top right

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float TopRight
```

Visual Basic (Declaration)

```
Public TopRight As Single
```

Visual C++

```
public:  
float TopRight
```

See Also

[BalanceBoardSensorsF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

BalanceBoardSensorsF Methods

[BalanceBoardSensorsF Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardSensorsF](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[BalanceBoardSensorsF Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Wii Fit Balance Board controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct BalanceBoardState
```

Visual Basic (Declaration)

```
<SerializableAttribute>  
Public Structure BalanceBoardState
```

Visual C++

```
[SerializableAttribute]  
public value class BalanceBoardState
```

See Also

[BalanceBoardState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

BalanceBoardState Members

[BalanceBoardState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	CalibrationInfo	Calibration information for the Balance Board
	CenterOfGravity	Center of gravity of Balance Board user
	SensorValuesKg	Kilograms per sensor
	SensorValuesLb	Pounds per sensor
	SensorValuesRaw	Raw values of each sensor
	WeightKg	Total kilograms on the Balance Board
	WeightLb	Total pounds on the Balance Board

See Also

[BalanceBoardState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

BalanceBoardState Fields

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardState](#) type exposes the following members.

Fields

	Name	Description
	CalibrationInfo	Calibration information for the Balance Board
	CenterOfGravity	Center of gravity of Balance Board user
	SensorValuesKg	Kilograms per sensor
	SensorValuesLb	Pounds per sensor
	SensorValuesRaw	Raw values of each sensor
	WeightKg	Total kilograms on the Balance Board
	WeightLb	Total pounds on the Balance Board

See Also

[BalanceBoardState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

BalanceBoardState...:CalibrationInfo Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Calibration information for the Balance Board

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public BalanceBoardCalibrationInfo CalibrationInfo
```

Visual Basic (Declaration)

```
Public CalibrationInfo As BalanceBoardCalibrationInfo
```

Visual C++

```
public:
```

```
BalanceBoardCalibrationInfo CalibrationInfo
```

See Also

[BalanceBoardState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....CenterOfGravity Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Center of gravity of Balance Board user

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public PointF CenterOfGravity
```

Visual Basic (Declaration)

```
Public CenterOfGravity As PointF
```

Visual C++

```
public:  
PointF CenterOfGravity
```

▣ See Also

[BalanceBoardState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

▣ 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....SensorValuesKg Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Kilograms per sensor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public BalanceBoardSensorsF SensorValuesKg
```

Visual Basic (Declaration)

```
Public SensorValuesKg As BalanceBoardSensorsF
```

Visual C++

```
public:  
BalanceBoardSensorsF SensorValuesKg
```

▣ See Also

[BalanceBoardState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....SensorValuesLb Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Pounds per sensor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public BalanceBoardSensorsF SensorValuesLb
```

Visual Basic (Declaration)

```
Public SensorValuesLb As BalanceBoardSensorsF
```

Visual C++

```
public:  
BalanceBoardSensorsF SensorValuesLb
```

See Also

[BalanceBoardState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....SensorValuesRaw Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Raw values of each sensor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#


```
public BalanceBoardSensors SensorValuesRaw
```

Visual Basic (Declaration)

```
Public SensorValuesRaw As BalanceBoardSensors
```

Visual C++

```
public:  
BalanceBoardSensors SensorValuesRaw
```

See Also

[BalanceBoardState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....WeightKg Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Total kilograms on the Balance Board

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float WeightKg
```

Visual Basic (Declaration)

```
Public WeightKg As Single
```

Visual C++

```
public:  
float WeightKg
```

See Also

[BalanceBoardState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

BalanceBoardState....WeightLb Field

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

Total pounds on the Balance Board

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float WeightLb
```

Visual Basic (Declaration)

```
Public WeightLb As Single
```

Visual C++

```
public:  
float WeightLb
```

See Also

[BalanceBoardState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

BalanceBoardState Methods

[BalanceBoardState Structure](#) [See Also](#) [Send Feedback](#)

The [BalanceBoardState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)



 Returns the fully qualified type name of this instance.
(Inherited from [ValueType](#).)

See Also

[BalanceBoardState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)




- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState Structure

[Members](#)
[See Also](#)
[Send Feedback](#)

Current button state

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)
public struct ButtonState

Visual Basic (Declaration)

[<SerializableAttribute>](#)
Public Structure ButtonState

Visual C++

[\[SerializableAttribute\]](#)
public value class ButtonState

See Also

[ButtonState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)





- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ButtonState Members

[ButtonState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [ButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	A	Digital button on the Wiimote
	B	Digital button on the Wiimote
	Down	Digital button on the Wiimote
	Home	Digital button on the Wiimote
	Left	Digital button on the Wiimote
	Minus	Digital button on the Wiimote
	One	Digital button on the Wiimote
	Plus	Digital button on the Wiimote
	Right	Digital button on the Wiimote
	Two	Digital button on the Wiimote
	Up	Digital button on the Wiimote

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

ButtonState Fields

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [ButtonState](#) type exposes the following members.

Fields

	Name	Description
	A	Digital button on the Wiimote
	B	Digital button on the Wiimote
	Down	Digital button on the Wiimote
	Home	Digital button on the Wiimote
	Left	Digital button on the Wiimote
	Minus	Digital button on the Wiimote
	One	Digital button on the Wiimote
	Plus	Digital button on the Wiimote
	Right	Digital button on the Wiimote
	Two	Digital button on the Wiimote
	Up	Digital button on the Wiimote

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ButtonState...:A Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool A
```

Visual Basic (Declaration)

```
Public A As Boolean
```

Visual C++

```
public:
    bool A
```

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:B Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool B
```

Visual Basic (Declaration)

```
Public B As Boolean
```

Visual C++

```
public:
    bool B
```

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:Down Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) Down

Visual Basic (Declaration)

Public Down As [Boolean](#)

Visual C++

public:
[bool](#) Down

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ButtonState...:Home Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) Home

Visual Basic (Declaration)

Public Home As [Boolean](#)

Visual C++

public:
[bool](#) Home

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:Left Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Left
```

Visual Basic (Declaration)

```
Public Left As Boolean
```

Visual C++

```
public:
    bool Left
```

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:Minus Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Minus
```

Visual Basic (Declaration)

```
Public Minus As Boolean
```

Visual C++

```
public:
    bool Minus
```


See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ButtonState...:One Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool One
```

Visual Basic (Declaration)

```
Public One As Boolean
```

Visual C++

```
public:  
bool One
```

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ButtonState...:Plus Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Plus
```

Visual Basic (Declaration)

```
Public Plus As Boolean
```

Visual C++

```
public:  
bool Plus
```

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ButtonState...:Right Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Right
```

Visual Basic (Declaration)

```
Public Right As Boolean
```

Visual C++

```
public:  
bool Right
```

See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:Two Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public bool Two
```

Visual Basic (Declaration)

```
Public Two As Boolean
```

Visual C++

```
public:
bool Two
```

▣ See Also

[ButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ButtonState...:Up Field

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public bool Up
```

Visual Basic (Declaration)

```
Public Up As Boolean
```

Visual C++

```
public:
bool Up
```

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ButtonState Methods

[ButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [ButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[ButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current button state of the Classic Controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public struct ClassicControllerButtonState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Structure ClassicControllerButtonState
```

Visual C++

```
[SerializableAttribute]
public value class ClassicControllerButtonState
```

See Also

[ClassicControllerButtonState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerButtonState Members

[ClassicControllerButtonState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
		Creates a shallow copy of the current Object .

	MemberwiseClone	(Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	A	Digital button on the Classic Controller extension
	B	Digital button on the Classic Controller extension
	Down	Digital button on the Classic Controller extension
	Home	Digital button on the Classic Controller extension
	Left	Digital button on the Classic Controller extension
	Minus	Digital button on the Classic Controller extension
	Plus	Digital button on the Classic Controller extension
	Right	Digital button on the Classic Controller extension
	TriggerL	Analog trigger - false if released, true for any pressure applied
	TriggerR	Analog trigger - false if released, true for any pressure applied
	Up	Digital button on the Classic Controller extension
	X	Digital button on the Classic Controller extension
	Y	Digital button on the Classic Controller extension
	ZL	Digital button on the Classic Controller extension
	ZR	Digital button on the Classic Controller extension

See Also

[ClassicControllerButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerButtonState Fields

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerButtonState](#) type exposes the following members.

Fields

	Name	Description
	A	Digital button on the Classic Controller extension
		

	B	Digital button on the Classic Controller extension
	Down	Digital button on the Classic Controller extension
	Home	Digital button on the Classic Controller extension
	Left	Digital button on the Classic Controller extension
	Minus	Digital button on the Classic Controller extension
	Plus	Digital button on the Classic Controller extension
	Right	Digital button on the Classic Controller extension
	TriggerL	Analog trigger - false if released, true for any pressure applied
	TriggerR	Analog trigger - false if released, true for any pressure applied
	Up	Digital button on the Classic Controller extension
	X	Digital button on the Classic Controller extension
	Y	Digital button on the Classic Controller extension
	ZL	Digital button on the Classic Controller extension
	ZR	Digital button on the Classic Controller extension

See Also

[ClassicControllerButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....A Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool A
```

Visual Basic (Declaration)

```
Public A As Boolean
```

Visual C++

```
public:
    bool A
```

See Also

[ClassicControllerButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....B Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool B
```

Visual Basic (Declaration)

```
Public B As Boolean
```

Visual C++

```
public:
    bool B
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....Down Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Down
```


Visual Basic (Declaration)Public Down As [Boolean](#)**Visual C++**public:
[bool](#) Down

See Also

[ClassicControllerButtonState Structure](#)[WiimoteLib Namespace](#)Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....Home Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)**Assembly:** WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#public [bool](#) Home**Visual Basic (Declaration)**Public Home As [Boolean](#)**Visual C++**public:
[bool](#) Home

See Also

[ClassicControllerButtonState Structure](#)[WiimoteLib Namespace](#)Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....Left Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Left
```

Visual Basic (Declaration)

```
Public Left As Boolean
```

Visual C++

```
public:
    bool Left
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....Minus Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Minus
```

Visual Basic (Declaration)

```
Public Minus As Boolean
```

Visual C++

```
public:
    bool Minus
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....Plus Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Plus
```

Visual Basic (Declaration)

```
Public Plus As Boolean
```

Visual C++

```
public:
bool Plus
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....Right Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Right
```

Visual Basic (Declaration)

```
Public Right As Boolean
```

Visual C++

```
public:
bool Right
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerButtonState....TriggerL Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Analog trigger - false if released, true for any pressure applied

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool TriggerL
```

Visual Basic (Declaration)

```
Public TriggerL As Boolean
```

Visual C++

```
public:
bool TriggerL
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerButtonState....TriggerR Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Analog trigger - false if released, true for any pressure applied

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool TriggerR
```

Visual Basic (Declaration)

```
Public TriggerR As Boolean
```

Visual C++

```
public:  
bool TriggerR
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerButtonState.....Up Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Up
```

Visual Basic (Declaration)

```
Public Up As Boolean
```

Visual C++

```
public:  
bool Up
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....X Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool X
```

Visual Basic (Declaration)

```
Public X As Boolean
```

Visual C++

```
public:  
bool X
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....Y Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Y
```

Visual Basic (Declaration)

```
Public Y As Boolean
```

Visual C++

```
public:  
bool Y
```

See Also

[ClassicControllerButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....ZL Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool ZL
```

Visual Basic (Declaration)

```
Public ZL As Boolean
```

Visual C++

```
public:  
bool ZL
```

See Also

[ClassicControllerButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerButtonState....ZR Field

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on the Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool ZR
```

Visual Basic (Declaration)

```
Public ZR As Boolean
```

Visual C++

```
public:  
bool ZR
```

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

- ☐   
- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerButtonState Methods

[ClassicControllerButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[ClassicControllerButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo Structure

[Members](#) [See Also](#) [Send Feedback](#)

Calibration information stored on the Classic Controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)

```
public struct ClassicControllerCalibrationInfo
```

Visual Basic (Declaration)

[<SerializableAttribute>](#)

```
Public Structure ClassicControllerCalibrationInfo
```

Visual C++

[\[SerializableAttribute\]](#)

```
public value class ClassicControllerCalibrationInfo
```

See Also

[ClassicControllerCalibrationInfo Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

ClassicControllerCalibrationInfo Members

[ClassicControllerCalibrationInfo Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerCalibrationInfo](#) type exposes the following members.

Methods

|| || ||

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	MaxTriggerL	Left analog trigger
	MaxTriggerR	Right analog trigger
	MaxXL	Left joystick X-axis
	MaxXR	Right joystick X-axis
	MaxYL	Left joystick Y-axis
	MaxYR	Right joystick Y-axis
	MidXL	Left joystick X-axis
	MidXR	Right joystick X-axis
	MidYL	Left joystick Y-axis
	MidYR	Right joystick Y-axis
	MinTriggerL	Left analog trigger
	MinTriggerR	Right analog trigger
	MinXL	Left joystick X-axis
	MinXR	Right joystick X-axis
	MinYL	Left joystick Y-axis
	MinYR	Right joystick Y-axis

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

ClassicControllerCalibrationInfo Fields

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerCalibrationInfo](#) type exposes the following members.

Fields

	Name	Description
	MaxTriggerL	Left analog trigger
	MaxTriggerR	Right analog trigger
	MaxXL	Left joystick X-axis
	MaxXR	Right joystick X-axis
	MaxYL	Left joystick Y-axis
	MaxYR	Right joystick Y-axis
	MidXL	Left joystick X-axis
	MidXR	Right joystick X-axis
	MidYL	Left joystick Y-axis
	MidYR	Right joystick Y-axis
	MinTriggerL	Left analog trigger
	MinTriggerR	Right analog trigger
	MinXL	Left joystick X-axis
	MinXR	Right joystick X-axis
	MinYL	Left joystick Y-axis
	MinYR	Right joystick Y-axis

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MaxTriggerL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left analog trigger

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxTriggerL
```

Visual Basic (Declaration)

```
Public MaxTriggerL As Byte
```

Visual C++

```
public:  
unsigned char MaxTriggerL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...::MaxTriggerR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right analog trigger

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxTriggerR
```

Visual Basic (Declaration)

```
Public MaxTriggerR As Byte
```

Visual C++

```
public:  
unsigned char MaxTriggerR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MaxXL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxXL
```

Visual Basic (Declaration)

```
Public MaxXL As Byte
```

Visual C++

```
public:  
unsigned char MaxXL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MaxXR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxXR
```

Visual Basic (Declaration)

```
Public MaxXR As Byte
```

Visual C++

```
public:  
unsigned char MaxXR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MaxYL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxYL
```

Visual Basic (Declaration)

```
Public MaxYL As Byte
```

Visual C++

```
public:  
unsigned char MaxYL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MaxYR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxYR
```

Visual Basic (Declaration)

```
Public MaxYR As Byte
```

Visual C++

```
public:
unsigned char MaxYR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MidXL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MidXL
```

Visual Basic (Declaration)

```
Public MidXL As Byte
```

Visual C++

```
public:
unsigned char MidXL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MidXR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MidXR
```

Visual Basic (Declaration)

```
Public MidXR As Byte
```

Visual C++

```
public:  
unsigned char MidXR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MidYL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MidYL
```

Visual Basic (Declaration)

```
Public MidYL As Byte
```

Visual C++

```
public:  
unsigned char MidYL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MidYR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MidYR
```

Visual Basic (Declaration)

```
Public MidYR As Byte
```

Visual C++

```
public:
unsigned char MidYR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinTriggerL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left analog trigger

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinTriggerL
```

Visual Basic (Declaration)

```
Public MinTriggerL As Byte
```

Visual C++

```
public:
    unsigned char MinTriggerL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinTriggerR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right analog trigger

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax**C#**

```
public byte MinTriggerR
```

Visual Basic (Declaration)

```
Public MinTriggerR As Byte
```

Visual C++

```
public:
    unsigned char MinTriggerR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinXL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinXL
```

Visual Basic (Declaration)

```
Public MinXL As Byte
```

Visual C++

```
public:  
unsigned char MinXL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinXR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick X-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinXR
```

Visual Basic (Declaration)

```
Public MinXR As Byte
```

Visual C++

```
public:  
unsigned char MinXR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinYL Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Left joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinYL
```

Visual Basic (Declaration)

```
Public MinYL As Byte
```

Visual C++

```
public:
unsigned char MinYL
```

See Also

[ClassicControllerCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerCalibrationInfo...:MinYR Field

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Right joystick Y-axis

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinYR
```

Visual Basic (Declaration)

```
Public MinYR As Byte
```

Visual C++

```
public:
unsigned char MinYR
```

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerCalibrationInfo Methods

[ClassicControllerCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[ClassicControllerCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Classic Controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public struct ClassicControllerState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Structure ClassicControllerState
```

Visual C++

```
[SerializableAttribute]
public value class ClassicControllerState
```

See Also

[ClassicControllerState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerState Members

[ClassicControllerState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
		Creates a shallow copy of the current Object .

	MemberwiseClone	(Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	ButtonState	Current button state
	CalibrationInfo	Calibration data for Classic Controller extension
	JoystickL	Normalized value of left joystick. Values range between -0.5 - 0.5
	JoystickR	Normalized value of right joystick. Values range between -0.5 - 0.5
	RawJoystickL	Raw value of left joystick. Values range between 0 - 255.
	RawJoystickR	Raw value of right joystick. Values range between 0 - 255.
	RawTriggerL	Raw value of analog trigger. Values range between 0 - 255.
	RawTriggerR	Raw value of analog trigger. Values range between 0 - 255.
	TriggerL	Normalized value of analog trigger. Values range between 0.0 - 1.0.
	TriggerR	Normalized value of analog trigger. Values range between 0.0 - 1.0.

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

ClassicControllerState Fields

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerState](#) type exposes the following members.

Fields

	Name	Description
	ButtonState	Current button state
	CalibrationInfo	Calibration data for Classic Controller extension
	JoystickL	Normalized value of left joystick. Values range between -0.5 - 0.5
	JoystickR	Normalized value of right joystick. Values range between -0.5 - 0.5
	RawJoystickL	Raw value of left joystick. Values range between 0 - 255.
	RawJoystickR	Raw value of right joystick. Values range between 0 - 255.
		

	RawTriggerL	Raw value of analog trigger. Values range between 0 - 255.
	RawTriggerR	Raw value of analog trigger. Values range between 0 - 255.
	TriggerL	Normalized value of analog trigger. Values range between 0.0 - 1.0.
	TriggerR	Normalized value of analog trigger. Values range between 0.0 - 1.0.

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerState.....ButtonState Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Current button state

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public ClassicControllerButtonState ButtonState
```

Visual Basic (Declaration)

```
Public ButtonState As ClassicControllerButtonState
```

Visual C++

```
public:  
ClassicControllerButtonState ButtonState
```

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerState.....CalibrationInfo Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Calibration data for Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public ClassicControllerCalibrationInfo CalibrationInfo
```

Visual Basic (Declaration)

```
Public CalibrationInfo As ClassicControllerCalibrationInfo
```

Visual C++

```
public:  
ClassicControllerCalibrationInfo CalibrationInfo
```

■ See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

■ 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerState.....JoystickL Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of left joystick. Values range between -0.5 - 0.5

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public PointF JoystickL
```

Visual Basic (Declaration)

```
Public JoystickL As PointF
```

Visual C++

```
public:  
PointF JoystickL
```

■ See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerState.....JoystickR Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of right joystick. Values range between -0.5 - 0.5

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF JoystickR
```

Visual Basic (Declaration)

```
Public JoystickR As PointF
```

Visual C++

```
public:  
PointF JoystickR
```

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerState.....RawJoystickL Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Raw value of left joystick. Values range between 0 - 255.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawJoystickL
```

Visual Basic (Declaration)

```
Public RawJoystickL As Point
```

Visual C++

```
public:
    Point RawJoystickL
```

See Also

[ClassicControllerState Structure](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#☐ Visual Basic☐ Visual C++

WiimoteLib

ClassicControllerState.....RawJoystickR Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Raw value of right joystick. Values range between 0 - 255.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawJoystickR
```

Visual Basic (Declaration)

```
Public RawJoystickR As Point
```

Visual C++

```
public:
    Point RawJoystickR
```

See Also

[ClassicControllerState Structure](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#☐ Visual Basic☐ Visual C++

WiimoteLib

ClassicControllerState.....RawTriggerL Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Raw value of analog trigger. Values range between 0 - 255.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte RawTriggerL
```

Visual Basic (Declaration)

```
Public RawTriggerL As Byte
```

Visual C++

```
public:  
unsigned char RawTriggerL
```

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

ClassicControllerState.....RawTriggerR Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Raw value of analog trigger. Values range between 0 - 255.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte RawTriggerR
```

Visual Basic (Declaration)

```
Public RawTriggerR As Byte
```

Visual C++

```
public:  
unsigned char RawTriggerR
```

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerState.....TriggerL Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of analog trigger. Values range between 0.0 - 1.0.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float TriggerL
```

Visual Basic (Declaration)

```
Public TriggerL As Single
```

Visual C++

```
public:
float TriggerL
```

See Also

[ClassicControllerState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ClassicControllerState.....TriggerR Field

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of analog trigger. Values range between 0.0 - 1.0.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float TriggerR
```

Visual Basic (Declaration)

```
Public TriggerR As Single
```

Visual C++

```
public:
float TriggerR
```

See Also

[ClassicControllerState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

ClassicControllerState Methods

[ClassicControllerState Structure](#) [See Also](#) [Send Feedback](#)

The [ClassicControllerState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[ClassicControllerState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Drums controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct DrumsState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure DrumsState
```

Visual C++

```
[SerializableAttribute]  
public value class DrumsState
```

See Also

[DrumsState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

DrumsState Members

[DrumsState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [DrumsState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
		Creates a shallow copy of the current Object .

	MemberwiseClone	(Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	Blue	Drum pads
	BlueVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Green	Drum pads
	GreenVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Joystick	Normalized value of analog joystick. Values range from 0.0 - 1.0
	Minus	Other buttons
	Orange	Drum pads
	OrangeVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Pedal	Drum pads
	PedalVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Plus	Other buttons
	RawJoystick	Raw value of analong joystick. Values range from 0 - 15
	Red	Drum pads
	RedVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Yellow	Drum pads
	YellowVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

DrumsState Fields

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

The [DrumsState](#) type exposes the following members.

Fields

	Name	Description
		

	Blue	Drum pads
	BlueVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Green	Drum pads
	GreenVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Joystick	Normalized value of analog joystick. Values range from 0.0 - 1.0
	Minus	Other buttons
	Orange	Drum pads
	OrangeVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Pedal	Drum pads
	PedalVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Plus	Other buttons
	RawJoystick	Raw value of analong joystick. Values range from 0 - 15
	Red	Drum pads
	RedVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)
	Yellow	Drum pads
	YellowVelocity	Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:Blue Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Blue
```

Visual Basic (Declaration)

```
Public Blue As Boolean
```

Visual C++

```
public:  
bool Blue
```

See Also

[DrumsState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:BlueVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int BlueVelocity
```

Visual Basic (Declaration)

```
Public BlueVelocity As Integer
```

Visual C++

```
public:  
int BlueVelocity
```

See Also

[DrumsState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:Green Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Green
```

Visual Basic (Declaration)

```
Public Green As Boolean
```

Visual C++

```
public:  
bool Green
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState....:GreenVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int GreenVelocity
```

Visual Basic (Declaration)

```
Public GreenVelocity As Integer
```

Visual C++

```
public:  
int GreenVelocity
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:Joystick Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of analog joystick. Values range from 0.0 - 1.0

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF Joystick
```

Visual Basic (Declaration)

```
Public Joystick As PointF
```

Visual C++

```
public:  
PointF Joystick
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:Minus Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Other buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Minus
```

Visual Basic (Declaration)

```
Public Minus As Boolean
```

Visual C++

```
public:  
bool Minus
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:Orange Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Orange
```

Visual Basic (Declaration)

```
Public Orange As Boolean
```

Visual C++

```
public:
    bool Orange
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:OrangeVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int OrangeVelocity
```

Visual Basic (Declaration)

```
Public OrangeVelocity As Integer
```

Visual C++

```
public:
int OrangeVelocity
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:Pedal Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Pedal
```

Visual Basic (Declaration)

```
Public Pedal As Boolean
```

Visual C++

```
public:
bool Pedal
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:PedalVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int PedalVelocity
```

Visual Basic (Declaration)

```
Public PedalVelocity As Integer
```

Visual C++

```
public:  
int PedalVelocity
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState.....Plus Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Other buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Plus
```

Visual Basic (Declaration)

```
Public Plus As Boolean
```

Visual C++

```
public:  
bool Plus
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:RawJoystick Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Raw value of analong joystick. Values range from 0 - 15

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawJoystick
```

Visual Basic (Declaration)

```
Public RawJoystick As Point
```

Visual C++

```
public:  
Point RawJoystick
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:Red Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Red
```

Visual Basic (Declaration)

```
Public Red As Boolean
```


Visual C++

```
public:
    bool Red
```

See Also

[DrumsState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:RedVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int RedVelocity
```

Visual Basic (Declaration)

```
Public RedVelocity As Integer
```

Visual C++

```
public:
    int RedVelocity
```

See Also

[DrumsState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

DrumsState...:Yellow Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Drum pads

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Yellow
```

Visual Basic (Declaration)

```
Public Yellow As Boolean
```

Visual C++

```
public:  
bool Yellow
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

DrumsState...:YellowVelocity Field

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

Speed at which the pad is hit. Values range from 0 (very hard) to 6 (very soft)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int YellowVelocity
```

Visual Basic (Declaration)

```
Public YellowVelocity As Integer
```

Visual C++

```
public:  
int YellowVelocity
```

See Also

[DrumsState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

DrumsState Methods

[DrumsState Structure](#) [See Also](#) [Send Feedback](#)

The [DrumsState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[DrumsState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

ExtensionType Enumeration

[See Also](#) [Send Feedback](#)

The extension plugged into the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum ExtensionType
```

Visual Basic (Declaration)

```
Public Enumeration ExtensionType
```

Visual C++

```
public enum class ExtensionType
```

Members

Member name	Description
None	No extension
Nunchuk	Nunchuk extension
ClassicController	Classic Controller extension
Guitar	Guitar controller from Guitar Hero 3/WorldTour
Drums	Drum controller from Guitar Hero: World Tour
BalanceBoard	Wii Fit Balance Board controller
TaikoDrum	Taiko "TaTaCon" drum controller
MotionPlus	Wii MotionPlus extension
ParitallyInserted	Partially inserted extension. This is an error condition.

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)


☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

GuitarButtonState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current button state of the Guitar controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct GuitarButtonState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure GuitarButtonState
```

Visual C++

```
[SerializableAttribute]  
public value class GuitarButtonState
```

See Also

[GuitarButtonState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☐  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

GuitarButtonState Members

[GuitarButtonState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [GuitarButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	Minus	Other buttons
	Plus	Other buttons
	StrumDown	Strum bar
	StrumUp	Strum bar

See Also

[GuitarButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarButtonState Fields

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarButtonState](#) type exposes the following members.

Fields

Name	Description
Minus	Other buttons
Plus	Other buttons
StrumDown	Strum bar
StrumUp	Strum bar

See Also

[GuitarButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarButtonState....Minus Field

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

Other buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) Minus

Visual Basic (Declaration)

Public Minus As [Boolean](#)

Visual C++

public:
[bool](#) Minus

See Also

[GuitarButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarButtonState.....Plus Field

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

Other buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) Plus

Visual Basic (Declaration)

Public Plus As [Boolean](#)

Visual C++

public:
[bool](#) Plus

See Also

[GuitarButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarButtonState.....StrumDown Field

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

Strum bar

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool StrumDown
```

Visual Basic (Declaration)

```
Public StrumDown As Boolean
```

Visual C++

```
public:  
bool StrumDown
```

See Also

[GuitarButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

GuitarButtonState.....StrumUp Field

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

Strum bar

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool StrumUp
```

Visual Basic (Declaration)

```
Public StrumUp As Boolean
```

Visual C++

```
public:  
bool StrumUp
```

See Also

[GuitarButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarButtonState Methods

[GuitarButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[GuitarButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarFretButtonState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current fret button state of the Guitar controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct GuitarFretButtonState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure GuitarFretButtonState
```

Visual C++

```
[SerializableAttribute]  
public value class GuitarFretButtonState
```

See Also

[GuitarFretButtonState Members](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☐ ☐ ☐

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarFretButtonState Members

[GuitarFretButtonState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [GuitarFretButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	Blue	Fret buttons

	Green	Fret buttons
	Orange	Fret buttons
	Red	Fret buttons
	Yellow	Fret buttons

See Also

[GuitarFretButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarFretButtonState Fields

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarFretButtonState](#) type exposes the following members.

Fields

	Name	Description
	Blue	Fret buttons
	Green	Fret buttons
	Orange	Fret buttons
	Red	Fret buttons
	Yellow	Fret buttons

See Also

[GuitarFretButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarFretButtonState....Blue Field

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

Fret buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public bool Blue
```

Visual Basic (Declaration)

```
Public Blue As Boolean
```

Visual C++

```
public:  
bool Blue
```

■ See Also

[GuitarFretButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

■ 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

GuitarFretButtonState.....Green Field

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

Fret buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public bool Green
```

Visual Basic (Declaration)

```
Public Green As Boolean
```

Visual C++

```
public:  
bool Green
```

■ See Also

[GuitarFretButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarFretButtonState....Orange Field

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

Fret buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Orange
```

Visual Basic (Declaration)

```
Public Orange As Boolean
```

Visual C++

```
public:  
bool Orange
```

See Also

[GuitarFretButtonState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarFretButtonState....Red Field

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

Fret buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Red
```

Visual Basic (Declaration)

```
Public Red As Boolean
```

Visual C++

public:
[bool](#) Red

See Also

[GuitarFretButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarFretButtonState....Yellow Field

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

Fret buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) Yellow

Visual Basic (Declaration)

Public Yellow As [Boolean](#)

Visual C++

public:
[bool](#) Yellow

See Also

[GuitarFretButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarFretButtonState Methods

[GuitarFretButtonState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarFretButtonState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[GuitarFretButtonState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Guitar controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public struct GuitarState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Structure GuitarState
```

Visual C++

```
[SerializableAttribute]
public value class GuitarState
```

See Also

[GuitarState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarState Members

[GuitarState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [GuitarState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	ButtonState	Current button state of the Guitar
	FretButtonState	Current fret button state of the Guitar
	GuitarType	Guitar type
	Joystick	Normalized value of joystick position. Values range between 0.0 - 1.0.
	RawJoystick	Raw joystick position. Values range between 0 - 63.
	RawWhammyBar	Raw whammy bar position. Values range between 0 - 10.
	TouchbarState	Current touchbar state of the Guitar
	WhammyBar	Normalized value of whammy bar position. Values range between 0.0 - 1.0.

See Also

[GuitarState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarState Fields

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarState](#) type exposes the following members.

Fields

	Name	Description
	ButtonState	Current button state of the Guitar
	FretButtonState	Current fret button state of the Guitar
	GuitarType	Guitar type
	Joystick	Normalized value of joystick position. Values range between 0.0 - 1.0.
	RawJoystick	Raw joystick position. Values range between 0 - 63.
	RawWhammyBar	Raw whammy bar position. Values range between 0 - 10.
	TouchbarState	Current touchbar state of the Guitar
	WhammyBar	Normalized value of whammy bar position. Values range between 0.0 - 1.0.

See Also

[GuitarState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState.....ButtonState Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Current button state of the Guitar

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public GuitarButtonState ButtonState
```

Visual Basic (Declaration)

```
Public ButtonState As GuitarButtonState
```

Visual C++

```
public:  
GuitarButtonState ButtonState
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

GuitarState.....FretButtonState Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Current fret button state of the Guitar

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public GuitarFretButtonState FretButtonState
```

Visual Basic (Declaration)

```
Public FretButtonState As GuitarFretButtonState
```

Visual C++

```
public:  
GuitarFretButtonState FretButtonState
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState.....GuitarType Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Guitar type

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public GuitarType GuitarType
```

Visual Basic (Declaration)

```
Public GuitarType As GuitarType
```

Visual C++

```
public:  
GuitarType GuitarType
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState.....Joystick Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of joystick position. Values range between 0.0 - 1.0.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF Joystick
```

Visual Basic (Declaration)

```
Public Joystick As PointF
```

Visual C++

```
public:  
PointF Joystick
```

See Also

[GuitarState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState.....RawJoystick Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Raw joystick position. Values range between 0 - 63.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawJoystick
```

Visual Basic (Declaration)

```
Public RawJoystick As Point
```

Visual C++

```
public:  
Point RawJoystick
```

See Also

[GuitarState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState.....RawWhammyBar Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Raw whammy bar position. Values range between 0 - 10.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte RawWhammyBar
```

Visual Basic (Declaration)

```
Public RawWhammyBar As Byte
```

Visual C++

```
public:  
unsigned char RawWhammyBar
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

GuitarState.....TouchbarState Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Current touchbar state of the Guitar

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public GuitarFretButtonState TouchbarState
```

Visual Basic (Declaration)

```
Public TouchbarState As GuitarFretButtonState
```

Visual C++

```
public:  
GuitarFretButtonState TouchbarState
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarState....WhammyBar Field

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

Normalized value of whammy bar position. Values range between 0.0 - 1.0.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float WhammyBar
```

Visual Basic (Declaration)

```
Public WhammyBar As Single
```

Visual C++

```
public:
    float WhammyBar
```

See Also

[GuitarState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

GuitarState Methods

[GuitarState Structure](#) [See Also](#) [Send Feedback](#)

The [GuitarState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)

	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[GuitarState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

GuitarType Enumeration

[See Also](#) [Send Feedback](#)

Type of guitar extension: Guitar Hero 3 or Guitar Hero World Tour

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum GuitarType
```

Visual Basic (Declaration)

```
Public Enumeration GuitarType
```

Visual C++

```
public enum class GuitarType
```

Members

Member name	Description
GuitarHero3	Guitar Hero 3 guitar controller
GuitarHeroWorldTour	Guitar Hero: World Tour guitar controller

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

InputReport Enumeration

[See Also](#) [Send Feedback](#)

The report format in which the Wiimote should return data

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum InputReport
```

Visual Basic (Declaration)

```
Public Enumeration InputReport
```

Visual C++

```
public enum class InputReport
```

Members

	Member name	Description
	Status	Status report
	ReadData	Read data from memory location
	OutputReportAck	Register write complete
	Buttons	Button data only
	ButtonsAccel	Button and accelerometer data
	IRAccel	IR sensor and accelerometer data
	ButtonsExtension	Button and extension controller data
	ExtensionAccel	Extension and accelerometer data
	IRExtensionAccel	IR sensor, extension controller and accelerometer data

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRMode Enumeration

[See Also](#) [Send Feedback](#)

The mode of data reported for the IR sensor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum IRMode
```

Visual Basic (Declaration)

```
Public Enumeration IRMode
```

Visual C++

```
public enum class IRMode
```

Members

Member name	Description
Off	IR sensor off
Basic	Basic mode
Extended	Extended mode
Full	Full mode (unsupported)

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

IRSensitivity Enumeration

[See Also](#) [Send Feedback](#)

Sensitivity of the IR camera on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum IRSensitivity
```

Visual Basic (Declaration)

```
Public Enumeration IRSensitivity
```

Visual C++

```
public enum class IRSensitivity
```

Members

Member name	Description
WiiLevel1	Equivalent to level 1 on the Wii console
WiiLevel2	Equivalent to level 2 on the Wii console
WiiLevel3	Equivalent to level 3 on the Wii console (default)
WiiLevel4	Equivalent to level 4 on the Wii console
WiiLevel5	Equivalent to level 5 on the Wii console
Maximum	Maximum sensitivity

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

IRSensor Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of a single IR sensor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

[\[SerializableAttribute\]](#)

```
public struct IRSensor
```

Visual Basic (Declaration)

[<SerializableAttribute>](#)

```
Public Structure IRSensor
```

Visual C++

[\[SerializableAttribute\]](#)

```
public value class IRSensor
```

See Also

[IRSensor Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

IRSensor Members

[IRSensor Structure](#)
[Methods](#)
[Fields](#)
[See Also](#)
[Send Feedback](#)

The [IRSensor](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

Fields

	Name	Description
	Found	IR sensor seen
	Position	Normalized values of the sensor position. Values range between 0.0 - 1.0.
	RawPosition	Raw values of individual sensor. Values range between 0 - 1023 on the X axis and 0 - 767 on the Y axis.
	Size	Size of IR Sensor. Values range from 0 - 15

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib
 IRSensor Fields
[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

The [IRSensor](#) type exposes the following members.

Fields

	Name	Description
	Found	IR sensor seen
	Position	Normalized values of the sensor position. Values range between 0.0 - 1.0.
	RawPosition	Raw values of individual sensor. Values range between 0 - 1023 on the X axis and 0 - 767 on the Y axis.
	Size	Size of IR Sensor. Values range from 0 - 15

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib
 IRSensor...:Found Field
[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

IR sensor seen

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Found
```

Visual Basic (Declaration)

```
Public Found As Boolean
```

Visual C++

```
public:  
bool Found
```

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRSensor...:Position Field

[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

Normalized values of the sensor position. Values range between 0.0 - 1.0.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF Position
```

Visual Basic (Declaration)

```
Public Position As PointF
```

Visual C++

```
public:  
PointF Position
```

See Also

[IRSensor Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRSensor...:RawPosition Field

[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

Raw values of individual sensor. Values range between 0 - 1023 on the X axis and 0 - 767 on the Y axis.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawPosition
```

Visual Basic (Declaration)

```
Public RawPosition As Point
```

Visual C++

```
public:
    Point RawPosition
```

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRSensor...:Size Field

[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

Size of IR Sensor. Values range from 0 - 15

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int Size
```

Visual Basic (Declaration)

```
Public Size As Integer
```

Visual C++

```
public:
    int Size
```

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

IRSensor Methods

[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

The [IRSensor](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRSensor...::ToString Method

[IRSensor Structure](#) [See Also](#) [Send Feedback](#)

Convert to human-readable string

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public override string ToString()
```

Visual Basic (Declaration)

```
Public Overrides Function ToString As String
```

Visual C++

```
public:  
virtual String^ ToString() override
```

Return Value

A string that represents the point.

See Also

[IRSensor Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#
☐ Visual Basic
☐ Visual C++

WiimoteLib

IRState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the IR camera

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct IRState
```

Visual Basic (Declaration)

```
<SerializableAttribute>  
Public Structure IRState
```

Visual C++

```
[SerializableAttribute]  
public value class IRState
```

See Also

[IRState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#
☐ Visual Basic
☐ Visual C++
☐ Include Protected Members
☐ Include Inherited Members

WiimoteLib

IRState Members

[IRState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [IRState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	IRSensors	Current state of IR sensors
	Midpoint	Normalized midpoint of IR sensors 1 and 2 only. Values range between 0.0 - 1.0
	Mode	Current mode of IR sensor data
	RawMidpoint	Raw midpoint of IR sensors 1 and 2 only. Values range between 0 - 1023, 0 - 767

See Also

[IRState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

IRState Fields

[IRState Structure](#) [See Also](#) [Send Feedback](#)

The [IRState](#) type exposes the following members.

Fields

	Name	Description
	IRSensors	Current state of IR sensors
	Midpoint	Normalized midpoint of IR sensors 1 and 2 only. Values range between 0.0 - 1.0
	Mode	Current mode of IR sensor data
	RawMidpoint	Raw midpoint of IR sensors 1 and 2 only. Values range between 0 - 1023, 0 - 767

See Also

[IRState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRState...:IRSensors Field

[IRState Structure](#) [See Also](#) [Send Feedback](#)

Current state of IR sensors

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public IRSensor[] IRSensors
```

Visual Basic (Declaration)

```
Public IRSensors As IRSensor()
```

Visual C++

```
public:  
array<IRSensor>^ IRSensors
```

See Also

[IRState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRState...:Midpoint Field

[IRState Structure](#) [See Also](#) [Send Feedback](#)

Normalized midpoint of IR sensors 1 and 2 only. Values range between 0.0 - 1.0

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF Midpoint
```

Visual Basic (Declaration)

```
Public Midpoint As PointF
```

Visual C++

```
public:  
PointF Midpoint
```

See Also

[IRState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

IRState...:Mode Field

[IRState Structure](#) [See Also](#) [Send Feedback](#)

Current mode of IR sensor data

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public IRMode Mode
```

Visual Basic (Declaration)

```
Public Mode As IRMode
```

Visual C++

```
public:  
IRMode Mode
```

See Also

[IRState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

IRState...:RawMidpoint Field

[IRState Structure](#) [See Also](#) [Send Feedback](#)

Raw midpoint of IR sensors 1 and 2 only. Values range between 0 - 1023, 0 - 767

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawMidpoint
```

Visual Basic (Declaration)

```
Public RawMidpoint As Point
```

Visual C++

```
public:  
Point RawMidpoint
```

See Also

[IRState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

IRState Methods

[IRState Structure](#) [See Also](#) [Send Feedback](#)

The [IRState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
		Allows an Object to attempt to free resources and perform other cleanup

	Finalize	operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[IRState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

LastReadStatus Enumeration

[See Also](#) [Send Feedback](#)

Last ReadData status

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public enum LastReadStatus
```

Visual Basic (Declaration)

```
Public Enumeration LastReadStatus
```

Visual C++

```
public enum class LastReadStatus
```

Members

Member name	Description
Success	Successful read
ReadFromWriteOnlyMemory	Attempt to read from write only memory

See Also

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

LEDState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of LEDs

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public struct LEDState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Structure LEDState
```

Visual C++

```
[SerializableAttribute]
public value class LEDState
```

See Also

[LEDState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

LEDState Members

[LEDState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [LEDState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal.

		(Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

Name	Description
 LED1	LED on the Wiimote
 LED2	LED on the Wiimote
 LED3	LED on the Wiimote
 LED4	LED on the Wiimote

See Also

[LEDState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

LEDState Fields

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

The [LEDState](#) type exposes the following members.

Fields

Name	Description
 LED1	LED on the Wiimote
 LED2	LED on the Wiimote
 LED3	LED on the Wiimote
 LED4	LED on the Wiimote

See Also

[LEDState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

LEDState....:LED1 Field

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

LED on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool LED1
```

Visual Basic (Declaration)

```
Public LED1 As Boolean
```

Visual C++

```
public:  
bool LED1
```

See Also

[LEDState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

LEDState....:LED2 Field

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

LED on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool LED2
```

Visual Basic (Declaration)

```
Public LED2 As Boolean
```

Visual C++

```
public:  
bool LED2
```

See Also

[LEDState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

LEDState....LED3 Field

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

LED on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool LED3
```

Visual Basic (Declaration)

```
Public LED3 As Boolean
```

Visual C++

```
public:  
bool LED3
```

See Also

[LEDState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

LEDState....LED4 Field

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

LED on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool LED4
```

Visual Basic (Declaration)

```
Public LED4 As Boolean
```

Visual C++

```
public:
    bool LED4
```

See Also

[LEDState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

LEDState Methods

[LEDState Structure](#) [See Also](#) [Send Feedback](#)

The [LEDState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)

	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[LEDState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

MotionPlusState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the MotionPlus controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct MotionPlusState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure MotionPlusState
```

Visual C++

```
[SerializableAttribute]  
public value class MotionPlusState
```

See Also

[MotionPlusState Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

MotionPlusState Members

[MotionPlusState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [MotionPlusState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	PitchFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...) Raw speed data
	RawValues	Remarks Values range between 0 - 16384
	RollFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...) Normalized speed data
	Values	Remarks Values range between 0 - ?
	YawFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...)

See Also

[MotionPlusState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

MotionPlusState Fields

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

The [MotionPlusState](#) type exposes the following members.

Fields

	Name	Description
	PitchFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...) Raw speed data
	RawValues	Remarks Values range between 0 - 16384
	RollFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...) Normalized speed data
	Values	Remarks Values range between 0 - ?
	YawFast	Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...)

See Also

[MotionPlusState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

MotionPlusState...:PitchFast Field

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool PitchFast
```

Visual Basic (Declaration)

```
Public PitchFast As Boolean
```

Visual C++

```
public:  
bool PitchFast
```

See Also

[MotionPlusState Structure](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)☐ C#☐ Visual Basic☐ Visual C++

WiimoteLib

MotionPlusState...:RawValues Field

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

Raw speed data

Remarks

Values range between 0 - 16384

Namespace: [WiimoteLib](#)**Assembly:** WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point3 RawValues
```

Visual Basic (Declaration)

```
Public RawValues As Point3
```

Visual C++

```
public:  
Point3 RawValues
```

See Also

[MotionPlusState Structure](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

MotionPlusState.....RollFast Field

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool RollFast
```

Visual Basic (Declaration)

```
Public RollFast As Boolean
```

Visual C++

```
public:
    bool RollFast
```

See Also

[MotionPlusState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

MotionPlusState.....Values Field

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

Normalized speed data

Remarks

Values range between 0 - ?

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point3F Values
```

Visual Basic (Declaration)

Public Values As [Point3F](#)

Visual C++

public:
[Point3F](#) Values

See Also

[MotionPlusState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

MotionPlusState...:YawFast Field

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

Yaw/Pitch/Roll rotating "quickly" (no definition for "quickly" yet...)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

public [bool](#) YawFast

Visual Basic (Declaration)

Public YawFast As [Boolean](#)

Visual C++

public:
[bool](#) YawFast

See Also

[MotionPlusState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

MotionPlusState Methods

[MotionPlusState Structure](#) [See Also](#) [Send Feedback](#)

The [MotionPlusState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[MotionPlusState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukCalibrationInfo Structure

[Members](#) [See Also](#) [Send Feedback](#)

Calibration information stored on the Nunchuk

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct NunchukCalibrationInfo
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure NunchukCalibrationInfo
```

Visual C++

```
[SerializableAttribute]  
public value class NunchukCalibrationInfo
```

See Also

[NunchukCalibrationInfo Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

NunchukCalibrationInfo Members

[NunchukCalibrationInfo Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [NunchukCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	AccelCalibration	Accelerometer calibration data
	MaxX	Joystick X-axis calibration
	MaxY	Joystick Y-axis calibration
	MidX	Joystick X-axis calibration
	MidY	Joystick Y-axis calibration
	MinX	Joystick X-axis calibration
	MinY	Joystick Y-axis calibration

See Also

[NunchukCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

NunchukCalibrationInfo Fields

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [NunchukCalibrationInfo](#) type exposes the following members.

Fields

	Name	Description
	AccelCalibration	Accelerometer calibration data
	MaxX	Joystick X-axis calibration
	MaxY	Joystick Y-axis calibration
	MidX	Joystick X-axis calibration
	MidY	Joystick Y-axis calibration
	MinX	Joystick X-axis calibration
	MinY	Joystick Y-axis calibration

See Also

[NunchukCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:AccelCalibration Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Accelerometer calibration data

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public AccelCalibrationInfo AccelCalibration
```

Visual Basic (Declaration)

```
Public AccelCalibration As AccelCalibrationInfo
```

Visual C++

```
public:  
AccelCalibrationInfo AccelCalibration
```

See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MaxX Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick X-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MaxX
```

Visual Basic (Declaration)

```
Public MaxX As Byte
```

Visual C++

```
public:  
unsigned char MaxX
```

See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MaxY Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick Y-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public byte MaxY
```

Visual Basic (Declaration)

```
Public MaxY As Byte
```

Visual C++

```
public:
unsigned char MaxY
```

▣ See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

▣ [▶](#)

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MidX Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick X-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public byte MidX
```

Visual Basic (Declaration)

```
Public MidX As Byte
```

Visual C++

```
public:
unsigned char MidX
```

See Also

[NunchukCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MidY Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick Y-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MidY
```

Visual Basic (Declaration)

```
Public MidY As Byte
```

Visual C++

```
public:  
unsigned char MidY
```

See Also

[NunchukCalibrationInfo Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MinX Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick X-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinX
```

Visual Basic (Declaration)

```
Public MinX As Byte
```

Visual C++

```
public:  
unsigned char MinX
```

See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukCalibrationInfo...:MinY Field

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

Joystick Y-axis calibration

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte MinY
```

Visual Basic (Declaration)

```
Public MinY As Byte
```

Visual C++

```
public:  
unsigned char MinY
```

See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

NunchukCalibrationInfo Methods

[NunchukCalibrationInfo Structure](#) [See Also](#) [Send Feedback](#)

The [NunchukCalibrationInfo](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[NunchukCalibrationInfo Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Nunchuk extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#


```
[SerializableAttribute]
public struct NunchukState
```

Visual Basic (Declaration)

```
<SerializableAttribute>
Public Structure NunchukState
```

Visual C++

```
[SerializableAttribute]
public value class NunchukState
```

See Also

[NunchukState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

NunchukState Members

[NunchukState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [NunchukState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	AccelState	State of accelerometers
	C	Digital button on Nunchuk extension

	CalibrationInfo	Calibration data for Nunchuk extension
	Joystick	Normalized joystick position. Values range between -0.5 and 0.5
	RawJoystick	Raw joystick position before normalization. Values range between 0 and 255.
	Z	Digital button on Nunchuk extension

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

NunchukState Fields

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

The [NunchukState](#) type exposes the following members.

Fields

	Name	Description
	AccelState	State of accelerometers
	C	Digital button on Nunchuk extension
	CalibrationInfo	Calibration data for Nunchuk extension
	Joystick	Normalized joystick position. Values range between -0.5 and 0.5
	RawJoystick	Raw joystick position before normalization. Values range between 0 and 255.
	Z	Digital button on Nunchuk extension

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukState....AccelState Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

State of accelerometers

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

≡ Syntax

C#

```
public AccelState AccelState
```

Visual Basic (Declaration)

```
Public AccelState As AccelState
```

Visual C++

```
public:  
AccelState AccelState
```

≡ See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

≡ 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukState....C Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on Nunchuk extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

≡ Syntax

C#

```
public bool C
```

Visual Basic (Declaration)

```
Public C As Boolean
```

Visual C++

```
public:  
bool C
```

≡ See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukState....CalibrationInfo Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

Calibration data for Nunchuk extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public NunchukCalibrationInfo CalibrationInfo
```

Visual Basic (Declaration)

```
Public CalibrationInfo As NunchukCalibrationInfo
```

Visual C++

```
public:  
NunchukCalibrationInfo CalibrationInfo
```

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

NunchukState....Joystick Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

Normalized joystick position. Values range between -0.5 and 0.5

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public PointF Joystick
```

Visual Basic (Declaration)

```
Public Joystick As PointF
```

Visual C++

```
public:
PointF Joystick
```

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukState....RawJoystick Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

Raw joystick position before normalization. Values range between 0 and 255.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Point RawJoystick
```

Visual Basic (Declaration)

```
Public RawJoystick As Point
```

Visual C++

```
public:
Point RawJoystick
```

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

NunchukState....Z Field

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

Digital button on Nunchuk extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Z
```

Visual Basic (Declaration)

```
Public Z As Boolean
```

Visual C++

```
public:  
bool Z
```

See Also

[NunchukState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

NunchukState Methods

[NunchukState Structure](#) [See Also](#) [Send Feedback](#)

The [NunchukState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[NunchukState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point Structure

[Members](#) [See Also](#) [Send Feedback](#)

Point structure for int 2D positions (X, Y)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct Point
```

Visual Basic (Declaration)

```
<SerializableAttribute>  
Public Structure Point
```

Visual C++

```
[SerializableAttribute]  
public value class Point
```

See Also

[Point Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point Members

[Point Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [Point](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...:ToString() .)

Fields

	Name	Description
	X	X, Y coordinates of this point
	Y	X, Y coordinates of this point

See Also

[Point Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

Point Fields

[Point Structure](#) [See Also](#) [Send Feedback](#)

The [Point](#) type exposes the following members.

Fields

	Name	Description
	X	X, Y coordinates of this point
	Y	X, Y coordinates of this point

See Also

[Point Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point...:X Field

[Point Structure](#) [See Also](#) [Send Feedback](#)

X, Y coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int X
```

Visual Basic (Declaration)

```
Public X As Integer
```

Visual C++

```
public:  
int X
```

See Also

[Point Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point...:Y Field

[Point Structure](#) [See Also](#) [Send Feedback](#)

X, Y coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int Y
```

Visual Basic (Declaration)

```
Public Y As Integer
```

Visual C++

```
public:  
int Y
```

See Also

[Point Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

Point Methods

[Point Structure](#) [See Also](#) [Send Feedback](#)

The [Point](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

See Also

[Point Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point...: ToString Method

[Point Structure](#) [See Also](#) [Send Feedback](#)

Convert to human-readable string

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public override string ToString()
```

Visual Basic (Declaration)

```
Public Overrides Function ToString As String
```

Visual C++

```
public:
virtual String^ ToString() override
```

Return Value

A string that represents the point.

See Also

[Point Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3 Structure

[Members](#) [See Also](#) [Send Feedback](#)

Point structure for int 3D positions (X, Y, Z)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct Point3
```

Visual Basic (Declaration)

```
<SerializableAttribute>  
Public Structure Point3
```

Visual C++

```
[SerializableAttribute]  
public value class Point3
```

See Also

[Point3 Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point3 Members

[Point3 Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [Point3](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

Fields

	Name	Description
	X	X, Y, Z coordinates of this point
	Y	X, Y, Z coordinates of this point
	Z	X, Y, Z coordinates of this point

See Also

[Point3 Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

Point3 Fields

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

The [Point3](#) type exposes the following members.

Fields

	Name	Description
	X	X, Y, Z coordinates of this point
	Y	X, Y, Z coordinates of this point
	Z	X, Y, Z coordinates of this point

See Also

[Point3 Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Point3...:X Field

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int X
```

Visual Basic (Declaration)

```
Public X As Integer
```

Visual C++

```
public:  
int X
```

See Also

[Point3 Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Point3...:Y Field

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int Y
```

Visual Basic (Declaration)

```
Public Y As Integer
```

Visual C++

```
public:  
int Y
```

See Also

[Point3 Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3...:Z Field

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public int Z
```

Visual Basic (Declaration)

```
Public Z As Integer
```

Visual C++

```
public:  
int Z
```

See Also

[Point3 Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point3 Methods

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

The [Point3](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)

	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...:ToString() .)

See Also

[Point3 Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3...:ToString Method

[Point3 Structure](#) [See Also](#) [Send Feedback](#)

Convert to human-readable string

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public override string ToString()
```

Visual Basic (Declaration)

```
Public Overrides Function ToString As String
```

Visual C++

```
public:  
virtual String^ ToString() override
```

Return Value

A string that represents the point.

See Also

[Point3 Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3F Structure

[Members](#) [See Also](#) [Send Feedback](#)

Point structure for floating point 3D positions (X, Y, Z)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
[SerializableAttribute]
public struct Point3F
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Structure Point3F
```

Visual C++

```
[SerializableAttribute]
public value class Point3F
```

■ See Also

[Point3F Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point3F Members

[Point3F Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [Point3F](#) type exposes the following members.

■ Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
		Returns the hash code for this instance.

	GetHashCode	(Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

Fields

	Name	Description
	X	X, Y, Z coordinates of this point
	Y	X, Y, Z coordinates of this point
	Z	X, Y, Z coordinates of this point

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point3F Fields

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

The [Point3F](#) type exposes the following members.

Fields

	Name	Description
	X	X, Y, Z coordinates of this point
	Y	X, Y, Z coordinates of this point
	Z	X, Y, Z coordinates of this point

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3F...:X Field

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float X
```

Visual Basic (Declaration)

```
Public X As Single
```

Visual C++

```
public:
float X
```

See Also

[Point3F Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3F...:Y Field

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float Y
```

Visual Basic (Declaration)

```
Public Y As Single
```

Visual C++

```
public:
```

[float](#) Y

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3F...:Z Field

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

X, Y, Z coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float Z
```

Visual Basic (Declaration)

```
Public Z As Single
```

Visual C++

```
public:  
float Z
```

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Point3F Methods

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

The [Point3F](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...:ToString() .)

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Point3F...:ToString Method

[Point3F Structure](#) [See Also](#) [Send Feedback](#)

Convert to human-readable string

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public override string ToString()
```

Visual Basic (Declaration)

```
Public Overrides Function ToString As String
```

Visual C++

```
public:  
virtual String^ ToString() override
```

Return Value

A string that represents the point

See Also

[Point3F Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

PointF Structure

[Members](#) [See Also](#) [Send Feedback](#)

Point structure for floating point 2D positions (X, Y)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct PointF
```

Visual Basic (Declaration)

```
<SerializableAttribute>  
Public Structure PointF
```

Visual C++

```
[SerializableAttribute]  
public value class PointF
```

See Also

[PointF Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

PointF Members

[PointF Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [PointF](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...:ToString() .)

Fields

	Name	Description
	X	X, Y coordinates of this point
	Y	X, Y coordinates of this point

See Also

[PointF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

PointF Fields

[PointF Structure](#) [See Also](#) [Send Feedback](#)

The [PointF](#) type exposes the following members.

Fields

	Name	Description
	X	X, Y coordinates of this point
	Y	X, Y coordinates of this point

See Also

[PointF Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

PointF...:X Field

[PointF Structure](#) [See Also](#) [Send Feedback](#)

X, Y coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float X
```

Visual Basic (Declaration)

```
Public X As Single
```

Visual C++

```
public:  
float X
```

See Also

[PointF Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

PointF...:Y Field

[PointF Structure](#) [See Also](#) [Send Feedback](#)

X, Y coordinates of this point

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float Y
```

Visual Basic (Declaration)

```
Public Y As Single
```

Visual C++

```
public:  
float Y
```

See Also

[PointF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☰ ☑ ☑

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

[WiimoteLib](#)

[PointF Methods](#)

[PointF Structure](#) [See Also](#) [Send Feedback](#)

The [PointF](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Convert to human-readable string (Overrides ValueType...::ToString() .)

See Also

[PointF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

PointF...: ToString Method

[PointF Structure](#) [See Also](#) [Send Feedback](#)

Convert to human-readable string

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public override string ToString()
```

Visual Basic (Declaration)

```
Public Overrides Function ToString As String
```

Visual C++

```
public:
virtual String^ ToString() override
```

Return Value

A string that represents the point

See Also

[PointF Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

TaikoDrumState Structure

[Members](#) [See Also](#) [Send Feedback](#)

Current state of the Taiko Drum (TaTaCon) controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public struct TaikoDrumState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Structure TaikoDrumState
```

Visual C++

```
[SerializableAttribute]  
public value class TaikoDrumState
```

See Also

[TaikoDrumState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

TaikoDrumState Members

[TaikoDrumState Structure](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [TaikoDrumState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

Fields

	Name	Description
	InnerLeft	Drum hit location
	InnerRight	Drum hit location
	OuterLeft	Drum hit location
	OuterRight	Drum hit location

See Also

[TaikoDrumState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

TaikoDrumState Fields

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

The [TaikoDrumState](#) type exposes the following members.

Fields

	Name	Description
	InnerLeft	Drum hit location
	InnerRight	Drum hit location
	OuterLeft	Drum hit location
	OuterRight	Drum hit location

See Also

[TaikoDrumState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

TaikoDrumState...:InnerLeft Field

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

Drum hit location

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool InnerLeft
```

Visual Basic (Declaration)

```
Public InnerLeft As Boolean
```

Visual C++

```
public:
    bool InnerLeft
```

See Also

[TaikoDrumState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

TaikoDrumState.....InnerRight Field

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

Drum hit location

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool InnerRight
```

Visual Basic (Declaration)

```
Public InnerRight As Boolean
```

Visual C++

```
public:
    bool InnerRight
```

See Also

[TaikoDrumState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

TaikoDrumState....OuterLeft Field

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

Drum hit location

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool OuterLeft
```

Visual Basic (Declaration)

```
Public OuterLeft As Boolean
```

Visual C++

```
public:  
bool OuterLeft
```

See Also

[TaikoDrumState Structure](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

TaikoDrumState....OuterRight Field

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

Drum hit location

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool OuterRight
```

Visual Basic (Declaration)

```
Public OuterRight As Boolean
```

Visual C++

public:
[bool](#) OuterRight

See Also

[TaikoDrumState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

TaikoDrumState Methods

[TaikoDrumState Structure](#) [See Also](#) [Send Feedback](#)

The [TaikoDrumState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Indicates whether this instance and a specified object are equal. (Inherited from ValueType .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Returns the hash code for this instance. (Inherited from ValueType .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns the fully qualified type name of this instance. (Inherited from ValueType .)

See Also

[TaikoDrumState Structure](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote Class

[Members](#) [See Also](#) [Send Feedback](#)

Implementation of Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

■ Syntax

C#

```
public class Wiimote : IDisposable
```

Visual Basic (Declaration)

```
Public Class Wiimote
    Implements IDisposable
```

Visual C++

```
public ref class Wiimote : IDisposable
```

■ Inheritance Hierarchy

[System...:Object](#)

WiimoteLib...:Wiimote

■ See Also

[Wiimote Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote Members

[Wiimote Class](#) [Constructors](#) [Methods](#) [Properties](#) [Events](#) [See Also](#) [Send Feedback](#)

The [Wiimote](#) type exposes the following members.

■ Constructors

	Name	Description
	Wiimote	Default constructor

Methods

	Name	Description
	Connect	Connect to the first-found Wiimote
	Disconnect	Disconnect from the controller and stop reading data from it
	Dispose	Overloaded.
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetStatus	Retrieve the current status of the Wiimote and extensions. Replaces GetBatteryLevel() since it was poorly named.
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	InitializeMotionPlus	Initialize the MotionPlus extension
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ReadData	Read data or register from Wiimote
	SetLEDs	Overloaded.
	SetReportType	Overloaded.
	SetRumble	Toggle rumble
	ToString	Returns a String that represents the current Object . (Inherited from Object .)
	WriteData	Overloaded.

Properties

	Name	Description
	HIDDevicePath	HID device path for this Wiimote (valid until Wiimote is disconnected)
	ID	Unique identifier for this Wiimote (not persisted across application instances)
	LastReadStatus	Status of last ReadMemory operation
	WiimoteState	Current Wiimote state

Events

	Name	Description
	WiimoteChanged	Event raised when Wiimote state is changed
	WiimoteExtensionChanged	Event raised when an extension is inserted or removed

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote Constructor

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Default constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Wiimote()
```

Visual Basic (Declaration)

```
Public Sub New
```

Visual C++

```
public:
Wiimote()
```

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote Methods

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

The [Wiimote](#) type exposes the following members.

Methods

	Name	Description
	Connect	Connect to the first-found Wiimote
	Disconnect	Disconnect from the controller and stop reading data from it
	Dispose	Overloaded.

	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetStatus	Retrieve the current status of the Wiimote and extensions. Replaces GetBatteryLevel() since it was poorly named.
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	InitializeMotionPlus	Initialize the MotionPlus extension
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ReadData	Read data or register from Wiimote
	SetLEDs	Overloaded.
	SetReportType	Overloaded.
	SetRumble	Toggle rumble
	ToString	Returns a String that represents the current Object . (Inherited from Object .)
	WriteData	Overloaded.

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote...:Connect Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Connect to the first-found Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void Connect()
```

Visual Basic (Declaration)

```
Public Sub Connect
```

Visual C++

```
public:
void Connect()
```

[-] Exceptions

Exception	Condition
WiimoteLib...: WiimoteNotFoundException	Wiimote not found in HID device list

[-] See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote...: Disconnect Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Disconnect from the controller and stop reading data from it

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

[-] Syntax

C#

```
public void Disconnect()
```

Visual Basic (Declaration)

```
Public Sub Disconnect
```

Visual C++

```
public:
void Disconnect()
```

[-] See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote....Dispose Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	Dispose()	Dispose Wiimote
	Dispose(Boolean)	Dispose wiimote

See Also

[Wiimote Class](#)

[Wiimote Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote....Dispose Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Dispose Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void Dispose()
```

Visual Basic (Declaration)

```
Public Sub Dispose
```

Visual C++

```
public:
virtual void Dispose() sealed
```

Implements

[IDisposable....Dispose\(\)](#)

See Also

[Wiimote Class](#)

[Dispose Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....Dispose Method (Boolean)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Dispose wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
protected virtual void Dispose(
    bool disposing
)
```

Visual Basic (Declaration)

```
Protected Overridable Sub Dispose ( _
    disposing As Boolean _
)
```

Visual C++

```
protected:
virtual void Dispose(
    bool disposing
)
```

Parameters

disposing

Type: [System....Boolean](#)

Disposing?

See Also

[Wiimote Class](#)

[Dispose Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....GetStatus Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Retrieve the current status of the Wiimote and extensions. Replaces GetBatteryLevel() since it was poorly named.

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void GetStatus()
```

Visual Basic (Declaration)

```
Public Sub GetStatus
```

Visual C++

```
public:
void GetStatus()
```

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote....InitializeMotionPlus Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Initialize the MotionPlus extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void InitializeMotionPlus()
```

Visual Basic (Declaration)

```
Public Sub InitializeMotionPlus
```

Visual C++

```
public:
void InitializeMotionPlus()
```

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote...:ReadData Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Read data or register from Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte[] ReadData(
    int address,
    short size
)
```

Visual Basic (Declaration)

```
Public Function ReadData ( _
    address As Integer, _
    size As Short _
) As Byte()
```

Visual C++

```
public:
    array<unsigned char>^ ReadData(
        int address,
        short size
    )
```

Parameters

address

Type: [System...:Int32](#)
Address to read

size

Type: [System...:Int16](#)
Length to read

Return Value

Data buffer

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic

- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote.....SetLEDs Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	SetLEDs(Int32)	Set the LEDs on the Wiimote
	SetLEDs(Boolean, Boolean, Boolean, Boolean)	Set the LEDs on the Wiimote

See Also

[Wiimote Class](#)
[Wiimote Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote.....SetLEDs Method (Int32)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Set the LEDs on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void SetLEDs(
    int leds
)
```

Visual Basic (Declaration)

```
Public Sub SetLEDs ( _
    leds As Integer _
)
```

Visual C++

```
public:
void SetLEDs(
    int leds
)
```

Parameters

leds

Type: [System...:Int32](#)

The value to be lit up in base2 on the Wiimote

See Also

[Wiimote Class](#)
[SetLEDs Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote...:SetLEDs Method (Boolean, Boolean, Boolean, Boolean)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Set the LEDs on the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void SetLEDs(
    bool led1,
    bool led2,
    bool led3,
    bool led4
)
```

Visual Basic (Declaration)

```
Public Sub SetLEDs ( _
    led1 As Boolean, _
    led2 As Boolean, _
    led3 As Boolean, _
    led4 As Boolean _
)
```

Visual C++

```
public:
void SetLEDs(
    bool led1,
    bool led2,
    bool led3,
    bool led4
)
```

Parameters

led1

Type: [System...:Boolean](#)
 LED 1

led2

Type: [System...:Boolean](#)

LED 2

led3

Type: [System...:Boolean](#)

LED 3

led4

Type: [System...:Boolean](#)

LED 4

See Also

[Wiimote Class](#)
[SetLEDs Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)


☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

Wiimote...:SetReportType Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	SetReportType(InputReport, Boolean)	Set Wiimote reporting mode (if using an IR report type, IR sensitivity is set to WiiLevel3)
	SetReportType(InputReport, IRSensitivity, Boolean)	Set Wiimote reporting mode

See Also

[Wiimote Class](#)
[Wiimote Members](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)


☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote....SetReportType Method (InputReport, Boolean)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Set Wiimote reporting mode (if using an IR report type, IR sensitivity is set to WiiLevel3)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void SetReportType(
    InputReport type,
    bool continuous
)
```

Visual Basic (Declaration)

```
Public Sub SetReportType ( _
    type As InputReport, _
    continuous As Boolean _
)
```

Visual C++

```
public:
void SetReportType(
    InputReport type,
    bool continuous
)
```

Parameters

type

Type: [WiimoteLib....InputReport](#)
Report type

continuous

Type: [System....Boolean](#)
Continuous data

See Also

[Wiimote Class](#)
[SetReportType Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....SetReportType Method (InputReport, IRSensitivity, Boolean)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Set Wiimote reporting mode

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void SetReportType(
    InputReport type,
    IRSensitivity irSensitivity,
    bool continuous
)
```

Visual Basic (Declaration)

```
Public Sub SetReportType ( _
    type As InputReport, _
    irSensitivity As IRSensitivity, _
    continuous As Boolean _
)
```

Visual C++

```
public:
void SetReportType(
    InputReport type,
    IRSensitivity irSensitivity,
    bool continuous
)
```

Parameters

type

Type: [WiimoteLib...:InputReport](#)
Report type

irSensitivity

Type: [WiimoteLib...:IRSensitivity](#)
IR sensitivity

continuous

Type: [System...:Boolean](#)
Continuous data

See Also

[Wiimote Class](#)
[SetReportType Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote...:SetRumble Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Toggle rumble

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void SetRumble(
    bool on
)
```

Visual Basic (Declaration)

```
Public Sub SetRumble ( _
    on As Boolean _
)
```

Visual C++

```
public:
void SetRumble(
    bool on
)
```

Parameters

on

Type: [System...:Boolean](#)
On or off

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)





☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

Wiimote...:WriteData Method

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	WriteData(Int32, Byte)	Write a single byte to the Wiimote
	WriteData(Int32, Byte, array<Byte>[])	Write a byte array to a specified address

See Also

[Wiimote Class](#)

[Wiimote Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....: WriteData Method (Int32, Byte)

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Write a single byte to the Wiimote

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void WriteData(
    int address,
    byte data
)
```

Visual Basic (Declaration)

```
Public Sub WriteData ( _
    address As Integer, _
    data As Byte _
)
```

Visual C++

```
public:
void WriteData(
    int address,
    unsigned char data
)
```

Parameters

address

Type: [System....:Int32](#)

Address to write

data

Type: [System....:Byte](#)

Byte to write

See Also

[Wiimote Class](#)

[WriteData Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#

☐ Visual Basic☐ Visual C++

WiimoteLib

WiimoteLib.WriteData Method (Int32, Byte, array<Byte>[])

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Write a byte array to a specified address

Namespace: [WiimoteLib](#)**Assembly:** WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void WriteData(
    int address,
    byte size,
    byte[] data
)
```

Visual Basic (Declaration)

```
Public Sub WriteData ( _
    address As Integer, _
    size As Byte, _
    data As Byte() _
)
```

Visual C++

```
public:
void WriteData(
    int address,
    unsigned char size,
    array<unsigned char>^ data
)
```

Parameters

address

Type: [System::Int32](#)

Address to write

size

Type: [System::Byte](#)

Length of buffer

data

Type: array<[System::Byte](#)>[]

Data buffer

See Also

[Wiimote Class](#)[WriteData Overload](#)[WiimoteLib Namespace](#)Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)☐  ☐ C#

- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote Properties

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

The [Wiimote](#) type exposes the following members.

Properties

	Name	Description
	HIDDevicePath	HID device path for this Wiimote (valid until Wiimote is disconnected)
	ID	Unique identifier for this Wiimote (not persisted across application instances)
	LastReadStatus	Status of last ReadMemory operation
	WiimoteState	Current Wiimote state

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote...:HIDDevicePath Property

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

HID device path for this Wiimote (valid until Wiimote is disconnected)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public string HIDDevicePath { get; }
```

Visual Basic (Declaration)

```
Public ReadOnly Property HIDDevicePath As String
```

Visual C++

```
public:
    property String^ HIDDevicePath {
        String^ get ();
    }
```

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....ID Property

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Unique identifier for this Wiimote (not persisted across application instances)

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public Guid ID { get; }
```

Visual Basic (Declaration)

```
Public ReadOnly Property ID As Guid
```

Visual C++

```
public:
property Guid ID {
    Guid get ();
}
```

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....LastReadStatus Property

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Status of last ReadMemory operation

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public LastReadStatus LastReadStatus { get; private set; }
```

Visual Basic (Declaration)

```
Public Property LastReadStatus As LastReadStatus
```

Visual C++

```
public:
property LastReadStatus LastReadStatus {
    LastReadStatus get ();
    void set (LastReadStatus value);
}
```

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

Wiimote....: WiimoteState Property

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Current Wiimote state

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteState WiimoteState { get; }
```

Visual Basic (Declaration)

```
Public ReadOnly Property WiimoteState As WiimoteState
```

Visual C++

```
public:
property WiimoteState^ WiimoteState {
    WiimoteState^ get ();
}
```

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

Wiimote Events

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

The [Wiimote](#) type exposes the following members.

Events

	Name	Description
	WiimoteChanged	Event raised when Wiimote state is changed
	WiimoteExtensionChanged	Event raised when an extension is inserted or removed

See Also

[Wiimote Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote...: WiimoteChanged Event

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Event raised when Wiimote state is changed

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public event EventHandler<WiimoteChangedEventArgs> WiimoteChanged
```

Visual Basic (Declaration)

```
Public Event WiimoteChanged As EventHandler (Of WiimoteChangedEventArgs)
```

Visual C++

```
public:
    event EventHandler<WiimoteChangedEventArgs>^ WiimoteChanged {
        void add (EventHandler<WiimoteChangedEventArgs>^ value);
        void remove (EventHandler<WiimoteChangedEventArgs>^ value);
    }
```

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

Wiimote....: WiimoteExtensionChanged Event

[Wiimote Class](#) [See Also](#) [Send Feedback](#)

Event raised when an extension is inserted or removed

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public event EventHandler<WiimoteExtensionChangedEventArgs> WiimoteExtensionChanged
```

Visual Basic (Declaration)

```
Public Event WiimoteExtensionChanged As EventHandler (Of WiimoteExtensionChangedEventArgs)
```

Visual C++

```
public:
    event EventHandler<WiimoteExtensionChangedEventArgs>^ WiimoteExtensionChanged {
        void add (EventHandler<WiimoteExtensionChangedEventArgs>^ value);
        void remove (EventHandler<WiimoteExtensionChangedEventArgs>^ value);
    }
```

See Also

[Wiimote Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteChangedEventArgs Class

[Members](#) [See Also](#) [Send Feedback](#)

Argument sent through the WiimoteChangedEvent

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public class WiimoteChangedEventArgs : EventArgs
```

Visual Basic (Declaration)

```
Public Class WiimoteChangedEventArgs _  
    Inherits EventArgs
```

Visual C++

```
public ref class WiimoteChangedEventArgs : public EventArgs
```

Inheritance Hierarchy

[System...:Object](#)

[System...:EventArgs](#)

WiimoteLib...:WiimoteChangedEventArgs

See Also

[WiimoteChangedEventArgs Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteChangedEventArgs Members

[WiimoteChangedEventArgs Class](#) [Constructors](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [WiimoteChangedEventArgs](#) type exposes the following members.

Constructors

	Name	Description
	WiimoteChangedEventArgs	Constructor

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)

	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

Fields

	Name	Description
	WiimoteState	The current state of the Wiimote and extension controllers

See Also

[WiimoteChangedEventArgs Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteChangedEventArgs Constructor

[WiimoteChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteChangedEventArgs (
    WiimoteState ws
)
```

Visual Basic (Declaration)

```
Public Sub New ( _
    ws As WiimoteState _
)
```

Visual C++

```
public:
    WiimoteChangedEventArgs (
        WiimoteState^ ws
    )
```

Parameters

ws

Type: [WiimoteLib...: WiimoteState](#)
 Wiimote state

See Also

[WiimoteChangedEventArgs Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteChangedEventArgs Fields

[WiimoteChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteChangedEventArgs](#) type exposes the following members.

Fields

	Name	Description
	WiimoteState	The current state of the Wiimote and extension controllers

See Also

[WiimoteChangedEventArgs Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteChangedEventArgs...: WiimoteState Field

[WiimoteChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

The current state of the Wiimote and extension controllers

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteState WiimoteState
```

Visual Basic (Declaration)

```
Public WiimoteState As WiimoteState
```

Visual C++

```
public:  
WiimoteState^ WiimoteState
```

See Also

[WiimoteChangedEventArgs Class](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteChangedEventArgs Methods

[WiimoteChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteChangedEventArgs](#) type exposes the following members.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

See Also

[WiimoteChangedEventArgs Class](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteCollection Class

[Members](#) [See Also](#) [Send Feedback](#)

Used to manage multiple Wiimotes

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public class WiimoteCollection : Collection<Wiimote>
```

Visual Basic (Declaration)

```
Public Class WiimoteCollection
    Inherits Collection (Of Wiimote)
```

Visual C++

```
public ref class WiimoteCollection : public Collection<Wiimote^>
```

Inheritance Hierarchy

[System...::Object](#)

[System.Collections.ObjectModel...::Collection](#)<(Of <(Wiimote)>)>

WiimoteLib...::WiimoteCollection

See Also

[WiimoteCollection Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteCollection Members

[WiimoteCollection Class](#) [Constructors](#) [Methods](#) [Properties](#) [See Also](#) [Send Feedback](#)

The [WiimoteCollection](#) type exposes the following members.

Constructors

Name	Description
 WiimoteCollection	Initializes a new instance of the WiimoteCollection class

Methods

Name	Description
 Add	Adds an object to the end of the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 Clear	Removes all elements from the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 ClearItems	Removes all elements from the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 Contains	Determines whether an element is in the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 CopyTo	Copies the entire Collection<(Of <(T)>>) to a compatible one-dimensional Array , starting at the specified index of the target array. (Inherited from Collection<(Of <(Wiimote)>>) .)
 Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
 Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
 FindAllWiimotes	Finds all Wiimotes connected to the system and adds them to the collection
 GetEnumerator	Returns an enumerator that iterates through the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
 GetType	Gets the Type of the current instance. (Inherited from Object .)
 IndexOf	Searches for the specified object and returns the zero-based index of the first occurrence within the entire Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 Insert	Inserts an element into the Collection<(Of <(T)>>) at the specified index. (Inherited from Collection<(Of <(Wiimote)>>) .)
 InsertItem	Inserts an element into the Collection<(Of <(T)>>) at the specified index. (Inherited from Collection<(Of <(Wiimote)>>) .)
 MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
 Remove	Removes the first occurrence of a specific object from the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 RemoveAt	Removes the element at the specified index of the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 RemoveItem	Removes the element at the specified index of the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
 SetItem	Replaces the element at the specified index. (Inherited from Collection<(Of <(Wiimote)>>) .)
 ToString	Returns a String that represents the current Object . (Inherited from Object .)

Properties

	Name	Description
	Count	Gets the number of elements actually contained in the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
	Item	Gets or sets the element at the specified index. (Inherited from Collection<(Of <(Wiimote)>>) .)
	Items	Gets a IList<(Of <(T)>>) wrapper around the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)

See Also

[WiimoteCollection Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteCollection Constructor

[WiimoteCollection Class](#) [See Also](#) [Send Feedback](#)

Initializes a new instance of the [WiimoteCollection](#) class

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteCollection()
```

Visual Basic (Declaration)

```
Public Sub New
```

Visual C++

```
public:
    WiimoteCollection()
```

See Also

[WiimoteCollection Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteCollection Methods

[WiimoteCollection Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteCollection](#) type exposes the following members.

Methods

	Name	Description
	Add	Adds an object to the end of the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	Clear	Removes all elements from the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	ClearItems	Removes all elements from the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	Contains	Determines whether an element is in the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	CopyTo	Copies the entire Collection<Of <(T)>> to a compatible one-dimensional Array , starting at the specified index of the target array. (Inherited from Collection<Of <(Wiimote)>> .)
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	FindAllWiimotes	Finds all Wiimotes connected to the system and adds them to the collection
	GetEnumerator	Returns an enumerator that iterates through the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	IndexOf	Searches for the specified object and returns the zero-based index of the first occurrence within the entire Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	Insert	Inserts an element into the Collection<Of <(T)>> at the specified index. (Inherited from Collection<Of <(Wiimote)>> .)
	InsertItem	Inserts an element into the Collection<Of <(T)>> at the specified index. (Inherited from Collection<Of <(Wiimote)>> .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	Remove	Removes the first occurrence of a specific object from the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	RemoveAt	Removes the element at the specified index of the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)
	RemoveItem	Removes the element at the specified index of the Collection<Of <(T)>> . (Inherited from Collection<Of <(Wiimote)>> .)

	SetItem	Replaces the element at the specified index. (Inherited from Collection <(Of < Wiimote >>).)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

See Also

[WiimoteCollection Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteCollection....FindAllWiimotes Method

[WiimoteCollection Class](#) [See Also](#) [Send Feedback](#)

Finds all Wiimotes connected to the system and adds them to the collection

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public void FindAllWiimotes()
```

Visual Basic (Declaration)

```
Public Sub FindAllWiimotes
```

Visual C++

```
public:
void FindAllWiimotes()
```

See Also

[WiimoteCollection Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteCollection Properties

[WiimoteCollection Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteCollection](#) type exposes the following members.

Properties

	Name	Description
	Count	Gets the number of elements actually contained in the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)
	Item	Gets or sets the element at the specified index. (Inherited from Collection<(Of <(Wiimote)>>) .)
	Items	Gets a IList<(Of <(T)>>) wrapper around the Collection<(Of <(T)>>) . (Inherited from Collection<(Of <(Wiimote)>>) .)

See Also

[WiimoteCollection Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteException Class

[Members](#) [See Also](#) [Send Feedback](#)

Represents errors that occur during the execution of the Wiimote library

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public class WiimoteException : ApplicationException
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Class WiimoteException _
    Inherits ApplicationException
```

Visual C++

```
[SerializableAttribute]
public ref class WiimoteException : public ApplicationException
```

Inheritance Hierarchy

[System...:Object](#)

[System...:Exception](#)

[System....ApplicationException](#)

WiimoteLib....WiimoteException

See Also

[WiimoteException Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteException Members

[WiimoteException Class](#) [Constructors](#) [Methods](#) [Properties](#) [See Also](#) [Send Feedback](#)

The [WiimoteException](#) type exposes the following members.

Constructors

Name	Description
 WiimoteException	Overloaded.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetBaseException	When overridden in a derived class, returns the Exception that is the root cause of one or more subsequent exceptions. (Inherited from Exception .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetObjectData	When overridden in a derived class, sets the SerializationInfo with information about the exception. (Inherited from Exception .)
	GetType	Gets the runtime type of the current instance. (Inherited from Exception .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Creates and returns a string representation of the current exception. (Inherited from Exception .)

Properties

	Name	Description
	Data	Gets a collection of key/value pairs that provide additional user-defined information about the exception. (Inherited from Exception .)
	HelpLink	Gets or sets a link to the help file associated with this exception. (Inherited from Exception .)
	HResult	Gets or sets HRESULT, a coded numerical value that is assigned to a specific exception. (Inherited from Exception .)
	InnerException	Gets the Exception instance that caused the current exception. (Inherited from Exception .)
	Message	Gets a message that describes the current exception. (Inherited from Exception .)
	Source	Gets or sets the name of the application or the object that causes the error. (Inherited from Exception .)
	StackTrace	Gets a string representation of the frames on the call stack at the time the current exception was thrown. (Inherited from Exception .)
	TargetSite	Gets the method that throws the current exception. (Inherited from Exception .)

See Also

[WiimoteException Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteException Constructor

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	WiimoteException()()	Default constructor
	WiimoteException(String)	Constructor
	WiimoteException(SerializationInfo, StreamingContext)	Constructor
	WiimoteException(String, Exception)	Constructor

See Also

[WiimoteException Class](#)

[WiimoteException Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteException Constructor

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

Default constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteException()
```

Visual Basic (Declaration)

```
Public Sub New
```

Visual C++

```
public:
WiimoteException()
```

See Also

[WiimoteException Class](#)

[WiimoteException Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteException Constructor (String)

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteException(
    string message
)
```

Visual Basic (Declaration)

```
Public Sub New ( _
    message As String _
)
```

Visual C++

```
public:
    WiimoteException(
        String^ message
    )
```

Parameters

message

Type: [System...::String](#)

Error message

See Also

[WiimoteException Class](#)

[WiimoteException Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteException Constructor (SerializationInfo, StreamingContext)

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
protected WiimoteException(
    SerializationInfo info,
    StreamingContext context
)
```

Visual Basic (Declaration)

```
Protected Sub New ( _
    info As SerializationInfo, _
    context As StreamingContext _
)
```

Visual C++

```
protected:
WiimoteException(
    SerializationInfo^ info,
    StreamingContext context
)
```

Parameters

info

Type: [System.Runtime.Serialization...::SerializationInfo](#)
 Serialization info

context

Type: [System.Runtime.Serialization...::StreamingContext](#)
 Streaming context

See Also[WiimoteException Class](#)[WiimoteException Overload](#)[WiimoteLib Namespace](#)

 Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

 Send comments on this topic to wiimote@brianpeek.com
[Copyright \(C\) 2007-2009 Brian Peek](#)
☐ 
☐ C#☐ Visual Basic☐ Visual C++

WiimoteLib

WiimoteException Constructor (String, Exception)

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)**Assembly:** WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)**Syntax****C#**

```
public WiimoteException(
    string message,
    Exception innerException
)
```

Visual Basic (Declaration)

```
Public Sub New ( _
    message As String, _
    innerException As Exception _
)
```

Visual C++

```
public:
WiimoteException(
    String^ message,
    Exception^ innerException
)
```

Parameters

message

Type: [System...::String](#)

Error message

innerException

Type: [System...::Exception](#)

Inner exception

See Also

[WiimoteException Class](#)

[WiimoteException Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteException Methods

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteException](#) type exposes the following members.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetBaseException	When overridden in a derived class, returns the Exception that is the root cause of one or more subsequent exceptions. (Inherited from Exception .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetObjectData	When overridden in a derived class, sets the SerializationInfo with information about the exception. (Inherited from Exception .)
	GetType	Gets the runtime type of the current instance. (Inherited from Exception .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Creates and returns a string representation of the current exception. (Inherited from Exception .)

See Also

[WiimoteException Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteException Properties

[WiimoteException Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteException](#) type exposes the following members.

Properties

	Name	Description
	Data	Gets a collection of key/value pairs that provide additional user-defined information about the exception. (Inherited from Exception .)
	HelpLink	Gets or sets a link to the help file associated with this exception. (Inherited from Exception .)
	HResult	Gets or sets HRESULT, a coded numerical value that is assigned to a specific exception. (Inherited from Exception .)
	InnerException	Gets the Exception instance that caused the current exception. (Inherited from Exception .)
	Message	Gets a message that describes the current exception. (Inherited from Exception .)
	Source	Gets or sets the name of the application or the object that causes the error. (Inherited from Exception .)
	StackTrace	Gets a string representation of the frames on the call stack at the time the current exception was thrown. (Inherited from Exception .)
	TargetSite	Gets the method that throws the current exception. (Inherited from Exception .)

See Also

[WiimoteException Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteExtensionChangedEventArgs Class

[Members](#) [See Also](#) [Send Feedback](#)

Argument sent through the WiimoteExtensionChangedEvent

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public class WiimoteExtensionChangedEventArgs : EventArgs
```

Visual Basic (Declaration)

```
Public Class WiimoteExtensionChangedEventArgs _  
    Inherits EventArgs
```

Visual C++

```
public ref class WiimoteExtensionChangedEventArgs : public EventArgs
```

Inheritance Hierarchy

[System....Object](#)

[System....EventArgs](#)

WiimoteLib....WiimoteExtensionChangedEventArgs

See Also

[WiimoteExtensionChangedEventArgs Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteExtensionChangedEventArgs Members

[WiimoteExtensionChangedEventArgs Class](#) [Constructors](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [WiimoteExtensionChangedEventArgs](#) type exposes the following members.

Constructors

		Name	Description

 [WiimoteExtensionChangedEventArgs](#) Constructor

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

Fields

	Name	Description
	ExtensionType	The extension type inserted or removed
	Inserted	Whether the extension was inserted or removed

See Also

[WiimoteExtensionChangedEventArgs Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteExtensionChangedEventArgs Constructor

[WiimoteExtensionChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteExtensionChangedEventArgs (
    ExtensionType type,
```



```

        bool inserted
    )

Visual Basic (Declaration)
Public Sub New ( _
    type As ExtensionType, _
    inserted As Boolean _
)

```

Visual C++

```

public:
WiimoteExtensionChangedEventArgs (
    ExtensionType type,
    bool inserted
)

```

Parameters

type

Type: [WiimoteLib....ExtensionType](#)
The extension type inserted or removed

inserted

Type: [System....Boolean](#)
Whether the extension was inserted or removed

See Also

[WiimoteExtensionChangedEventArgs Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☰ ▶ ▶

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteExtensionChangedEventArgs Fields

[WiimoteExtensionChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteExtensionChangedEventArgs](#) type exposes the following members.

Fields

	Name	Description
🔍	ExtensionType	The extension type inserted or removed
🔍	Inserted	Whether the extension was inserted or removed

See Also

[WiimoteExtensionChangedEventArgs Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteExtensionChangedEventArgs...:ExtensionType Field

[WiimoteExtensionChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

The extension type inserted or removed

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public ExtensionType ExtensionType
```

Visual Basic (Declaration)

```
Public ExtensionType As ExtensionType
```

Visual C++

```
public:  
ExtensionType ExtensionType
```

See Also

[WiimoteExtensionChangedEventArgs Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteExtensionChangedEventArgs...:Inserted Field

[WiimoteExtensionChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)

Whether the extension was inserted or removed

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Inserted
```

Visual Basic (Declaration)Public Inherited As [Boolean](#)**Visual C++**public:
[bool](#) Inherited

See Also

[WiimoteExtensionChangedEventArgs Class](#)[WiimoteLib Namespace](#)Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com[Copyright \(C\) 2007-2009 Brian Peek](#)

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteExtensionChangedEventArgs Methods

[WiimoteExtensionChangedEventArgs Class](#) [See Also](#) [Send Feedback](#)The [WiimoteExtensionChangedEventArgs](#) type exposes the following members.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

See Also

[WiimoteExtensionChangedEventArgs Class](#)[WiimoteLib Namespace](#)Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteNotFoundException Class

[Members](#) [See Also](#) [Send Feedback](#)

Thrown when no Wiimotes are found in the HID device list

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]
public class WiimoteNotFoundException : ApplicationException
```

Visual Basic (Declaration)

```
<SerializableAttribute> _
Public Class WiimoteNotFoundException _
    Inherits ApplicationException
```

Visual C++

```
[SerializableAttribute]
public ref class WiimoteNotFoundException : public ApplicationException
```

Inheritance Hierarchy

[System.....Object](#)

[System.....Exception](#)

[System.....ApplicationException](#)

WiimoteLib.....WiimoteNotFoundException

See Also

[WiimoteNotFoundException Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++
- ☐ Include Protected Members
- ☐ Include Inherited Members

WiimoteLib

WiimoteNotFoundException Members

[WiimoteNotFoundException Class](#) [Constructors](#) [Methods](#) [Properties](#) [See Also](#) [Send Feedback](#)

The [WiimoteNotFoundException](#) type exposes the following members.

Constructors

	Name	Description
	WiimoteNotFoundException	Overloaded.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetBaseException	When overridden in a derived class, returns the Exception that is the root cause of one or more subsequent exceptions. (Inherited from Exception .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetObjectData	When overridden in a derived class, sets the SerializationInfo with information about the exception. (Inherited from Exception .)
	GetType	Gets the runtime type of the current instance. (Inherited from Exception .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Creates and returns a string representation of the current exception. (Inherited from Exception .)

Properties

	Name	Description
	Data	Gets a collection of key/value pairs that provide additional user-defined information about the exception. (Inherited from Exception .)
	HelpLink	Gets or sets a link to the help file associated with this exception. (Inherited from Exception .)
	HResult	Gets or sets HRESULT, a coded numerical value that is assigned to a specific exception. (Inherited from Exception .)
	InnerException	Gets the Exception instance that caused the current exception. (Inherited from Exception .)
	Message	Gets a message that describes the current exception. (Inherited from Exception .)
	Source	Gets or sets the name of the application or the object that causes the error. (Inherited from Exception .)
	StackTrace	Gets a string representation of the frames on the call stack at the time the current exception was thrown. (Inherited from Exception .)
	TargetSite	Gets the method that throws the current exception. (Inherited from Exception .)

See Also

[WiimoteNotFoundException Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteNotFoundException Constructor

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

Overload List

	Name	Description
	WiimoteNotFoundException()()	Default constructor
	WiimoteNotFoundException(String)	Constructor
	WiimoteNotFoundException(SerializationInfo, StreamingContext)	Constructor
	WiimoteNotFoundException(String, Exception)	Constructor

See Also

[WiimoteNotFoundException Class](#)

[WiimoteNotFoundException Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteNotFoundException Constructor

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

Default constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteNotFoundException()
```

Visual Basic (Declaration)

```
Public Sub New
```

Visual C++

```
public:
    WiimoteNotFoundException()
```

See Also

[WiimoteNotFoundException Class](#)

[WiimoteNotFoundException Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteNotFoundException Constructor (String)

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteNotFoundException(
    string message
)
```

Visual Basic (Declaration)

```
Public Sub New ( _
    message As String _
)
```

Visual C++

```
public:
    WiimoteNotFoundException(
        String^ message
    )
```

Parameters

message

Type: [System...::String](#)

Error message

See Also

[WiimoteNotFoundException Class](#)

[WiimoteNotFoundException Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteNotFoundException Constructor (SerializationInfo, StreamingContext)

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
protected WiimoteNotFoundException(
    SerializationInfo info,
    StreamingContext context
)
```

Visual Basic (Declaration)

```
Protected Sub New ( _
    info As SerializationInfo, _
    context As StreamingContext _
)
```

Visual C++

```
protected:
WiimoteNotFoundException(
    SerializationInfo^ info,
    StreamingContext context
)
```

Parameters

info

Type: [System.Runtime.Serialization...:SerializationInfo](#)
 Serialization info

context

Type: [System.Runtime.Serialization...:StreamingContext](#)
 Streaming context

See Also

[WiimoteNotFoundException Class](#)
[WiimoteNotFoundException Overload](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteNotFoundException Constructor (String, Exception)

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

Constructor

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteNotFoundException(
    string message,
    Exception innerException
)
```

Visual Basic (Declaration)

```
Public Sub New ( _
    message As String, _
    innerException As Exception _
)
```

Visual C++

```
public:
    WiimoteNotFoundException(
        String^ message,
        Exception^ innerException
    )
```

Parameters

message

Type: [System...:String](#)
Error message

innerException

Type: [System...:Exception](#)
Inner exception

See Also

[WiimoteNotFoundException Class](#)

[WiimoteNotFoundException Overload](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

☐ Include Protected Members☐ Include Inherited Members

WiimoteLib

WiimoteNotFoundException Methods

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteNotFoundException](#) type exposes the following members.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetBaseException	When overridden in a derived class, returns the Exception that is the root cause of one or more subsequent exceptions. (Inherited from Exception .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetObjectData	When overridden in a derived class, sets the SerializationInfo with information about the exception. (Inherited from Exception .)
	GetType	Gets the runtime type of the current instance. (Inherited from Exception .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Creates and returns a string representation of the current exception. (Inherited from Exception .)

See Also

[WiimoteNotFoundException Class](#)[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☐ C#☐ Visual Basic☐ Visual C++☐ Include Protected Members☐ Include Inherited Members

WiimoteLib

WiimoteNotFoundException Properties

[WiimoteNotFoundException Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteNotFoundException](#) type exposes the following members.

Properties

	Name	Description
	Data	Gets a collection of key/value pairs that provide additional user-defined information about the exception. (Inherited from Exception .)
	HelpLink	Gets or sets a link to the help file associated with this exception. (Inherited from Exception .)
	HResult	Gets or sets HRESULT, a coded numerical value that is assigned to a specific exception. (Inherited from Exception .)
	InnerException	Gets the Exception instance that caused the current exception. (Inherited from Exception .)
	Message	Gets a message that describes the current exception. (Inherited from Exception .)
	Source	Gets or sets the name of the application or the object that causes the error. (Inherited from Exception .)
	StackTrace	Gets a string representation of the frames on the call stack at the time the current exception was thrown. (Inherited from Exception .)
	TargetSite	Gets the method that throws the current exception. (Inherited from Exception .)

See Also

[WiimoteNotFoundException Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState Class

[Members](#) [See Also](#) [Send Feedback](#)

Current overall state of the Wiimote and all attachments

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
[SerializableAttribute]  
public class WiimoteState
```

Visual Basic (Declaration)

```
<SerializableAttribute> _  
Public Class WiimoteState
```

Visual C++

[[SerializableAttribute](#)]
 public ref class WiimoteState

Inheritance Hierarchy

[System...:Object](#)

WiimoteLib...:WiimoteState

See Also

[WiimoteState Members](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteState Members

[WiimoteState Class](#) [Constructors](#) [Methods](#) [Fields](#) [See Also](#) [Send Feedback](#)

The [WiimoteState](#) type exposes the following members.

Constructors

	Name	Description
	WiimoteState	Constructor for WiimoteState class

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

Fields

	Name	Description
	AccelCalibrationInfo	Current calibration information
	AccelState	Current state of accelerometers
	BalanceBoardState	Current state of the Wii Fit Balance Board
	Battery	Calculated current battery level
	BatteryRaw	Raw byte value of current battery level
	ButtonState	Current state of buttons
	ClassicControllerState	Current state of Classic Controller extension
	DrumsState	Current state of Drums extension
	Extension	Is an extension controller inserted?
	ExtensionType	Extension controller currently inserted, if any
	GuitarState	Current state of Guitar extension
	IRState	Current state of IR sensors
	LEDState	Current state of LEDs
	MotionPlusState	Current state of the MotionPlus controller
	NunchukState	Current state of Nunchuk extension
	Rumble	Current state of rumble
	TaikoDrumState	Current state of the Taiko TaTaCon drum controller

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteState Constructor

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Constructor for WiimoteState class

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public WiimoteState()
```

Visual Basic (Declaration)

```
Public Sub New
```

Visual C++

```
public:
WiimoteState()
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

☐  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteState Fields

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteState](#) type exposes the following members.

Fields

	Name	Description
	AccelCalibrationInfo	Current calibration information
	AccelState	Current state of accelerometers
	BalanceBoardState	Current state of the Wii Fit Balance Board
	Battery	Calculated current battery level
	BatteryRaw	Raw byte value of current battery level
	ButtonState	Current state of buttons
	ClassicControllerState	Current state of Classic Controller extension
	DrumsState	Current state of Drums extension
	Extension	Is an extension controller inserted?
	ExtensionType	Extension controller currently inserted, if any
	GuitarState	Current state of Guitar extension
	IRState	Current state of IR sensors
	LEDState	Current state of LEDs
	MotionPlusState	Current state of the MotionPlus controller
	NunchukState	Current state of Nunchuk extension
	Rumble	Current state of rumble
	TaikoDrumState	Current state of the Taiko TaTaCon drum controller

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....AccelCalibrationInfo Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current calibration information

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public AccelCalibrationInfo AccelCalibrationInfo
```

Visual Basic (Declaration)

```
Public AccelCalibrationInfo As AccelCalibrationInfo
```

Visual C++

```
public:  
AccelCalibrationInfo AccelCalibrationInfo
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....AccelState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of accelerometers

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public AccelState AccelState
```

Visual Basic (Declaration)

```
Public AccelState As AccelState
```

Visual C++

```
public:
AccelState AccelState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState...:BalanceBoardState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of the Wii Fit Balance Board

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public BalanceBoardState BalanceBoardState
```

Visual Basic (Declaration)

```
Public BalanceBoardState As BalanceBoardState
```

Visual C++

```
public:
BalanceBoardState BalanceBoardState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState...:Battery Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Calculated current battery level

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public float Battery
```

Visual Basic (Declaration)

```
Public Battery As Single
```

Visual C++

```
public:  
float Battery
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteState....BatteryRaw Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Raw byte value of current battery level

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public byte BatteryRaw
```

Visual Basic (Declaration)

```
Public BatteryRaw As Byte
```

Visual C++

```
public:  
unsigned char BatteryRaw
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....:ButtonState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of buttons

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public ButtonState ButtonState
```

Visual Basic (Declaration)

```
Public ButtonState As ButtonState
```

Visual C++

```
public:  
ButtonState ButtonState
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....:ClassicControllerState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of Classic Controller extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public ClassicControllerState ClassicControllerState
```

Visual Basic (Declaration)

```
Public ClassicControllerState As ClassicControllerState
```

Visual C++

```
public:  
ClassicControllerState ClassicControllerState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....DrumsState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of Drums extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public DrumsState DrumsState
```

Visual Basic (Declaration)

```
Public DrumsState As DrumsState
```

Visual C++

```
public:  
DrumsState DrumsState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....Extension Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Is an extension controller inserted?

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public bool Extension
```

Visual Basic (Declaration)

```
Public Extension As Boolean
```

Visual C++

```
public:  
bool Extension
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteState....ExtensionType Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Extension controller currently inserted, if any

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public ExtensionType ExtensionType
```

Visual Basic (Declaration)

```
Public ExtensionType As ExtensionType
```

Visual C++

```
public:  
ExtensionType ExtensionType
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....GuitarState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of Guitar extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public GuitarState GuitarState
```

Visual Basic (Declaration)

```
Public GuitarState As GuitarState
```

Visual C++

```
public:  
GuitarState GuitarState
```

▣ See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....IRState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of IR sensors

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public IRState IRState
```

Visual Basic (Declaration)

```
Public IRState As IRState
```

Visual C++

```
public:  
IRState IRState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState...:LEDState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of LEDs

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public LEDState LEDState
```

Visual Basic (Declaration)

```
Public LEDState As LEDState
```

Visual C++

```
public:  
LEDState LEDState
```

See Also

[WiimoteState Class](#)
[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

 

- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState...:MotionPlusState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of the MotionPlus controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public MotionPlusState MotionPlusState
```

Visual Basic (Declaration)

```
Public MotionPlusState As MotionPlusState
```

Visual C++

```
public:  
MotionPlusState MotionPlusState
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



☐ C#

☐ Visual Basic

☐ Visual C++

WiimoteLib

WiimoteState...:NunchukState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of Nunchuk extension

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

Syntax

C#

```
public NunchukState NunchukState
```

Visual Basic (Declaration)

```
Public NunchukState As NunchukState
```

Visual C++

```
public:  
NunchukState NunchukState
```

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....Rumble Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of rumble

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public bool Rumble
```

Visual Basic (Declaration)

```
Public Rumble As Boolean
```

Visual C++

```
public:
bool Rumble
```

▣ See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)



- ☐ C#
- ☐ Visual Basic
- ☐ Visual C++

WiimoteLib

WiimoteState....TaikoDrumState Field

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

Current state of the Taiko TaTaCon drum controller

Namespace: [WiimoteLib](#)

Assembly: WiimoteLib (in WiimoteLib.dll) Version: 1.8.0.0 (1.8.0.0)

▣ Syntax

C#

```
public TaikoDrumState TaikoDrumState
```

Visual Basic (Declaration)

```
Public TaikoDrumState As TaikoDrumState
```

Visual C++

```
public:
TaikoDrumState TaikoDrumState
```


See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)

  

☐ C#

☐ Visual Basic

☐ Visual C++

☐ Include Protected Members

☐ Include Inherited Members

WiimoteLib

WiimoteState Methods

[WiimoteState Class](#) [See Also](#) [Send Feedback](#)

The [WiimoteState](#) type exposes the following members.

Methods

	Name	Description
	Equals	Determines whether the specified Object is equal to the current Object . (Inherited from Object .)
	Finalize	Allows an Object to attempt to free resources and perform other cleanup operations before the Object is reclaimed by garbage collection. (Inherited from Object .)
	GetHashCode	Serves as a hash function for a particular type. (Inherited from Object .)
	GetType	Gets the Type of the current instance. (Inherited from Object .)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object .)
	ToString	Returns a String that represents the current Object . (Inherited from Object .)

See Also

[WiimoteState Class](#)

[WiimoteLib Namespace](#)

Contact me at my [website](#). For the full article written on this library, visit [Coding4Fun](#).

Send comments on this topic to wiimote@brianpeek.com

[Copyright \(C\) 2007-2009 Brian Peek](#)