HealthTranscribe
AI-Powered Clinical Intelligence

Upload Audio Recording

Healthcare interview or clinical conversation

✓ SPEECH-TO-TEXT ✓ MEDICAL NER ✓ FHIR EXPORT

Drop your audio file here

or browse to choose a file

WAV MP3 OGG FLAC M4A WMA

samples_sample-clinical.mp3
3.8 MB • 3:18

Process Audio

Processing Your Audio

COMPLETED

100%

Upload
Sending audio file

Transcribe
Converting speech to text

Analyze
Extracting medical entities

Complete

Ready for review

Processing complete!

Analysis Results

Azure Savings: **$2.60** | $2.61 → $0.010 (3.3 min audio)

17.8s	2	114	38
Processing Time	Speakers	Medical Entities	Relationships

54

Linked to UMLS

Assertion Detection: 1 Negated | 5 Hypothetical | 1 Conditional | 2 Uncertain

Transcription | Medical Entities | Relationships | AI Summary | FHIR Output

AI-Powered Clinical Summary

Download PDF | Regenerate

1. FINDINGS SUMMARY TABLE

Category	Name/Term	UMLS Code(s)	Confidence Score	Relevant Qualifiers
Symptoms and Signs	Persistent Headaches	C0018681, R51, G44.209	0.97	Course: Persistent, Duration: 2 weeks

Category	Name/Term	UMLS Code(s)	Confidence Score	Relevant Qualifiers
	Constant Pressure	C0460139	0.83	Course: Constant
	Blurry Vision	C0344232	0.98	Course: Occasionally
	Sensitivity to Light	C0085636	0.99	
	Tiredness	-	0.75	
	Nausea	C0027497	1.00	Negated
Anatomical Locations	Front of Head	-	0.88	
	Behind Eyes	C0015392	1.00	
Diagnoses	Tension Headaches	C0033893, G44.2	1.00	
	Hypertension	C0020538, I10	1.00	
Medications	Lisinopril	C0065374, DB00722, 386873009	1.00	Dosage: 10 mg, Frequency: Daily
	Ibuprofen	C0020740, DB01050, 387207008	1.00	Dosage: 400 mg, Frequency: As needed
	Acetaminophen	-	-	Dosage: 500 mg, Frequency: Twice a week
Tests and Results	Blood Pressure	C0005824	1.00	Reading: 148/92, Elevated
Treatments and Interventions	Neurological Exam	C0027853	0.99	

2. CLINICAL RELATIONSHIPS AND TIMELINE

Symptoms and Locations:

> Persistent headaches are primarily located in the front of the head and behind the eyes.
>
> Blurry vision and sensitivity to light are associated symptoms.

Medications and Dosages:

> Patient is currently taking Lisinopril 10 mg daily for hypertension, which will be increased to 20 mg.
>
> Ibuprofen 400 mg is taken as needed for headaches, approximately three to four times a week.
>
> A switch to acetaminophen 500 mg is recommended, limited to twice a week.

Temporal Information:

> Headaches have been persistent for approximately two weeks.
>
> Blood pressure readings have been elevated, with a recent reading of 148/92.

Course of Illness:

> Headaches are described as constant pressure, worsening with stress and lack of sleep.
>
> Neurological examination shows normal signs, providing reassurance against serious conditions.

3. ASSERTIONS AND CONFIDENCE ANALYSIS

Negated Findings:

> Nausea is explicitly ruled out by the patient.

Hypothetical/Conditional:

> The potential for ibuprofen to cause rebound headaches and affect blood pressure is considered but not confirmed.

Uncertain Diagnoses:

> The diagnosis of tension headaches is affirmed, but the possibility of secondary causes due to visual symptoms is noted for further evaluation.

Family/Social History:

> Stress from work is acknowledged as a contributing factor to the patient's symptoms.

4. KEY CLINICAL INSIGHTS

Primary Diagnoses:

> The patient is diagnosed with tension headaches and hypertension, both of which require management and follow-up.

Critical Medications:

> Lisinopril is critical for blood pressure management, with an adjustment in dosage planned.
>
> Ibuprofen use is to be limited due to potential side effects; acetaminophen is recommended as an alternative.

Important Clinical Correlations:

> The relationship between stress, headaches, and elevated blood pressure is significant and should be addressed in treatment plans.

Recommended Considerations for Follow-Up:

> Schedule a follow-up appointment in two weeks to reassess blood pressure and headache response to the new medication regimen.
>
> Advise the patient to monitor for any new symptoms, such as severe visual changes or neurological deficits, and to seek immediate care if these occur.

Cached Generated: 15/03/2026, 16:48:33 Model: gpt-4o-mini

Token Usage: Prompt: 18,211 Completion: 1,017 Total: 19,228 Est. Cost: $0.003342

HealthTranscribe
AI-Powered Clinical Intelligence

Enterprise-grade clinical intelligence powered by Azure AI

AZURE SERVICES	STANDARDS
Speech Services	HL7 FHIR R4
Text Analytics for Health	HIPAA Compliance
Azure OpenAI	

HIPAA Ready | SOC 2 Type II | FHIR R4 Compatible

© 2026 HealthTranscribe Demo. Built with Azure AI Services.