

Everything You Need To Know - Dashboard UI

A sleek, minimalist, React-based dashboard interface built with Tailwind CSS and Lucide Icons. The UI features high-contrast black-and-white typography, rounded corners, and a seamless multi-screen flow (Intro -> Subject Selection -> Dashboard).

Getting Started

Follow these steps to set up and run this project on your local machine using Vite (the recommended modern build tool for React).

Prerequisites

Make sure you have [Node.js](#) installed on your computer.

Step 1: Create a new React project

Open your terminal and run the following command to create a new Vite project:

```
npm create vite@latest everything-dashboard -- --template react
```

Step 2: Navigate into the folder

```
cd everything-dashboard
```

Step 3: Install dependencies

Install the basic React dependencies, plus `lucide-react` for the minimal iconography:

```
npm install  
npm install lucide-react
```

Step 4: Install and configure Tailwind CSS

Tailwind CSS is required for the styling to work. Run these commands:

```
npm install -D tailwindcss postcss autoprefixer  
npx tailwindcss init -p
```

Open the newly created `tailwind.config.js` file and replace its contents with this to ensure it scans your React files:

```

/** @type {import('tailwindcss').Config} */
export default {
  content: [
    './index.html',
    './src/**/*.{js,ts,jsx,tsx}',
  ],
  theme: {
    extend: {
      fontFamily: {
        sans: ['Inter', 'system-ui', 'sans-serif'], // Gives that clean, modern l
      },
    },
  },
  plugins: [],
}

```

Open your `src/index.css` file and add the Tailwind directives at the top (you can delete everything else in this file):

```

@tailwind base;
@tailwind components;
@tailwind utilities;

/* Smooth scrolling and base background setup */
body {
  background-color: #fafafa;
  margin: 0;
}

```

Step 5: Add the Code

1. Open `src/App.jsx`.
2. Delete all existing code in that file.
3. Copy the entire contents of the `App.jsx` file provided in the previous step and paste it into your `src/App.jsx`.

Step 6: Start the Development Server

Run the following command in your terminal:

```
npm run dev
```

Your terminal will display a local URL (usually `http://localhost:5173`). Open this URL in your web browser to view the application!

Architecture Overview

Because you requested all code in a single file structure, `App.jsx` contains multiple React components managed by a simple state machine:

- `App` : The root component that holds the `currentScreen` state.
- `IntroScreen` : The landing page featuring massive, bold typography.
- `SubjectSelectionScreen` : A grid layout allowing the user to pick a topic.
- `DashboardScreen` : The main interface with a sidebar and content area, featuring placeholder cards (Completion Status, Rating, Content Layout).