


DATA COLLECTION AND PROCESSING

TASK 1: OSINT Using Google Hacking Database:

Launch browser on windows 11:



Open Google Hacking Database

EXPLOIT
DATABASE

📊

🔍

🔒

Google Hacking Database

🔽 Filters

🔄 Reset All

Show 15

Quick Search

Date Added	Dork	Category	Author
2024-08-23	site:github.com "BEGIN OPENSSE PRIVATE KEY"	Files Containing Passwords	kstrawn0
2024-08-23	ext:nix "BEGIN OPENSSE PRIVATE KEY"	Files Containing Passwords	kstrawn0
2024-07-26	inurl:home.htm intitle:1766	Various Online Devices	Kishoreram
2024-07-04	intitle:"SSL Network Extender Login"-checkpoint.com	Vulnerable Servers	Everton Hydd3n
2024-07-04	intext:"siemens" & inurl:/portal/portal.mwsl	Vulnerable Servers	Kishoreram
2024-07-04	Google Dork Submission For GlobalProtect Portal	Vulnerable Servers	Gurudatt Choudhary
2024-07-04	intext:"ext:bin/lsbcat"	Vulnerable Servers	Utkarsh G

🏠

🔍 Search

📁

🌐

📅

🔥


⬆️ ENG

🖨️

🔊

9:29 PM 6/13/2026


Reviewing Vulnerable files



The screenshot shows the Exploit-DB Google Hacking Database (GHD) interface. The browser address bar displays `https://www.exploit-db.com/google-hacking-database?category=1`. The page features a dark blue header with the Exploit-DB logo and navigation icons. Below the header, there are filters for 'Category' (set to 'Vulnerable Files') and 'Author' (with a search input). The main content area is titled 'Google Hacking Database' and includes a 'Show' dropdown set to '15', a 'Quick Search' input, and buttons for 'Filters' and 'Reset All'. A table lists search results with columns for 'Date Added', 'Dork', 'Category', and 'Author'.

Date Added	Dork	Category	Author
2023-10-20	<code>intitle:"index of" "*.php" site:.edu</code>	Vulnerable Files	Ali Ahamed
2022-06-17	<code>allintext:wp-includes/rest-api</code>	Vulnerable Files	Jayson Zabate
2022-06-16	<code>inurl:.com index of movies</code>	Vulnerable Files	Ved Kolambkar
2022-06-16	<code>intitle:index.of.etc</code>	Vulnerable Files	Muhammad Al-Amin

Viewing details of one vulnerable file on google:



The screenshot shows a Google search result for the query `allintext:wp-includes/rest-api`. The search bar at the top contains the query, and a 'Show more' button is visible below it. The search result is for 'WordPress.org' with the URL `https://developer.wordpress.org/rest-api/`. The title of the result is 'REST API Handbook - WordPress Developer Resources'.

WordPress.org
<https://developer.wordpress.org/rest-api/>

REST API Handbook - WordPress Developer Resources

Nov 8, 2016 — The WordPress REST API **provides an interface for applications to interact with your WordPress site** by sending and receiving data as JSON (JavaScript Object ...

Vulnerable Server

EXPLOIT
DATABASE

Category

Vulnerable Servers

Clear

Author

Begin typing

Google Hacking Database

FiltersReset All

Show15

Quick Search

Date Added	Dork	Category	Author
2024-07-04	inurl:"cgi-bin/koha"	Vulnerable Servers	Hilary Soita
2024-07-04	intitle:"SSL Network Extender Login" -checkpoint.com	Vulnerable Servers	Everton Hydd3n
2024-07-04	intext:"siemens" & inurl:"/portal/portal.mwsl"	Vulnerable Servers	Kishoreram
2024-07-04	Google Dork Submission For GlobalProtect Portal	Vulnerable Servers	Gurudatt Choudhary

Search

ENG

9:43 PM

6/13/2026

File containing Password

Google Hacking Database

Filters


Reset All

Show15

Quick Search

Date Added	Dork	Category	Author
2024-08-23	site:github.com "BEGIN OPENSSSH PRIVATE KEY"	Files Containing Passwords	kstrawn0
2024-08-23	ext:nix "BEGIN OPENSSSH PRIVATE KEY"	Files Containing Passwords	kstrawn0
2024-07-04	intitle:index of /etc/ssh	Files Containing Passwords	Shivam Dhingra
2024-07-04	intext:"aws_access_key_id" intext:"aws_secret_access_key" filetype:json filetype:yaml	Files Containing Passwords	Joel Indra
2022-06-15	intitle:"Index of" pwd.db	Files Containing Passwords	Muhammad Al-Amin
2022-06-15	intitle:"Index of" htpasswd	Files Containing Passwords	Muhammad Al-Amin
2021-11-15	site:controlc.com intext:"password"	Files Containing	Anirudh Kumar

Pages containinng Login Portals:



Date Added	Dork	Category	Author
2023-12-11	<code>inurl:"UserLogin/" intitle:"Panel"</code>	Pages Containing Login Portals	saarabh kode
2023-12-11	<code>allintitle:"CAT12CE - WebInterface"</code>	Pages Containing Login Portals	Thomas Heverin
2023-12-11	<code>allintitle:"code-server login"</code>	Pages Containing Login Portals	Thomas Heverin
2023-12-11	<code>allintitle:"ASPECT Control Panel"</code>	Pages Containing Login Portals	Thomas Heverin
2023-11-10	<code>site:admin.*.* inurl:login</code>	Pages Containing Login Portals	Praharsh Kumar Singh
2023-11-10	<code>site:prod.*.* inurl:login</code>	Pages Containing Login Portals	Praharsh Kumar Singh
2023-11-09	<code>site:login.*.* site:portal.*.*</code>	Pages Containing Login Portals	Anas Zakir
2023-11-07	<code>site:.com inurl:login inurl:logon inurl:sign-in inurl:signin inurl:portal</code>	Pages Containing Login Portals	Qais Qais
2023-11-01	<code>inurl:/restgui/start.html</code>	Pages Containing Login Portals	Louise E
2023-11-01	<code>intitle:"cs141 webmanager"</code>	Pages Containing Login Portals	Louise E
		Pages Containing Login	

website.com

MENU ▾

LOG IN

Log In

Don't have a website yet? [Try Website.com now.](#)

Username

[Forgot Your Username?](#)

Password

[Forgot Password?](#)

☐ Verify you are human


Privacy • Help

LOG IN

Log in using the following

 LOG IN WITH GOOGLE

OR


This login is for [Website Builder](#) users.

This concludes the demonstration of open-source intelligence gathering using **Google Hacking Database**. In this manner, you may conduct a series of queries to review information related to organizational threats using Google search.

TASK2: OSINT Gathering using ThreatCrowd.


ThreatCrowd is a system for finding and researching artifacts relating to cyber threats. It provides information about the threat based on its domain, IP address, email, or the organization it is associated with.

Link didn't work:




TASK 3: OSINT Using Pulsedive


Opening pulsedrive on web browser



Ryuk Ransomware



Indicator



The screenshot displays the 'Indicators' section of the Pulsedive interface. At the top, there is a header with an information icon, the title 'Indicators', and a count '10+ indicators'. Below this is a navigation bar with buttons for 'Query Info', 'Export', and 'Share', along with a results count '10 results' and a dropdown arrow. The main content area lists two indicators, each with a yellow dot icon, the indicator name, a location flag and name, and a timestamp with a relative time label.


Indicator	Location	Timestamp	Relative Time
target-support.online	San Mateo, California	2025-12-30 23:09:49	5 months ago
web-analysis.live	LOS ANGELES, CA	2025-03-13 15:58:24	1 year ago

This concludes the demonstration of open-source intelligence gathering using Pulsedive Threat intelligence.

Data Collection through DNS Interrogation

DNS is considered the intermediary source for any Internet communication. The primary function of DNS is to translate a domain name to IP address, and vice-versa, to enable human-machine-network-Internet communications. Since each device has a unique IP address, it is hard for human beings to memorize all IP addresses of the required application. To make IP addresses human friendly, DNS helps in converting the IP address to a more easily understandable domain format.

Task 1: Gather Organization IP and Domain Name Information using Whois Lookup



The screenshot shows the DomainTools website's 'Whois Lookup' interface. The browser's address bar displays 'whois.domaintools.com'. The website's header includes the DomainTools logo, navigation links for 'PROFILE', 'CONNECT', 'MONITOR', and 'SUPPORT', and buttons for 'LOGIN' and 'SIGN UP'. The main content area features a large 'Whois Lookup' title and a search input field with the placeholder text 'Enter a domain or IP address...'. A blue 'SEARCH' button is positioned to the right of the input field. The background of the page is a dark, orange-toned image of sand dunes under a starry sky.

Whois lookup for certifiedhacker.com

HOME

RESEARCH

 DomainTools

PROFILE ▾

CONNECT ▾

MONITOR ▾

SUPPORT ▾

WHOIS ▾

LOGIN

Sign Up

Home > Whois Lookup > Certifiedhacker.com

Notice: Possible deprecation of Whois services after January 28, 2025. [More Info ↓](#)

Whois Record for Certifiedhacker.com

How does this work?

Domain Profile

Registrar	Network Solutions, LLC IANA ID: 2 URL: http://networksolutions.com Whois Server: whois.networksolutions.com domain.operations@web.com (p) +1.877.722.8662
Registrar Status	clientTransferProhibited
Dates	8,719 days old Created on 2002-07-30 Expires on 2027-07-30 Updated on 2026-05-30
Name Servers	NS1.BLUEHOST.COM (has 1,906,806 domains) NS2.BLUEHOST.COM (has 1,906,806 domains)
IP Address	162.241.216.11 - 753 other sites hosted on this

DomainTools Iris

The gold-standard internet intelligence platform

Learn More

Preview the Full Domain Report

Tools

Hosting History

Monitor Domain Properties ▾

Reverse IP Address Lookup ▾

Network Tools ▾

Available TLDs

General TLDs

Country TLDs

TASK 2: Gather DNS Information using nslookup

Nslookup queries a DNS domain nameserver to look up and find IP address information of computers on the Internet. It converts a host or domain name into an IP address.

kloth.net/services/nslookup.php

KLOTH.NETServicesRadioInternetSoftwareSupportAircraftLinks...

www.kloth.net > services > nslookup

NSLOOKUP: look up and find IP addresses in the DNS

Query a DNS domain nameserver to lookup and find IP address information of computers in the internet. Convert a host or domain name into an IP address.

This is the right place for you to check how your web hosting company or domain name registrar has set up the DNS stuff for your domain, how your dynamic DNS is going, or to search IP addresses or research any kind of e-mail abuse (UBE/UCE spam) or other internet abuse.
This online service is for private non-commercial use only. Please do not abuse. No automated queries. No bots.

NSlookup

Domain:

... the name of the machine to look up.

Server:

... the DNS nameserver you want to handle your query (just start with this site's default server if you don't know better).

Query:

A (IPv4 address)

Look it up

NSLOOKUP is a service to look up information in the DNS (Domain Name System [RFC1034, RFC1035, RFC1033]). The NSLOOKUP utility is a unix tool. If you want to learn more, here is the [nslookup manual \(man page\)](#).

Basically, DNS maps domain names to IP addresses.

Although this web online service can query a specific DNS server, in most cases it may be sufficient and convenient just to use the KLOTH.NET default nameserver "localhost"/127.0.0.1.

To resolve an IP address by reverse lookup (get a computer's name if you only have its IP address), try to perform a PTR query instead of ANY. This reverse lookup will only work if the IP address owner has inserted a PTR record in the DNS. The PTR information is informal only and it may mostly be true, but sometimes not. If you don't get a PTR information about a specific computer from a NSLOOKUP query, you may want to try our [whois](#) service to find out the owner of this IP address.

Like the PTR, other records are also not mandatory: LOC, RP, TXT. They are not strictly required in the DNS and their content may be true or not.

You can't trust on the LOC to locate a host, because most hosts don't have this record defined.

THIS ONLINE SERVICE IS FOR PRIVATE NON-COMMERCIAL USE ONLY. PLEASE DO NOT ABUSE. NO AUTOMATED QUERIES. NO BOTS.

NSlookup

Domain:

... the name of the machine to look up.

Server:

... the DNS nameserver you want to handle your query (just start with this site's default server if you don't know better).

Query:

A (IPv4 address)

Look it up

NSLOOKUP: look up and find IP addresses in the DNS

Query a DNS domain nameserver to lookup and find IP address information of computers in the internet. Convert a host or domain name into an IP address.

This is the right place for you to check how your web hosting company or domain name registrar has set up the DNS stuff for your domain, how your dynamic DNS is going, or to search IP addresses or research any kind of e-mail abuse (UBE/UCE spam) or other internet abuse.
This online service is for private non-commercial use only. Please do not abuse. No automated queries. No bots.

NSlookup

Domain:

... the name of the machine to look up.

Server:

... the DNS nameserver you want to handle your query (just start with this site's default server if you don't know better).

Query:

A (IPv4 address)

Look it up

... here is the **nslookup** result for **www.certifiedhacker.com** from server 127.0.0.53, querytype=A :

```
DNS server handling your query: 127.0.0.53
DNS server's address: 127.0.0.53#53

Non-authoritative answer:
www.certifiedhacker.com      canonical name = certifiedhacker.com.
Name:   certifiedhacker.com
Address: 162.241.216.11
```