


IoC Data Collection through External Sources

Objectives:

The objective of this lab is to help you understand how to collect IoC data through external sources using GREYNOISE.

GreyNoise is a cybersecurity platform that collects and analyzes Internet-wide scan and attack traffic. This data is made available through the Web-based Visualizer and GreyNoise APIs so users can contextualize existing alerts, filter false-positives, identify compromised devices, and track emerging threats.

Signup for GreyNoise:



GreyNoise Visualizer | GreyNoise

viz.greynoise.io/signup/complete-profile

GREYNOISE

QUERY

OBSERVE **NEW**

AUTOMATE

MY ACCOUNT
ayobami.odulaja@students...

Q Search...

TRENDS TODAY TAGS ANALYSIS

Complete your profile

Finish setting up your GreyNoise account.

FIRST NAME

LAST NAME

Ayobami

Odulaja

TITLE

Cybersecurity Analyst

SAVE & UPDATE ACCOUNT

7

GREYNOISE

QUERY

OBSERVE **NEW**

AUTOMATE

AYOBAMI ODULAJA
ayobami.odulaja@students...

Q Search...

TRENDS TODAY TAGS ANALYSIS

Welcome, Ayobami!

Return to work →

QUICK START

Has GreyNoise seen your IP?

Check your IP against the GreyNoise dataset.

174.115.58.164

CHECK NOW

Getting started with GreyNoise

Look up scanner IPs

Using the web-based Visualizer, get detailed context on IP addresses that scan and attack the internet.

[See Today's IPs →](#)

Setup Sensors to collect data

Deploy GreyNoise Sensors to collect data on internet scanning and attack activity targeting your own infrastructure.

[Setup Sensors →](#)

Identify trending internet attacks

Using GreyNoise Trends, track the volume of threat activity in the wild for specific vulnerabilities, CVEs, attack types, tools and actors.

[Browse Trends →](#)

Join our community

Keep up to date with GreyNoise

7

Mirai botnet vulnerable Ips:

The screenshot displays the GreyNoise website interface, which is used for querying and analyzing network data. The top navigation bar includes links for QUERY, OBSERVE, and AUTOMATE. The user is logged in as AYOBAMI ODULAJA.

Search Results for 'mirai':

- 5 results for 'mirai'
- Classification: unknown (5)
- Spoofable: false (3), true (2)
- Source Countries: Japan (5)
- Destination Countries: Germany (5)

IP Details:

- 210.156.185.140**: ORGANIZATION: Mirai Communication Network Inc. ACTOR: unknown. LAST SEEN: 2026-06-14. SOURCE: Japan. DESTINATIONS: Japan, Brazil, Germany, Indonesia, South Korea + 4 More. Tools: Ping Scanner, ICMPv4 Protocol.
- 123.103.168.224**: ORGANIZATION: Mirai Communication Network Inc. ACTOR: unknown.

Search Results for 'metadata.category:isp':

- 3,861,762 results for 'metadata.category:isp'
- Classification: unknown (3,486,701), malicious (227,300), suspicious (145,663), benign (2,098)
- Spoofable: false (2,210,031), true (1,651,731)
- Source Countries: Iran (628,128), Russia (559,129), China (405,920), India (384,522)

IP Details:

- 105.188.112.33**: ORGANIZATION: MEDITELECOM ACTOR: unknown LAST SEEN: 2026-06-14. SOURCE: Morocco. DESTINATIONS: United States, France, Germany, India, Italy + 16 More. Tools: TLS/SSL Crawler, Web Crawler, ENV Crawler.
- 2.63.211.145**: ORGANIZATION: PJSC Rostelecom ACTOR: unknown LAST SEEN: 2026-06-14. SOURCE: Russia. DESTINATIONS: Germany, United Kingdom, India, Singapore, Australia + 29 More. Tools: TLS/SSL Crawler, Web Crawler, IKE Protocol.
- Suspicious IP**: ORGANIZATION: unknown ACTOR: unknown LAST SEEN: 2026-06-14. SOURCE: unknown. DESTINATIONS: unknown.