



FIELD BOREHOLE LOG

BOREHOLE NO: **120TH-B001**TOTAL DEPTH: **50 FT**

PROJECT INFORMATION						DRILLING INFORMATION			
PROJECT:		120TH Ave PFAS Study Area				CONTRACTOR:		Mateco Drilling Company	
SITE LOCATION:		Robinson Township, MI				CREW CHIEF:		Mitch Slachter	
PROJECT NO.:		60598574				DRILL RIG TYPE:		Geoprobe 7822	
PROJECT MANAGER:		Matt Vander Eide				DRILLING METHOD:		Direct Push	
LOGGED BY:		Kaitlyn Eicholtz				HOLE DIAMETER:		2 1/4"	
CREATED BY:		Kaitlyn Eicholtz				DATE START:		2/25/19 08:50	
						DATE END:		2/25/19 15:45	
DEPTH	SAMPLE TYPE	ATTEMPT	RECOVERY	SOIL SYMBOLS	USCS	SOIL DESCRIPTION	WELL CONSTRUCTION		SAMPLE
0	HAND AUGER				OL	OL: 10YR2/2 POORLY SORTED SILTY FINE SAND, non plastic, sub rounded sand grains and sub rounded to sub angular gravel, 40% silt, 30% fine sand, 20% medium sand, 5% coarse sand, 5% fine gravel, organic silt, Topsoil, 0ft to 0.7ft bgs is frozen, moist			
					SM	SM: 10YR4/6 POORLY SORTED SILTY FINE TO MEDIUM SAND WITH GRAVEL, non plastic, sub rounded to sub angular sand grains and gravel, 20% silt, 20% fine sand, 20% medium sand, 10% coarse sand, 20% fine gravel, 10% coarse gravel, gravel base, moist			
					SP-SM	SP-SM: 10YR6/8 WELL SORTED FINE SAND WITH SILT, non plastic, sub rounded to sub angular sand grains and gravel, 10% silt, 80% fine sand, 10% medium sand, trace coarse sand, trace fine gravel, massive, loose, moist			
					SP	SP: 10YR6/8 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 85% fine sand, 10% medium sand, trace coarse sand, trace fine gravel, iron staining, massive, loose, wet			
5	DIRECT PUSH				SP	SP: 10YR6/8 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 85% fine sand, 10% medium sand, trace coarse sand, iron staining, massive, loose, wet		MW Sample: 120TH-B001-8 GW190308 1025RL	
					SP	SP: 10YR5/6 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 90% fine sand, 5% medium sand, trace coarse sand, massive, medium dense, wet			
						No Recovery			
10									

FIELD BOREHOLE LOG

BOREHOLE NO: 120TH-B001

TOTAL DEPTH: 50 FT

DEPTH	SAMPLE TYPE	ATTEMPT	RECOVERY	SOIL SYMBOLS	USCS	SOIL DESCRIPTION	WELL CONSTRUCTION	SAMPLE
11	DIRECT PUSH				SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 80% fine sand, 10% medium sand, 5% coarse sand, medium dense, wet, coarsening downward		
					SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 75% fine sand, 15% medium sand, 5% coarse sand, medium dense, wet, coarsening downward		
					SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 55% fine sand, 20% medium sand, 10% coarse sand, trace fine gravel, medium dense, wet, coarsening downward		
					SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 50% fine sand, 30% medium sand, 15% coarse sand, trace fine gravel, medium dense, wet, coarsening downward		
					SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 80% fine sand, 10% medium sand, 5% coarse sand, medium dense, wet, fining downward		
12	DIRECT PUSH					No Recovery		
15	DIRECT PUSH				SW	SW: 10YR5/4 POORLY SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 60% fine sand, 30% medium sand, 5% coarse sand, trace fine gravel, medium dense, wet, sharp boundary below		
					SP	SP: 10YR5/4 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, 5% silt, 90% fine sand, 5% medium sand, trace coarse sand, massive, medium dense, wet, sharp boundary below		
					SW	SW: 10YR5/4 POORLY SORTED FINE SAND WITH GRAVEL, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 45% fine sand, 15% medium sand, 20% coarse sand, 10% fine gravel, 5% coarse gravel, gravel average 5mm to 28mm massive, medium dense, wet, sharp boundary below		
						No Recovery		
20	DIRECT PUSH							
21	DIRECT PUSH				SW	SW: 10YR5/4 POORLY SORTED FINE SAND WITH GRAVEL, non plastic, sub rounded to sub angular sand grains and gravel, 5% silt, 45% fine sand, 15% medium sand, 20% coarse sand, 10% fine gravel, 5% coarse gravel, gravel average 5mm to 26mm massive, medium dense, wet, fine sand lenses (20.1ft to 20.3ft bgs and 22.1ft to 22.3ft bgs)		
22	DIRECT PUSH							

FIELD BOREHOLE LOG						BOREHOLE NO:	120TH-B001	
						TOTAL DEPTH:	50 FT	
DEPTH	SAMPLE TYPE	ATTEMPT	RECOVERY	SOIL SYMBOLS	USCS	SOIL DESCRIPTION	WELL CONSTRUCTION	SAMPLE
	DIRECT PUSH					No Recovery		
						Lithology not recovered due to VAS Collection		
23								VAS Collection: 120TH-B001-25 GW190225 1135KME
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								

Page 3 of 5

FIELD BOREHOLE LOG

BOREHOLE NO:

120TH-B001

TOTAL DEPTH:

50 FT

DEPTH	SAMPLE TYPE	ATTEMPT	RECOVERY	SOIL SYMBOLS	USCS	SOIL DESCRIPTION	WELL CONSTRUCTION	SAMPLE
35	DIRECT PUSH				SP	SP: 10YR5/3 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, trace silt, 95% fine sand, 5% medium sand, trace coarse sand, medium dense, wet, coarsening downward	35	
					SP	SP: 10YR5/3 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 85% fine sand, 10% medium sand, 5% coarse sand, trace fine gravel, medium dense, wet, coarsening downward	36	
					SW	SW: 10YR5/3 POORLY SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 65% fine sand, 20% medium sand, 10% coarse sand, 5% fine gravel, trace coarse gravel, medium dense, wet, coarsening downward	37	
					SW	SW: 10YR5/3 POORLY SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 40% fine sand, 30% medium sand, 15% coarse sand, 10% fine gravel, 5% coarse gravel, medium dense, wet	38	
	DIRECT PUSH					No Recovery	39	
40					SP	SP: 10YR5/3 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains, trace silt, 95% fine sand, 5% medium sand, trace coarse sand, medium dense, wet, coarsening downward	40	
					SW	SW: 10YR5/3 POORLY SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 70% fine sand, 20% medium sand, 10% coarse sand, trace fine gravel, medium dense, wet, coarsening downward	41	
					SW	SW: 10YR5/3 POORLY SORTED COARSE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 35% fine sand, 15% medium sand, 40% coarse sand, 10% fine gravel, trace coarse gravel, gravel average 5mm to 12mm, medium dense, wet	42	
						Lithology not recovered due to VAS Collection	43	
							44	
45					SP	SP: 10YR5/2 WELL SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 70% fine sand, 20% medium sand, 10% coarse sand, trace fine gravel, medium dense, wet, coarsening downward	45	VAS Collection: 120TH-B001-45 GW190225 1510KME
						SW: 10YR5/2 POORLY SORTED FINE SAND, non plastic, sub rounded to sub angular sand grains and gravel, trace silt, 50% fine sand, 30% medium sand, 15% coarse sand, 5% fine gravel, trace coarse gravel, medium dense, wet, coarsening downward	46	

FIELD BOREHOLE LOG

BOREHOLE NO: **120TH-B001**
TOTAL DEPTH: **50 FT**

DEPTH	SAMPLE TYPE	ATTEMPT	RECOVERY	SOIL SYMBOLS	USCS	SOIL DESCRIPTION	WELL CONSTRUCTION	SAMPLE
50	DIRECT PUSH				SW			
					SW	SW: 10YR5/2 POORLY SORTED MEDIUM TO COARSE SAND, non plastic, sub rounded to sub angular sand grains, trace silt, 20% fine sand, 30% medium sand, 30% coarse sand, 15% fine gravel, 5% coarse gravel, medium dense, wet		
					CH	CH: 10YR5/1 WELL SORTED FAT CLAY, high plasticity, sub rounded to sub angular sand grains, 80% clay, 15% silt, 5% fine sand, very stiff (penetrometer 2.5tsf), moist		