Procédure d'Installation : Erreurs de Montage et Slots DIMM Mal Clipsés

1. Contexte et Description Technique

Référentiel des anomalies d'insertion mécanique des barrettes DIMM/SO-DIMM, d'incompatibilité de génération (détrompeur) et de mauvaise configuration Dual-Channel.

2. Symptômes Observés sur la Machine

Écran noir au démarrage après montage ou nettoyage, détection de seulement la moitié de la capacité RAM installée, ou bridage de la bande passante en Single-Channel.

3. Protocole de Diagnostic et Résolution

1. Vérifier que les loquets de verrouillage latéraux sont parfaitement alignés et fermés.

2. S'assurer qu'aucune portion des broches dorées n'est visible de biais.

3. Pour une configuration à 2 barrettes sur carte mère 4 slots, privilégier systématiquement les emplacements A2 et B2 (slots 2 et 4 en partant du CPU).

Catalogue Visuel : 10 Photos Réelles (03_slot_mounting_unseated)

Ces 10 cas visuels issus du dataset illustrent les motifs caractéristiques de cette classe d'erreur :



Figure 01 — 03_slot_mounting_unseated (Échantillon #1)




Figure 02 — 03_slot_mounting_unseated (Échantillon #2)




Figure 03 — 03_slot_mounting_unseated (Échantillon #3)




Figure 04 — 03_slot_mounting_unseated (Échantillon #4)




Figure 05 — 03_slot_mounting_unseated (Échantillon #5)




Figure 06 — 03_slot_mounting_unseated (Échantillon #6)




Figure 07 — 03_slot_mounting_unseated (Échantillon #7)





Figure 08 — 03_slot_mounting_unseated (Échantillon #8)



* Recommended Dual Channel Memory Configuration:


	DDR5_A1①② DDR4_A1③④	DDR5_A2①② DDR4_A2③④	DDR5_B1①② DDR4_B1③④	DDR5_B2①② DDR4_B2③④
2 Modules	- -	DS/SS	- -	DS/SS
4 Modules	DS/SS	DS/SS	DS/SS	DS/SS

(SS=Single-Sided, DS=Double-Sided, "- -"=No Memory)

Due to CPU limitations, read the following guidelines before installing the memory in Dual Channel mode.
1. Dual Channel mode cannot be enabled if only one memory module is installed.
2. When enabling Dual Channel mode with two or four memory modules, it is recommended that memory of the same capacity, brand, speed, and chips be used.

When installing a single memory module, we recommend that you install it in the DDR5_A2①②/ DDR4_A2③④ socket.

Figure 09 — 03_slot_mounting_unseated (Échantillon #9)



▸▸ Dual Channel Memory Configurations Table

	DDR3_1	DDR3_3	DDR3_2	DDR3_4
Two Modules	DS/SS	- -	- -	DS/SS
	DS/SS	- -	DS/SS	- -

▸▸ 3 Channel Memory Configurations Table

	DDR3_1	DDR3_3	DDR3_2	DDR3_4
Three Modules	DS/SS	- -	DS/SS	DS/SS
Four Modules	DS/SS	DS/SS	DS/SS	DS/SS

(SS=Single-Sided, DS=Double-Sided, "- -"=No Memory)

Figure 10 — 03_slot_mounting_unseated (Échantillon #10)