Testing Guide & End-to-End Workflow

How to install ClinicPro from zero, run the automated test suite, and walk a patient through a full visit, from the first appointment to the paid invoice, checking every rule on the way.

76
automated feature tests, all passing

10
steps in the patient-visit walkthrough

28
rule and edge-case checks

5
user roles in 3 permission tiers

Ayoub Bellaoui · ClinicPro (PFE project)

Version 1.0 · 4 November 2026

Contents

1 Overview — 3
What you will test and how this guide is organised

2 Set up from zero — 4
Requirements, installation, demo data, resetting

3 Automated tests — 6
Running the 76 PHPUnit tests and reading the results

4 Roles and test accounts — 8
Who can open what, and the accounts to create before testing

5 End-to-end walkthrough: one patient visit — 10
Ten steps, from registration to payment

6 Rule and edge-case tests — 15
What the app must refuse, and the exact messages

7 Archive and restore — 17
Medical history survives when records are removed

8 Features used on every page — 18
Search, notifications, no-show detection, dark mode

9 Troubleshooting — 19
Common problems and their fixes

10 Sign-off checklist — 20
One page to tick off a complete test run

Language. The app's interface is in French; this guide is in English. Button names, menu items and messages are quoted exactly as the app shows them, in **bold** or « quotes », so you can match them on screen. A path such as Factures → Nouvelle Facture means: click **Factures** in the sidebar, then the **Nouvelle Facture** button.

1 Overview

ClinicPro is a Laravel 13 web app that runs the daily work of a small clinic: patients, appointments, a live waiting queue, consultations, prescriptions and invoices. Testing it has two layers, and you should run both.

Layer	What it proves	Time
Automated tests Section 3	76 feature tests check every module, the access rules, double-booking, invoice totals and the account safety rules. They run on a throw-away in-memory database, so your data is never touched.	About 15 seconds
Manual walkthrough Sections 4 to 8	You use the app in a browser like clinic staff would. This checks what the tests can't: the screens, the forms, the automatic links between modules, and the printed invoice.	45 to 60 minutes for a full run

The patient visit you will test

The heart of the app is one patient's visit. Each module hands the patient on to the next, and three status changes happen automatically. Section 5 walks through this flow step by step.




Figure 1. One patient visit across the six modules. Status names are the ones shown in the app.

How to use this guide

1. **Set up once** (section 2), then run the automated tests (section 3). If they are not all green, fix that first.
2. **Create the two test accounts** in section 4.
3. **Do the walkthrough** in section 5 in order: each step uses data from the step before.
4. **Try to break it** with the checks in sections 6 to 8.
5. **Tick the sign-off checklist** in section 10 and note anything that did not match.

Every step lists what to enter and an **Expected** box. If what you see differs from the Expected box, that is a defect: note the step number, what you entered and what you saw.

2 Set up from zero

2.1 Requirements

Tool	Version	Notes
PHP	8.3 or newer	Extensions: `pdo_mysql` or `pdo_sqlite`, `mbstring`, `openssl`, `tokenizer`, `xml`. Turn on `intl` too: the invoice uses it to write the total in words.
Composer	2.x	Installs the PHP packages.
Node.js and npm	18 or newer	Builds the CSS and JavaScript with Vite.
Database	MySQL 8, or SQLite	On Windows, Laragon or XAMPP provides MySQL. SQLite needs no server at all.
Browser	Any recent one	Chrome, Edge or Firefox. A private window is useful for testing a second role at the same time.

Check your versions with `php -v`, `php -m`, `composer -V` and `node -v`.

2.2 Install

```
$ git clone https://github.com/AyoubBellaoui/clinique-medicale-app.git
$ cd clinique-medicale-app
$ cp .env.example .env
```

Choose a database. Pick one of the two options, then run the setup command.

Option A: SQLite (quickest)

Nothing to change. `.env.example` already uses SQLite, and the setup command creates the database file `database/database.sqlite` for you.

Option B: MySQL (Laragon / XAMPP)

Start MySQL, create an empty database called `medical_app_db`, then replace the `DB_` lines in `.env`:

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=medical_app_db
DB_USERNAME=root
DB_PASSWORD=
```

```
$ composer run setup
```

This one command installs the PHP and npm packages, generates the app key, creates the tables, loads the demo data, and builds the front-end files. It takes a few minutes the first time.

2.3 Start the app

```
$ php artisan serve          # the app, at http://127.0.0.1:8000
$ npm run dev                # optional, second terminal: live reload while editing
```

> **Windows:** use the two commands above, not `composer run dev`. That script also starts `php artisan pail`, which needs the `pcntl` extension. `pcntl` does not exist on Windows, so the whole script stops.

2.4 First login

Open `http://127.0.0.1:8000`. You land on the login page. Sign in with the demo administrator:

Email	`admin@clinicpro.ma`
Mot de passe	`admin123`

EXPECTED

- [ ] You arrive on **Tableau de bord** with figures, a 12-month chart and today's queue already filled in.
- [ ] The sidebar shows every module, because the admin can open all of them.

There is no public sign-up. Every other account is created by an admin (section 4). Change this password before any real deployment.

2.5 What the demo data contains

The demo data is generated **relative to the day you load it**, so "today" in the queue and the appointments means the day you ran the setup.

Module	Demo content
Accounts	Only `admin@clinicpro.ma`. You create the others in section 4.
Medical staff (7)	Doctors: **Youssef Bennani** (Cardiologie), **Salma El Amrani** (Pédiatrie), **Karim Tazi** (Médecine Générale). Nurse: Nadia Idrissi. Front desk: Amine Fassi, Imane Chraibi. Technician: Hamid Ouazzani.
Patients	18 patients with random names, blood types, allergies and insurance.
Appointments	8 upcoming, 5 past (**Terminé**), 1 cancelled, plus 2 today: one at **08:30** that never checked in (it shows as a no-show, see section 8) and one at **16:30** already checked in (**Confirmé**).
Waiting queue	6 entries today: 2 **Terminé**, 1 **En cours**, 3 **En attente** (one of them **Urgente**).
Clinical and billing	15 consultations, prescriptions for the ones that asked for one, and 10 invoices `FAC-2026-0001` to `FAC-2026-0010` (6 paid, 4 unpaid, some overdue).

2.6 Reset to a clean state

Reset before every full test run, and whenever you load the demo data on one day and test on another (otherwise today's queue is empty):

```
$ php artisan migrate:fresh --seed
```

> **This deletes everything** in the database and reloads fresh demo data dated today, including the accounts you created in section 4. Never run it against a database with real patient data.

3 Automated tests

The project has 76 feature tests in `tests/Feature`. Each one sends real HTTP requests to the app, as a logged-in user with a given role, and checks the response and the database.

3.1 Run them

```
$ php artisan test                                  # all 76 tests
$ composer test                                     # same, after clearing the config cache
$ php artisan test --filter=FacturesTest            # one test file
$ php artisan test --filter=cannot_double_book      # tests whose name matches
$ php artisan test --stop-on-failure                # stop at the first failure
```

EXPECTED

- [ ] Each file prints **PASS** with a green tick per test.
- [ ] The last lines read `Tests: 76 passed (211 assertions)`. A run on 4 November 2026 took about 11 seconds.

> **Your data is safe.** `phpunit.xml` points the tests at an in-memory SQLite database, and every test starts from an empty database. The tests never read or write your MySQL database, and you don't need to run `migrate` first.

3.2 What each file covers

File	Tests	What it proves
`Auth/LoginTest`	6	Login page shows; guests are sent to login; correct, wrong and unknown credentials; logout.
`AccessControlTest`	5	Each role is blocked from the modules outside its tier (staff, users, billing, consultations).
`PatientTest`	6	Create, edit, delete; a duplicate CIN is refused; editing a patient doesn't trip over its own CIN.
`StaffMedicalTest`	5	Required fields; a doctor needs a specialty; license numbers are unique; delete archives instead of destroying.
`RendezVousTest`	3	Booking works; the same doctor can't be double-booked; a time already passed today is refused.
`FileAtteneTest`	4	Walk-ins; checking in confirms the appointment; an appointment can't be checked in twice; status changes.
`ConsultationTest`	6	Role guard; a consultation moves its queue entry to **En cours**; auto-links to today's entry; follow-up booked, or skipped on a clash.
`OrdonnanceTest`	5	Role guard; several medications; at least one is required; editing replaces the lines; delete.
`FacturesTest`	9	Role guard; totals with discount and tax; at least one line; mark paid closes the queue entry; overdue logic; printable invoice.
`DataRetentionTest`	8	Archiving a patient or staff member keeps their history; archived lists; restore; staff archive is admin-only.
`UserManagementTest`	8	Create accounts; password confirmation; the last admin can't be demoted or deleted; no self-delete; reset password.

`AccountTest`	3	Update your profile; change your password only with the right current password.
`DashboardTest`	2	Guests are redirected; the dashboard shows real figures from the database.
`SearchTest`	6	Guests blocked; under 2 characters returns nothing; finds patients; hides archived ones; staff results for admins only.
Total	**76**	

3.3 When a test fails

A failure is marked **FAIL** and shows the test name, the check that failed (for example "expected status 302 but received 500") and the file and line. Re-run only that test with `--filter` while you fix it, then run the whole suite again before you commit.

3.4 Continuous integration

GitHub Actions (`.github/workflows/tests.yml`) runs the same suite with PHP 8.3 on every push and pull request to `main`. Results are in the repository's **Actions** tab, and the **Tests** badge in the README turns red if a run fails.

4 Roles and test accounts

Every account has one of five roles. The roles fall into three permission tiers. The server checks the tier on every request, and the sidebar hides the links a user can't open.

Module (sidebar)	Administrateur	Médecin, Infirmier	Secrétariat, Technicien
Tableau de bord, Rendez-vous, Patients, File d'Attente, Mon Compte	**Yes**	**Yes**	**Yes**
Consultations, Ordonnances	**Yes**	**Yes**	No
Factures	**Yes**	No	**Yes**
Staff Médical, Utilisateurs	**Yes**	No	No

When a user opens a page outside their tier, even by typing its address, the app sends them back to the dashboard with the error « Vous n'avez pas la permission d'accéder à cette page. »

4.1 Create the test accounts

Administrateur Logged in as `admin@clinicpro.ma`, go to Utilisateurs → Nouveau Compte and create these two accounts:

Field	Doctor account	Front-desk account
Nom complet	Dr Youssef Bennani	Amine Fassi
Email	`dr.bennani@clinicpro.ma`	`accueil@clinicpro.ma`
Mot de passe, Confirmer le mot de passe	`Test@2026`	`Test@2026`
Rôle	Médecin	Secrétariat
Lié au membre du personnel	Bennani Youssef	Fassi Amine

EXPECTED

- [ ] « Compte utilisateur créé avec succès. » appears, and both accounts are listed under **Utilisateurs**.
- [ ] When you create the second account, Bennani is no longer offered under **Lié au membre du personnel**: each staff member can be linked to only one account.

4.2 Check the access rules

Open a **private window** so you can stay logged in as admin in the normal one.

#	Do this	Expected
R–1	Log in as `dr.bennani@clinicpro.ma`.	Sidebar shows Consultations and Ordonnances. Factures, Staff Médical and Utilisateurs are hidden.
R–2	As the doctor, type `/billing` after the address.	Back on the dashboard with « Vous n'avez pas la permission d'accéder à cette page. »
R–3	As the doctor, try `/users` and `/staff`.	Same redirect and message.
R–4	Log out, log in as `accueil@clinicpro.ma`.	Sidebar shows Factures. Consultations, Ordonnances, Staff Médical and Utilisateurs are hidden.

R–5	As front desk, try `/consultations` and `/prescriptions`.	Redirected to the dashboard with the permission message.
R–6	Log out, then open `/dashboard` directly.	You are sent to the login page.

> **Which account for the walkthrough?** Each step in section 5 names the role that does it in a real clinic. The admin can do every step, so the fastest run is to do it all as admin. For a realistic run, keep the front-desk account in one window and the doctor account in a private window, and switch as the steps say.

5 End-to-end walkthrough: one patient visit

You follow one new patient, Karima Alaoui, from her registration to her paid invoice. Do the steps in order and in one sitting on the same day: the queue only shows today's patients. Start before about 22:00, because step 2 books a slot later the same day.

1 Register the patient

Secrétariat

Where: **Patients → Nouveau Patient**

Fill in the form. Only Prénom, Nom and CIN / N° Dossier are required; the rest makes the later steps more realistic.

Prénom / Nom	Karima / Alaoui
CIN / N° Dossier	`BK123456`
Date de naissance, Sexe	1988-03-14, F
Téléphone	0612345678
Groupe sanguin, Allergies	A+, Pénicilline
Médecin traitant	Bennani Youssef
Type d'assurance, N° police	CNSS, ASS-123456

EXPECTED

- [ ] « Patient ajouté avec succès. » and Karima Alaoui appears in the patient list.
- [ ] The number next to **Patients** in the sidebar goes up by 1.
- [ ] The notification bell shows a new notification.

2 Book an appointment for today

Secrétariat

Where: **Rendez-vous → Nouveau**

Patient, Médecin	Alaoui Karima, Bennani Youssef
Type de consultation	Standard
Date	Today
Heure de début	A free slot later today. **Créneaux suggérés** lists the free ones. Note the time you pick.
Durée, Priorité	30 min, Normale
Motif	Douleurs thoraciques

EXPECTED

- [ ] « Rendez-vous créé avec succès. » and the appointment shows in the calendar and the list with status **Programmé**.
- [ ] A notification « Nouveau rendez-vous : Karima Alaoui le … à … » appears under the bell.

3 Check the patient in when she arrives

Secrétariat

Where: **File d'Attente → Ajouter à la file**

In **Lier à un rendez-vous du jour (optionnel)**, choose Karima's appointment. The patient and the doctor fill in by themselves. Then set:

Type de visite	Avec rendez-vous
Priorité	Normale
Motif / Symptômes	Douleurs thoraciques depuis 3 jours
Heure d'arrivée	Leave empty (uses the current time)

EXPECTED

- [ ] « Patient ajouté à la file d'attente. » and Karima is in the queue as **En attente**, with her arrival time and waiting time.
- [ ] Automatic Under **Rendez-vous**, her appointment is now **Confirmé**.
- [ ] Open **Ajouter à la file** again: her appointment is no longer offered, so she can't be checked in twice. Close the form without saving.

4 Call the patient in

Secrétariat Médecin

Where: **File d'Attente**, on Karima's row

Click **En cours**.

EXPECTED

- [ ] Her status changes to **En cours** and the counter **En cours de consultation** at the top goes up by 1.
- [ ] Her row now shows two buttons: **Consultation** and **✓ Terminer**.

5 Record the consultation

Médecin

Where: **File d'Attente** → **Consultation** button on Karima's row

The form opens with a banner « Consultation démarrée depuis la file d'attente — Karima Alaoui », and the patient is locked. Fill in:

Date, Heure	Today, current time
Type de consultation	Standard
Tension artérielle	130 / 85 mmHg
Fréquence cardiaque, Température	78 bpm, 37.2 °C
Saturation O_2, Poids, Taille	98 %, 68 kg, 165 cm
Diagnostic	Hypertension artérielle légère
Traitement prescrit	Amlodipine 5 mg, régime pauvre en sel
Examens complémentaires	Tick **Ordonnance médicale** and **Analyses de laboratoire**
Prochain rendez-vous	In **Dans**, choose **2 semaines**. Note the date.

EXPECTED

- [ ] « Consultation enregistrée avec succès. Rendez-vous de suivi programmé le … à 09:00. »
- [ ] The consultation is listed under **Consultations**, and the counters at the top of that page update.
- [ ] Automatic Under **Rendez-vous** there is a new appointment for Karima in two weeks at 09:00, with Dr Bennani, motif « Suivi de consultation », status **Programmé**.
- [ ] In **File d'Attente**, her row now shows the badge **Consultation en cours** instead of the Consultation button.

If Dr Bennani already has a 09:00 appointment on that date, the consultation is still saved, but the message says the follow-up was not booked. That is correct behaviour (test E-16 checks it on purpose).

6 Write the prescription

Médecin

Where: **Ordonnances** → **Nouvelle Ordonnance**

In **Liée à la consultation**, choose Karima's consultation. The patient, the doctor and the diagnosis fill in by themselves. Add two medication lines:

Médicament / DCI	Posologie	Durée
Amlodipine 5 mg	1 comprimé le matin	30 jours
Paracétamol 1000 mg	1 comprimé si douleur, max 3 par jour	5 jours

Set **Renouvellement** to **Renouvelable 1 fois** and leave **Substitution générique** on **Autorisée**.

EXPECTED

- [ ] « Ordonnance émise avec succès. » and the prescription is listed for Karima with 2 medications.
- [ ] Opening it for editing shows both lines, the renewal and the linked consultation.

7 Create the invoice

Secrétariat

Where: Factures → Nouvelle Facture

In **Liée à la consultation**, choose Karima's consultation; the patient and doctor fill in. Then:

Mode de paiement	Espèces
Date de facturation	Today (already filled in)
Date d'échéance	Today + 7 days
Prestation 1	Consultation spécialisée — 500 MAD, quantity 1
Prestation 2 (add a line)	Électrocardiogramme — 100 MAD, quantity 1
Remise, TVA	10 %, 20 %
Couverture assurance, Taux	CNSS, 70

Before you save, check the live total in the form against this calculation. The server recalculates it with the same formula and ignores the browser's figure.

Line on the invoice	Calculation	Amount (MAD)
Sous-total	500 + 100	600,00
Remise (10 %)	600 × 10 %	− 60,00
Total HT	600 − 60	540,00
TVA (20 %)	540 × 20 %	108,00
Total TTC	540 + 108	**648,00**
Part CNSS (70 %)	648 × 70 %	− 453,60
Reste à charge du patient	648 − 453,60	**194,40**

EXPECTED

- [ ] « Facture émise avec succès. » and the invoice is listed with status **En attente** and amount 648 MAD.
- [ ] It has the next number of the year: `FAC-2026-0011` on freshly loaded demo data.
- [ ] The **En attente** total at the top of the page goes up by 648 MAD.

8 Print the invoice

Secrétariat

Where: Factures → click the invoice number

EXPECTED

- [ ] An A4 invoice with the clinic name from `.env` (`CLINIC_NAME` , address, phone…), Karima's details and her CNSS number.
- [ ] Both service lines and every amount from the table in step 7, including « Part CNSS (70 %) » and « Reste à charge du patient ».
- [ ] « Arrêtée la présente facture à la somme de : **Six cent quarante-huit dirhams** » (needs the PHP `intl` extension).
- [ ] **Imprimer / PDF** opens the print dialog. Choosing « Enregistrer au format PDF » saves only the invoice sheet, without the sidebar.

9 Record the payment

Secrétariat

Where: **Factures** → **Marquer payé** on Karima's invoice

EXPECTED

- [ ] « Facture marquée comme payée. », the status becomes **Payé**, and the **Marquer payé** button disappears.
- [ ] The **Encaissé** total goes up by 648 MAD and the **En attente** total goes down by the same amount.
- [ ] Automatic In **File d'Attente**, Karima's entry is now **Terminé** and the **Consultations terminées** counter went up by 1. Her visit is closed.

10 Check the dashboard and notifications

Administrateur

Where: **Tableau de bord**, and the bell icon at the top

EXPECTED

- [ ] **Revenus ce mois** includes the 648 MAD, and **Total Patients** includes Karima.
- [ ] **Activité récente** shows the latest actions from her visit (it lists your 8 most recent notifications).
- [ ] The bell lists one notification per action you took (patient, appointment, check-in, consultation, follow-up, prescription, invoice, payment). **Tout marquer lu** clears the unread count.

Status tracker

Use this table to check the state of each record after the key steps. A teal mark means the app changed it by itself.

After step	Appointment	Queue entry	Consultation	Invoice
2. Book	Programmé	–	–	–
3. Check in	Confirmé	En attente	–	–
4. Call in	Confirmé	En cours	–	–
5. Consult	Confirmé, plus a follow-up: Programmé	En cours (badge « Consultation en cours »)	Saved	–
7. Invoice	Confirmé	En cours	Saved	En attente
9. Payment	Confirmé	Terminé	Saved	Payé

Note. The original appointment stays **Confirmé** after the visit; nothing moves it to **Terminé** automatically. Staff can set it by hand under Rendez-vous → Modifier. This is how the app currently works, not a failed test.

6 Rule and edge-case tests

These checks try to make the app do something it must refuse. For each one, the app should reject the action with the message shown and keep what you typed in the form. Run them after the walkthrough: several reuse Karima's data.

Login

#	Do this	Expected
E-01	Log in with `admin@clinicpro.ma` and a wrong password.	« Email ou mot de passe incorrect »; the email stays in the field.
E-02	Fail 5 times within one minute, then try again.	« Trop de tentatives. Réessayez dans 1 minute. » The limit also applies per computer, so even the right password is refused for 60 seconds. Run this check last.

Patients and staff

#	Do this	Expected
E-03	Create another patient with CIN `BK123456`.	« Ce CIN est déjà enregistré dans le système. »
E-04	Edit Karima, change only her phone number, save.	Saved without a duplicate-CIN error.
E-05	Staff Médical → Nouveau Membre, role Médecin, leave Spécialité empty.	« Spécialité obligatoire pour médecin/infirmier. »
E-06	New staff member with the same N° d'ordre professionnel as an existing one.	« Ce numéro de licence est déjà enregistré dans le système. »

Appointments and queue

#	Do this	Expected
E-07	Book Dr Bennani again on the same date and time as step 2, for another patient.	« Ce médecin a déjà un rendez-vous à cette heure ce jour-là. »
E-08	Set an appointment to **Annulé**, then book a new one in the same slot.	Accepted: a cancelled appointment frees its slot.
E-09	Book an appointment for today at a time that has already passed.	« L'heure sélectionnée est déjà passée pour aujourd'hui. »
E-10	Book an appointment for yesterday.	« La date doit être aujourd'hui ou dans le futur. »
E-11	Add a walk-in to the queue with **Priorité: Urgente**.	It is listed above every active patient with Haute or Normale priority.

Consultations and prescriptions

#	Do this	Expected
E-12	New consultation dated tomorrow.	« Une consultation ne peut pas être datée dans le futur. »
E-13	Enter Température 50.	The browser won't submit the form and points at the field: only 30–45 °C is accepted. The server checks the same range.

E-14	Set a Prochain rendez-vous date before the consultation date.	« Le prochain rendez-vous doit être après la date de consultation. »
E-15	Open **Consultations → Nouvelle Consultation** directly (not from the queue) for a patient who is **En cours** in today's queue.	That patient's queue row now shows « Consultation en cours »: the app linked the consultation to the entry, so paying its invoice will close it.
E-16	Record a consultation for another patient of Dr Bennani with the same follow-up date as step 5.	Consultation saved, but « Le médecin a déjà un rendez-vous le … à 09:00 : le suivi n'a pas été programmé automatiquement. »
E-17	New prescription with the medication name left empty.	« Le nom du médicament est obligatoire. »
E-18	Edit the step 6 prescription, remove the Paracétamol line, save.	Only Amlodipine remains.

Billing

#	Do this	Expected
E-19	Save an invoice without choosing any service.	« La désignation de la prestation est obligatoire. »
E-20	Due date earlier than the invoice date.	« La date d'échéance doit être après la date de facturation. »
E-21	Invoice date tomorrow.	« Une facture ne peut pas être datée dans le futur. »
E-22	Invoice dated 10 days ago, due yesterday, left unpaid.	Status **En retard**; its amount is counted in the **En retard** total.
E-23	Click **Marquer payé** on that overdue invoice.	**Payé**; it leaves the **En retard** total. A paid invoice is never overdue.

Accounts

#	Do this	Expected
E-24	As admin, delete your own account in **Utilisateurs**.	« Vous ne pouvez pas supprimer votre propre compte. »
E-25	Edit `admin@clinicpro.ma` and change its role to Médecin (it is the only admin).	« Impossible de retirer le dernier compte administrateur. »
E-26	New account where the two passwords differ.	« La confirmation ne correspond pas. »
E-27	Edit the doctor account → **Réinitialiser le mot de passe**, then log in with the new password.	The new password works and the old one is refused.
E-28	**Mon Compte** → change password with a wrong current password.	« Mot de passe actuel incorrect. »

7 Archive and restore

Consultations, prescriptions and invoices have legal value, so deleting a patient or a staff member only **archives** them. Their history stays complete and they can be restored.

7.1 Patient

#	Do this	Expected
A–1	Patients → **Supprimer** on Karima Alaoui, confirm.	« Patient Supprime avec succès. » and she leaves the active list.
A–2	Open **Factures**, then her invoice.	The invoice still shows her name and prints normally.
A–3	Open **Consultations** and **Ordonnances**.	Her consultation and prescription are still listed.
A–4	Search for "Alaoui" with `Ctrl+K`.	She is not in the results: archived patients are hidden from search.
A–5	Patients → Archivés.	She is listed with an **Archivé le** date.
A–6	Click **Restaurer**, confirm.	« Patient restauré avec succès. » and she is back in the active list and in search.

7.2 Staff member

Administrateur only

#	Do this	Expected
A–7	Staff Médical → delete Dr Karim Tazi, confirm.	« Membre du personnel supprimé. » His past consultations and appointments still show his name.
A–8	Staff Médical → Archivés → **Restaurer**.	« Membre du personnel restauré avec succès. » He is back in the list.
A–9	As the front-desk account, open `/staff/archived`.	Redirected with the permission message.

8 Features used on every page

#	Do this	Expected
X–1	Press `Ctrl+K` (⌘+K on a Mac) and type one letter.	No results: search starts at 2 characters.
X–2	Type "Ben" as admin, then as the front-desk account.	Admin sees Dr Bennani under **Personnel**. Front desk gets patient results only.
X–3	Open **File d'Attente** after 08:30 on the day you loaded the demo data.	**Patients non présentés** lists the 08:30 appointment with its delay.
X–4	Click **Enregistrer l'arrivée** on that no-show.	The check-in form opens with the appointment already chosen. Saving confirms it and removes it from the no-show list.
X–5	Click the bell, then **Tout marquer lu**.	The list shows recent actions with links; the unread badge disappears.
X–6	Click the moon/sun icon in the top bar, then reload the page.	The app switches between light and dark, and keeps your choice after the reload.
X–7	Save any form, edit and delete something.	A short message (toast) confirms every action, in French.

9 Troubleshooting

Problem	Likely cause	Fix
"Vite manifest not found" on every page	Front-end files not built	`npm install` then `npm run build`, or keep `npm run dev` running.
`composer run dev` stops at once on Windows	`pail` needs `pcntl`, which Windows lacks	Run `php artisan serve` and `npm run dev` in two terminals.
`SQLSTATE[HY000] [2002]` connection refused	MySQL is not running	Start MySQL in Laragon or XAMPP, check the `DB_` lines in `.env`.
`Unknown database 'medical_app_db'`	Database not created	Create it in HeidiSQL or phpMyAdmin, then `php artisan migrate --seed`.
"No application encryption key"	`APP_KEY` is empty	`php artisan key:generate`
Queue empty, no appointment to check in	Demo data loaded on another day	`php artisan migrate:fresh --seed` (this wipes the database).
Can't log in as admin	Demo data not loaded, or login blocked after 5 failures	Run `php artisan db:seed`, or wait 60 seconds.
"419 Page Expired" after submitting a form	Session expired (120 minutes)	Reload the page and log in again.
Invoice has no "somme de ..." line	PHP `intl` extension is off	Turn on `extension=intl` in `php.ini` and restart the server.
Changes to `.env` are ignored	Configuration is cached	`php artisan config:clear`
Tests fail but the app works	Stale config cache, or packages out of date	`composer test` (it clears the config cache first), then `composer install`.
Every page returns error 500 on a Linux server	No write access to storage folders	`chmod -R 775 storage bootstrap/cache` and give the web server group ownership.

For any other error, look in `storage/logs/laravel.log`. Set `APP_DEBUG=true` in `.env` to see the full error in the browser while testing locally, and set it back to `false` afterwards.

10 Sign-off checklist

Tick each item when it matched the guide. Write the check number and what you saw next to anything that didn't.

Setup and automated tests

- [ ] Setup finished without errors (2.2)
- [ ] Admin login reaches the dashboard (2.4)
- [ ] `php artisan test`: 76 passed (3.1)
- [ ] Latest GitHub Actions run is green (3.4)

Roles

- [ ] Doctor and front-desk accounts created (4.1)
- [ ] Sidebar matches the role table (R-1, R-4)
- [ ] Forbidden addresses redirect with the message (R-2, R-3, R-5)
- [ ] Guests are sent to login (R-6)

Walkthrough

- [ ] 1. Patient registered
- [ ] 2. Appointment booked, Programmé
- [ ] 3. Checked in; appointment auto-Confirmé
- [ ] 4. Queue entry En cours
- [ ] 5. Consultation saved; follow-up auto-booked
- [ ] 6. Prescription with 2 medications
- [ ] 7. Invoice total 648,00 MAD
- [ ] 8. Printed invoice correct, total in words
- [ ] 9. Paid; queue entry auto-Terminé
- [ ] 10. Dashboard and notifications updated

Rules and edge cases

- [ ] Login errors and rate limit (E-01, E-02)
- [ ] Duplicate CIN and license refused (E-03 to E-06)
- [ ] No double-booking, no past slots (E-07 to E-10)
- [ ] Urgent patients first in the queue (E-11)
- [ ] Consultation date and vital-sign rules (E-12 to E-14)
- [ ] Queue auto-link and follow-up clash (E-15, E-16)
- [ ] Prescription rules (E-17, E-18)
- [ ] Invoice rules and overdue logic (E-19 to E-23)
- [ ] Admin safety rules (E-24, E-25)
- [ ] Passwords: confirm, reset, change (E-26 to E-28)

Archive and restore

- [ ] Archived patient keeps invoices and records (A-1 to A-3)
- [ ] Hidden from search, listed in Archivés (A-4, A-5)
- [ ] Patient restored (A-6)
- [ ] Staff archive and restore, admin only (A-7 to A-9)

Every page

- [ ] Search: 2-character minimum, role filtering (X-1, X-2)
- [ ] No-show detection and check-in (X-3, X-4)
- [ ] Notifications and mark all read (X-5)
- [ ] Dark mode kept after reload (X-6)
- [ ] Toast after every action (X-7)

Defects and notes (check number, what you entered, what you saw)

Tested by | Date | App version / commit