

Menu **▼**

Log in

PHP Numbers

Previous

Next >

In this chapter we will look in depth into Integers, Floats, and Number Strings.

PHP Numbers

One thing to notice about PHP is that it provides automatic data type conversion.

So, if you assign an integer value to a variable, the type of that variable will automatically be an integer. Then, if you assign a string to the same variable, the type will change to a string.

This automatic conversion can sometimes break your code.

PHP Integers

2, 256, -256, 10358, -179567 are all integers.

An integer is a number without any decimal part.

An integer data type is a non-decimal number between -2147483648 and 2147483647 in 32 bit systems, and between -9223372036854775808 and 9223372036854775807 in 64 bit systems. A value greater (or lower) than this, will be stored as float, because it exceeds the limit of an integer.

□ Dark mode





HTML

CSS







Here are some rules for integers:

- An integer must have at least one digit
- An integer must NOT have a decimal point
- An integer can be either positive or negative
- Integers can be specified in three formats: decimal (10-based), hexadecimal (16-based prefixed with 0x) or octal (8-based prefixed with 0)

PHP has the following predefined constants for integers:

- PHP_INT_MAX The largest integer supported
- PHP_INT_MIN The smallest integer supported
- PHP_INT_SIZE The size of an integer in bytes

PHP has the following functions to check if the type of a variable is integer:

- is_int()
- is_integer() alias of is_int()
- is_long() alias of is_int()

Example

Check if the type of a variable is integer:

```
<?php
$x = 5985;
var_dump(is_int($x));

$x = 59.85;
var_dump(is_int($x));
?>
```

Try it Yourself »

ADVERTISEMENT





HTML

CSS







PHP Floats

A float is a number with a decimal point or a number in exponential form.

2.0, 256.4, 10.358, 7.64E+5, 5.56E-5 are all floats.

The float data type can commonly store a value up to 1.7976931348623E+308 (platform dependent), and have a maximum precision of 14 digits.

PHP has the following predefined constants for floats (from PHP 7.2):

- PHP_FLOAT_MAX The largest representable floating point number
- PHP_FLOAT_MIN The smallest representable positive floating point number
- PHP FLOAT MAX The smallest representable negative floating point number
- PHP_FLOAT_DIG The number of decimal digits that can be rounded into a float and back without precision loss
- PHP_FLOAT_EPSILON The smallest representable positive number x, so that x + 1.0 != 1.0

PHP has the following functions to check if the type of a variable is float:

- is_float()
- is_double() alias of is_float()

Example

Check if the type of a variable is float:

```
<?php
$x = 10.365;
var_dump(is_float($x));
?>
```

□ Dark mode





HTML

CSS







PHP Infinity

A numeric value that is larger than PHP_FLOAT_MAX is considered infinite.

PHP has the following functions to check if a numeric value is finite or infinite:

- is finite()
- is infinite()

However, the PHP var_dump() function returns the data type and value:

Example

Check if a numeric value is finite or infinite:

```
<?php
$x = 1.9e411;
var_dump($x);
?>
```

Try it Yourself »

PHP NaN

NaN stands for Not a Number.

NaN is used for impossible mathematical operations.

PHP has the following functions to check if a value is not a number:


• <u>is nan()</u>

However, the PHP var_dump() function returns the data type and value:

Example

Invalid calculation will return a NaN value:

□ Dark mode



PHP Numerical Strings

The PHP is_numeric() function can be used to find whether a variable is numeric. The function returns true if the variable is a number or a numeric string, false otherwise.

Example

Check if the variable is numeric:

```
<?php
$x = 5985;
var_dump(is_numeric($x));

$x = "5985";
var_dump(is_numeric($x));

$x = "59.85" + 100;
var_dump(is_numeric($x));

$x = "Hello";
var_dump(is_numeric($x));

?>
```

Try it Yourself »

Note: From PHP 7.0: The is_numeric() function will return FALSE for numeric strings in hexadecimal form (e.g. 0xf4c3b00c), as they are no longer considered as numeric strings.





HTML CSS







Sometimes you need to cast a numerical value into another data type.

The (int), (integer), or intval() function are often used to convert a value to an integer.

Example

Cast float and string to integer:

```
<?php
// Cast float to int
$x = 23465.768;
$int_cast = (int)$x;
echo $int_cast;

echo "<br>";

// Cast string to int
$x = "23465.768";
$int_cast = (int)$x;
echo $int_cast;
?>
```

Try it Yourself »

< Previous

Next >

ADVERTISEMENT

codecademy | Develop yourself







HTML











COLOR PICKER











Get certified by completing a PHP course today!



Get started





HTML

CSS









Keep track of it on MyLearning!

ADVERTISEMENT	-
•	D ×

Report Error

Spaces

Upgrade

Newsletter

Get Certified

Top Tutorials

HTML Tutorial CSS Tutorial JavaScript Tutorial





HTML CSS

.....







W3.CSS Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
iQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to impressed and examples are constantly reviewed to avoid errors, by ark mode





HTML

CSS







Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

