

Development Automation & Linux

Experiment 9

Submitted By:

Ayush Singh Kushwah

SAP ID: 500095575

Enrolment No: R2142210216

Batch: 03

Semester IV

BTech CSE (DevOps)

Submitted To:

Mr. Suvra Choudhary



SCHOOL OF COMPUTER SCIENCE
UNIVERSITY OF PETROLEUM & ENERGY STUDIES
Dehradun-248007
2022-23

EXPERIMENT-9

1. Write two script files. In the first program some print message is written. Call the print message from the second script program.

```
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques1$ cat first.sh
#!/bin/bash
message() {
    echo "It's the First script!"
}
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques1$ cat second.s
h
#!/bin/bash
echo "It's the Second script!"
source ./first.sh
message
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques1$ ./second.sh
It's the Second script!
It's the First script!
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques1$
```

2. Write two script files. In the first program two functions are written. The two functions are uppercase and lowercase. Call the two functions from the second script program.

```
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques2$ cat first.sh
#!/bin/bash

uppercase(){
    echo $(echo $1 | tr '[:lower:]' '[:upper:]')
}

lowercase(){
    echo $(echo $1 | tr '[:upper:]' '[:lower:]')
}
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques2$ cat second.s
h
#!/bin/bash

source ./first.sh
echo "UPPERCASE CALLED!"
uppercase ayroid
echo "LOWERCASE CALLED!"
lowercase AYROID
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques2$ ./second.sh
UPPERCASE CALLED!
AYROID
LOWERCASE CALLED!
ayroid
```

3. Write two script files. In the first program four functions are written. The functions are converting a text to different color (red, yellow, green and blue). Call the four functions from the second script program.

```
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques3$ cat first.sh
#!/bin/bash
red_func(){
    echo -e "\033[31m$1\033[0m"
}
green_func(){
    echo -e "\033[32m$1\033[0m"
}
yellow_func(){
    echo -e "\033[33m$1\033[0m"
}
blue_func(){
    echo -e "\033[34m$1\033[0m"
}
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques3$ cat second.s
h
#!/bin/bash

source ./first.sh
red_func blue
blue_func yellow
green_func red
yellow_func green
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques3$ ./second.sh
blue
yellow
red
green
```

4. Try different script codes from the lab material.

```
ayush@ayroid-Victus:/mnt/Storage/College/SEM4/Linux-Lab/exp9/ques4$ cat first.sh
#!/bin/bash

red_func(){
    echo -e "\033[31m$1\033[0m"
}
green_func(){
    echo -e "\033[32m$1\033[0m"
}
yellow_func(){
    echo -e "\033[33m$1\033[0m"
}
blue_func(){
    echo -e "\033[34m$1\033[0m"
}

bars(){
if [ -z "$1" ];
then
echo "Enter duration!!" >&2;
exit 1;
fi
```

[illegible]