## Dashboard / My courses / PSPP/PUP / Experiments based on Strings and its operations. / Week5 Coding

Started on Tuesday, 7 May 2024, 8:13 PM

State Finished

Completed on Thursday, 9 May 2024, 8:13 PM

Time taken 2 days

Marks 0.00/10.00

Grade 0.00 out of 100.00

Grade 0.00 out of 100.0

Question **1**Incorrect
Mark 0.00 out of

String should contain only the words are not palindrome.

#### Sample Input 1

Malayalam is my mother tongue

### Sample Output 1

is my mother tongue

**Answer:** (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
def is_palindrome(word):
    return word == word[::-1]

def filter_non_palindromes(input_string):
    words = input_string.split()
    non_palindrome_words = [word for word in words if not is_palindrome(word)]
    return ' '.join(non_palindrome_words)

sample_input = "Malayalam is my mother tongue"
sample_output = filter_non_palindromes(sample_input)
print(sample_output)
```

	Input	Expected	Got	
×	Malayalam is my mother tongue	is my mother tongue	Malayalam is my mother tongue	×

Some hidden test cases failed, too.

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/1.00.

Question **2**Not answered
Mark 0.00 out of 1.00

Given two <a href="Strings">Strings</a> s1 and s2, remove all the characters from s1 which is present in s2.

## **Constraints**

1<= string length <= 200

## Sample Input 1

experience enc

# Sample Output 1

xpri

Answer:	(penalty regime: 0 %)
Ace edito	r not ready. Perhaps reload page?
Falling ha	ck to raw text area

Question **3**Not answered
Mark 0.00 out of 1.00

Write a python program to count all letters, digits, and special symbols respectively from a given string

## For example:

Input	Result
rec@123	3
	3
	1

Answer: (penalty regime: 0 %)
Ace editor not ready. Perhaps reload page?
Falling back to raw text area.

Question **4**Not answered
Mark 0.00 out of
1.00

Given a string S which is of the format USERNAME@DOMAIN.EXTENSION, the program must print the EXTENSION, DOMAIN, USERNAME in the reverse order.

### **Input Format:**

The first line contains S.

#### **Output Format:**

The first line contains EXTENSION. The second line contains DOMAIN. The third line contains USERNAME.

## **Boundary Condition:**

1 <= Length of S <= 100

## **Example Input/Output 1:**

Input:

abcd@gmail.com

Output:

com

gmail

abcd

## For example:

Input	Result
arvijayakumar@rajalakshmi.edu.in	edu.in rajalakshmi arvijayakumar

Answer: (penalty regime: 0 %)				
Ace editor not ready. Perhaps reload page?				
Falling back to raw text area.				
	/			

Question **5**Not answered
Mark 0.00 out of 1.00

Write a program to check if two <u>strings</u> are balanced. For example, <u>strings</u> s1 and s2 are balanced if all the characters in the s1 are present in s2. The character's position doesn't matter. If balanced display as "true" ,otherwise "false".

## For example:

Input	Result
Yn PYnative	True

Answer: (penalty regime: 0 %)
Ace editor not ready. Perhaps reload page?
Falling back to raw text area.

Question **6**Not answered
Mark 0.00 out of 1.00

Assume that the given string has enough memory.

Don't use any extra space(IN-PLACE)

Sample Input 1

a2b4c6

Sample Output 1

aabbbbccccc

**Answer:** (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

Question **7**Not answered
Mark 0.00 out of

1.00

Two string values S1, S2 are passed as the input. The program must print first N characters present in S1 which are also present in S2.

### **Input Format:**

The first line contains S1. The second line contains S2.

The third line contains N.

### **Output Format:**

The first line contains the N characters present in S1 which are also present in S2.

## **Boundary Conditions:**

2 <= N <= 10 2 <= Length of S1, S2 <= 1000

### **Example Input/Output 1:**

Input: abcbde cdefghbb 3

Output:

bcd

#### Note:

b occurs twice in common but must be printed only once.

Answer: (penalty regime: 0 %)			
Ace editor not ready. Perhap	ps reload page?		
Falling back to raw text area	Э.		

Question **8**Not answered
Mark 0.00 out of 1.00

# Reverse a string without affecting special characters

Given a string **S**, containing special characters and all the alphabets, reverse the string without affecting the positions of the special characters.

Input:

A&B

**Output:** 

B&A

**Explanation**: As we ignore '&' and

As we ignore '&' and then reverse, so answer is "B&A".

#### For example:

Input	Result
A&x#	x&A#

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.



1.00

In this exercise, you will create a program that reads words from the user until the user enters a blank line. After the user

enters a blank line your program should display each word entered by the user exactly once. The words should be displayed in the same order that they were first entered. For example, if the user enters:
first
second
first
third
second
then your program should display:
first
second
third
Answer: (penalty regime: 0 %)
Ace editor not ready. Perhaps reload page? Falling back to raw text area.

Question **10**Not answered
Mark 0.00 out of 1.00

Write a program that takes as input a string (sentence), and returns its second word in uppercase.

For example:

If input is "Wipro Technologies Bangalore" the function should return "TECHNOLOGIES"

If input is "Hello World" the function should return "WORLD"

If input is "Hello" the program should return "LESS"

NOTE 1: If input is a sentence with less than 2 words, the program should return the word "LESS".

NOTE 2: The result should have no leading or trailing spaces.

### For example:

Input	Result
Wipro Technologies Bangalore	TECHNOLOGIES
Hello World	WORLD
Hello	LESS

Hello	LESS		
		'	
nswer: (penalty regime: 0 %)			
ce editor not ready. Perhaps re	load page?		
alling back to raw text area.	. 3		
	ump to		Li
	ump to		LI

■ Week5\_MCQ