













Inspire...Educate...Transform.

#### **Text Mining**

Lab 01 - 2017-02-18

# Which of the following languages do you know

- C or C++
- Java
- Perl
- Scheme
- Fortran
- Etc..



# Today's Agenda

How to Learn Python



### **Outline**

- Installation
- Basic datatypes
- Conditional Statements and Loops
- Functions



#### Installation

- Introduction to Python
  - Anaconda installation- platform python2.7
  - Please follow the steps given in piazza



### Different Notebooks to be used

- Jupyter
- Spyder
- Idle

you can choose whatever you want,

Just type in start.

But we choose jupyter(for this module).



# Simple Intro for Jupyter

- -Jupyter Environment
  - Opening a new notebook
  - Kernel and cell
  - Executing cell (using Shift+Enter)
  - Creating a new cell
  - Creating a heading/markdown
  - Using help (? and tab)



# Printing simple messages

- Usage of print
  - Eg: print ('hai python')
  - Eg: print(2)
- Elements separated by commas print with a space between them
  - Eg: print(123),
  - print('hai')
- A comma at the end of the statement (print 'hello',)
   will not print a newline character



# **Basic Data Types in Python**

- Integers
- Lists
- Strings
- Tuples
- Dictionary



## Integers

- Are not declared, just assigned
- The variable is created the first time you assign it a value
- Everything in Python is an object

```
Eg: a=10
a, b=10,15
it assigns a=10 b=15
```



### Lists

 List is a collection of elements of same or different data type.

Group of elements given in a pair of '[', ']'(square brackets) is called list.



# **Strings**

- Strings are amongst the most popular types in Python.
- We can create them simply by enclosing characters in quotes. Python treats single quotes the same as double quotes.
- Creating strings is as simple as assigning a value to a variable

Ex: s1='python' s2='hai'



# **Tuples**

- A tuple is a sequence of immutable Python objects.
- Tuples are sequences, just like lists. The differences between tuples and lists are, the tuples cannot be changed unlike lists
- Tuples use parentheses, whereas lists use square brackets.
  - X=(1,2,3)
  - Y=()
  - Z=(15,)



#### Sets

- A set is an unordered collection with no duplicate elements.
- Basic uses include membership testing and eliminating duplicate entries.
- Set objects also support mathematical operations like union, intersection, difference.
  - basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
  - fruit = set(basket)



# **Dictionary**

- A dictionary is a key value pair called item.
- Each key is separated from its value by a colon (:), the items are separated by commas, and the whole thing is enclosed in curly braces.
- An empty dictionary without any items is written with just two curly braces, like this: {}.

```
- Eg: dict={'Name':'ABC', 'Marks':12}
```



# Accessing values:

 Simple variables can be accessed through their names.

Eg: a=10; print(a)

 Strings, Lists and Tuples are accessed through the position of the elements called index.

Dictionary values can be accessed through keys



### Accessing values in Lists:

- Lists index starts from zero.
  - -Eg: L1=[10,15,20,25]
    - •L1[0] gives 10
    - L1[1] gives 15
    - L1[2] gives 20
    - L1[3] gives 25

These can also be accessed by simply writing

L1[0:4] called slicing.

You can try and see L1[0:],L1[2:3],L1[:3]



## **Accessing values in Lists:**

- Lists can also be accessed from the end.
  - -Eg: L1=[3,4,5]
  - L1[-1] prints 5
  - L1[-2] prints 4
  - L1[-3] prints 3
- Eg: L1=[5,10,'are',5.5,6.7]
  - Try L1[2:-1]



18

## Built in functions and methods of

```
lists
len()—gives length of list
max()---- maximum element of list
min()---- minmum element of list
append()
extend()
count()
index()
sort()
reverse()
```



### **Built in methods of lists**

```
Append()
```

11=[15,18,20]

11.append(21)

Now I1 updated to [15,18,20,21]

We can only add only single element



#### **Built in methods of lists**

- extend
  - List1=['ML','TEXT','23',23]
  - List1.extend([4,5,6])
  - Now list1 is updated to
    - [ML','TEXT','23',23,4,5,6]
    - You try List1+[1,2,3] and print List1
    - List2=List1+[1,2,3] print List1 and List2 see the difference



#### **Built in methods of lists**

- Remaining methods please explore..
  - -https://www.tutorialspoint.com/python
    /python\_lists.htm
  - -https://www.learnpython.org/en/Lists Etc..



Remaining data types and their uses
 Please check in python\_Basics.ipynb file.

Thanks for your co-operation.



### **Text Preprocessing**

- Splitting the words
- Removal of Stopwords
- Removal of whitespaces, considering only words
- Removal of numbers/ certain characters-\*\* (Regular expressions)
- Stemming and Lemmatization









#### **HYDERABAD**

#### Office and Classrooms

Plot 63/A, Floors 1&2, Road # 13, Film Nagar,

Jubilee Hills, Hyderabad - 500 033

+91-9701685511 (Individuals)

+91-9618483483 (Corporates)

#### **Social Media**

Web: http://www.insofe.edu.in

Facebook: https://www.facebook.com/insofe

Twitter: <a href="https://twitter.com/Insofeedu">https://twitter.com/Insofeedu</a>

YouTube: <a href="http://www.youtube.com/InsofeVideos">http://www.youtube.com/InsofeVideos</a>

SlideShare: <a href="http://www.slideshare.net/INSOFE">http://www.slideshare.net/INSOFE</a>

LinkedIn: <a href="http://www.linkedin.com/company/international-school-of-engineering">http://www.linkedin.com/company/international-school-of-engineering</a>

This presentation may contain references to findings of various reports available in the public domain. INSOFE makes no representation as to their accuracy or that the organization subscribes to those findings.

#### **BENGALURU**

#### Office

Incubex, #728, Grace Platina, 4th Floor, CMH Road, Indira Nagar, 1st Stage, Bengaluru – 560038

+91-9502334561 (Individuals)

+91-9502799088 (Corporates)

#### Classroom

KnowledgeHut Solutions Pvt. Ltd., Reliable Plaza, Jakkasandra Main Road, Teacher's Colony, 14th Main Road, Sector – 5, HSR Layout, Bengaluru - 560102