Reason code catalog

Class of every network reason code. Only class fraud makes a first chargeback fraud evidence.

Table: Reason codes

network	reason_code	class
KESTREL	10.1	processing
KESTREL	10.1.1	fraud
KESTREL	10.1.1a	nonfraud
KESTREL	10.1.1c	fraud
KESTREL	10.1.2	fraud
KESTREL	10.1.2a	nonfraud
KESTREL	10.1.2b	nonfraud
KESTREL	10.1.2c	processing
KESTREL	10.1.3	processing
KESTREL	10.1.3a	fraud
KESTREL	10.1.4	nonfraud
KESTREL	10.1.4a	nonfraud
KESTREL	10.1.4b	fraud
KESTREL	10.1.4c	nonfraud
KESTREL	10.1.4d	fraud
KESTREL	10.1.5	nonfraud
KESTREL	10.1.5a	fraud
KESTREL	10.1.5b	nonfraud
KESTREL	10.1.5c	fraud
KESTREL	10.1.5d	nonfraud
KESTREL	10.1.6	fraud
KESTREL	10.1.6a	fraud
KESTREL	10.1.6c	fraud
KESTREL	10.1.7	nonfraud
KESTREL	10.1.7a	fraud
KESTREL	10.1.7b	processing
KESTREL	10.1.7c	nonfraud
KESTREL	10.1.7d	nonfraud
KESTREL	10.1.8	fraud
KESTREL	10.1.8b	fraud
KESTREL	10.1.8c	nonfraud
KESTREL	10.1.8d	nonfraud
KESTREL	10.1.9	fraud
KESTREL	10.1.9a	processing
KESTREL	10.1.9b	nonfraud
KESTREL	10.1.9c	nonfraud
KESTREL	10.1a	processing
KESTREL	10.1d	processing
KESTREL	10.2	processing
KESTREL	10.2.1	processing
KESTREL	10.2.1b	nonfraud
KESTREL	10.2.1c	nonfraud
KESTREL	10.2.1d	nonfraud
KESTREL	10.2.2	nonfraud
KESTREL	10.2.2b	processing
KESTREL	10.2.2c	processing
KESTREL	10.2.2d	processing
KESTREL	10.2.3	fraud
KESTREL	10.2.3b	nonfraud
KESTREL	10.2.3d	fraud
KESTREL	10.2.4	nonfraud
KESTREL	10.2.4c	nonfraud
KESTREL	10.2.5	nonfraud
KESTREL	10.2.5a	fraud
KESTREL	10.2.5b	nonfraud
KESTREL	10.2.5d	nonfraud
KESTREL	10.2.6	fraud
KESTREL	10.2.6c	processing
KESTREL	10.2.7	processing
KESTREL	10.2.7a	fraud
KESTREL	10.2.7b	fraud
KESTREL	10.2.7c	fraud
KESTREL	10.2.7d	nonfraud
KESTREL	10.2.8	processing
KESTREL	10.2.8b	processing
KESTREL	10.2.8d	fraud
KESTREL	10.2.9	nonfraud
KESTREL	10.2.9a	fraud
KESTREL	10.2.9b	fraud
KESTREL	10.2.9c	nonfraud
KESTREL	10.2.9d	nonfraud
KESTREL	10.2a	nonfraud
KESTREL	10.2b	fraud
KESTREL	10.2c	fraud
KESTREL	10.2d	nonfraud
KESTREL	10.3	nonfraud
KESTREL	10.3.1	fraud
KESTREL	10.3.1a	fraud
KESTREL	10.3.2	fraud
KESTREL	10.3.2a	fraud
KESTREL	10.3.2b	processing
KESTREL	10.3.2d	nonfraud
KESTREL	10.3.3	fraud
KESTREL	10.3.3a	processing
KESTREL	10.3.3b	nonfraud
KESTREL	10.3.3c	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	10.3.4	fraud
KESTREL	10.3.4a	fraud
KESTREL	10.3.5	fraud
KESTREL	10.3.5a	fraud
KESTREL	10.3.5b	nonfraud
KESTREL	10.3.5c	nonfraud
KESTREL	10.3.5d	processing
KESTREL	10.3.6	nonfraud
KESTREL	10.3.6a	nonfraud
KESTREL	10.3.6b	fraud
KESTREL	10.3.6d	processing
KESTREL	10.3.7	fraud
KESTREL	10.3.7a	fraud
KESTREL	10.3.7b	nonfraud
KESTREL	10.3.7c	nonfraud
KESTREL	10.3.7d	nonfraud
KESTREL	10.3.8	nonfraud
KESTREL	10.3.8b	nonfraud
KESTREL	10.3.8d	nonfraud
KESTREL	10.3.9a	processing
KESTREL	10.3.9c	processing
KESTREL	10.3a	nonfraud
KESTREL	10.3d	processing
KESTREL	10.4	processing
KESTREL	10.4.1	processing
KESTREL	10.4.1b	processing
KESTREL	10.4.1c	processing
KESTREL	10.4.1d	nonfraud
KESTREL	10.4.2	processing
KESTREL	10.4.2a	processing
KESTREL	10.4.2b	fraud
KESTREL	10.4.2c	fraud
KESTREL	10.4.2d	processing
KESTREL	10.4.3	nonfraud
KESTREL	10.4.3a	nonfraud
KESTREL	10.4.3b	fraud
KESTREL	10.4.3c	nonfraud
KESTREL	10.4.3d	fraud
KESTREL	10.4.4	nonfraud
KESTREL	10.4.4b	processing
KESTREL	10.4.4c	processing
KESTREL	10.4.4d	processing
KESTREL	10.4.5	nonfraud
KESTREL	10.4.5a	nonfraud
KESTREL	10.4.5b	nonfraud
KESTREL	10.4.5c	nonfraud
KESTREL	10.4.5d	nonfraud
KESTREL	10.4.6	nonfraud
KESTREL	10.4.6b	nonfraud
KESTREL	10.4.6c	nonfraud
KESTREL	10.4.7	nonfraud
KESTREL	10.4.7a	nonfraud
KESTREL	10.4.7b	processing
KESTREL	10.4.7c	fraud
KESTREL	10.4.7d	processing
KESTREL	10.4.8	fraud
KESTREL	10.4.8a	processing
KESTREL	10.4.8b	processing
KESTREL	10.4.8d	fraud
KESTREL	10.4.9	fraud
KESTREL	10.4.9a	nonfraud
KESTREL	10.4.9b	fraud
KESTREL	10.4.9c	nonfraud
KESTREL	10.4.9d	processing
KESTREL	10.4a	fraud
KESTREL	10.4b	fraud
KESTREL	10.4c	processing
KESTREL	10.4d	nonfraud
KESTREL	10.5	fraud
KESTREL	10.5.1	nonfraud
KESTREL	10.5.1a	nonfraud
KESTREL	10.5.1b	fraud
KESTREL	10.5.1c	nonfraud
KESTREL	10.5.1d	fraud
KESTREL	10.5.2	nonfraud
KESTREL	10.5.2a	nonfraud
KESTREL	10.5.2c	processing
KESTREL	10.5.2d	processing
KESTREL	10.5.3	fraud
KESTREL	10.5.3a	nonfraud
KESTREL	10.5.3b	nonfraud
KESTREL	10.5.3c	fraud
KESTREL	10.5.3d	processing
KESTREL	10.5.4	fraud
KESTREL	10.5.4b	nonfraud
KESTREL	10.5.4c	nonfraud
KESTREL	10.5.5	fraud
KESTREL	10.5.5b	nonfraud
KESTREL	10.5.5c	nonfraud
KESTREL	10.5.5d	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	10.5.6	processing
KESTREL	10.5.6a	nonfraud
KESTREL	10.5.6b	processing
KESTREL	10.5.6c	nonfraud
KESTREL	10.5.6d	nonfraud
kestrel	10.5.7	nonfraud
KESTREL	10.5.7b	processing
KESTREL	10.5.7c	fraud
KESTREL	10.5.7d	nonfraud
KESTREL	10.5.8	processing
KESTREL	10.5.8a	fraud
KESTREL	10.5.8b	processing
KESTREL	10.5.8c	processing
KESTREL	10.5.8d	processing
KESTREL	10.5.9	nonfraud
KESTREL	10.5.9a	processing
KESTREL	10.5.9b	fraud
KESTREL	10.5.9c	fraud
KESTREL	10.5b	nonfraud
KESTREL	10.5c	fraud
KESTREL	10.6	nonfraud
KESTREL	10.6.1	processing
KESTREL	10.6.1a	fraud
KESTREL	10.6.1c	nonfraud
KESTREL	10.6.1d	nonfraud
KESTREL	10.6.2	fraud
KESTREL	10.6.2a	nonfraud
KESTREL	10.6.2b	nonfraud
KESTREL	10.6.2d	processing
KESTREL	10.6.3	nonfraud
KESTREL	10.6.3a	fraud
KESTREL	10.6.3b	nonfraud
KESTREL	10.6.3c	fraud
KESTREL	10.6.3d	nonfraud
KESTREL	10.6.4	fraud
KESTREL	10.6.4b	fraud
KESTREL	10.6.4c	nonfraud
KESTREL	10.6.4d	fraud
KESTREL	10.6.5	nonfraud
KESTREL	10.6.5a	processing
KESTREL	10.6.5c	processing
KESTREL	10.6.5d	processing
KESTREL	10.6.6	nonfraud
KESTREL	10.6.6a	processing
KESTREL	10.6.6c	nonfraud
KESTREL	10.6.6d	nonfraud
KESTREL	10.6.7	nonfraud
KESTREL	10.6.7a	nonfraud
KESTREL	10.6.7b	nonfraud
KESTREL	10.6.7c	nonfraud
KESTREL	10.6.8	nonfraud
KESTREL	10.6.8a	processing
KESTREL	10.6.8c	fraud
KESTREL	10.6.8d	fraud
KESTREL	10.6.9	fraud
KESTREL	10.6.9a	nonfraud
KESTREL	10.6.9c	fraud
KESTREL	10.6b	fraud
KESTREL	10.6c	processing
KESTREL	10.6d	nonfraud
KESTREL	10.7	fraud
KESTREL	10.7.1	fraud
KESTREL	10.7.1a	fraud
KESTREL	10.7.1b	fraud
KESTREL	10.7.1c	fraud
KESTREL	10.7.1d	processing
KESTREL	10.7.2	nonfraud
KESTREL	10.7.2a	fraud
KESTREL	10.7.3	nonfraud
KESTREL	10.7.3c	nonfraud
KESTREL	10.7.3d	fraud
KESTREL	10.7.4	processing
KESTREL	10.7.4a	fraud
KESTREL	10.7.4b	nonfraud
KESTREL	10.7.4d	fraud
KESTREL	10.7.5	processing
KESTREL	10.7.5a	processing
KESTREL	10.7.5b	nonfraud
KESTREL	10.7.5c	fraud
KESTREL	10.7.5d	nonfraud
KESTREL	10.7.6	nonfraud
KESTREL	10.7.6a	nonfraud
KESTREL	10.7.6b	nonfraud
KESTREL	10.7.6c	nonfraud
KESTREL	10.7.6d	processing
KESTREL	10.7.7	nonfraud
KESTREL	10.7.7a	nonfraud
KESTREL	10.7.7b	nonfraud
KESTREL	10.7.7c	fraud
KESTREL	10.7.7d	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	10.7.8	fraud
KESTREL	10.7.8a	processing
KESTREL	10.7.8d	fraud
KESTREL	10.7.9	processing
KESTREL	10.7.9a	fraud
KESTREL	10.7.9b	nonfraud
KESTREL	10.7.9c	fraud
KESTREL	10.7.9d	nonfraud
KESTREL	10.7b	nonfraud
KESTREL	10.7c	processing
KESTREL	10.7d	nonfraud
KESTREL	10.8	nonfraud
KESTREL	10.8.1	fraud
KESTREL	10.8.1a	fraud
KESTREL	10.8.1b	fraud
KESTREL	10.8.1d	fraud
KESTREL	10.8.2	processing
KESTREL	10.8.2a	processing
KESTREL	10.8.2b	fraud
KESTREL	10.8.2d	processing
KESTREL	10.8.3	nonfraud
KESTREL	10.8.3a	fraud
KESTREL	10.8.3b	nonfraud
KESTREL	10.8.3d	nonfraud
KESTREL	10.8.4	fraud
KESTREL	10.8.4d	processing
KESTREL	10.8.5	fraud
KESTREL	10.8.5a	fraud
KESTREL	10.8.5c	nonfraud
KESTREL	10.8.6	nonfraud
KESTREL	10.8.6a	nonfraud
KESTREL	10.8.6c	nonfraud
KESTREL	10.8.6d	processing
KESTREL	10.8.7	nonfraud
KESTREL	10.8.7a	fraud
KESTREL	10.8.7b	nonfraud
KESTREL	10.8.7c	fraud
KESTREL	10.8.7d	processing
KESTREL	10.8.8	processing
KESTREL	10.8.8a	fraud
KESTREL	10.8.8c	nonfraud
KESTREL	10.8.8d	nonfraud
KESTREL	10.8.9	fraud
KESTREL	10.8.9a	fraud
KESTREL	10.8.9b	nonfraud
KESTREL	10.8.9c	nonfraud
KESTREL	10.8.9d	processing
KESTREL	10.8a	nonfraud
KESTREL	10.8b	nonfraud
KESTREL	10.8c	fraud
KESTREL	10.8d	nonfraud
KESTREL	10.9	processing
KESTREL	10.9.1	nonfraud
KESTREL	10.9.1b	nonfraud
KESTREL	10.9.1c	nonfraud
KESTREL	10.9.1d	nonfraud
KESTREL	10.9.2	processing
KESTREL	10.9.2a	nonfraud
KESTREL	10.9.2c	fraud
KESTREL	10.9.2d	processing
KESTREL	10.9.3	nonfraud
KESTREL	10.9.3a	nonfraud
KESTREL	10.9.3c	processing
KESTREL	10.9.3d	nonfraud
KESTREL	10.9.4	nonfraud
KESTREL	10.9.4a	fraud
KESTREL	10.9.4b	fraud
KESTREL	10.9.4d	processing
KESTREL	10.9.5	nonfraud
KESTREL	10.9.5a	processing
KESTREL	10.9.5b	fraud
KESTREL	10.9.5c	nonfraud
KESTREL	10.9.5d	fraud
KESTREL	10.9.6	nonfraud
KESTREL	10.9.6a	fraud
KESTREL	10.9.6b	fraud
KESTREL	10.9.6c	nonfraud
KESTREL	10.9.7	fraud
KESTREL	10.9.7a	nonfraud
KESTREL	10.9.7c	fraud
KESTREL	10.9.7d	nonfraud
KESTREL	10.9.8	fraud
KESTREL	10.9.8c	nonfraud
KESTREL	10.9.9	fraud
KESTREL	10.9.9a	fraud
KESTREL	10.9.9b	nonfraud
KESTREL	10.9.9d	fraud
KESTREL	10.9a	fraud
KESTREL	10.9c	nonfraud
KESTREL	10.9d	processing

Table: Reason codes (continued)

network	reason_code	class
KESTREL	11.1	fraud
KESTREL	11.1.1	nonfraud
KESTREL	11.1.1a	nonfraud
KESTREL	11.1.1c	fraud
KESTREL	11.1.2	fraud
KESTREL	11.1.2a	fraud
KESTREL	11.1.2d	fraud
KESTREL	11.1.3	nonfraud
KESTREL	11.1.3b	fraud
KESTREL	11.1.3c	processing
KESTREL	11.1.3d	processing
KESTREL	11.1.4	fraud
KESTREL	11.1.4b	nonfraud
KESTREL	11.1.4c	fraud
KESTREL	11.1.4d	nonfraud
KESTREL	11.1.5	nonfraud
KESTREL	11.1.5a	nonfraud
KESTREL	11.1.5b	nonfraud
KESTREL	11.1.5d	fraud
KESTREL	11.1.6	fraud
KESTREL	11.1.6b	processing
KESTREL	11.1.6c	nonfraud
KESTREL	11.1.7	fraud
KESTREL	11.1.7a	nonfraud
KESTREL	11.1.7c	nonfraud
KESTREL	11.1.7d	fraud
KESTREL	11.1.8	nonfraud
KESTREL	11.1.8b	processing
KESTREL	11.1.8d	processing
KESTREL	11.1.9	fraud
KESTREL	11.1.9b	nonfraud
KESTREL	11.1.9d	nonfraud
KESTREL	11.1a	processing
KESTREL	11.1b	processing
KESTREL	11.1c	nonfraud
KESTREL	11.1d	nonfraud
KESTREL	11.2	nonfraud
KESTREL	11.2.1	fraud
KESTREL	11.2.1a	processing
KESTREL	11.2.1c	processing
KESTREL	11.2.2	nonfraud
KESTREL	11.2.2a	nonfraud
KESTREL	11.2.2b	fraud
KESTREL	11.2.2c	nonfraud
KESTREL	11.2.3	nonfraud
KESTREL	11.2.3a	fraud
KESTREL	11.2.3c	processing
KESTREL	11.2.3d	nonfraud
KESTREL	11.2.4	nonfraud
KESTREL	11.2.4b	fraud
KESTREL	11.2.4c	processing
KESTREL	11.2.4d	fraud
KESTREL	11.2.5	processing
KESTREL	11.2.5a	nonfraud
KESTREL	11.2.5b	nonfraud
KESTREL	11.2.6	fraud
KESTREL	11.2.6a	nonfraud
KESTREL	11.2.6b	nonfraud
KESTREL	11.2.6d	nonfraud
KESTREL	11.2.7	processing
KESTREL	11.2.7a	processing
KESTREL	11.2.7d	fraud
KESTREL	11.2.8	nonfraud
KESTREL	11.2.8a	nonfraud
KESTREL	11.2.8c	fraud
KESTREL	11.2.8d	nonfraud
KESTREL	11.2.9	processing
KESTREL	11.2.9a	processing
KESTREL	11.2.9c	fraud
KESTREL	11.2.9d	nonfraud
KESTREL	11.2a	nonfraud
KESTREL	11.2b	processing
KESTREL	11.2c	fraud
KESTREL	11.2d	processing
KESTREL	11.3	fraud
KESTREL	11.3.1	fraud
KESTREL	11.3.1a	fraud
KESTREL	11.3.1c	processing
KESTREL	11.3.2	fraud
KESTREL	11.3.2d	fraud
KESTREL	11.3.3	fraud
KESTREL	11.3.3b	fraud
KESTREL	11.3.3c	nonfraud
KESTREL	11.3.3d	processing
KESTREL	11.3.4	nonfraud
KESTREL	11.3.4b	nonfraud
KESTREL	11.3.4d	fraud
KESTREL	11.3.5	fraud
KESTREL	11.3.5b	processing
KESTREL	11.3.5c	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	11.3.5d	fraud
KESTREL	11.3.6	fraud
KESTREL	11.3.6d	nonfraud
KESTREL	11.3.7	nonfraud
KESTREL	11.3.7a	nonfraud
KESTREL	11.3.7d	fraud
KESTREL	11.3.8	nonfraud
KESTREL	11.3.8a	nonfraud
KESTREL	11.3.8c	processing
KESTREL	11.3.8d	processing
KESTREL	11.3.9	nonfraud
KESTREL	11.3.9a	nonfraud
KESTREL	11.3.9b	nonfraud
KESTREL	11.3.9c	nonfraud
KESTREL	11.3.9d	nonfraud
KESTREL	11.3a	fraud
KESTREL	11.3b	nonfraud
KESTREL	11.3c	fraud
KESTREL	11.3d	nonfraud
KESTREL	11.4	nonfraud
KESTREL	11.4.1	fraud
KESTREL	11.4.1a	fraud
KESTREL	11.4.1b	fraud
KESTREL	11.4.1c	nonfraud
KESTREL	11.4.2	nonfraud
KESTREL	11.4.2a	nonfraud
KESTREL	11.4.2c	nonfraud
KESTREL	11.4.3	fraud
KESTREL	11.4.3a	nonfraud
KESTREL	11.4.3c	fraud
KESTREL	11.4.3d	nonfraud
KESTREL	11.4.4	fraud
KESTREL	11.4.4a	nonfraud
KESTREL	11.4.4b	fraud
KESTREL	11.4.4c	fraud
KESTREL	11.4.4d	nonfraud
KESTREL	11.4.5	nonfraud
KESTREL	11.4.5a	fraud
KESTREL	11.4.5b	fraud
KESTREL	11.4.5d	fraud
KESTREL	11.4.6	fraud
KESTREL	11.4.6a	nonfraud
KESTREL	11.4.6c	fraud
KESTREL	11.4.6d	nonfraud
KESTREL	11.4.7	fraud
KESTREL	11.4.7a	fraud
KESTREL	11.4.7b	fraud
KESTREL	11.4.8	nonfraud
KESTREL	11.4.8a	processing
KESTREL	11.4.8b	nonfraud
KESTREL	11.4.8d	processing
KESTREL	11.4.9	nonfraud
KESTREL	11.4.9b	nonfraud
KESTREL	11.4.9c	processing
KESTREL	11.4.9d	nonfraud
KESTREL	11.4a	fraud
KESTREL	11.4b	nonfraud
KESTREL	11.4c	fraud
KESTREL	11.4d	fraud
KESTREL	11.5	nonfraud
KESTREL	11.5.1	nonfraud
KESTREL	11.5.1a	fraud
KESTREL	11.5.1b	nonfraud
KESTREL	11.5.1d	nonfraud
KESTREL	11.5.2	fraud
KESTREL	11.5.2a	fraud
KESTREL	11.5.2c	processing
KESTREL	11.5.2d	nonfraud
KESTREL	11.5.3	nonfraud
KESTREL	11.5.3a	nonfraud
KESTREL	11.5.3c	fraud
KESTREL	11.5.3d	nonfraud
KESTREL	11.5.4	nonfraud
KESTREL	11.5.4a	fraud
KESTREL	11.5.4b	fraud
KESTREL	11.5.4c	fraud
KESTREL	11.5.5	processing
KESTREL	11.5.5d	fraud
KESTREL	11.5.6	processing
KESTREL	11.5.6d	nonfraud
KESTREL	11.5.7	processing
KESTREL	11.5.7b	nonfraud
KESTREL	11.5.7c	fraud
KESTREL	11.5.8	nonfraud
KESTREL	11.5.8a	fraud
KESTREL	11.5.8b	nonfraud
KESTREL	11.5.9	processing
KESTREL	11.5.9a	processing
KESTREL	11.5.9b	processing
KESTREL	11.5.9c	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	11.5.9d	fraud
KESTREL	11.5a	fraud
KESTREL	11.5b	nonfraud
KESTREL	11.5c	nonfraud
KESTREL	11.5d	fraud
KESTREL	11.6	fraud
KESTREL	11.6.1	nonfraud
KESTREL	11.6.1a	nonfraud
KESTREL	11.6.1c	processing
KESTREL	11.6.1d	fraud
KESTREL	11.6.2	nonfraud
KESTREL	11.6.2b	fraud
KESTREL	11.6.2c	fraud
KESTREL	11.6.2d	nonfraud
KESTREL	11.6.3	nonfraud
KESTREL	11.6.3b	nonfraud
KESTREL	11.6.3c	fraud
KESTREL	11.6.4	nonfraud
KESTREL	11.6.4a	fraud
KESTREL	11.6.4b	fraud
KESTREL	11.6.5	nonfraud
KESTREL	11.6.5a	fraud
KESTREL	11.6.5b	nonfraud
KESTREL	11.6.5c	nonfraud
KESTREL	11.6.5d	fraud
KESTREL	11.6.6	fraud
KESTREL	11.6.6a	nonfraud
KESTREL	11.6.6b	fraud
KESTREL	11.6.6c	fraud
KESTREL	11.6.7	fraud
KESTREL	11.6.7a	nonfraud
KESTREL	11.6.7d	nonfraud
KESTREL	11.6.8	fraud
KESTREL	11.6.8a	nonfraud
KESTREL	11.6.8b	processing
KESTREL	11.6.8c	fraud
KESTREL	11.6.8d	nonfraud
KESTREL	11.6.9	fraud
KESTREL	11.6.9a	nonfraud
KESTREL	11.6.9b	fraud
KESTREL	11.6a	nonfraud
KESTREL	11.6c	nonfraud
KESTREL	11.7	nonfraud
KESTREL	11.7.1	nonfraud
KESTREL	11.7.1a	nonfraud
KESTREL	11.7.1b	nonfraud
KESTREL	11.7.1d	nonfraud
KESTREL	11.7.2	nonfraud
KESTREL	11.7.2a	fraud
KESTREL	11.7.2b	nonfraud
KESTREL	11.7.2d	nonfraud
KESTREL	11.7.3	processing
KESTREL	11.7.3a	fraud
KESTREL	11.7.3b	nonfraud
KESTREL	11.7.3d	fraud
KESTREL	11.7.4	fraud
KESTREL	11.7.4a	fraud
KESTREL	11.7.4b	nonfraud
KESTREL	11.7.4c	nonfraud
KESTREL	11.7.5	processing
KESTREL	11.7.5a	nonfraud
KESTREL	11.7.5b	nonfraud
KESTREL	11.7.5c	nonfraud
KESTREL	11.7.6	nonfraud
KESTREL	11.7.6b	nonfraud
KESTREL	11.7.6c	nonfraud
KESTREL	11.7.6d	nonfraud
KESTREL	11.7.7	nonfraud
KESTREL	11.7.7c	nonfraud
KESTREL	11.7.7d	nonfraud
KESTREL	11.7.8	fraud
KESTREL	11.7.8a	nonfraud
KESTREL	11.7.8c	fraud
KESTREL	11.7.8d	fraud
KESTREL	11.7.9	nonfraud
KESTREL	11.7.9d	fraud
KESTREL	11.7a	processing
KESTREL	11.7b	fraud
KESTREL	11.7c	fraud
KESTREL	11.7d	nonfraud
KESTREL	11.8	processing
KESTREL	11.8.1	nonfraud
KESTREL	11.8.1a	nonfraud
KESTREL	11.8.1b	nonfraud
KESTREL	11.8.1c	fraud
KESTREL	11.8.1d	fraud
KESTREL	11.8.2	processing
KESTREL	11.8.2c	nonfraud
KESTREL	11.8.2d	fraud
KESTREL	11.8.3	fraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	11.8.3a	nonfraud
KESTREL	11.8.3b	fraud
KESTREL	11.8.3c	nonfraud
KESTREL	11.8.4	nonfraud
KESTREL	11.8.4a	nonfraud
KESTREL	11.8.4b	nonfraud
KESTREL	11.8.4c	nonfraud
KESTREL	11.8.5	nonfraud
KESTREL	11.8.5a	nonfraud
KESTREL	11.8.5b	nonfraud
KESTREL	11.8.5c	fraud
KESTREL	11.8.6	nonfraud
KESTREL	11.8.6a	fraud
KESTREL	11.8.6b	fraud
KESTREL	11.8.6d	fraud
KESTREL	11.8.7	nonfraud
KESTREL	11.8.7a	nonfraud
KESTREL	11.8.7c	nonfraud
KESTREL	11.8.7d	fraud
KESTREL	11.8.8	nonfraud
KESTREL	11.8.8a	nonfraud
KESTREL	11.8.8b	nonfraud
KESTREL	11.8.8c	nonfraud
KESTREL	11.8.9	processing
KESTREL	11.8.9a	fraud
KESTREL	11.8.9b	nonfraud
KESTREL	11.8.9c	processing
KESTREL	11.8.9d	nonfraud
KESTREL	11.8a	fraud
KESTREL	11.8b	nonfraud
KESTREL	11.8c	fraud
KESTREL	11.8d	nonfraud
KESTREL	11.9	fraud
KESTREL	11.9.1	fraud
KESTREL	11.9.1a	fraud
KESTREL	11.9.1c	fraud
KESTREL	11.9.1d	fraud
KESTREL	11.9.2	nonfraud
KESTREL	11.9.2c	nonfraud
KESTREL	11.9.2d	nonfraud
KESTREL	11.9.3	nonfraud
KESTREL	11.9.3b	nonfraud
KESTREL	11.9.3c	fraud
KESTREL	11.9.4	nonfraud
KESTREL	11.9.4a	fraud
KESTREL	11.9.4c	fraud
KESTREL	11.9.5	nonfraud
KESTREL	11.9.5a	nonfraud
KESTREL	11.9.5d	fraud
KESTREL	11.9.6	nonfraud
KESTREL	11.9.6b	nonfraud
KESTREL	11.9.6c	fraud
KESTREL	11.9.6d	fraud
KESTREL	11.9.7	fraud
KESTREL	11.9.7c	nonfraud
KESTREL	11.9.7d	processing
KESTREL	11.9.8	nonfraud
KESTREL	11.9.8a	nonfraud
KESTREL	11.9.8b	nonfraud
KESTREL	11.9.8c	nonfraud
KESTREL	11.9.9	nonfraud
KESTREL	11.9.9a	nonfraud
KESTREL	11.9.9b	nonfraud
KESTREL	11.9.9d	fraud
KESTREL	11.9b	nonfraud
KESTREL	11.9d	processing
KESTREL	12.1	processing
KESTREL	12.1.1	nonfraud
KESTREL	12.1.1a	nonfraud
KESTREL	12.1.1b	nonfraud
KESTREL	12.1.1d	processing
KESTREL	12.1.2	processing
KESTREL	12.1.2a	fraud
KESTREL	12.1.2b	nonfraud
KESTREL	12.1.2d	nonfraud
KESTREL	12.1.3	processing
KESTREL	12.1.3a	nonfraud
KESTREL	12.1.3c	fraud
KESTREL	12.1.3d	nonfraud
KESTREL	12.1.4	processing
KESTREL	12.1.4a	fraud
KESTREL	12.1.4b	processing
KESTREL	12.1.4c	nonfraud
KESTREL	12.1.4d	nonfraud
KESTREL	12.1.5	processing
KESTREL	12.1.5a	nonfraud
KESTREL	12.1.5b	nonfraud
KESTREL	12.1.5c	nonfraud
KESTREL	12.1.6	processing
KESTREL	12.1.6a	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	12.1.6b	nonfraud
KESTREL	12.1.6c	fraud
KESTREL	12.1.6d	nonfraud
KESTREL	12.1.7	fraud
KESTREL	12.1.7a	fraud
KESTREL	12.1.7b	processing
KESTREL	12.1.7c	fraud
KESTREL	12.1.7d	nonfraud
KESTREL	12.1.8	nonfraud
KESTREL	12.1.8a	fraud
KESTREL	12.1.8b	nonfraud
KESTREL	12.1.8c	nonfraud
KESTREL	12.1.8d	nonfraud
KESTREL	12.1.9	processing
KESTREL	12.1.9a	nonfraud
KESTREL	12.1.9c	nonfraud
KESTREL	12.1a	fraud
KESTREL	12.1b	fraud
KESTREL	12.1c	processing
KESTREL	12.1d	nonfraud
KESTREL	12.2	fraud
KESTREL	12.2.1	nonfraud
KESTREL	12.2.1a	fraud
KESTREL	12.2.1c	nonfraud
KESTREL	12.2.1d	nonfraud
KESTREL	12.2.2	nonfraud
KESTREL	12.2.2a	fraud
KESTREL	12.2.2b	fraud
KESTREL	12.2.2c	nonfraud
KESTREL	12.2.3	nonfraud
KESTREL	12.2.3a	nonfraud
KESTREL	12.2.3b	nonfraud
KESTREL	12.2.3c	nonfraud
KESTREL	12.2.4	nonfraud
KESTREL	12.2.4b	nonfraud
KESTREL	12.2.4c	nonfraud
KESTREL	12.2.4d	nonfraud
KESTREL	12.2.5	fraud
KESTREL	12.2.5b	nonfraud
KESTREL	12.2.5c	nonfraud
KESTREL	12.2.6	fraud
KESTREL	12.2.6a	nonfraud
KESTREL	12.2.6d	fraud
KESTREL	12.2.7	nonfraud
KESTREL	12.2.7a	processing
KESTREL	12.2.7b	nonfraud
KESTREL	12.2.7c	fraud
KESTREL	12.2.7d	nonfraud
KESTREL	12.2.8	nonfraud
KESTREL	12.2.8b	nonfraud
KESTREL	12.2.8c	processing
KESTREL	12.2.9	nonfraud
KESTREL	12.2.9b	nonfraud
KESTREL	12.2.9c	nonfraud
KESTREL	12.2.9d	nonfraud
KESTREL	12.2a	processing
KESTREL	12.2b	nonfraud
KESTREL	12.2c	nonfraud
KESTREL	12.3	nonfraud
KESTREL	12.3.1	processing
KESTREL	12.3.1a	fraud
KESTREL	12.3.1b	processing
KESTREL	12.3.1c	nonfraud
KESTREL	12.3.2	processing
KESTREL	12.3.2a	fraud
KESTREL	12.3.2b	fraud
KESTREL	12.3.2c	processing
KESTREL	12.3.3	nonfraud
KESTREL	12.3.3a	fraud
KESTREL	12.3.3b	fraud
KESTREL	12.3.3c	nonfraud
KESTREL	12.3.3d	nonfraud
KESTREL	12.3.4	fraud
KESTREL	12.3.4b	nonfraud
KESTREL	12.3.4c	nonfraud
KESTREL	12.3.4d	fraud
KESTREL	12.3.5	nonfraud
KESTREL	12.3.5a	fraud
KESTREL	12.3.5b	nonfraud
KESTREL	12.3.5c	fraud
KESTREL	12.3.5d	nonfraud
KESTREL	12.3.6	processing
KESTREL	12.3.6a	nonfraud
KESTREL	12.3.6b	fraud
KESTREL	12.3.6c	nonfraud
KESTREL	12.3.6d	fraud
KESTREL	12.3.7	fraud
KESTREL	12.3.7a	nonfraud
KESTREL	12.3.7b	processing
KESTREL	12.3.7c	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	12.3.7d	nonfraud
KESTREL	12.3.8	fraud
KESTREL	12.3.8a	fraud
KESTREL	12.3.8b	nonfraud
KESTREL	12.3.8c	processing
KESTREL	12.3.8d	nonfraud
KESTREL	12.3.9	nonfraud
KESTREL	12.3.9a	nonfraud
KESTREL	12.3.9b	processing
KESTREL	12.3a	nonfraud
KESTREL	12.3b	nonfraud
KESTREL	12.3c	nonfraud
KESTREL	12.3d	nonfraud
KESTREL	12.4	processing
KESTREL	12.4.1	fraud
KESTREL	12.4.1a	processing
KESTREL	12.4.1b	fraud
KESTREL	12.4.1c	nonfraud
KESTREL	12.4.1d	fraud
KESTREL	12.4.2	fraud
KESTREL	12.4.2a	fraud
KESTREL	12.4.2b	nonfraud
KESTREL	12.4.2c	nonfraud
KESTREL	12.4.2d	fraud
KESTREL	12.4.3	nonfraud
KESTREL	12.4.3a	nonfraud
KESTREL	12.4.3b	processing
KESTREL	12.4.3c	nonfraud
KESTREL	12.4.3d	fraud
KESTREL	12.4.4	nonfraud
KESTREL	12.4.4a	fraud
KESTREL	12.4.4b	nonfraud
KESTREL	12.4.4d	processing
KESTREL	12.4.5	nonfraud
KESTREL	12.4.5a	fraud
KESTREL	12.4.5b	fraud
KESTREL	12.4.5d	nonfraud
KESTREL	12.4.6	nonfraud
KESTREL	12.4.6a	processing
KESTREL	12.4.6b	processing
KESTREL	12.4.6c	nonfraud
KESTREL	12.4.6d	fraud
KESTREL	12.4.7	nonfraud
KESTREL	12.4.7a	fraud
KESTREL	12.4.7b	fraud
KESTREL	12.4.8	fraud
KESTREL	12.4.8a	nonfraud
KESTREL	12.4.8b	nonfraud
KESTREL	12.4.9	processing
KESTREL	12.4.9b	fraud
KESTREL	12.4.9c	nonfraud
KESTREL	12.4.9d	nonfraud
KESTREL	12.4a	fraud
KESTREL	12.4b	processing
KESTREL	12.4c	nonfraud
KESTREL	12.4d	fraud
KESTREL	12.5.1	fraud
KESTREL	12.5.2	nonfraud
KESTREL	12.5.2a	processing
KESTREL	12.5.2b	processing
KESTREL	12.5.2c	nonfraud
KESTREL	12.5.2d	fraud
KESTREL	12.5.3	fraud
KESTREL	12.5.3b	processing
KESTREL	12.5.3c	fraud
KESTREL	12.5.3d	fraud
KESTREL	12.5.4	nonfraud
KESTREL	12.5.4b	nonfraud
KESTREL	12.5.4c	processing
KESTREL	12.5.5	processing
KESTREL	12.5.5a	fraud
KESTREL	12.5.5b	fraud
KESTREL	12.5.5c	processing
KESTREL	12.5.6	processing
KESTREL	12.5.6a	processing
KESTREL	12.5.6b	processing
KESTREL	12.5.6c	nonfraud
KESTREL	12.5.6d	nonfraud
KESTREL	12.5.7	processing
KESTREL	12.5.7a	fraud
KESTREL	12.5.7b	nonfraud
KESTREL	12.5.7d	nonfraud
KESTREL	12.5.8	fraud
KESTREL	12.5.8b	nonfraud
KESTREL	12.5.8c	fraud
KESTREL	12.5.8d	fraud
KESTREL	12.5.9	processing
KESTREL	12.5.9a	nonfraud
KESTREL	12.5.9b	nonfraud
KESTREL	12.5.9c	fraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	12.5.9d	nonfraud
KESTREL	12.5a	nonfraud
KESTREL	12.5c	nonfraud
KESTREL	12.6	nonfraud
KESTREL	12.6.1	processing
KESTREL	12.6.1b	nonfraud
KESTREL	12.6.2	processing
KESTREL	12.6.2a	fraud
KESTREL	12.6.2b	nonfraud
KESTREL	12.6.2c	fraud
KESTREL	12.6.3	fraud
KESTREL	12.6.3a	processing
KESTREL	12.6.3b	nonfraud
KESTREL	12.6.3c	nonfraud
KESTREL	12.6.3d	processing
KESTREL	12.6.4	nonfraud
KESTREL	12.6.4a	nonfraud
KESTREL	12.6.4b	nonfraud
KESTREL	12.6.5	fraud
KESTREL	12.6.5b	fraud
KESTREL	12.6.5c	fraud
KESTREL	12.6.6	nonfraud
KESTREL	12.6.6a	nonfraud
KESTREL	12.6.6b	processing
KESTREL	12.6.6c	nonfraud
KESTREL	12.6.6d	nonfraud
KESTREL	12.6.7	processing
KESTREL	12.6.7a	nonfraud
KESTREL	12.6.7b	nonfraud
KESTREL	12.6.7c	nonfraud
KESTREL	12.6.7d	nonfraud
KESTREL	12.6.8	fraud
KESTREL	12.6.8a	nonfraud
KESTREL	12.6.8b	nonfraud
KESTREL	12.6.8c	fraud
KESTREL	12.6.8d	processing
KESTREL	12.6.9	fraud
KESTREL	12.6.9a	fraud
KESTREL	12.6.9b	nonfraud
KESTREL	12.6.9c	fraud
KESTREL	12.6.9d	nonfraud
KESTREL	12.6c	nonfraud
KESTREL	12.6d	fraud
KESTREL	12.7	processing
KESTREL	12.7.1	fraud
KESTREL	12.7.1b	nonfraud
KESTREL	12.7.1c	fraud
KESTREL	12.7.1d	nonfraud
KESTREL	12.7.2	nonfraud
KESTREL	12.7.2b	fraud
KESTREL	12.7.2c	fraud
KESTREL	12.7.3	nonfraud
KESTREL	12.7.3b	nonfraud
KESTREL	12.7.3c	nonfraud
KESTREL	12.7.3d	nonfraud
KESTREL	12.7.4	fraud
KESTREL	12.7.4b	nonfraud
KESTREL	12.7.4c	fraud
KESTREL	12.7.5	processing
KESTREL	12.7.5b	nonfraud
KESTREL	12.7.6	nonfraud
KESTREL	12.7.6c	nonfraud
KESTREL	12.7.7	processing
KESTREL	12.7.7a	processing
KESTREL	12.7.7b	fraud
KESTREL	12.7.7d	processing
KESTREL	12.7.8	fraud
KESTREL	12.7.8a	fraud
KESTREL	12.7.8b	nonfraud
KESTREL	12.7.8c	processing
KESTREL	12.7.9	processing
KESTREL	12.7.9a	processing
KESTREL	12.7.9c	nonfraud
KESTREL	12.7.9d	nonfraud
KESTREL	12.7a	nonfraud
KESTREL	12.7b	processing
KESTREL	12.7d	processing
KESTREL	12.8	processing
KESTREL	12.8.1	nonfraud
KESTREL	12.8.1a	nonfraud
KESTREL	12.8.1b	fraud
KESTREL	12.8.1c	fraud
KESTREL	12.8.1d	processing
KESTREL	12.8.2	nonfraud
KESTREL	12.8.2a	nonfraud
KESTREL	12.8.2b	processing
KESTREL	12.8.2c	nonfraud
KESTREL	12.8.2d	nonfraud
KESTREL	12.8.3	nonfraud
KESTREL	12.8.3a	fraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	12.8.3b	processing
KESTREL	12.8.3c	fraud
KESTREL	12.8.3d	fraud
KESTREL	12.8.4	processing
KESTREL	12.8.4c	fraud
KESTREL	12.8.4d	nonfraud
KESTREL	12.8.5	fraud
KESTREL	12.8.5a	processing
KESTREL	12.8.6	fraud
KESTREL	12.8.6a	fraud
KESTREL	12.8.6b	fraud
KESTREL	12.8.6c	fraud
KESTREL	12.8.6d	processing
KESTREL	12.8.7	nonfraud
KESTREL	12.8.7b	nonfraud
KESTREL	12.8.7c	nonfraud
KESTREL	12.8.8	fraud
KESTREL	12.8.8a	nonfraud
KESTREL	12.8.8b	fraud
KESTREL	12.8.8c	processing
KESTREL	12.8.8d	nonfraud
KESTREL	12.8.9	nonfraud
KESTREL	12.8.9a	fraud
KESTREL	12.8.9b	processing
KESTREL	12.8.9c	nonfraud
KESTREL	12.8a	nonfraud
KESTREL	12.8c	nonfraud
KESTREL	12.9	nonfraud
KESTREL	12.9.1	nonfraud
KESTREL	12.9.1a	fraud
KESTREL	12.9.1b	fraud
KESTREL	12.9.2	fraud
KESTREL	12.9.2a	fraud
KESTREL	12.9.2b	nonfraud
KESTREL	12.9.2d	processing
KESTREL	12.9.3	nonfraud
KESTREL	12.9.3c	processing
KESTREL	12.9.3d	processing
KESTREL	12.9.4	processing
KESTREL	12.9.4a	nonfraud
KESTREL	12.9.5	fraud
KESTREL	12.9.5a	processing
KESTREL	12.9.5c	processing
KESTREL	12.9.5d	nonfraud
KESTREL	12.9.6	nonfraud
KESTREL	12.9.6a	nonfraud
KESTREL	12.9.6b	nonfraud
KESTREL	12.9.6c	nonfraud
KESTREL	12.9.6d	fraud
KESTREL	12.9.7	processing
KESTREL	12.9.7a	nonfraud
KESTREL	12.9.7b	nonfraud
KESTREL	12.9.7c	nonfraud
KESTREL	12.9.8	processing
KESTREL	12.9.8a	processing
KESTREL	12.9.8b	fraud
KESTREL	12.9.8d	nonfraud
KESTREL	12.9.9	processing
KESTREL	12.9.9b	nonfraud
KESTREL	12.9.9d	nonfraud
KESTREL	12.9a	nonfraud
KESTREL	12.9c	processing
KESTREL	12.9d	fraud
KESTREL	13.1	nonfraud
KESTREL	13.1.1	nonfraud
KESTREL	13.1.1a	processing
KESTREL	13.1.1b	processing
KESTREL	13.1.1c	nonfraud
KESTREL	13.1.1d	nonfraud
KESTREL	13.1.2	nonfraud
KESTREL	13.1.2b	nonfraud
KESTREL	13.1.2c	nonfraud
KESTREL	13.1.2d	fraud
KESTREL	13.1.3	processing
KESTREL	13.1.3a	nonfraud
KESTREL	13.1.3b	processing
KESTREL	13.1.4	fraud
KESTREL	13.1.4b	fraud
KESTREL	13.1.4c	nonfraud
KESTREL	13.1.4d	processing
KESTREL	13.1.5	fraud
KESTREL	13.1.5a	nonfraud
KESTREL	13.1.5b	nonfraud
KESTREL	13.1.5c	nonfraud
KESTREL	13.1.5d	nonfraud
KESTREL	13.1.6	processing
KESTREL	13.1.6a	processing
KESTREL	13.1.6b	nonfraud
KESTREL	13.1.6c	fraud
KESTREL	13.1.6d	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	13.1.7	fraud
KESTREL	13.1.7a	fraud
KESTREL	13.1.7b	nonfraud
KESTREL	13.1.7c	nonfraud
KESTREL	13.1.7d	nonfraud
KESTREL	13.1.8	nonfraud
KESTREL	13.1.8a	nonfraud
KESTREL	13.1.8c	processing
KESTREL	13.1.8d	nonfraud
KESTREL	13.1.9	nonfraud
KESTREL	13.1.9a	nonfraud
KESTREL	13.1.9b	fraud
KESTREL	13.1.9d	nonfraud
KESTREL	13.1a	nonfraud
KESTREL	13.2	nonfraud
KESTREL	13.2.1	nonfraud
KESTREL	13.2.1a	fraud
KESTREL	13.2.1b	nonfraud
KESTREL	13.2.1c	fraud
KESTREL	13.2.1d	nonfraud
KESTREL	13.2.2a	nonfraud
KESTREL	13.2.2b	fraud
KESTREL	13.2.2c	nonfraud
KESTREL	13.2.3	nonfraud
KESTREL	13.2.3b	fraud
KESTREL	13.2.3c	nonfraud
KESTREL	13.2.4	processing
KESTREL	13.2.4a	nonfraud
KESTREL	13.2.4b	nonfraud
KESTREL	13.2.4c	fraud
KESTREL	13.2.5	fraud
KESTREL	13.2.5b	processing
KESTREL	13.2.5c	fraud
KESTREL	13.2.5d	processing
KESTREL	13.2.6	nonfraud
KESTREL	13.2.6b	processing
KESTREL	13.2.6c	fraud
KESTREL	13.2.7	nonfraud
KESTREL	13.2.7a	fraud
KESTREL	13.2.7b	processing
KESTREL	13.2.7c	nonfraud
KESTREL	13.2.7d	nonfraud
KESTREL	13.2.8	processing
KESTREL	13.2.8a	fraud
KESTREL	13.2.8b	nonfraud
KESTREL	13.2.8c	nonfraud
KESTREL	13.2.8d	nonfraud
KESTREL	13.2.9	fraud
KESTREL	13.2.9a	processing
KESTREL	13.2.9c	processing
KESTREL	13.2.9d	nonfraud
KESTREL	13.2a	nonfraud
KESTREL	13.2c	nonfraud
KESTREL	13.3	nonfraud
KESTREL	13.3.1	processing
KESTREL	13.3.1a	nonfraud
KESTREL	13.3.1c	fraud
KESTREL	13.3.1d	nonfraud
KESTREL	13.3.2	nonfraud
KESTREL	13.3.2a	processing
KESTREL	13.3.2b	fraud
KESTREL	13.3.2c	nonfraud
KESTREL	13.3.2d	processing
KESTREL	13.3.3	nonfraud
KESTREL	13.3.3a	nonfraud
KESTREL	13.3.3b	nonfraud
KESTREL	13.3.3d	fraud
KESTREL	13.3.4	nonfraud
KESTREL	13.3.4a	nonfraud
KESTREL	13.3.4b	nonfraud
KESTREL	13.3.4d	nonfraud
KESTREL	13.3.5	fraud
KESTREL	13.3.5a	nonfraud
KESTREL	13.3.5d	nonfraud
KESTREL	13.3.6	nonfraud
KESTREL	13.3.6c	nonfraud
KESTREL	13.3.6d	processing
KESTREL	13.3.7	nonfraud
KESTREL	13.3.7b	fraud
KESTREL	13.3.7c	nonfraud
KESTREL	13.3.7d	nonfraud
KESTREL	13.3.8	nonfraud
KESTREL	13.3.8a	nonfraud
KESTREL	13.3.8b	fraud
KESTREL	13.3.8d	nonfraud
KESTREL	13.3.9	fraud
KESTREL	13.3.9a	processing
KESTREL	13.3.9b	fraud
KESTREL	13.3.9c	processing
KESTREL	13.3.9d	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	13.3a	fraud
KESTREL	13.3b	nonfraud
KESTREL	13.3c	fraud
KESTREL	13.3d	processing
KESTREL	13.4	nonfraud
KESTREL	13.4.1	nonfraud
KESTREL	13.4.1a	nonfraud
KESTREL	13.4.1b	fraud
KESTREL	13.4.1c	nonfraud
KESTREL	13.4.1d	nonfraud
KESTREL	13.4.2	nonfraud
KESTREL	13.4.2b	nonfraud
KESTREL	13.4.2c	nonfraud
KESTREL	13.4.2d	processing
KESTREL	13.4.3	nonfraud
KESTREL	13.4.3a	nonfraud
KESTREL	13.4.3b	fraud
KESTREL	13.4.3c	processing
KESTREL	13.4.3d	fraud
KESTREL	13.4.4	processing
KESTREL	13.4.4a	nonfraud
KESTREL	13.4.4b	fraud
KESTREL	13.4.5	nonfraud
KESTREL	13.4.5a	fraud
KESTREL	13.4.5d	nonfraud
KESTREL	13.4.6	nonfraud
KESTREL	13.4.6a	nonfraud
KESTREL	13.4.6b	processing
KESTREL	13.4.6c	nonfraud
KESTREL	13.4.6d	nonfraud
KESTREL	13.4.7	processing
KESTREL	13.4.7a	fraud
KESTREL	13.4.7b	nonfraud
KESTREL	13.4.7c	processing
KESTREL	13.4.8	nonfraud
KESTREL	13.4.8a	processing
KESTREL	13.4.9	fraud
KESTREL	13.4.9a	nonfraud
KESTREL	13.4.9b	processing
KESTREL	13.4.9c	fraud
KESTREL	13.4.9d	nonfraud
KESTREL	13.4a	nonfraud
KESTREL	13.4b	fraud
KESTREL	13.4c	nonfraud
KESTREL	13.4d	nonfraud
KESTREL	13.5	fraud
KESTREL	13.5.1	fraud
KESTREL	13.5.1a	nonfraud
KESTREL	13.5.1c	nonfraud
KESTREL	13.5.1d	nonfraud
KESTREL	13.5.2	fraud
KESTREL	13.5.2b	nonfraud
KESTREL	13.5.2c	nonfraud
KESTREL	13.5.2d	processing
KESTREL	13.5.3	fraud
KESTREL	13.5.3a	processing
KESTREL	13.5.3b	processing
KESTREL	13.5.3c	nonfraud
KESTREL	13.5.3d	fraud
KESTREL	13.5.4	processing
KESTREL	13.5.4a	processing
KESTREL	13.5.4b	fraud
KESTREL	13.5.5	fraud
KESTREL	13.5.5a	nonfraud
KESTREL	13.5.5b	nonfraud
KESTREL	13.5.5c	nonfraud
KESTREL	13.5.5d	processing
KESTREL	13.5.6	nonfraud
KESTREL	13.5.6a	nonfraud
KESTREL	13.5.6b	nonfraud
KESTREL	13.5.6c	nonfraud
KESTREL	13.5.6d	nonfraud
KESTREL	13.5.7	nonfraud
KESTREL	13.5.7a	fraud
KESTREL	13.5.7b	fraud
KESTREL	13.5.7d	nonfraud
KESTREL	13.5.8	processing
KESTREL	13.5.8a	fraud
KESTREL	13.5.8b	fraud
KESTREL	13.5.8c	nonfraud
KESTREL	13.5.8d	fraud
KESTREL	13.5.9	fraud
KESTREL	13.5.9c	nonfraud
KESTREL	13.5.9d	fraud
KESTREL	13.5b	nonfraud
KESTREL	13.5c	fraud
KESTREL	13.5d	fraud
KESTREL	13.6	nonfraud
KESTREL	13.6.1	nonfraud
KESTREL	13.6.1b	processing

Table: Reason codes (continued)

network	reason_code	class
KESTREL	13.6.1c	processing
KESTREL	13.6.2	processing
KESTREL	13.6.2a	nonfraud
KESTREL	13.6.2b	fraud
KESTREL	13.6.2c	nonfraud
KESTREL	13.6.3	fraud
KESTREL	13.6.3b	nonfraud
KESTREL	13.6.4	nonfraud
KESTREL	13.6.4a	processing
KESTREL	13.6.4b	fraud
KESTREL	13.6.4c	nonfraud
KESTREL	13.6.5	nonfraud
KESTREL	13.6.5c	nonfraud
KESTREL	13.6.5d	nonfraud
KESTREL	13.6.6	processing
KESTREL	13.6.6a	fraud
KESTREL	13.6.6b	nonfraud
KESTREL	13.6.6d	nonfraud
KESTREL	13.6.7	processing
KESTREL	13.6.7a	nonfraud
KESTREL	13.6.7b	nonfraud
KESTREL	13.6.7c	nonfraud
KESTREL	13.6.7d	nonfraud
KESTREL	13.6.8	nonfraud
KESTREL	13.6.8a	processing
KESTREL	13.6.8b	fraud
KESTREL	13.6.8d	fraud
KESTREL	13.6.9	fraud
KESTREL	13.6.9a	nonfraud
KESTREL	13.6.9b	nonfraud
KESTREL	13.6.9c	fraud
KESTREL	13.6.9d	fraud
KESTREL	13.6a	processing
KESTREL	13.6b	nonfraud
KESTREL	13.6c	nonfraud
KESTREL	13.6d	nonfraud
KESTREL	13.7	nonfraud
KESTREL	13.7.1	nonfraud
KESTREL	13.7.1a	nonfraud
KESTREL	13.7.1b	nonfraud
KESTREL	13.7.1c	nonfraud
KESTREL	13.7.1d	nonfraud
KESTREL	13.7.2	nonfraud
KESTREL	13.7.2a	nonfraud
KESTREL	13.7.2b	fraud
KESTREL	13.7.2c	fraud
KESTREL	13.7.2d	fraud
KESTREL	13.7.3	nonfraud
KESTREL	13.7.3a	nonfraud
KESTREL	13.7.3b	nonfraud
KESTREL	13.7.3d	nonfraud
KESTREL	13.7.4	nonfraud
KESTREL	13.7.4a	nonfraud
KESTREL	13.7.4c	nonfraud
KESTREL	13.7.5	fraud
KESTREL	13.7.5b	nonfraud
KESTREL	13.7.5c	nonfraud
KESTREL	13.7.6	nonfraud
KESTREL	13.7.6a	nonfraud
KESTREL	13.7.6c	fraud
KESTREL	13.7.7	fraud
KESTREL	13.7.7a	processing
KESTREL	13.7.8	fraud
KESTREL	13.7.8b	processing
KESTREL	13.7.8c	processing
KESTREL	13.7.8d	fraud
KESTREL	13.7.9	fraud
KESTREL	13.7.9a	nonfraud
KESTREL	13.7.9b	nonfraud
KESTREL	13.7.9c	fraud
KESTREL	13.7.9d	fraud
KESTREL	13.7a	nonfraud
KESTREL	13.7b	processing
KESTREL	13.7c	processing
KESTREL	13.7d	processing
KESTREL	13.8	fraud
KESTREL	13.8.1	fraud
KESTREL	13.8.1a	nonfraud
KESTREL	13.8.1b	fraud
KESTREL	13.8.1c	fraud
KESTREL	13.8.1d	processing
KESTREL	13.8.2	nonfraud
KESTREL	13.8.2a	processing
KESTREL	13.8.2c	fraud
KESTREL	13.8.3	fraud
KESTREL	13.8.3a	nonfraud
KESTREL	13.8.3b	processing
KESTREL	13.8.3c	nonfraud
KESTREL	13.8.3d	processing
KESTREL	13.8.4	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	13.8.4a	fraud
KESTREL	13.8.4b	processing
kestrel	13.8.4d	fraud
KESTREL	13.8.5	nonfraud
KESTREL	13.8.5a	fraud
KESTREL	13.8.5c	processing
KESTREL	13.8.5d	nonfraud
KESTREL	13.8.6	fraud
KESTREL	13.8.6a	nonfraud
KESTREL	13.8.6c	nonfraud
KESTREL	13.8.6d	nonfraud
KESTREL	13.8.7	nonfraud
KESTREL	13.8.7b	nonfraud
KESTREL	13.8.7d	fraud
KESTREL	13.8.8	nonfraud
KESTREL	13.8.8a	nonfraud
KESTREL	13.8.8b	fraud
KESTREL	13.8.8c	fraud
KESTREL	13.8.8d	nonfraud
KESTREL	13.8.9	fraud
KESTREL	13.8.9a	nonfraud
KESTREL	13.8.9b	processing
KESTREL	13.8a	fraud
KESTREL	13.9	nonfraud
KESTREL	13.9.1	fraud
KESTREL	13.9.1a	fraud
KESTREL	13.9.1b	processing
KESTREL	13.9.2	processing
KESTREL	13.9.2b	processing
KESTREL	13.9.2c	nonfraud
KESTREL	13.9.3	processing
KESTREL	13.9.3c	nonfraud
KESTREL	13.9.3d	fraud
KESTREL	13.9.4	nonfraud
KESTREL	13.9.4a	fraud
KESTREL	13.9.4c	fraud
KESTREL	13.9.4d	processing
KESTREL	13.9.5	fraud
KESTREL	13.9.5a	fraud
KESTREL	13.9.5c	fraud
KESTREL	13.9.5d	nonfraud
KESTREL	13.9.6	fraud
KESTREL	13.9.6b	nonfraud
KESTREL	13.9.6c	fraud
KESTREL	13.9.6d	processing
KESTREL	13.9.7	fraud
KESTREL	13.9.7a	nonfraud
KESTREL	13.9.7b	processing
KESTREL	13.9.7c	fraud
KESTREL	13.9.8	nonfraud
KESTREL	13.9.8b	nonfraud
KESTREL	13.9.8c	nonfraud
KESTREL	13.9.8d	nonfraud
KESTREL	13.9.9	fraud
KESTREL	13.9.9a	fraud
KESTREL	13.9.9b	nonfraud
KESTREL	13.9.9c	fraud
KESTREL	13.9.9d	fraud
KESTREL	13.9b	nonfraud
KESTREL	13.9c	fraud
KESTREL	13.9d	nonfraud
KESTREL	14.1	nonfraud
KESTREL	14.1.1	fraud
KESTREL	14.1.1d	nonfraud
KESTREL	14.1.2	nonfraud
KESTREL	14.1.2a	processing
KESTREL	14.1.2b	nonfraud
KESTREL	14.1.2c	nonfraud
KESTREL	14.1.3	fraud
KESTREL	14.1.3a	nonfraud
KESTREL	14.1.3c	fraud
KESTREL	14.1.3d	fraud
KESTREL	14.1.4	processing
KESTREL	14.1.4b	nonfraud
KESTREL	14.1.4c	nonfraud
KESTREL	14.1.4d	fraud
KESTREL	14.1.5	fraud
KESTREL	14.1.5d	nonfraud
KESTREL	14.1.6	fraud
KESTREL	14.1.6b	processing
KESTREL	14.1.6c	nonfraud
KESTREL	14.1.6d	processing
KESTREL	14.1.7	nonfraud
KESTREL	14.1.7b	fraud
KESTREL	14.1.8	nonfraud
KESTREL	14.1.8a	nonfraud
KESTREL	14.1.8b	processing
KESTREL	14.1.8d	fraud
KESTREL	14.1.9	nonfraud
KESTREL	14.1.9a	fraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	14.1.9b	fraud
KESTREL	14.1.9c	fraud
KESTREL	14.1.9d	fraud
KESTREL	14.1a	nonfraud
KESTREL	14.1c	nonfraud
KESTREL	14.1d	processing
KESTREL	14.2	processing
KESTREL	14.2.1	nonfraud
KESTREL	14.2.1a	nonfraud
KESTREL	14.2.2	nonfraud
KESTREL	14.2.2c	fraud
KESTREL	14.2.2d	nonfraud
KESTREL	14.2.3	processing
KESTREL	14.2.3a	fraud
KESTREL	14.2.3c	nonfraud
KESTREL	14.2.3d	nonfraud
KESTREL	14.2.4	fraud
KESTREL	14.2.4a	nonfraud
KESTREL	14.2.4b	nonfraud
KESTREL	14.2.4c	processing
KESTREL	14.2.4d	fraud
KESTREL	14.2.5	nonfraud
KESTREL	14.2.5b	fraud
KESTREL	14.2.5c	nonfraud
KESTREL	14.2.5d	nonfraud
KESTREL	14.2.6	nonfraud
KESTREL	14.2.6a	nonfraud
KESTREL	14.2.6c	nonfraud
KESTREL	14.2.6d	nonfraud
KESTREL	14.2.7	nonfraud
KESTREL	14.2.7a	nonfraud
KESTREL	14.2.7b	nonfraud
KESTREL	14.2.7c	processing
KESTREL	14.2.7d	fraud
KESTREL	14.2.8	nonfraud
KESTREL	14.2.8c	fraud
KESTREL	14.2.8d	nonfraud
KESTREL	14.2.9	nonfraud
KESTREL	14.2.9a	fraud
KESTREL	14.2.9b	nonfraud
KESTREL	14.2.9c	nonfraud
KESTREL	14.2a	nonfraud
KESTREL	14.2b	fraud
KESTREL	14.2d	nonfraud
KESTREL	14.3	nonfraud
KESTREL	14.3.1	nonfraud
KESTREL	14.3.1a	nonfraud
KESTREL	14.3.1b	fraud
KESTREL	14.3.2	nonfraud
KESTREL	14.3.2a	fraud
KESTREL	14.3.2b	nonfraud
KESTREL	14.3.2c	processing
KESTREL	14.3.2d	nonfraud
KESTREL	14.3.3	processing
KESTREL	14.3.3a	fraud
KESTREL	14.3.3b	nonfraud
KESTREL	14.3.3c	processing
KESTREL	14.3.3d	fraud
KESTREL	14.3.4	nonfraud
KESTREL	14.3.4a	processing
KESTREL	14.3.4b	fraud
KESTREL	14.3.4c	fraud
KESTREL	14.3.5	fraud
KESTREL	14.3.5b	fraud
KESTREL	14.3.5c	processing
KESTREL	14.3.5d	nonfraud
KESTREL	14.3.6	fraud
KESTREL	14.3.6c	fraud
KESTREL	14.3.6d	fraud
KESTREL	14.3.7	nonfraud
KESTREL	14.3.7a	processing
KESTREL	14.3.7b	nonfraud
KESTREL	14.3.7c	processing
KESTREL	14.3.7d	processing
KESTREL	14.3.8	processing
KESTREL	14.3.8a	fraud
KESTREL	14.3.8c	nonfraud
KESTREL	14.3.8d	nonfraud
KESTREL	14.3.9	fraud
KESTREL	14.3.9a	nonfraud
KESTREL	14.3.9c	fraud
KESTREL	14.3.9d	processing
KESTREL	14.3a	processing
KESTREL	14.3d	fraud
KESTREL	14.4	fraud
KESTREL	14.4.1	fraud
kestrel	14.4.1a	processing
KESTREL	14.4.1b	fraud
KESTREL	14.4.1c	nonfraud
KESTREL	14.4.1d	fraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	14.4.2	fraud
KESTREL	14.4.2a	nonfraud
KESTREL	14.4.2b	processing
KESTREL	14.4.2c	nonfraud
KESTREL	14.4.3	nonfraud
KESTREL	14.4.3a	nonfraud
KESTREL	14.4.3b	nonfraud
KESTREL	14.4.3c	nonfraud
KESTREL	14.4.4	processing
KESTREL	14.4.4a	fraud
KESTREL	14.4.4b	nonfraud
KESTREL	14.4.4d	nonfraud
KESTREL	14.4.5	processing
KESTREL	14.4.5a	nonfraud
KESTREL	14.4.5b	processing
KESTREL	14.4.6	nonfraud
KESTREL	14.4.6a	nonfraud
KESTREL	14.4.6c	nonfraud
KESTREL	14.4.6d	nonfraud
KESTREL	14.4.7	nonfraud
KESTREL	14.4.7a	fraud
KESTREL	14.4.7b	fraud
KESTREL	14.4.7d	fraud
KESTREL	14.4.8	processing
KESTREL	14.4.8b	nonfraud
KESTREL	14.4.9	nonfraud
KESTREL	14.4.9a	fraud
KESTREL	14.4.9b	nonfraud
KESTREL	14.4.9d	processing
KESTREL	14.4b	processing
KESTREL	14.4d	nonfraud
KESTREL	14.5	nonfraud
KESTREL	14.5.1	nonfraud
KESTREL	14.5.1a	fraud
KESTREL	14.5.1b	nonfraud
KESTREL	14.5.2	nonfraud
KESTREL	14.5.2b	fraud
KESTREL	14.5.2d	nonfraud
KESTREL	14.5.3	fraud
KESTREL	14.5.3a	nonfraud
KESTREL	14.5.3c	fraud
KESTREL	14.5.3d	fraud
KESTREL	14.5.4	nonfraud
KESTREL	14.5.4b	nonfraud
KESTREL	14.5.5	nonfraud
KESTREL	14.5.5b	processing
KESTREL	14.5.5c	nonfraud
KESTREL	14.5.5d	processing
KESTREL	14.5.6	nonfraud
KESTREL	14.5.6a	fraud
KESTREL	14.5.6b	nonfraud
KESTREL	14.5.6d	nonfraud
KESTREL	14.5.7	nonfraud
KESTREL	14.5.7a	fraud
KESTREL	14.5.7c	nonfraud
KESTREL	14.5.7d	fraud
KESTREL	14.5.8	nonfraud
KESTREL	14.5.8a	nonfraud
KESTREL	14.5.8c	nonfraud
KESTREL	14.5.9	processing
KESTREL	14.5.9a	processing
KESTREL	14.5.9c	processing
KESTREL	14.5.9d	nonfraud
KESTREL	14.5a	nonfraud
KESTREL	14.5b	processing
KESTREL	14.5c	fraud
KESTREL	14.5d	fraud
KESTREL	14.6	processing
KESTREL	14.6.1	nonfraud
KESTREL	14.6.1c	nonfraud
KESTREL	14.6.2	fraud
KESTREL	14.6.2a	processing
KESTREL	14.6.2b	fraud
KESTREL	14.6.2c	nonfraud
KESTREL	14.6.2d	nonfraud
KESTREL	14.6.3	nonfraud
KESTREL	14.6.3b	nonfraud
KESTREL	14.6.3c	processing
KESTREL	14.6.3d	processing
KESTREL	14.6.4	nonfraud
KESTREL	14.6.4a	nonfraud
KESTREL	14.6.4b	fraud
KESTREL	14.6.4d	fraud
KESTREL	14.6.5	fraud
KESTREL	14.6.5a	nonfraud
KESTREL	14.6.5b	nonfraud
KESTREL	14.6.5d	nonfraud
KESTREL	14.6.6	processing
KESTREL	14.6.6a	nonfraud
KESTREL	14.6.6b	processing

Table: Reason codes (continued)

network	reason_code	class
KESTREL	14.6.6c	nonfraud
KESTREL	14.6.6d	nonfraud
KESTREL	14.6.7	processing
KESTREL	14.6.7a	fraud
KESTREL	14.6.7c	fraud
KESTREL	14.6.7d	fraud
KESTREL	14.6.8	fraud
KESTREL	14.6.8c	fraud
KESTREL	14.6.8d	nonfraud
KESTREL	14.6.9	nonfraud
KESTREL	14.6.9a	nonfraud
KESTREL	14.6.9b	fraud
KESTREL	14.6.9c	nonfraud
KESTREL	14.6.9d	nonfraud
KESTREL	14.6b	nonfraud
KESTREL	14.6c	nonfraud
KESTREL	14.6d	processing
KESTREL	14.7	processing
KESTREL	14.7.1	nonfraud
KESTREL	14.7.1a	nonfraud
KESTREL	14.7.1b	processing
KESTREL	14.7.1c	nonfraud
KESTREL	14.7.2	fraud
KESTREL	14.7.2a	nonfraud
KESTREL	14.7.2b	fraud
KESTREL	14.7.2c	nonfraud
KESTREL	14.7.2d	fraud
KESTREL	14.7.3	fraud
KESTREL	14.7.3a	fraud
KESTREL	14.7.3b	processing
KESTREL	14.7.3c	fraud
KESTREL	14.7.3d	nonfraud
KESTREL	14.7.4	nonfraud
KESTREL	14.7.4b	fraud
KESTREL	14.7.4c	fraud
KESTREL	14.7.4d	nonfraud
KESTREL	14.7.5	fraud
KESTREL	14.7.5b	nonfraud
KESTREL	14.7.5c	nonfraud
KESTREL	14.7.6	fraud
KESTREL	14.7.6c	processing
KESTREL	14.7.6d	nonfraud
KESTREL	14.7.7	nonfraud
KESTREL	14.7.7b	nonfraud
KESTREL	14.7.7c	nonfraud
KESTREL	14.7.8	nonfraud
KESTREL	14.7.8a	nonfraud
KESTREL	14.7.8b	processing
KESTREL	14.7.8c	nonfraud
KESTREL	14.7.8d	processing
KESTREL	14.7.9	nonfraud
KESTREL	14.7.9a	nonfraud
KESTREL	14.7.9b	nonfraud
KESTREL	14.7.9c	processing
KESTREL	14.7.9d	fraud
KESTREL	14.7a	nonfraud
KESTREL	14.7b	nonfraud
KESTREL	14.7c	nonfraud
KESTREL	14.8	nonfraud
KESTREL	14.8.1	nonfraud
KESTREL	14.8.1a	processing
KESTREL	14.8.1c	fraud
KESTREL	14.8.1d	fraud
KESTREL	14.8.2	fraud
KESTREL	14.8.2a	processing
KESTREL	14.8.2b	processing
KESTREL	14.8.2c	fraud
KESTREL	14.8.2d	nonfraud
KESTREL	14.8.3	fraud
KESTREL	14.8.3a	processing
KESTREL	14.8.3b	fraud
KESTREL	14.8.3d	nonfraud
KESTREL	14.8.4	nonfraud
KESTREL	14.8.4c	fraud
KESTREL	14.8.4d	nonfraud
KESTREL	14.8.5	fraud
KESTREL	14.8.5a	nonfraud
KESTREL	14.8.5b	fraud
KESTREL	14.8.5c	nonfraud
KESTREL	14.8.5d	fraud
KESTREL	14.8.6	fraud
KESTREL	14.8.6a	fraud
KESTREL	14.8.6b	nonfraud
KESTREL	14.8.6c	processing
KESTREL	14.8.6d	processing
KESTREL	14.8.7	fraud
KESTREL	14.8.7c	fraud
KESTREL	14.8.7d	fraud
KESTREL	14.8.8	processing
KESTREL	14.8.8a	nonfraud

Table: Reason codes (continued)

network	reason_code	class
KESTREL	14.8.8b	processing
KESTREL	14.8.8c	fraud
KESTREL	14.8.8d	processing
KESTREL	14.8.9	nonfraud
KESTREL	14.8.9a	processing
KESTREL	14.8.9b	fraud
KESTREL	14.8.9d	nonfraud
KESTREL	14.8a	nonfraud
KESTREL	14.8b	processing
KESTREL	14.8c	fraud
KESTREL	14.8d	fraud
KESTREL	14.9	processing
KESTREL	14.9.1	fraud
KESTREL	14.9.1a	fraud
KESTREL	14.9.1b	processing
KESTREL	14.9.1c	fraud
KESTREL	14.9.2	nonfraud
KESTREL	14.9.2c	nonfraud
KESTREL	14.9.2d	nonfraud
KESTREL	14.9.3	nonfraud
KESTREL	14.9.3a	processing
KESTREL	14.9.3b	fraud
KESTREL	14.9.3d	nonfraud
KESTREL	14.9.4	nonfraud
KESTREL	14.9.4a	processing
KESTREL	14.9.4b	fraud
KESTREL	14.9.4c	processing
KESTREL	14.9.4d	processing
KESTREL	14.9.5	processing
KESTREL	14.9.5a	nonfraud
KESTREL	14.9.5b	processing
KESTREL	14.9.5c	nonfraud
KESTREL	14.9.5d	processing
KESTREL	14.9.6	nonfraud
KESTREL	14.9.6a	nonfraud
KESTREL	14.9.6c	nonfraud
KESTREL	14.9.6d	processing
KESTREL	14.9.7	nonfraud
KESTREL	14.9.7c	nonfraud
KESTREL	14.9.8	nonfraud
KESTREL	14.9.8a	processing
KESTREL	14.9.9	nonfraud
KESTREL	14.9.9a	nonfraud
KESTREL	14.9.9d	nonfraud
ORBIS	4800A1	fraud
ORBIS	4800A5	fraud
ORBIS	4800C9	nonfraud
ORBIS	4800D3	nonfraud
ORBIS	4800D8	nonfraud
ORBIS	4800E8	nonfraud
ORBIS	4800J9	fraud
ORBIS	4800L6	nonfraud
ORBIS	4800O3	nonfraud
ORBIS	4800T9	fraud
ORBIS	4800V0	nonfraud
ORBIS	4800Z5	fraud
ORBIS	4801A1	processing
ORBIS	4801D0	nonfraud
ORBIS	4801E6	nonfraud
ORBIS	4801H3	fraud
ORBIS	4801K3	fraud
ORBIS	4801L9	nonfraud
ORBIS	4801N4	nonfraud
ORBIS	4801N9	fraud
ORBIS	4801O3	fraud
ORBIS	4801P2	nonfraud
ORBIS	4801R0	nonfraud
ORBIS	4801W0	nonfraud
ORBIS	4801W3	processing
ORBIS	4801X4	nonfraud
ORBIS	4801Z5	nonfraud
ORBIS	4802B0	nonfraud
ORBIS	4802D4	nonfraud
ORBIS	4802E8	fraud
ORBIS	4802F2	fraud
ORBIS	4802G0	nonfraud
ORBIS	4802G9	processing
ORBIS	4802H0	nonfraud
ORBIS	4802H3	nonfraud
ORBIS	4802J4	nonfraud
ORBIS	4802K4	fraud
ORBIS	4802K5	nonfraud
ORBIS	4802M7	fraud
ORBIS	4802P3	nonfraud
ORBIS	4802P9	processing
ORBIS	4802Q2	fraud
ORBIS	4802Q5	nonfraud
ORBIS	4802T6	nonfraud
ORBIS	4802T8	nonfraud
ORBIS	4802U7	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4802V8	processing
ORBIS	4802X2	fraud
ORBIS	4802X9	fraud
ORBIS	4802Y2	processing
ORBIS	4802Y8	processing
ORBIS	4802Z1	fraud
ORBIS	4802Z4	fraud
ORBIS	4803A1	fraud
ORBIS	4803A9	fraud
ORBIS	4803B1	fraud
ORBIS	4803B8	fraud
ORBIS	4803E3	fraud
ORBIS	4803F1	nonfraud
ORBIS	4803F9	processing
ORBIS	4803I1	nonfraud
ORBIS	4803J2	nonfraud
ORBIS	4803K8	nonfraud
ORBIS	4803P0	processing
ORBIS	4803P5	nonfraud
ORBIS	4803P7	nonfraud
ORBIS	4803Q0	nonfraud
ORBIS	4803U2	nonfraud
ORBIS	4803U6	fraud
ORBIS	4803U8	nonfraud
ORBIS	4803V6	fraud
ORBIS	4803X9	nonfraud
ORBIS	4803Z2	processing
ORBIS	4803Z5	nonfraud
ORBIS	4803Z7	nonfraud
ORBIS	4803Z8	fraud
ORBIS	4803Z9	nonfraud
ORBIS	4804A5	fraud
ORBIS	4804A7	nonfraud
ORBIS	4804C3	nonfraud
ORBIS	4804D4	processing
ORBIS	4804F6	processing
ORBIS	4804J0	nonfraud
ORBIS	4804J7	fraud
ORBIS	4804J9	fraud
ORBIS	4804L9	fraud
ORBIS	4804M1	nonfraud
ORBIS	4804N3	fraud
ORBIS	4804O0	nonfraud
ORBIS	4804R1	nonfraud
ORBIS	4804R6	fraud
ORBIS	4804S1	nonfraud
ORBIS	4804U2	processing
ORBIS	4804U4	nonfraud
ORBIS	4804W1	processing
ORBIS	4805B7	fraud
ORBIS	4805C3	fraud
ORBIS	4805D4	nonfraud
ORBIS	4805D7	processing
ORBIS	4805G1	nonfraud
ORBIS	4805G5	fraud
ORBIS	4805G9	fraud
ORBIS	4805H1	fraud
ORBIS	4805H5	fraud
ORBIS	4805I4	nonfraud
ORBIS	4805I6	processing
ORBIS	4805J5	fraud
ORBIS	4805L7	nonfraud
ORBIS	4805M2	nonfraud
ORBIS	4805S7	processing
ORBIS	4805T7	fraud
ORBIS	4805U1	nonfraud
ORBIS	4805U2	fraud
ORBIS	4805V0	fraud
ORBIS	4805V3	nonfraud
ORBIS	4805X3	nonfraud
ORBIS	4805Y4	nonfraud
ORBIS	4805Z0	fraud
ORBIS	4805Z4	nonfraud
ORBIS	4806A4	nonfraud
ORBIS	4806C2	nonfraud
ORBIS	4806C8	nonfraud
ORBIS	4806E8	fraud
ORBIS	4806F0	processing
ORBIS	4806F3	nonfraud
ORBIS	4806F9	fraud
ORBIS	4806H0	processing
ORBIS	4806H5	nonfraud
ORBIS	4806I3	nonfraud
ORBIS	4806L6	fraud
ORBIS	4806N3	nonfraud
ORBIS	4806O0	nonfraud
ORBIS	4806P9	fraud
ORBIS	4806Q9	fraud
ORBIS	4806U9	nonfraud
ORBIS	4806V8	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4806X1	fraud
ORBIS	4806X6	fraud
ORBIS	4806Y6	nonfraud
ORBIS	4806Z0	processing
ORBIS	4806Z5	nonfraud
ORBIS	4806Z6	nonfraud
ORBIS	4806Z7	nonfraud
ORBIS	4807G2	nonfraud
ORBIS	4807G3	processing
ORBIS	4807I5	processing
ORBIS	4807I6	nonfraud
ORBIS	4807K2	fraud
ORBIS	4807K7	fraud
ORBIS	4807L3	fraud
ORBIS	4807O1	processing
ORBIS	4807O9	nonfraud
ORBIS	4807P0	processing
ORBIS	4807V3	nonfraud
ORBIS	4807W6	nonfraud
ORBIS	4807Z1	nonfraud
ORBIS	4807Z6	fraud
ORBIS	4808A5	nonfraud
ORBIS	4808A8	nonfraud
ORBIS	4808C4	processing
ORBIS	4808D3	fraud
ORBIS	4808D8	fraud
ORBIS	4808E6	nonfraud
ORBIS	4808L0	nonfraud
ORBIS	4808P8	nonfraud
ORBIS	4808Q0	fraud
ORBIS	4808R0	nonfraud
ORBIS	4808R8	nonfraud
ORBIS	4808S3	processing
ORBIS	4808V7	nonfraud
ORBIS	4808V9	fraud
ORBIS	4808W7	processing
ORBIS	4808X6	nonfraud
ORBIS	4808X9	fraud
ORBIS	4808Y5	fraud
ORBIS	4808Y7	processing
ORBIS	4808Z3	fraud
ORBIS	4809B9	fraud
ORBIS	4809G8	processing
ORBIS	4809H7	processing
ORBIS	4809M1	processing
ORBIS	4809N9	processing
ORBIS	4809Q5	processing
ORBIS	4809T4	processing
ORBIS	4809U8	nonfraud
ORBIS	4809V1	processing
ORBIS	4809W8	fraud
ORBIS	4809Y1	fraud
ORBIS	4809Z3	nonfraud
ORBIS	4809Z7	processing
ORBIS	4810A6	nonfraud
ORBIS	4810B9	processing
ORBIS	4810C2	nonfraud
ORBIS	4810C8	fraud
ORBIS	4810E2	fraud
ORBIS	4810E8	processing
ORBIS	4810F1	nonfraud
ORBIS	4810F5	nonfraud
ORBIS	4810G3	nonfraud
ORBIS	4810G9	fraud
ORBIS	4810H1	nonfraud
ORBIS	4810I6	nonfraud
ORBIS	4810K2	processing
ORBIS	4810K7	processing
ORBIS	4810R9	fraud
ORBIS	4810S4	nonfraud
ORBIS	4810T8	processing
ORBIS	4810Y7	nonfraud
ORBIS	4810Z7	nonfraud
ORBIS	4811A7	nonfraud
ORBIS	4811B6	processing
ORBIS	4811D8	fraud
ORBIS	4811E5	processing
ORBIS	4811H5	fraud
ORBIS	4811J8	nonfraud
ORBIS	4811M5	nonfraud
ORBIS	4811O5	nonfraud
ORBIS	4811R6	nonfraud
ORBIS	4811S0	nonfraud
ORBIS	4811S1	nonfraud
ORBIS	4811S6	processing
ORBIS	4811T7	fraud
ORBIS	4811T9	nonfraud
ORBIS	4811U5	nonfraud
ORBIS	4811W0	processing
ORBIS	4811W9	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4811X1	processing
ORBIS	4811Z8	nonfraud
ORBIS	4812A9	nonfraud
ORBIS	4812D2	fraud
ORBIS	4812F2	fraud
ORBIS	4812F8	processing
ORBIS	4812I3	nonfraud
ORBIS	4812I5	processing
ORBIS	4812I8	processing
ORBIS	4812M6	processing
ORBIS	4812N1	nonfraud
ORBIS	4812P3	nonfraud
ORBIS	4812P6	processing
ORBIS	4812R5	processing
ORBIS	4812U8	fraud
ORBIS	4812V9	fraud
ORBIS	4812W7	nonfraud
ORBIS	4812Y1	nonfraud
ORBIS	4812Z1	fraud
ORBIS	4812Z5	fraud
ORBIS	4813D6	processing
ORBIS	4813E5	nonfraud
ORBIS	4813F7	nonfraud
ORBIS	4813I0	processing
ORBIS	4813L6	processing
ORBIS	4813L8	nonfraud
ORBIS	4813O3	nonfraud
ORBIS	4813Q2	fraud
ORBIS	4813S4	fraud
ORBIS	4813S8	fraud
ORBIS	4813T8	processing
ORBIS	4813U5	nonfraud
ORBIS	4813V4	nonfraud
ORBIS	4813V6	fraud
ORBIS	4813X9	fraud
ORBIS	4814A8	processing
ORBIS	4814D9	processing
ORBIS	4814E5	nonfraud
ORBIS	4814E9	processing
ORBIS	4814F1	fraud
ORBIS	4814H9	nonfraud
ORBIS	4814K8	nonfraud
ORBIS	4814L0	processing
ORBIS	4814N5	fraud
ORBIS	4814P7	nonfraud
ORBIS	4814Q7	processing
ORBIS	4814S6	processing
ORBIS	4814U1	processing
ORBIS	4814V0	processing
ORBIS	4814X0	fraud
ORBIS	4814X7	nonfraud
ORBIS	4814Y1	fraud
ORBIS	4814Y3	nonfraud
ORBIS	4815E4	processing
ORBIS	4815F1	nonfraud
ORBIS	4815H0	nonfraud
ORBIS	4815L0	fraud
ORBIS	4815L9	nonfraud
ORBIS	4815R2	nonfraud
ORBIS	4815T6	processing
ORBIS	4815T7	nonfraud
ORBIS	4815U8	nonfraud
ORBIS	4815V6	nonfraud
ORBIS	4815Y4	nonfraud
ORBIS	4815Y8	processing
ORBIS	4816B9	fraud
ORBIS	4816C7	fraud
ORBIS	4816D3	nonfraud
ORBIS	4816F1	processing
ORBIS	4816H2	fraud
ORBIS	4816K7	nonfraud
ORBIS	4816N4	nonfraud
ORBIS	4816N7	processing
ORBIS	4816N8	processing
ORBIS	4816O2	nonfraud
ORBIS	4816O3	fraud
ORBIS	4816R8	fraud
ORBIS	4816S5	fraud
ORBIS	4816V7	fraud
ORBIS	4816V9	fraud
ORBIS	4816W3	nonfraud
ORBIS	4816Z0	nonfraud
ORBIS	4816Z3	fraud
ORBIS	4817E3	nonfraud
ORBIS	4817G4	fraud
ORBIS	4817G6	nonfraud
ORBIS	4817K3	processing
ORBIS	4817L3	nonfraud
ORBIS	4817M0	nonfraud
ORBIS	4817P1	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4817P4	fraud
ORBIS	4817Q1	processing
ORBIS	4817Q3	nonfraud
ORBIS	4817R0	fraud
ORBIS	4817S2	processing
ORBIS	4817T5	processing
ORBIS	4817T7	nonfraud
ORBIS	4817U7	fraud
ORBIS	4817V8	nonfraud
ORBIS	4817W1	nonfraud
ORBIS	4817Z1	nonfraud
ORBIS	4818A8	processing
ORBIS	4818B7	nonfraud
ORBIS	4818B9	nonfraud
ORBIS	4818D6	nonfraud
ORBIS	4818E5	nonfraud
ORBIS	4818E9	fraud
ORBIS	4818G4	nonfraud
ORBIS	4818J0	processing
ORBIS	4818M8	fraud
ORBIS	4818N6	nonfraud
ORBIS	4818O2	nonfraud
ORBIS	4818O6	fraud
ORBIS	4818P9	processing
ORBIS	4818R2	fraud
ORBIS	4818R8	fraud
ORBIS	4818T9	nonfraud
ORBIS	4818U2	nonfraud
ORBIS	4818V3	nonfraud
ORBIS	4818Y3	fraud
ORBIS	4819A3	nonfraud
ORBIS	4819B4	nonfraud
ORBIS	4819C2	nonfraud
ORBIS	4819C3	nonfraud
ORBIS	4819F0	processing
ORBIS	4819G3	nonfraud
ORBIS	4819H6	nonfraud
ORBIS	4819I6	fraud
ORBIS	4819J3	nonfraud
ORBIS	4819J7	nonfraud
ORBIS	4819J8	processing
ORBIS	4819K2	nonfraud
ORBIS	4819K6	nonfraud
ORBIS	4819L5	nonfraud
ORBIS	4819N1	nonfraud
ORBIS	4819P4	nonfraud
ORBIS	4819S0	nonfraud
ORBIS	4819U8	nonfraud
ORBIS	4819V5	nonfraud
orbis	4819W5	fraud
ORBIS	4819Y3	nonfraud
ORBIS	4820A8	nonfraud
ORBIS	4820C8	fraud
ORBIS	4820E7	fraud
ORBIS	4820F3	nonfraud
ORBIS	4820F9	nonfraud
ORBIS	4820K2	fraud
ORBIS	4820P0	nonfraud
ORBIS	4820R6	fraud
ORBIS	4820T2	nonfraud
ORBIS	4820U7	nonfraud
ORBIS	4820X7	nonfraud
ORBIS	4820Y0	fraud
ORBIS	4821C7	nonfraud
ORBIS	4821F5	nonfraud
ORBIS	4821I2	nonfraud
ORBIS	4821I4	nonfraud
ORBIS	4821L9	fraud
ORBIS	4821M2	processing
ORBIS	4821N8	processing
ORBIS	4821P4	nonfraud
ORBIS	4821P9	fraud
ORBIS	4821R4	fraud
ORBIS	4821S6	processing
ORBIS	4821T0	processing
ORBIS	4821T2	nonfraud
ORBIS	4821T4	nonfraud
ORBIS	4821T8	fraud
ORBIS	4821V4	fraud
ORBIS	4821X9	nonfraud
ORBIS	4821Y0	nonfraud
ORBIS	4821Y2	processing
ORBIS	4821Z6	nonfraud
ORBIS	4822G7	nonfraud
ORBIS	4822J8	nonfraud
ORBIS	4822J9	nonfraud
ORBIS	4822K2	fraud
ORBIS	4822M5	nonfraud
ORBIS	4822N3	fraud
ORBIS	4822N7	fraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4822O9	nonfraud
ORBIS	4822P9	nonfraud
ORBIS	4822Q2	processing
ORBIS	4822S5	processing
ORBIS	4822Y1	nonfraud
ORBIS	4823B1	nonfraud
ORBIS	4823E3	nonfraud
ORBIS	4823F7	nonfraud
ORBIS	4823H9	nonfraud
ORBIS	4823I1	nonfraud
ORBIS	4823I7	nonfraud
ORBIS	4823M3	nonfraud
ORBIS	4823N5	nonfraud
ORBIS	4823O0	nonfraud
ORBIS	4823O5	processing
ORBIS	4823Q6	processing
ORBIS	4823R4	nonfraud
ORBIS	4823R6	nonfraud
ORBIS	4823S2	processing
ORBIS	4823S4	fraud
ORBIS	4823X9	nonfraud
ORBIS	4823Y0	fraud
ORBIS	4823Y3	nonfraud
ORBIS	4824B0	nonfraud
ORBIS	4824C7	nonfraud
ORBIS	4824I8	fraud
ORBIS	4824K9	nonfraud
ORBIS	4824M3	nonfraud
ORBIS	4824N8	nonfraud
ORBIS	4824P4	fraud
ORBIS	4824Q5	processing
ORBIS	4824Q6	processing
ORBIS	4824R5	nonfraud
ORBIS	4824S7	nonfraud
ORBIS	4824T5	fraud
ORBIS	4824V3	processing
ORBIS	4824V7	processing
ORBIS	4824W7	nonfraud
ORBIS	4824Y0	nonfraud
ORBIS	4824Y8	fraud
ORBIS	4825B5	fraud
ORBIS	4825C8	nonfraud
ORBIS	4825D3	processing
ORBIS	4825E0	fraud
ORBIS	4825G1	fraud
ORBIS	4825L2	nonfraud
ORBIS	4825M0	nonfraud
ORBIS	4825N2	processing
ORBIS	4825N8	fraud
ORBIS	4825O1	fraud
ORBIS	4825P3	fraud
ORBIS	4825T0	processing
ORBIS	4825T3	processing
ORBIS	4825U2	processing
ORBIS	4825V4	nonfraud
ORBIS	4825W5	fraud
ORBIS	4825W7	fraud
ORBIS	4826C9	fraud
ORBIS	4826D0	nonfraud
ORBIS	4826E0	nonfraud
ORBIS	4826F7	fraud
ORBIS	4826H6	fraud
ORBIS	4826H8	processing
ORBIS	4826K2	nonfraud
ORBIS	4826M9	nonfraud
ORBIS	4826N1	nonfraud
ORBIS	4826P1	fraud
ORBIS	4826S7	fraud
ORBIS	4826U1	nonfraud
ORBIS	4826W1	processing
ORBIS	4826W8	nonfraud
ORBIS	4826Y2	fraud
ORBIS	4826Z3	nonfraud
ORBIS	4827B6	processing
ORBIS	4827D0	processing
ORBIS	4827D5	nonfraud
ORBIS	4827F0	nonfraud
ORBIS	4827H3	fraud
ORBIS	4827H7	fraud
ORBIS	4827J3	nonfraud
ORBIS	4827N4	fraud
ORBIS	4827N6	fraud
ORBIS	4827N8	nonfraud
ORBIS	4827O5	processing
ORBIS	4827S7	nonfraud
ORBIS	4827T3	processing
ORBIS	4827T7	fraud
ORBIS	4827U3	nonfraud
ORBIS	4827U8	processing
ORBIS	4827X1	fraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4827X7	fraud
ORBIS	4827Y0	nonfraud
ORBIS	4827Y9	nonfraud
ORBIS	4827Z1	fraud
ORBIS	4827Z5	fraud
ORBIS	4827Z8	fraud
ORBIS	4828A2	nonfraud
ORBIS	4828B4	processing
ORBIS	4828G8	processing
ORBIS	4828I4	processing
ORBIS	4828J0	nonfraud
ORBIS	4828J3	processing
ORBIS	4828M3	fraud
ORBIS	4828M9	fraud
ORBIS	4828N3	nonfraud
ORBIS	4828O8	fraud
ORBIS	4828Q5	nonfraud
ORBIS	4828R1	nonfraud
ORBIS	4828S4	processing
ORBIS	4828X7	fraud
ORBIS	4829C1	fraud
ORBIS	4829C9	nonfraud
ORBIS	4829F2	nonfraud
ORBIS	4829G8	fraud
ORBIS	4829H7	nonfraud
ORBIS	4829I8	fraud
ORBIS	4829J6	processing
ORBIS	4829K6	fraud
ORBIS	4829O3	fraud
ORBIS	4829Q7	fraud
ORBIS	4829R6	fraud
ORBIS	4829T2	fraud
ORBIS	4829T4	nonfraud
ORBIS	4829X0	fraud
ORBIS	4829X3	nonfraud
ORBIS	4829X4	processing
ORBIS	4829Z9	fraud
ORBIS	4830B3	nonfraud
ORBIS	4830G5	nonfraud
ORBIS	4830H3	fraud
ORBIS	4830I3	processing
ORBIS	4830J4	fraud
ORBIS	4830K8	nonfraud
ORBIS	4830L2	fraud
ORBIS	4830P8	processing
ORBIS	4830P9	processing
ORBIS	4830Q2	nonfraud
ORBIS	4830S4	nonfraud
ORBIS	4830T0	nonfraud
ORBIS	4830U2	nonfraud
ORBIS	4830V7	fraud
ORBIS	4830V8	nonfraud
ORBIS	4830W8	nonfraud
ORBIS	4830X3	nonfraud
ORBIS	4831B2	fraud
ORBIS	4831C6	processing
ORBIS	4831D0	fraud
ORBIS	4831D9	nonfraud
ORBIS	4831E8	fraud
ORBIS	4831G6	nonfraud
ORBIS	4831K0	processing
ORBIS	4831N8	nonfraud
ORBIS	4831P7	nonfraud
ORBIS	4831R1	fraud
ORBIS	4831S3	nonfraud
ORBIS	4831S8	fraud
ORBIS	4831T9	nonfraud
ORBIS	4831V1	processing
ORBIS	4831Z2	nonfraud
ORBIS	4832B2	nonfraud
ORBIS	4832C2	nonfraud
ORBIS	4832C5	processing
ORBIS	4832D3	nonfraud
ORBIS	4832F4	nonfraud
ORBIS	4832H2	nonfraud
ORBIS	4832H5	fraud
ORBIS	4832K1	nonfraud
ORBIS	4832K7	fraud
ORBIS	4832L1	processing
ORBIS	4832L5	fraud
ORBIS	4832M1	processing
ORBIS	4832M8	nonfraud
ORBIS	4832O4	nonfraud
ORBIS	4832O8	fraud
ORBIS	4832P5	nonfraud
ORBIS	4832Q0	fraud
ORBIS	4832Q2	nonfraud
ORBIS	4832R4	nonfraud
ORBIS	4832S4	nonfraud
ORBIS	4832T2	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4832T3	processing
ORBIS	4832W3	nonfraud
ORBIS	4832X6	fraud
ORBIS	4832Y7	fraud
ORBIS	4833B0	processing
ORBIS	4833D0	fraud
ORBIS	4833D7	fraud
ORBIS	4833D9	nonfraud
ORBIS	4833E4	nonfraud
ORBIS	4833F4	processing
ORBIS	4833I4	processing
ORBIS	4833J8	nonfraud
ORBIS	4833M2	fraud
ORBIS	4833M8	nonfraud
ORBIS	4833M9	fraud
ORBIS	4833N6	nonfraud
ORBIS	4833N9	nonfraud
ORBIS	4833R5	processing
ORBIS	4833S6	nonfraud
ORBIS	4833V0	fraud
ORBIS	4833V2	processing
ORBIS	4833W4	nonfraud
ORBIS	4833W5	nonfraud
ORBIS	4833X2	fraud
ORBIS	4833Z7	processing
ORBIS	4834A2	fraud
ORBIS	4834A3	processing
ORBIS	4834C1	fraud
ORBIS	4834C5	processing
ORBIS	4834C9	processing
ORBIS	4834D0	nonfraud
ORBIS	4834D1	nonfraud
ORBIS	4834F0	fraud
ORBIS	4834F3	nonfraud
ORBIS	4834F4	processing
ORBIS	4834H1	fraud
ORBIS	4834J2	fraud
ORBIS	4834K3	fraud
ORBIS	4834S9	fraud
ORBIS	4834U5	nonfraud
ORBIS	4834X0	nonfraud
ORBIS	4834X7	processing
ORBIS	4835A3	nonfraud
ORBIS	4835A6	processing
ORBIS	4835D1	fraud
ORBIS	4835D5	processing
ORBIS	4835G3	processing
ORBIS	4835H4	processing
ORBIS	4835I1	processing
ORBIS	4835J6	nonfraud
ORBIS	4835K4	fraud
ORBIS	4835L3	processing
ORBIS	4835N9	nonfraud
ORBIS	4835P4	processing
ORBIS	4835P6	nonfraud
ORBIS	4835R1	processing
ORBIS	4835S6	nonfraud
ORBIS	4835U8	processing
ORBIS	4835V4	nonfraud
ORBIS	4835X9	processing
ORBIS	4835Y2	nonfraud
ORBIS	4835Z0	processing
ORBIS	4836C2	processing
ORBIS	4836C3	fraud
ORBIS	4836E7	processing
ORBIS	4836H2	nonfraud
ORBIS	4836H3	nonfraud
ORBIS	4836I3	processing
ORBIS	4836N6	nonfraud
ORBIS	4836P5	nonfraud
ORBIS	4836Q8	fraud
ORBIS	4836R2	fraud
ORBIS	4836S4	fraud
ORBIS	4836T5	nonfraud
ORBIS	4836U5	nonfraud
ORBIS	4836V6	nonfraud
ORBIS	4836W8	fraud
ORBIS	4836X2	fraud
ORBIS	4836X3	nonfraud
ORBIS	4836X5	nonfraud
ORBIS	4836Y2	fraud
ORBIS	4836Y5	nonfraud
ORBIS	4837C4	nonfraud
ORBIS	4837D9	processing
ORBIS	4837E8	fraud
ORBIS	4837I0	nonfraud
ORBIS	4837K7	fraud
ORBIS	4837N8	nonfraud
ORBIS	4837Q1	fraud
ORBIS	4837Q4	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4837R5	nonfraud
ORBIS	4837R8	nonfraud
ORBIS	4837T9	fraud
ORBIS	4837V2	nonfraud
ORBIS	4837V6	nonfraud
ORBIS	4837W7	nonfraud
ORBIS	4837X3	fraud
ORBIS	4837X4	nonfraud
ORBIS	4837Z3	fraud
ORBIS	4838C4	fraud
ORBIS	4838D1	fraud
ORBIS	4838F6	processing
ORBIS	4838I2	nonfraud
ORBIS	4838I7	nonfraud
ORBIS	4838L2	nonfraud
ORBIS	4838L3	nonfraud
ORBIS	4838M1	fraud
ORBIS	4838M3	nonfraud
ORBIS	4838N3	fraud
ORBIS	4838O5	fraud
ORBIS	4838O8	fraud
ORBIS	4838U3	fraud
ORBIS	4838V0	fraud
ORBIS	4838V7	nonfraud
ORBIS	4839A4	nonfraud
ORBIS	4839A6	nonfraud
ORBIS	4839D9	nonfraud
ORBIS	4839G3	fraud
ORBIS	4839H3	fraud
ORBIS	4839H4	fraud
ORBIS	4839I9	fraud
ORBIS	4839K6	nonfraud
ORBIS	4839K7	fraud
ORBIS	4839M7	fraud
ORBIS	4839N0	fraud
ORBIS	4839O0	nonfraud
ORBIS	4839O2	nonfraud
ORBIS	4839S1	nonfraud
ORBIS	4839W3	processing
ORBIS	4839W9	nonfraud
ORBIS	4839Y0	nonfraud
ORBIS	4839Y6	fraud
ORBIS	4839Y8	processing
ORBIS	4839Z3	fraud
ORBIS	4839Z6	fraud
ORBIS	4840A9	processing
ORBIS	4840B3	nonfraud
ORBIS	4840D5	nonfraud
ORBIS	4840E6	nonfraud
ORBIS	4840E7	nonfraud
ORBIS	4840F5	processing
ORBIS	4840G1	nonfraud
ORBIS	4840G5	nonfraud
ORBIS	4840G8	fraud
ORBIS	4840H9	fraud
ORBIS	4840I5	processing
ORBIS	4840J6	processing
ORBIS	4840O4	nonfraud
ORBIS	4840T7	nonfraud
ORBIS	4840U8	nonfraud
ORBIS	4840V5	fraud
ORBIS	4840V7	processing
ORBIS	4840V8	nonfraud
ORBIS	4841B5	fraud
ORBIS	4841E1	processing
ORBIS	4841G9	nonfraud
ORBIS	4841H4	fraud
ORBIS	4841H7	nonfraud
ORBIS	4841I7	nonfraud
ORBIS	4841K5	processing
ORBIS	4841N6	nonfraud
ORBIS	4841P0	processing
ORBIS	4841Q6	fraud
ORBIS	4841R3	fraud
ORBIS	4841S5	processing
ORBIS	4841V7	nonfraud
ORBIS	4841X1	nonfraud
ORBIS	4842C8	nonfraud
ORBIS	4842E5	nonfraud
ORBIS	4842E8	nonfraud
ORBIS	4842F1	nonfraud
ORBIS	4842H8	nonfraud
ORBIS	4842I9	nonfraud
ORBIS	4842J5	fraud
ORBIS	4842K5	nonfraud
ORBIS	4842R0	fraud
ORBIS	4842R3	nonfraud
ORBIS	4842T2	nonfraud
ORBIS	4842U4	fraud
ORBIS	4842Y1	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4843A6	nonfraud
ORBIS	4843C8	nonfraud
ORBIS	4843C9	processing
ORBIS	4843F8	processing
ORBIS	4843G7	nonfraud
ORBIS	4843H7	processing
ORBIS	4843I9	processing
ORBIS	4843K3	nonfraud
ORBIS	4843L0	nonfraud
ORBIS	4843L6	nonfraud
ORBIS	4843N0	nonfraud
ORBIS	4843Q9	fraud
ORBIS	4843T2	processing
ORBIS	4843T4	nonfraud
ORBIS	4843T8	fraud
ORBIS	4843U2	nonfraud
ORBIS	4843X2	nonfraud
ORBIS	4843Y6	processing
ORBIS	4843Z3	nonfraud
ORBIS	4844A0	processing
ORBIS	4844A3	nonfraud
ORBIS	4844A4	fraud
ORBIS	4844B1	processing
ORBIS	4844D3	nonfraud
ORBIS	4844F5	fraud
ORBIS	4844F8	processing
ORBIS	4844G2	nonfraud
ORBIS	4844J5	nonfraud
ORBIS	4844J8	fraud
ORBIS	4844K1	fraud
ORBIS	4844P2	nonfraud
ORBIS	4844S5	fraud
ORBIS	4844V1	processing
ORBIS	4844V3	nonfraud
ORBIS	4844W3	processing
ORBIS	4844Z4	nonfraud
ORBIS	4845A1	processing
ORBIS	4845A8	nonfraud
ORBIS	4845B0	fraud
ORBIS	4845J4	nonfraud
ORBIS	4845M3	nonfraud
ORBIS	4845N3	nonfraud
ORBIS	4845O3	fraud
ORBIS	4845P6	processing
ORBIS	4845R3	nonfraud
ORBIS	4845S4	fraud
ORBIS	4845T8	fraud
ORBIS	4845U5	processing
ORBIS	4845Y2	fraud
ORBIS	4846C8	processing
ORBIS	4846D6	nonfraud
ORBIS	4846D7	fraud
ORBIS	4846E3	processing
ORBIS	4846F7	fraud
ORBIS	4846H0	nonfraud
ORBIS	4846I2	processing
ORBIS	4846I5	nonfraud
ORBIS	4846J7	processing
ORBIS	4846N7	processing
ORBIS	4846O0	processing
ORBIS	4846P1	nonfraud
ORBIS	4846Q6	fraud
ORBIS	4846R2	nonfraud
ORBIS	4846U7	fraud
ORBIS	4847A6	nonfraud
ORBIS	4847B1	processing
ORBIS	4847B3	nonfraud
ORBIS	4847E1	nonfraud
ORBIS	4847H5	nonfraud
ORBIS	4847H8	nonfraud
ORBIS	4847I1	processing
ORBIS	4847K3	processing
ORBIS	4847L9	nonfraud
ORBIS	4847N6	nonfraud
ORBIS	4847P0	processing
ORBIS	4847Q4	nonfraud
ORBIS	4847S5	processing
ORBIS	4847T4	nonfraud
ORBIS	4847U2	nonfraud
ORBIS	4847V2	nonfraud
ORBIS	4847V7	fraud
ORBIS	4847Y1	nonfraud
ORBIS	4847Y3	nonfraud
ORBIS	4847Z2	nonfraud
ORBIS	4848A2	nonfraud
ORBIS	4848D6	fraud
ORBIS	4848D9	processing
ORBIS	4848E1	fraud
ORBIS	4848H6	nonfraud
ORBIS	4848I7	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4848N8	processing
ORBIS	4848T5	nonfraud
ORBIS	4848U0	fraud
ORBIS	4848U7	fraud
ORBIS	4848V1	fraud
ORBIS	4848W7	processing
ORBIS	4848X3	nonfraud
ORBIS	4848X5	nonfraud
ORBIS	4849A7	processing
ORBIS	4849B4	fraud
ORBIS	4849C0	fraud
ORBIS	4849C6	nonfraud
ORBIS	4849D7	nonfraud
ORBIS	4849E4	fraud
ORBIS	4849E6	fraud
ORBIS	4849F5	nonfraud
ORBIS	4849G7	nonfraud
ORBIS	4849G9	processing
ORBIS	4849H8	fraud
ORBIS	4849I7	fraud
ORBIS	4849J8	nonfraud
ORBIS	4849L7	fraud
ORBIS	4849M0	processing
ORBIS	4849M6	nonfraud
ORBIS	4849P3	fraud
ORBIS	4849P4	nonfraud
ORBIS	4849Q2	processing
ORBIS	4849R1	nonfraud
ORBIS	4849R4	processing
ORBIS	4849S1	nonfraud
ORBIS	4849T4	processing
ORBIS	4849T8	nonfraud
ORBIS	4849U0	processing
ORBIS	4849U7	fraud
ORBIS	4850D5	processing
ORBIS	4850D8	processing
ORBIS	4850G0	nonfraud
ORBIS	4850G9	fraud
ORBIS	4850H9	nonfraud
ORBIS	4850K9	nonfraud
ORBIS	4850Q5	fraud
ORBIS	4850S2	fraud
ORBIS	4850S4	fraud
ORBIS	4850S7	fraud
ORBIS	4850V9	nonfraud
ORBIS	4850X2	nonfraud
ORBIS	4850Y5	nonfraud
ORBIS	4850Z9	nonfraud
ORBIS	4851A9	nonfraud
ORBIS	4851C5	nonfraud
ORBIS	4851C6	processing
ORBIS	4851E1	fraud
ORBIS	4851E8	processing
ORBIS	4851E9	nonfraud
ORBIS	4851I3	nonfraud
ORBIS	4851J0	processing
ORBIS	4851L7	nonfraud
ORBIS	4851N4	fraud
ORBIS	4851O6	fraud
ORBIS	4851P6	nonfraud
ORBIS	4851Q4	nonfraud
ORBIS	4851S5	nonfraud
ORBIS	4851W7	fraud
ORBIS	4851X0	processing
ORBIS	4851Y7	fraud
ORBIS	4851Z7	nonfraud
ORBIS	4852A2	nonfraud
ORBIS	4852A3	processing
ORBIS	4852D0	nonfraud
ORBIS	4852E0	nonfraud
ORBIS	4852H5	processing
ORBIS	4852I5	nonfraud
ORBIS	4852J6	processing
ORBIS	4852J9	fraud
ORBIS	4852O5	nonfraud
ORBIS	4852P4	nonfraud
ORBIS	4852Q1	fraud
ORBIS	4852Q4	nonfraud
ORBIS	4852R5	processing
ORBIS	4852T0	fraud
ORBIS	4852T5	nonfraud
ORBIS	4852V5	processing
ORBIS	4852W1	fraud
ORBIS	4852Y5	processing
ORBIS	4853E0	processing
ORBIS	4853E9	processing
ORBIS	4853F0	nonfraud
ORBIS	4853J0	processing
ORBIS	4853K5	nonfraud
ORBIS	4853L3	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4853N3	fraud
ORBIS	4853O3	processing
ORBIS	4853P2	processing
ORBIS	4853Q0	nonfraud
ORBIS	4853Q5	fraud
ORBIS	4853R0	nonfraud
ORBIS	4853R2	fraud
ORBIS	4853U2	nonfraud
ORBIS	4853W1	processing
ORBIS	4854C9	nonfraud
ORBIS	4854F6	fraud
ORBIS	4854H7	processing
ORBIS	4854H9	nonfraud
ORBIS	4854I6	nonfraud
ORBIS	4854J1	nonfraud
ORBIS	4854K5	nonfraud
ORBIS	4854M1	processing
ORBIS	4854N2	fraud
ORBIS	4854O7	nonfraud
ORBIS	4854O8	nonfraud
ORBIS	4854Q3	nonfraud
ORBIS	4854R0	nonfraud
ORBIS	4854S1	fraud
ORBIS	4854U9	fraud
ORBIS	4854V1	nonfraud
ORBIS	4854V7	processing
ORBIS	4854V8	fraud
ORBIS	4854W0	nonfraud
ORBIS	4854W7	nonfraud
ORBIS	4854Y2	fraud
ORBIS	4854Z1	fraud
ORBIS	4855C9	nonfraud
ORBIS	4855E4	nonfraud
ORBIS	4855F4	nonfraud
ORBIS	4855F8	fraud
ORBIS	4855G2	processing
ORBIS	4855G5	fraud
ORBIS	4855G6	processing
ORBIS	4855G8	nonfraud
ORBIS	4855H0	processing
ORBIS	4855H6	nonfraud
ORBIS	4855I4	nonfraud
ORBIS	4855J3	nonfraud
ORBIS	4855K8	nonfraud
ORBIS	4855O7	processing
ORBIS	4855R6	fraud
ORBIS	4855V5	processing
ORBIS	4855V6	nonfraud
ORBIS	4855Y6	fraud
ORBIS	4855Y7	fraud
ORBIS	4855Z1	processing
ORBIS	4855Z8	fraud
ORBIS	4855Z9	nonfraud
ORBIS	4856A7	processing
ORBIS	4856B3	fraud
ORBIS	4856B9	nonfraud
ORBIS	4856E6	processing
ORBIS	4856F2	processing
ORBIS	4856F7	nonfraud
ORBIS	4856G2	fraud
ORBIS	4856G5	fraud
ORBIS	4856H1	processing
ORBIS	4856H3	nonfraud
ORBIS	4856I1	processing
ORBIS	4856I3	fraud
ORBIS	4856L8	fraud
ORBIS	4856M0	fraud
ORBIS	4856R6	processing
ORBIS	4856V3	processing
ORBIS	4856V9	fraud
ORBIS	4856Y7	fraud
ORBIS	4857A0	nonfraud
ORBIS	4857C3	nonfraud
ORBIS	4857D3	nonfraud
ORBIS	4857D7	nonfraud
ORBIS	4857E2	fraud
ORBIS	4857H5	processing
ORBIS	4857I8	processing
ORBIS	4857L1	nonfraud
ORBIS	4857L8	nonfraud
ORBIS	4857M8	nonfraud
ORBIS	4857O5	nonfraud
ORBIS	4857R3	fraud
ORBIS	4857T7	nonfraud
ORBIS	4857Z5	nonfraud
ORBIS	4858B1	processing
ORBIS	4858B2	nonfraud
ORBIS	4858B6	nonfraud
ORBIS	4858E3	nonfraud
ORBIS	4858E6	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4858E9	fraud
ORBIS	4858F2	nonfraud
ORBIS	4858F3	nonfraud
ORBIS	4858L0	nonfraud
ORBIS	4858L2	nonfraud
ORBIS	4858M0	processing
ORBIS	4858P3	processing
ORBIS	4858P7	nonfraud
ORBIS	4858Q9	processing
ORBIS	4858S9	fraud
ORBIS	4858T5	fraud
ORBIS	4858T7	nonfraud
ORBIS	4858V7	nonfraud
ORBIS	4858X4	fraud
ORBIS	4859D4	fraud
ORBIS	4859D6	nonfraud
ORBIS	4859E4	nonfraud
ORBIS	4859E8	nonfraud
ORBIS	4859I3	fraud
ORBIS	4859N3	nonfraud
ORBIS	4859T3	nonfraud
ORBIS	4859T6	fraud
ORBIS	4859U8	nonfraud
ORBIS	4859Y3	fraud
ORBIS	4860C0	processing
ORBIS	4860C4	nonfraud
ORBIS	4860C7	nonfraud
ORBIS	4860E5	nonfraud
ORBIS	4860O0	nonfraud
ORBIS	4860O8	fraud
ORBIS	4860P8	processing
ORBIS	4860Q2	nonfraud
ORBIS	4860R6	nonfraud
ORBIS	4860T5	processing
ORBIS	4860U4	nonfraud
ORBIS	4860X0	fraud
ORBIS	4860X3	nonfraud
ORBIS	4860Y0	nonfraud
ORBIS	4860Y6	fraud
ORBIS	4860Z3	nonfraud
ORBIS	4860Z5	nonfraud
ORBIS	4860Z8	nonfraud
ORBIS	4861A0	processing
ORBIS	4861A3	fraud
ORBIS	4861E0	processing
ORBIS	4861K7	nonfraud
ORBIS	4861N1	nonfraud
ORBIS	4861P2	fraud
ORBIS	4861Q4	nonfraud
ORBIS	4861Q7	processing
ORBIS	4861T6	nonfraud
ORBIS	4861T7	fraud
ORBIS	4861U6	nonfraud
ORBIS	4861W4	fraud
ORBIS	4861X1	processing
ORBIS	4861Z6	nonfraud
ORBIS	4862A0	processing
ORBIS	4862A3	nonfraud
ORBIS	4862D8	fraud
ORBIS	4862E2	nonfraud
ORBIS	4862E3	fraud
ORBIS	4862E9	nonfraud
ORBIS	4862F5	processing
ORBIS	4862F9	processing
ORBIS	4862H5	nonfraud
ORBIS	4862I4	fraud
ORBIS	4862I5	nonfraud
ORBIS	4862M6	nonfraud
ORBIS	4862O4	fraud
ORBIS	4862P2	fraud
ORBIS	4862P9	nonfraud
ORBIS	4862R2	nonfraud
ORBIS	4862R7	fraud
ORBIS	4862R9	nonfraud
ORBIS	4862T6	fraud
ORBIS	4862U2	fraud
ORBIS	4862V2	nonfraud
ORBIS	4862V6	fraud
ORBIS	4862X4	fraud
ORBIS	4863C0	fraud
ORBIS	4863C5	processing
ORBIS	4863D7	fraud
ORBIS	4863E9	processing
ORBIS	4863G9	fraud
ORBIS	4863H0	nonfraud
ORBIS	4863I9	nonfraud
ORBIS	4863J4	nonfraud
ORBIS	4863L3	processing
ORBIS	4863M8	nonfraud
ORBIS	4863N2	fraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4863O5	nonfraud
ORBIS	4863R4	fraud
ORBIS	4863T8	processing
ORBIS	4863U2	processing
ORBIS	4863U7	fraud
ORBIS	4863V3	nonfraud
ORBIS	4863Y9	fraud
ORBIS	4864A6	processing
ORBIS	4864A9	nonfraud
ORBIS	4864B9	fraud
ORBIS	4864C6	fraud
ORBIS	4864F3	processing
ORBIS	4864G1	fraud
ORBIS	4864I8	nonfraud
ORBIS	4864J1	nonfraud
ORBIS	4864J2	fraud
ORBIS	4864J5	fraud
ORBIS	4864L2	nonfraud
ORBIS	4864M5	fraud
ORBIS	4864N1	processing
ORBIS	4864N2	fraud
ORBIS	4864O3	fraud
ORBIS	4864P5	processing
ORBIS	4864Q0	nonfraud
ORBIS	4864Q2	nonfraud
ORBIS	4864T1	fraud
ORBIS	4864T2	processing
ORBIS	4864W2	nonfraud
ORBIS	4864W7	nonfraud
ORBIS	4864Y2	processing
ORBIS	4864Z3	nonfraud
ORBIS	4865C2	fraud
ORBIS	4865C8	nonfraud
ORBIS	4865F8	fraud
ORBIS	4865G1	fraud
ORBIS	4865G8	fraud
ORBIS	4865I4	nonfraud
ORBIS	4865M8	nonfraud
ORBIS	4865Q1	fraud
ORBIS	4865Q6	nonfraud
ORBIS	4865Q7	nonfraud
ORBIS	4865R2	fraud
ORBIS	4865S9	processing
ORBIS	4865T6	nonfraud
ORBIS	4865Z6	nonfraud
ORBIS	4866A8	nonfraud
ORBIS	4866C0	fraud
ORBIS	4866G5	processing
ORBIS	4866H6	processing
ORBIS	4866I5	processing
ORBIS	4866J9	nonfraud
ORBIS	4866L0	fraud
ORBIS	4866L1	nonfraud
ORBIS	4866L9	fraud
ORBIS	4866N1	nonfraud
ORBIS	4866P3	nonfraud
ORBIS	4866P9	nonfraud
ORBIS	4866R0	processing
ORBIS	4866S5	nonfraud
ORBIS	4866T1	nonfraud
ORBIS	4866T8	fraud
ORBIS	4867A8	nonfraud
ORBIS	4867B5	nonfraud
ORBIS	4867C1	processing
ORBIS	4867C6	processing
ORBIS	4867D4	processing
ORBIS	4867E4	nonfraud
ORBIS	4867H4	nonfraud
ORBIS	4867K3	nonfraud
ORBIS	4867L7	nonfraud
ORBIS	4867N8	fraud
ORBIS	4867O9	processing
ORBIS	4867P6	processing
ORBIS	4867R3	nonfraud
ORBIS	4867R8	processing
ORBIS	4867S6	nonfraud
ORBIS	4867S8	fraud
ORBIS	4867T0	nonfraud
ORBIS	4867T7	fraud
ORBIS	4867Z6	nonfraud
ORBIS	4868C0	nonfraud
ORBIS	4868C3	nonfraud
ORBIS	4868E9	fraud
ORBIS	4868I6	processing
ORBIS	4868I7	nonfraud
ORBIS	4868J1	fraud
ORBIS	4868K5	processing
ORBIS	4868L2	nonfraud
ORBIS	4868M0	fraud
ORBIS	4868M4	fraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4868N0	nonfraud
ORBIS	4868N1	nonfraud
ORBIS	4868N4	nonfraud
ORBIS	4868P5	nonfraud
ORBIS	4868R0	nonfraud
ORBIS	4868T6	fraud
ORBIS	4868V3	nonfraud
ORBIS	4868Y6	nonfraud
ORBIS	4869A7	nonfraud
ORBIS	4869B2	nonfraud
ORBIS	4869B8	fraud
ORBIS	4869C6	processing
ORBIS	4869D1	nonfraud
ORBIS	4869D2	fraud
ORBIS	4869D5	nonfraud
ORBIS	4869H5	processing
ORBIS	4869I0	fraud
ORBIS	4869I6	processing
ORBIS	4869I9	nonfraud
ORBIS	4869M4	processing
ORBIS	4869M6	processing
ORBIS	4869N8	processing
ORBIS	4869P5	fraud
ORBIS	4869Q6	processing
ORBIS	4869R7	nonfraud
ORBIS	4869T8	processing
ORBIS	4869W1	nonfraud
ORBIS	4869W3	nonfraud
ORBIS	4869X3	nonfraud
ORBIS	4870G2	fraud
ORBIS	4870L2	fraud
ORBIS	4870N9	fraud
ORBIS	4870O7	nonfraud
ORBIS	4870P3	fraud
ORBIS	4870U3	processing
ORBIS	4870U4	fraud
ORBIS	4870X9	processing
ORBIS	4871A4	nonfraud
ORBIS	4871C0	nonfraud
ORBIS	4871E2	nonfraud
ORBIS	4871E5	fraud
ORBIS	4871G0	processing
ORBIS	4871G5	processing
ORBIS	4871G6	fraud
ORBIS	4871H1	nonfraud
ORBIS	4871H8	fraud
ORBIS	4871J3	nonfraud
ORBIS	4871J7	fraud
ORBIS	4871J9	processing
ORBIS	4871K5	processing
ORBIS	4871K8	fraud
ORBIS	4871M1	fraud
ORBIS	4871O9	fraud
ORBIS	4871P0	processing
ORBIS	4871S0	fraud
ORBIS	4871W1	nonfraud
ORBIS	4871W7	nonfraud
ORBIS	4871Z4	processing
ORBIS	4872A7	fraud
ORBIS	4872B0	fraud
ORBIS	4872B3	processing
ORBIS	4872B7	processing
ORBIS	4872C1	nonfraud
ORBIS	4872D1	fraud
ORBIS	4872E8	fraud
ORBIS	4872G1	fraud
ORBIS	4872L5	nonfraud
ORBIS	4872M5	nonfraud
ORBIS	4872M6	fraud
ORBIS	4872O5	fraud
ORBIS	4872O9	fraud
ORBIS	4872P4	nonfraud
ORBIS	4872Q3	fraud
ORBIS	4872R4	nonfraud
ORBIS	4872T0	nonfraud
ORBIS	4872T3	fraud
ORBIS	4872U7	nonfraud
ORBIS	4872U8	fraud
ORBIS	4872V3	nonfraud
ORBIS	4872X7	fraud
ORBIS	4872Y3	nonfraud
ORBIS	4873B5	processing
ORBIS	4873C6	processing
ORBIS	4873G4	nonfraud
ORBIS	4873I5	nonfraud
ORBIS	4873K3	processing
ORBIS	4873L0	fraud
ORBIS	4873L2	fraud
ORBIS	4873P0	nonfraud
ORBIS	4873P1	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4873Q3	processing
ORBIS	4873R5	nonfraud
ORBIS	4873T4	fraud
ORBIS	4873V5	nonfraud
ORBIS	4873V7	nonfraud
ORBIS	4873X2	fraud
ORBIS	4873Y0	nonfraud
ORBIS	4874A8	processing
ORBIS	4874F0	nonfraud
ORBIS	4874F7	fraud
ORBIS	4874I4	nonfraud
ORBIS	4874I6	nonfraud
ORBIS	4874J1	processing
ORBIS	4874K3	fraud
ORBIS	4874L8	fraud
ORBIS	4874M0	nonfraud
ORBIS	4874N4	nonfraud
ORBIS	4874O5	processing
ORBIS	4874P2	nonfraud
ORBIS	4874Q6	nonfraud
ORBIS	4874Q7	fraud
ORBIS	4874Q9	processing
ORBIS	4874R4	nonfraud
ORBIS	4874T0	nonfraud
ORBIS	4874T3	nonfraud
ORBIS	4874U4	processing
ORBIS	4874V1	fraud
ORBIS	4874V8	fraud
ORBIS	4874Y2	nonfraud
ORBIS	4874Y4	fraud
ORBIS	4874Y5	fraud
ORBIS	4874Y8	nonfraud
ORBIS	4875C6	nonfraud
ORBIS	4875D1	nonfraud
ORBIS	4875D2	nonfraud
ORBIS	4875E9	nonfraud
ORBIS	4875H1	nonfraud
ORBIS	4875H3	nonfraud
ORBIS	4875I4	nonfraud
ORBIS	4875I7	fraud
ORBIS	4875L8	fraud
ORBIS	4875O0	nonfraud
ORBIS	4875O9	nonfraud
ORBIS	4875P5	nonfraud
ORBIS	4875Q6	fraud
ORBIS	4875S0	nonfraud
ORBIS	4875T0	processing
ORBIS	4875U4	fraud
ORBIS	4875V1	nonfraud
ORBIS	4875W4	processing
ORBIS	4876A4	nonfraud
ORBIS	4876F2	nonfraud
ORBIS	4876H1	nonfraud
ORBIS	4876H4	nonfraud
ORBIS	4876I5	nonfraud
ORBIS	4876J4	fraud
ORBIS	4876J6	nonfraud
ORBIS	4876L8	nonfraud
ORBIS	4876N6	nonfraud
ORBIS	4876N9	fraud
ORBIS	4876Q6	fraud
ORBIS	4876Q9	nonfraud
ORBIS	4876S1	processing
ORBIS	4876T0	nonfraud
ORBIS	4876T5	processing
ORBIS	4876W8	nonfraud
ORBIS	4876X3	nonfraud
ORBIS	4876X5	fraud
ORBIS	4876X6	processing
ORBIS	4876Y1	nonfraud
ORBIS	4876Z2	fraud
ORBIS	4876Z4	nonfraud
ORBIS	4876Z7	nonfraud
ORBIS	4877B0	nonfraud
ORBIS	4877I3	nonfraud
ORBIS	4877J0	fraud
ORBIS	4877J2	fraud
ORBIS	4877N9	processing
ORBIS	4877R5	nonfraud
ORBIS	4877Z5	nonfraud
ORBIS	4877Z9	processing
ORBIS	4878C5	fraud
ORBIS	4878H4	nonfraud
ORBIS	4878L2	fraud
ORBIS	4878L9	nonfraud
ORBIS	4878M0	nonfraud
ORBIS	4878M5	nonfraud
ORBIS	4878R3	nonfraud
ORBIS	4878S9	nonfraud
ORBIS	4878W4	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4878W9	processing
ORBIS	4878Y8	nonfraud
ORBIS	4878Z6	nonfraud
ORBIS	4879F5	nonfraud
ORBIS	4879G1	fraud
ORBIS	4879J6	fraud
ORBIS	4879K2	fraud
ORBIS	4879O0	nonfraud
ORBIS	4879O8	fraud
ORBIS	4879P2	nonfraud
ORBIS	4879R6	nonfraud
ORBIS	4879T0	fraud
ORBIS	4879T9	nonfraud
ORBIS	4879V6	nonfraud
ORBIS	4879W3	processing
ORBIS	4879W8	nonfraud
ORBIS	4880A1	fraud
ORBIS	4880B5	nonfraud
ORBIS	4880B7	nonfraud
ORBIS	4880B9	fraud
ORBIS	4880C8	processing
ORBIS	4880D6	fraud
ORBIS	4880E4	nonfraud
ORBIS	4880E7	processing
ORBIS	4880F1	nonfraud
ORBIS	4880I0	nonfraud
ORBIS	4880I6	nonfraud
ORBIS	4880K2	nonfraud
ORBIS	4880K4	fraud
ORBIS	4880N3	nonfraud
ORBIS	4880P0	nonfraud
ORBIS	4880Q6	nonfraud
ORBIS	4880R2	nonfraud
ORBIS	4880T0	processing
ORBIS	4880V8	fraud
ORBIS	4880Y8	nonfraud
ORBIS	4881C7	nonfraud
ORBIS	4881C9	nonfraud
ORBIS	4881H6	nonfraud
ORBIS	4881I8	nonfraud
ORBIS	4881K1	processing
ORBIS	4881R2	nonfraud
ORBIS	4881S9	processing
ORBIS	4881T4	nonfraud
ORBIS	4881W4	fraud
ORBIS	4881X9	nonfraud
ORBIS	4881Y7	processing
ORBIS	4881Z9	processing
ORBIS	4882B1	processing
ORBIS	4882B6	fraud
ORBIS	4882B9	fraud
ORBIS	4882C2	nonfraud
ORBIS	4882C9	fraud
ORBIS	4882F3	fraud
ORBIS	4882H4	processing
ORBIS	4882J7	processing
ORBIS	4882K3	fraud
ORBIS	4882N9	fraud
ORBIS	4882O7	fraud
ORBIS	4882Q2	fraud
ORBIS	4882R6	nonfraud
ORBIS	4882T2	nonfraud
ORBIS	4882U8	nonfraud
ORBIS	4882W8	processing
ORBIS	4882Y8	fraud
ORBIS	4882Z8	nonfraud
ORBIS	4883B1	fraud
ORBIS	4883B7	nonfraud
ORBIS	4883D8	nonfraud
ORBIS	4883F3	fraud
ORBIS	4883H3	nonfraud
ORBIS	4883I2	fraud
ORBIS	4883I5	nonfraud
ORBIS	4883L4	fraud
ORBIS	4883L7	fraud
ORBIS	4883M7	fraud
ORBIS	4883N8	fraud
ORBIS	4883O4	nonfraud
ORBIS	4883P8	nonfraud
ORBIS	4883R5	fraud
ORBIS	4883R7	processing
ORBIS	4883T5	nonfraud
ORBIS	4883U7	fraud
ORBIS	4883U9	nonfraud
ORBIS	4883V4	nonfraud
ORBIS	4883Z1	fraud
ORBIS	4883Z3	nonfraud
ORBIS	4883Z4	processing
ORBIS	4884B7	fraud
ORBIS	4884C4	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4884D0	nonfraud
ORBIS	4884E3	processing
ORBIS	4884E5	nonfraud
ORBIS	4884E7	nonfraud
ORBIS	4884F6	nonfraud
ORBIS	4884G7	nonfraud
ORBIS	4884H3	fraud
ORBIS	4884I0	processing
ORBIS	4884K2	fraud
ORBIS	4884M7	fraud
ORBIS	4884N0	nonfraud
ORBIS	4884O8	processing
ORBIS	4884S4	nonfraud
ORBIS	4884V0	nonfraud
ORBIS	4884W5	nonfraud
ORBIS	4884Y8	processing
ORBIS	4885A0	nonfraud
ORBIS	4885E4	fraud
ORBIS	4885F9	nonfraud
ORBIS	4885H8	processing
ORBIS	4885K0	processing
ORBIS	4885S0	nonfraud
ORBIS	4885S7	nonfraud
ORBIS	4885U1	fraud
ORBIS	4885V3	nonfraud
ORBIS	4885V4	fraud
ORBIS	4885Z4	nonfraud
ORBIS	4886A6	processing
ORBIS	4886H3	nonfraud
ORBIS	4886J4	fraud
ORBIS	4886K9	fraud
ORBIS	4886L6	nonfraud
ORBIS	4886M4	nonfraud
ORBIS	4886N8	nonfraud
ORBIS	4886P2	nonfraud
ORBIS	4886P8	nonfraud
ORBIS	4886Q0	processing
ORBIS	4886U8	fraud
ORBIS	4886Y1	fraud
ORBIS	4887B8	nonfraud
ORBIS	4887D3	nonfraud
ORBIS	4887E9	fraud
ORBIS	4887F5	fraud
ORBIS	4887G1	processing
ORBIS	4887J3	processing
ORBIS	4887K2	nonfraud
ORBIS	4887K7	nonfraud
ORBIS	4887M9	nonfraud
ORBIS	4887N5	processing
ORBIS	4887P3	fraud
ORBIS	4887P5	nonfraud
ORBIS	4887R3	nonfraud
ORBIS	4887R8	nonfraud
ORBIS	4887T6	nonfraud
ORBIS	4887W1	nonfraud
ORBIS	4888B9	fraud
ORBIS	4888E5	nonfraud
ORBIS	4888E6	processing
ORBIS	4888F1	nonfraud
ORBIS	4888I2	processing
ORBIS	4888K1	nonfraud
ORBIS	4888S1	nonfraud
ORBIS	4888S6	fraud
ORBIS	4888U2	nonfraud
ORBIS	4888U7	processing
ORBIS	4888V0	fraud
ORBIS	4888W5	fraud
ORBIS	4888Z6	nonfraud
ORBIS	4888Z7	nonfraud
ORBIS	4888Z9	nonfraud
ORBIS	4889B2	processing
ORBIS	4889B5	nonfraud
ORBIS	4889D5	fraud
ORBIS	4889D7	fraud
ORBIS	4889G2	fraud
ORBIS	4889I3	fraud
ORBIS	4889J3	processing
ORBIS	4889J4	nonfraud
ORBIS	4889L0	processing
ORBIS	4889M1	nonfraud
ORBIS	4889M3	nonfraud
ORBIS	4889N3	fraud
ORBIS	4889N7	nonfraud
ORBIS	4889O8	processing
ORBIS	4889Q0	processing
ORBIS	4889S5	processing
ORBIS	4889S9	nonfraud
ORBIS	4889T8	processing
ORBIS	4889X6	processing
ORBIS	4889Z8	nonfraud

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4890A4	nonfraud
ORBIS	4890E0	nonfraud
ORBIS	4890G3	nonfraud
ORBIS	4890H2	fraud
ORBIS	4890H6	fraud
ORBIS	4890I1	nonfraud
ORBIS	4890M1	nonfraud
ORBIS	4890O1	fraud
ORBIS	4890P0	nonfraud
ORBIS	4890S7	processing
ORBIS	4890V1	nonfraud
ORBIS	4890W5	fraud
ORBIS	4891B4	nonfraud
ORBIS	4891E3	nonfraud
ORBIS	4891E7	fraud
ORBIS	4891F7	nonfraud
ORBIS	4891H3	fraud
ORBIS	4891J3	nonfraud
ORBIS	4891K1	nonfraud
ORBIS	4891L9	nonfraud
ORBIS	4891M0	nonfraud
ORBIS	4891N6	nonfraud
ORBIS	4891P3	nonfraud
ORBIS	4891R4	fraud
ORBIS	4891S9	fraud
ORBIS	4891U1	nonfraud
ORBIS	4891U4	nonfraud
ORBIS	4891V5	fraud
ORBIS	4891V6	nonfraud
ORBIS	4891W8	fraud
ORBIS	4891Y4	nonfraud
ORBIS	4891Y6	fraud
ORBIS	4891Y8	fraud
ORBIS	4892A9	nonfraud
ORBIS	4892B6	nonfraud
ORBIS	4892C4	nonfraud
ORBIS	4892E5	fraud
ORBIS	4892F0	nonfraud
ORBIS	4892G3	fraud
ORBIS	4892G4	nonfraud
ORBIS	4892H4	nonfraud
ORBIS	4892H6	processing
ORBIS	4892J0	fraud
ORBIS	4892J4	fraud
ORBIS	4892L4	nonfraud
ORBIS	4892O1	fraud
ORBIS	4892P5	nonfraud
ORBIS	4892R6	fraud
ORBIS	4892S2	nonfraud
ORBIS	4892U6	nonfraud
ORBIS	4892V2	fraud
ORBIS	4892V7	processing
ORBIS	4892X0	fraud
ORBIS	4892Z7	nonfraud
ORBIS	4893E4	fraud
ORBIS	4893E6	nonfraud
ORBIS	4893E8	nonfraud
ORBIS	4893E9	processing
ORBIS	4893F2	fraud
ORBIS	4893F8	nonfraud
ORBIS	4893G1	processing
ORBIS	4893G3	fraud
ORBIS	4893G9	fraud
ORBIS	4893I3	processing
ORBIS	4893L4	nonfraud
ORBIS	4893N9	fraud
ORBIS	4893O6	processing
ORBIS	4893P0	nonfraud
ORBIS	4893Q0	nonfraud
ORBIS	4893R3	nonfraud
ORBIS	4893S1	fraud
ORBIS	4893V2	nonfraud
ORBIS	4893V3	nonfraud
ORBIS	4893W3	nonfraud
ORBIS	4893W6	nonfraud
ORBIS	4893X6	nonfraud
ORBIS	4893Z1	nonfraud
ORBIS	4894C0	nonfraud
ORBIS	4894D2	nonfraud
ORBIS	4894F7	nonfraud
ORBIS	4894G5	fraud
ORBIS	4894G9	processing
ORBIS	4894H0	processing
ORBIS	4894I1	nonfraud
ORBIS	4894M7	processing
ORBIS	4894N7	nonfraud
ORBIS	4894W2	nonfraud
ORBIS	4894W7	processing
ORBIS	4894X0	processing
ORBIS	4894X7	processing

Table: Reason codes (continued)

network	reason_code	class
ORBIS	4894Y2	nonfraud
ORBIS	4894Y7	fraud
ORBIS	4894Z4	fraud
ORBIS	4895A9	fraud
ORBIS	4895C2	processing
ORBIS	4895C3	nonfraud
ORBIS	4895D3	nonfraud
ORBIS	4895D8	nonfraud
ORBIS	4895E1	fraud
ORBIS	4895G9	nonfraud
ORBIS	4895H3	fraud
ORBIS	4895I4	processing
ORBIS	4895I7	nonfraud
ORBIS	4895J4	fraud
ORBIS	4895K5	processing
ORBIS	4895L2	nonfraud
ORBIS	4895N1	nonfraud
ORBIS	4895O2	fraud
ORBIS	4895T5	fraud
ORBIS	4895U1	nonfraud
ORBIS	4895V5	processing
ORBIS	4895Z4	nonfraud
ORBIS	4896A5	fraud
ORBIS	4896B5	nonfraud
ORBIS	4896D2	nonfraud
ORBIS	4896F6	fraud
ORBIS	4896G1	processing
ORBIS	4896I4	nonfraud
ORBIS	4896I6	fraud
ORBIS	4896J1	fraud
ORBIS	4896J3	fraud
ORBIS	4896J8	nonfraud
ORBIS	4896N0	nonfraud
ORBIS	4896X2	nonfraud
ORBIS	4896Y2	fraud
ORBIS	4896Y3	nonfraud
ORBIS	4896Y7	nonfraud
ORBIS	4896Z3	fraud
ORBIS	4897A4	nonfraud
ORBIS	4897D7	nonfraud
ORBIS	4897E2	processing
ORBIS	4897E9	nonfraud
ORBIS	4897G0	fraud
ORBIS	4897G4	nonfraud
ORBIS	4897H6	processing
ORBIS	4897N4	nonfraud
ORBIS	4897O0	nonfraud
ORBIS	4897Q0	nonfraud
ORBIS	4897R1	nonfraud
ORBIS	4897T0	fraud
ORBIS	4897V0	processing
ORBIS	4898A1	nonfraud
ORBIS	4898A5	nonfraud
ORBIS	4898E0	nonfraud
ORBIS	4898G7	processing
ORBIS	4898G8	fraud
ORBIS	4898I3	fraud
ORBIS	4898J8	fraud
ORBIS	4898L2	processing
ORBIS	4898O1	fraud
ORBIS	4898O2	processing
ORBIS	4898O8	fraud
ORBIS	4898P3	processing
ORBIS	4898P6	processing
ORBIS	4898Q0	fraud
ORBIS	4898Q7	nonfraud
ORBIS	4898V4	processing
ORBIS	4898W0	fraud
ORBIS	4898W1	nonfraud
ORBIS	4898W4	fraud
ORBIS	4898W9	nonfraud
ORBIS	4898Y9	fraud
ORBIS	4898Z6	nonfraud
ORBIS	4899F2	nonfraud
ORBIS	4899F8	nonfraud
ORBIS	4899J6	nonfraud
ORBIS	4899N4	fraud
ORBIS	4899O8	nonfraud
ORBIS	4899R7	nonfraud
ORBIS	4899S3	nonfraud
ORBIS	4899T3	fraud
ORBIS	4899T9	nonfraud
ORBIS	4899V2	nonfraud
ORBIS	4899Y4	nonfraud
VANTAGE	A10B	nonfraud
VANTAGE	A10I	nonfraud
VANTAGE	A10T	nonfraud
VANTAGE	A11A	nonfraud
VANTAGE	A11C	fraud
VANTAGE	A11F	processing

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	A11R	processing
VANTAGE	A12C	nonfraud
VANTAGE	A12F	fraud
VANTAGE	A12H	nonfraud
VANTAGE	A12I	fraud
VANTAGE	A12J	nonfraud
VANTAGE	A12O	processing
VANTAGE	A12R	processing
VANTAGE	A12S	nonfraud
VANTAGE	A12Y	nonfraud
VANTAGE	A13E	nonfraud
VANTAGE	A13H	nonfraud
VANTAGE	A13K	processing
VANTAGE	A13L	nonfraud
VANTAGE	A13Q	nonfraud
VANTAGE	A14K	fraud
VANTAGE	A14L	nonfraud
VANTAGE	A14S	nonfraud
VANTAGE	A15I	fraud
VANTAGE	A15K	processing
VANTAGE	A15V	fraud
VANTAGE	A16B	fraud
VANTAGE	A16F	fraud
VANTAGE	A16H	fraud
VANTAGE	A16P	processing
VANTAGE	A16R	fraud
VANTAGE	A16U	processing
VANTAGE	A16V	nonfraud
VANTAGE	A17E	fraud
VANTAGE	A17H	nonfraud
VANTAGE	A17I	nonfraud
VANTAGE	A17L	nonfraud
VANTAGE	A17T	nonfraud
VANTAGE	A18K	nonfraud
VANTAGE	A18X	fraud
VANTAGE	A19G	nonfraud
VANTAGE	A19Q	fraud
VANTAGE	A20C	processing
VANTAGE	A20J	nonfraud
VANTAGE	A20P	fraud
VANTAGE	A20R	nonfraud
VANTAGE	A20Y	processing
VANTAGE	A21B	nonfraud
VANTAGE	A21I	nonfraud
VANTAGE	A21P	processing
VANTAGE	A21V	fraud
VANTAGE	A21X	nonfraud
VANTAGE	A22N	fraud
VANTAGE	A23G	fraud
VANTAGE	A23V	nonfraud
VANTAGE	A24G	fraud
VANTAGE	A24J	nonfraud
VANTAGE	A24M	nonfraud
VANTAGE	A24P	nonfraud
VANTAGE	A24Q	fraud
VANTAGE	A24R	nonfraud
VANTAGE	A24Z	fraud
VANTAGE	A25L	nonfraud
VANTAGE	A25R	nonfraud
VANTAGE	A26C	fraud
VANTAGE	A26N	nonfraud
VANTAGE	A26P	nonfraud
VANTAGE	A26T	processing
VANTAGE	A26U	processing
VANTAGE	A27J	fraud
VANTAGE	A27K	processing
VANTAGE	A27M	processing
VANTAGE	A27Q	fraud
VANTAGE	A27R	fraud
VANTAGE	A27X	fraud
VANTAGE	A28D	nonfraud
VANTAGE	A28P	nonfraud
VANTAGE	A28W	processing
VANTAGE	A29G	fraud
VANTAGE	A29J	processing
VANTAGE	A29M	nonfraud
VANTAGE	A29N	nonfraud
VANTAGE	A29P	processing
VANTAGE	A29V	nonfraud
VANTAGE	A29X	nonfraud
VANTAGE	A31I	nonfraud
VANTAGE	A31N	processing
VANTAGE	A31P	nonfraud
VANTAGE	A32A	nonfraud
VANTAGE	A32F	fraud
VANTAGE	A32J	processing
VANTAGE	A32K	nonfraud
VANTAGE	A32O	nonfraud
VANTAGE	A32Y	fraud
VANTAGE	A33A	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	A33J	processing
VANTAGE	A33U	fraud
VANTAGE	A34C	nonfraud
VANTAGE	A34D	nonfraud
VANTAGE	A34F	nonfraud
VANTAGE	A34G	fraud
VANTAGE	A35B	fraud
VANTAGE	A35C	fraud
VANTAGE	A35I	nonfraud
VANTAGE	A35M	fraud
VANTAGE	A35T	processing
VANTAGE	A35W	nonfraud
VANTAGE	A36F	fraud
VANTAGE	A36N	nonfraud
VANTAGE	A36Z	fraud
VANTAGE	A37A	fraud
VANTAGE	A37K	nonfraud
VANTAGE	A37P	nonfraud
VANTAGE	A37T	fraud
VANTAGE	A38U	nonfraud
VANTAGE	A38V	nonfraud
VANTAGE	A39C	nonfraud
VANTAGE	A39D	processing
VANTAGE	A39F	fraud
VANTAGE	A39J	nonfraud
VANTAGE	A39R	fraud
VANTAGE	A39V	fraud
VANTAGE	A40J	processing
VANTAGE	A40M	processing
VANTAGE	A40S	nonfraud
VANTAGE	A41B	nonfraud
VANTAGE	A41O	fraud
VANTAGE	A41T	fraud
VANTAGE	A41V	nonfraud
VANTAGE	A41Z	nonfraud
VANTAGE	A42R	nonfraud
VANTAGE	A42S	processing
VANTAGE	A42X	processing
VANTAGE	A43E	nonfraud
VANTAGE	A43J	processing
VANTAGE	A43L	fraud
VANTAGE	A43M	fraud
VANTAGE	A43T	nonfraud
VANTAGE	A43V	nonfraud
VANTAGE	A43X	processing
VANTAGE	A43Y	processing
VANTAGE	A44I	fraud
VANTAGE	A44L	nonfraud
VANTAGE	A44Z	nonfraud
VANTAGE	A46B	nonfraud
VANTAGE	A46K	nonfraud
VANTAGE	A46P	fraud
VANTAGE	A46R	nonfraud
VANTAGE	A46S	nonfraud
VANTAGE	A46V	nonfraud
VANTAGE	A46W	fraud
VANTAGE	A47G	nonfraud
VANTAGE	A47J	nonfraud
VANTAGE	A48A	nonfraud
VANTAGE	A48I	processing
VANTAGE	A48M	processing
VANTAGE	A48Q	processing
VANTAGE	A49B	nonfraud
VANTAGE	A49F	fraud
VANTAGE	A49I	fraud
VANTAGE	A49W	fraud
VANTAGE	A50D	nonfraud
VANTAGE	A50G	nonfraud
VANTAGE	A50H	fraud
VANTAGE	A50M	fraud
VANTAGE	A50S	nonfraud
VANTAGE	A50V	nonfraud
VANTAGE	A51C	processing
VANTAGE	A51M	nonfraud
VANTAGE	A51O	nonfraud
VANTAGE	A51Q	processing
VANTAGE	A51Z	nonfraud
VANTAGE	A52F	fraud
VANTAGE	A52P	nonfraud
VANTAGE	A52W	processing
VANTAGE	A53A	nonfraud
VANTAGE	A53O	fraud
VANTAGE	A53P	fraud
VANTAGE	A53V	nonfraud
VANTAGE	A54B	fraud
VANTAGE	A54D	processing
VANTAGE	A54G	nonfraud
VANTAGE	A54N	nonfraud
VANTAGE	A54O	processing
VANTAGE	A54X	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	A55D	nonfraud
VANTAGE	A55I	fraud
VANTAGE	A55V	processing
VANTAGE	A55Z	processing
VANTAGE	A56S	processing
VANTAGE	A56T	nonfraud
VANTAGE	A57A	fraud
VANTAGE	A57O	fraud
VANTAGE	A58U	nonfraud
VANTAGE	A59G	fraud
VANTAGE	A59Q	processing
VANTAGE	A59W	processing
VANTAGE	A59Y	fraud
VANTAGE	A59Z	fraud
VANTAGE	A60D	nonfraud
VANTAGE	A60H	processing
VANTAGE	A60O	fraud
VANTAGE	A60P	nonfraud
VANTAGE	A61C	nonfraud
VANTAGE	A61E	processing
VANTAGE	A61O	processing
VANTAGE	A61Q	nonfraud
VANTAGE	A61U	processing
VANTAGE	A62I	nonfraud
VANTAGE	A62Q	fraud
VANTAGE	A62W	fraud
VANTAGE	A63F	nonfraud
VANTAGE	A63N	nonfraud
VANTAGE	A63S	processing
VANTAGE	A64G	processing
VANTAGE	A64L	fraud
VANTAGE	A64X	fraud
VANTAGE	A65D	nonfraud
VANTAGE	A65P	nonfraud
VANTAGE	A65U	nonfraud
VANTAGE	A66E	processing
VANTAGE	A66G	processing
VANTAGE	A66K	nonfraud
VANTAGE	A67G	nonfraud
VANTAGE	A67J	nonfraud
VANTAGE	A67O	nonfraud
VANTAGE	A67S	fraud
VANTAGE	A67U	nonfraud
VANTAGE	A67W	fraud
VANTAGE	A68A	processing
VANTAGE	A68R	processing
VANTAGE	A69B	nonfraud
VANTAGE	A69D	nonfraud
VANTAGE	A69E	nonfraud
VANTAGE	A69G	fraud
VANTAGE	A69I	nonfraud
VANTAGE	A69L	nonfraud
VANTAGE	A69P	nonfraud
VANTAGE	A70G	nonfraud
VANTAGE	A70K	nonfraud
VANTAGE	A70L	fraud
VANTAGE	A70S	nonfraud
VANTAGE	A70U	processing
VANTAGE	A70Z	processing
VANTAGE	A71J	fraud
VANTAGE	A71K	nonfraud
VANTAGE	A71X	fraud
VANTAGE	A71Y	fraud
VANTAGE	A72A	fraud
VANTAGE	A72C	nonfraud
VANTAGE	A73B	fraud
VANTAGE	A73J	processing
VANTAGE	A73O	fraud
VANTAGE	A74T	nonfraud
VANTAGE	A75F	nonfraud
VANTAGE	A75M	nonfraud
VANTAGE	A75R	fraud
VANTAGE	A75S	nonfraud
VANTAGE	A75Y	processing
VANTAGE	A76B	processing
VANTAGE	A76N	nonfraud
VANTAGE	A76O	fraud
VANTAGE	A76U	nonfraud
VANTAGE	A76V	processing
VANTAGE	A77O	nonfraud
VANTAGE	A77Q	nonfraud
VANTAGE	A77W	fraud
VANTAGE	A78G	nonfraud
VANTAGE	A78S	processing
VANTAGE	A78T	fraud
VANTAGE	A78V	fraud
VANTAGE	A78W	fraud
VANTAGE	A78X	fraud
VANTAGE	A78Y	nonfraud
VANTAGE	A78Z	fraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	A79E	nonfraud
VANTAGE	A79G	nonfraud
VANTAGE	A79Q	fraud
VANTAGE	A79U	nonfraud
VANTAGE	A79V	processing
VANTAGE	A80N	fraud
VANTAGE	A80X	fraud
VANTAGE	A80Y	fraud
VANTAGE	A81B	nonfraud
VANTAGE	A81C	processing
VANTAGE	A81E	nonfraud
VANTAGE	A81Q	processing
VANTAGE	A81W	nonfraud
VANTAGE	A82F	nonfraud
VANTAGE	A82H	processing
VANTAGE	A82I	fraud
VANTAGE	A82Q	nonfraud
VANTAGE	A83U	nonfraud
VANTAGE	A83W	nonfraud
VANTAGE	A84B	fraud
VANTAGE	A84J	nonfraud
VANTAGE	A84O	nonfraud
VANTAGE	A84W	nonfraud
VANTAGE	A84Z	nonfraud
VANTAGE	A85D	processing
VANTAGE	A85E	nonfraud
VANTAGE	A85H	fraud
VANTAGE	A85R	fraud
VANTAGE	A85U	fraud
VANTAGE	A86A	fraud
VANTAGE	A86P	fraud
VANTAGE	A86T	fraud
VANTAGE	A87A	nonfraud
VANTAGE	A87P	fraud
VANTAGE	A87T	nonfraud
VANTAGE	A87W	processing
VANTAGE	A88R	fraud
VANTAGE	A88Y	nonfraud
VANTAGE	A89G	nonfraud
VANTAGE	A89K	nonfraud
VANTAGE	A89R	processing
VANTAGE	A89T	processing
VANTAGE	A90J	nonfraud
VANTAGE	A90L	processing
VANTAGE	A90V	fraud
VANTAGE	A90X	nonfraud
VANTAGE	A91B	nonfraud
VANTAGE	A91U	processing
VANTAGE	A92J	fraud
VANTAGE	A92T	nonfraud
VANTAGE	A93G	fraud
VANTAGE	A95C	nonfraud
VANTAGE	A95D	processing
VANTAGE	A95J	processing
VANTAGE	A95K	fraud
VANTAGE	A95T	fraud
VANTAGE	A95X	processing
VANTAGE	A95Y	fraud
VANTAGE	A96B	nonfraud
VANTAGE	A96P	nonfraud
VANTAGE	A96W	fraud
VANTAGE	A97A	nonfraud
VANTAGE	A97G	nonfraud
VANTAGE	A97H	nonfraud
VANTAGE	A98D	fraud
VANTAGE	A98F	nonfraud
VANTAGE	A98T	nonfraud
VANTAGE	A99B	nonfraud
VANTAGE	A99P	processing
VANTAGE	C10H	processing
VANTAGE	C10P	processing
VANTAGE	C10R	nonfraud
VANTAGE	C10V	fraud
VANTAGE	C10X	processing
VANTAGE	C11B	fraud
VANTAGE	C11O	nonfraud
VANTAGE	C11T	nonfraud
VANTAGE	C12J	nonfraud
VANTAGE	C12R	nonfraud
VANTAGE	C13A	fraud
VANTAGE	C13B	nonfraud
VANTAGE	C13C	fraud
VANTAGE	C13J	processing
VANTAGE	C13O	nonfraud
VANTAGE	C13W	nonfraud
VANTAGE	C14L	fraud
VANTAGE	C15H	fraud
VANTAGE	C15M	nonfraud
VANTAGE	C15P	fraud
VANTAGE	C16D	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	C16S	nonfraud
VANTAGE	C17I	nonfraud
VANTAGE	C17T	processing
VANTAGE	C18N	processing
VANTAGE	C18O	nonfraud
VANTAGE	C18T	processing
VANTAGE	C19D	fraud
VANTAGE	C19H	processing
VANTAGE	C19O	processing
VANTAGE	C19Y	nonfraud
VANTAGE	C20J	nonfraud
VANTAGE	C20P	fraud
VANTAGE	C20Q	nonfraud
VANTAGE	C20R	fraud
VANTAGE	C21O	nonfraud
VANTAGE	C22B	processing
VANTAGE	C22F	processing
VANTAGE	C22M	nonfraud
VANTAGE	C22N	processing
VANTAGE	C22R	fraud
VANTAGE	C22Y	fraud
VANTAGE	C22Z	processing
VANTAGE	C23F	nonfraud
VANTAGE	C23L	processing
VANTAGE	C23M	processing
VANTAGE	C23N	processing
VANTAGE	C23P	processing
VANTAGE	C23V	fraud
VANTAGE	C24L	nonfraud
VANTAGE	C24X	fraud
VANTAGE	C25P	fraud
VANTAGE	C25U	fraud
VANTAGE	C25V	fraud
VANTAGE	C25X	fraud
VANTAGE	C26U	nonfraud
VANTAGE	C27E	nonfraud
VANTAGE	C27F	fraud
VANTAGE	C27I	processing
VANTAGE	C27S	fraud
VANTAGE	C27W	fraud
VANTAGE	C28A	nonfraud
VANTAGE	C28J	nonfraud
VANTAGE	C28L	nonfraud
VANTAGE	C28S	nonfraud
VANTAGE	C29D	nonfraud
VANTAGE	C29G	nonfraud
VANTAGE	C29H	nonfraud
VANTAGE	C29S	nonfraud
VANTAGE	C30B	fraud
VANTAGE	C30E	nonfraud
VANTAGE	C31C	nonfraud
VANTAGE	C31G	nonfraud
VANTAGE	C31Q	fraud
VANTAGE	C31U	fraud
VANTAGE	C32G	fraud
VANTAGE	C32I	processing
VANTAGE	C32O	processing
VANTAGE	C32W	nonfraud
VANTAGE	C32Y	fraud
VANTAGE	C33Q	nonfraud
VANTAGE	C33V	nonfraud
VANTAGE	C34G	nonfraud
VANTAGE	C34J	nonfraud
VANTAGE	C34T	nonfraud
VANTAGE	C34V	nonfraud
VANTAGE	C34W	fraud
VANTAGE	C35S	nonfraud
VANTAGE	C35Y	nonfraud
VANTAGE	C35Z	nonfraud
VANTAGE	C36D	nonfraud
VANTAGE	C36H	fraud
VANTAGE	C36M	processing
VANTAGE	C36U	nonfraud
VANTAGE	C36Z	nonfraud
VANTAGE	C38P	nonfraud
VANTAGE	C39C	nonfraud
VANTAGE	C39S	processing
VANTAGE	C39Y	nonfraud
VANTAGE	C39Z	processing
VANTAGE	C40J	fraud
VANTAGE	C40K	fraud
VANTAGE	C40L	nonfraud
VANTAGE	C40M	processing
VANTAGE	C40S	fraud
VANTAGE	C41C	fraud
VANTAGE	C41J	nonfraud
VANTAGE	C41L	nonfraud
VANTAGE	C41O	fraud
VANTAGE	C42E	fraud
VANTAGE	C42G	fraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	C42H	nonfraud
VANTAGE	C42P	nonfraud
VANTAGE	C42R	processing
VANTAGE	C42T	fraud
VANTAGE	C43E	fraud
VANTAGE	C43L	nonfraud
VANTAGE	C43R	fraud
VANTAGE	C43V	fraud
VANTAGE	C43Y	fraud
VANTAGE	C44E	nonfraud
VANTAGE	C44F	nonfraud
VANTAGE	C44I	processing
VANTAGE	C44K	fraud
VANTAGE	C44O	processing
VANTAGE	C44V	processing
VANTAGE	C44Y	nonfraud
VANTAGE	C45B	nonfraud
VANTAGE	C45C	nonfraud
VANTAGE	C45K	fraud
VANTAGE	C45N	nonfraud
VANTAGE	C45R	nonfraud
VANTAGE	C45W	nonfraud
vantage	C45X	nonfraud
VANTAGE	C46A	nonfraud
VANTAGE	C46H	nonfraud
VANTAGE	C46L	nonfraud
VANTAGE	C46P	processing
VANTAGE	C46X	nonfraud
VANTAGE	C46Z	nonfraud
VANTAGE	C47D	nonfraud
VANTAGE	C47I	nonfraud
VANTAGE	C47R	processing
VANTAGE	C47Y	processing
VANTAGE	C48C	fraud
VANTAGE	C48F	nonfraud
VANTAGE	C48G	fraud
VANTAGE	C48I	processing
VANTAGE	C48X	nonfraud
VANTAGE	C49G	processing
VANTAGE	C49P	fraud
VANTAGE	C49S	nonfraud
VANTAGE	C49W	processing
VANTAGE	C49Y	nonfraud
VANTAGE	C50A	fraud
VANTAGE	C50N	nonfraud
VANTAGE	C52D	fraud
VANTAGE	C52G	fraud
VANTAGE	C52N	nonfraud
VANTAGE	C52R	nonfraud
VANTAGE	C52S	fraud
VANTAGE	C52Y	nonfraud
VANTAGE	C53R	nonfraud
VANTAGE	C53U	nonfraud
VANTAGE	C53X	nonfraud
VANTAGE	C54I	processing
VANTAGE	C54K	processing
VANTAGE	C54N	fraud
VANTAGE	C54U	nonfraud
VANTAGE	C54V	fraud
VANTAGE	C55B	fraud
VANTAGE	C56E	processing
VANTAGE	C56P	fraud
VANTAGE	C57H	processing
VANTAGE	C57I	processing
VANTAGE	C57J	fraud
VANTAGE	C57M	nonfraud
VANTAGE	C57N	processing
VANTAGE	C57O	fraud
VANTAGE	C57P	nonfraud
VANTAGE	C57T	fraud
VANTAGE	C57X	nonfraud
VANTAGE	C58M	nonfraud
VANTAGE	C58P	nonfraud
VANTAGE	C58R	processing
VANTAGE	C58Y	processing
VANTAGE	C59C	nonfraud
VANTAGE	C59D	nonfraud
VANTAGE	C59H	fraud
VANTAGE	C59N	nonfraud
VANTAGE	C59V	fraud
VANTAGE	C59X	fraud
VANTAGE	C60G	processing
VANTAGE	C60S	fraud
VANTAGE	C60U	fraud
VANTAGE	C60V	nonfraud
VANTAGE	C60Z	nonfraud
VANTAGE	C61E	nonfraud
VANTAGE	C61K	nonfraud
VANTAGE	C62A	processing
VANTAGE	C62D	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	C62K	nonfraud
VANTAGE	C62L	processing
VANTAGE	C62M	nonfraud
VANTAGE	C62V	nonfraud
VANTAGE	C62Y	processing
VANTAGE	C62Z	nonfraud
VANTAGE	C63A	nonfraud
VANTAGE	C63E	fraud
VANTAGE	C63F	nonfraud
VANTAGE	C63X	nonfraud
VANTAGE	C64B	fraud
VANTAGE	C64F	fraud
VANTAGE	C64T	nonfraud
VANTAGE	C65I	fraud
VANTAGE	C65L	nonfraud
VANTAGE	C65S	processing
VANTAGE	C65T	nonfraud
VANTAGE	C66G	nonfraud
VANTAGE	C66M	nonfraud
VANTAGE	C66N	processing
VANTAGE	C67A	nonfraud
VANTAGE	C67M	nonfraud
VANTAGE	C68C	fraud
VANTAGE	C68G	nonfraud
VANTAGE	C68W	processing
VANTAGE	C68Z	nonfraud
VANTAGE	C69E	fraud
VANTAGE	C69J	nonfraud
VANTAGE	C69Q	nonfraud
VANTAGE	C69R	nonfraud
VANTAGE	C69V	nonfraud
VANTAGE	C71D	fraud
VANTAGE	C71G	nonfraud
VANTAGE	C71J	nonfraud
VANTAGE	C71S	processing
VANTAGE	C72L	fraud
VANTAGE	C72P	nonfraud
VANTAGE	C72S	nonfraud
VANTAGE	C73E	processing
VANTAGE	C73F	processing
VANTAGE	C73L	fraud
VANTAGE	C73W	nonfraud
VANTAGE	C74N	fraud
VANTAGE	C75G	nonfraud
VANTAGE	C75N	processing
VANTAGE	C76I	nonfraud
VANTAGE	C76S	nonfraud
VANTAGE	C76T	nonfraud
VANTAGE	C77C	fraud
VANTAGE	C77F	fraud
VANTAGE	C77I	nonfraud
VANTAGE	C77J	fraud
VANTAGE	C77Z	processing
VANTAGE	C78A	fraud
VANTAGE	C78G	processing
VANTAGE	C78L	fraud
VANTAGE	C78N	processing
VANTAGE	C78P	fraud
VANTAGE	C79B	nonfraud
VANTAGE	C79R	nonfraud
VANTAGE	C79T	processing
vantage	C80A	fraud
VANTAGE	C80C	processing
VANTAGE	C80Q	fraud
VANTAGE	C80T	fraud
VANTAGE	C81I	processing
VANTAGE	C81R	processing
VANTAGE	C81T	fraud
VANTAGE	C81V	processing
VANTAGE	C82G	processing
VANTAGE	C82L	nonfraud
VANTAGE	C82Q	nonfraud
VANTAGE	C82U	nonfraud
VANTAGE	C82X	fraud
VANTAGE	C82Z	nonfraud
VANTAGE	C83B	nonfraud
VANTAGE	C84J	fraud
VANTAGE	C84R	nonfraud
VANTAGE	C84T	fraud
VANTAGE	C86W	nonfraud
VANTAGE	C86Y	nonfraud
VANTAGE	C87E	nonfraud
VANTAGE	C87O	fraud
VANTAGE	C87P	fraud
VANTAGE	C87R	nonfraud
VANTAGE	C87S	fraud
VANTAGE	C87T	nonfraud
VANTAGE	C88D	fraud
VANTAGE	C88R	nonfraud
VANTAGE	C88T	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	C89L	fraud
VANTAGE	C90F	fraud
VANTAGE	C90I	fraud
VANTAGE	C90U	nonfraud
VANTAGE	C90Z	processing
VANTAGE	C91R	processing
VANTAGE	C91W	nonfraud
VANTAGE	C92H	nonfraud
VANTAGE	C92I	fraud
VANTAGE	C92S	nonfraud
VANTAGE	C92X	processing
VANTAGE	C93E	nonfraud
VANTAGE	C93J	processing
VANTAGE	C93M	nonfraud
VANTAGE	C93T	nonfraud
VANTAGE	C93Y	fraud
VANTAGE	C93Z	processing
VANTAGE	C94C	fraud
VANTAGE	C94F	fraud
VANTAGE	C94K	nonfraud
VANTAGE	C94N	fraud
VANTAGE	C94O	nonfraud
VANTAGE	C94S	nonfraud
VANTAGE	C95K	fraud
VANTAGE	C95Q	nonfraud
VANTAGE	C96E	nonfraud
VANTAGE	C96F	nonfraud
VANTAGE	C96I	fraud
VANTAGE	C96U	fraud
VANTAGE	C97E	processing
VANTAGE	C97K	nonfraud
VANTAGE	C97R	fraud
VANTAGE	C97S	nonfraud
VANTAGE	C97Z	nonfraud
VANTAGE	C98C	nonfraud
VANTAGE	C98I	fraud
VANTAGE	C98W	nonfraud
VANTAGE	C98Z	nonfraud
VANTAGE	C99A	processing
VANTAGE	C99G	fraud
VANTAGE	C99H	nonfraud
VANTAGE	C99M	nonfraud
VANTAGE	C99T	fraud
VANTAGE	C99V	nonfraud
VANTAGE	C99Z	processing
VANTAGE	F10F	fraud
VANTAGE	F10I	nonfraud
VANTAGE	F10J	fraud
VANTAGE	F10N	fraud
VANTAGE	F10U	fraud
VANTAGE	F11K	nonfraud
VANTAGE	F11Q	nonfraud
VANTAGE	F11U	nonfraud
VANTAGE	F11V	fraud
VANTAGE	F11W	nonfraud
VANTAGE	F12E	processing
VANTAGE	F12X	nonfraud
VANTAGE	F13E	nonfraud
VANTAGE	F13I	fraud
VANTAGE	F13J	fraud
VANTAGE	F13O	fraud
VANTAGE	F13P	nonfraud
VANTAGE	F13Q	processing
VANTAGE	F13R	nonfraud
VANTAGE	F13T	fraud
VANTAGE	F13V	processing
VANTAGE	F13Z	nonfraud
VANTAGE	F14D	fraud
VANTAGE	F14H	nonfraud
VANTAGE	F14I	nonfraud
VANTAGE	F14J	fraud
VANTAGE	F15J	nonfraud
VANTAGE	F15P	nonfraud
VANTAGE	F15Q	nonfraud
VANTAGE	F15T	fraud
VANTAGE	F15W	processing
VANTAGE	F16C	nonfraud
VANTAGE	F16Q	nonfraud
VANTAGE	F16S	fraud
VANTAGE	F16T	fraud
VANTAGE	F16U	processing
VANTAGE	F16X	nonfraud
VANTAGE	F17C	processing
VANTAGE	F17D	fraud
VANTAGE	F17K	fraud
VANTAGE	F17S	nonfraud
VANTAGE	F17Y	fraud
VANTAGE	F18G	processing
VANTAGE	F18U	fraud
VANTAGE	F18V	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	F19D	processing
VANTAGE	F19R	nonfraud
VANTAGE	F19S	nonfraud
VANTAGE	F20M	processing
VANTAGE	F20Y	nonfraud
VANTAGE	F21D	nonfraud
VANTAGE	F22A	nonfraud
VANTAGE	F22C	nonfraud
VANTAGE	F22G	processing
VANTAGE	F22W	fraud
VANTAGE	F22Z	nonfraud
VANTAGE	F23F	fraud
VANTAGE	F23I	processing
VANTAGE	F24P	nonfraud
VANTAGE	F24W	nonfraud
VANTAGE	F24Z	fraud
VANTAGE	F25C	fraud
VANTAGE	F25R	processing
VANTAGE	F26B	nonfraud
VANTAGE	F26G	nonfraud
VANTAGE	F26P	nonfraud
VANTAGE	F26T	processing
VANTAGE	F27E	fraud
VANTAGE	F27G	processing
VANTAGE	F27I	nonfraud
VANTAGE	F27V	nonfraud
VANTAGE	F27Z	nonfraud
VANTAGE	F28C	nonfraud
VANTAGE	F28I	fraud
VANTAGE	F28L	fraud
VANTAGE	F28O	processing
VANTAGE	F28S	fraud
VANTAGE	F29E	nonfraud
VANTAGE	F29N	nonfraud
VANTAGE	F29Q	nonfraud
VANTAGE	F29U	nonfraud
VANTAGE	F29X	nonfraud
VANTAGE	F29Z	nonfraud
VANTAGE	F30J	fraud
VANTAGE	F30Z	nonfraud
VANTAGE	F31A	processing
VANTAGE	F31L	fraud
VANTAGE	F32N	nonfraud
VANTAGE	F32R	nonfraud
VANTAGE	F33G	nonfraud
VANTAGE	F33O	fraud
VANTAGE	F33Z	nonfraud
VANTAGE	F34A	nonfraud
VANTAGE	F34E	nonfraud
VANTAGE	F34G	fraud
VANTAGE	F34J	nonfraud
VANTAGE	F34Y	nonfraud
VANTAGE	F35L	nonfraud
VANTAGE	F36B	nonfraud
VANTAGE	F36J	processing
VANTAGE	F36K	processing
VANTAGE	F36O	processing
VANTAGE	F36Z	fraud
VANTAGE	F37B	fraud
VANTAGE	F37F	nonfraud
VANTAGE	F37Q	processing
VANTAGE	F37S	fraud
VANTAGE	F37W	nonfraud
VANTAGE	F38G	fraud
VANTAGE	F38H	nonfraud
VANTAGE	F38T	fraud
VANTAGE	F38U	fraud
VANTAGE	F38X	fraud
VANTAGE	F39Q	processing
VANTAGE	F39T	fraud
VANTAGE	F40V	fraud
VANTAGE	F41A	nonfraud
VANTAGE	F41K	processing
VANTAGE	F41P	nonfraud
VANTAGE	F41T	fraud
VANTAGE	F42D	fraud
VANTAGE	F43B	processing
VANTAGE	F43F	nonfraud
VANTAGE	F43H	nonfraud
VANTAGE	F43S	nonfraud
VANTAGE	F43U	fraud
VANTAGE	F43W	processing
VANTAGE	F44H	fraud
VANTAGE	F44V	nonfraud
VANTAGE	F45F	fraud
VANTAGE	F45S	nonfraud
VANTAGE	F45X	nonfraud
VANTAGE	F45Y	nonfraud
VANTAGE	F46B	nonfraud
VANTAGE	F46C	processing

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	F46T	nonfraud
VANTAGE	F46U	nonfraud
VANTAGE	F47C	nonfraud
VANTAGE	F47J	processing
VANTAGE	F48B	nonfraud
VANTAGE	F48O	fraud
VANTAGE	F48S	fraud
VANTAGE	F48T	nonfraud
VANTAGE	F48Y	nonfraud
VANTAGE	F49O	processing
VANTAGE	F49R	nonfraud
VANTAGE	F50G	nonfraud
VANTAGE	F50M	nonfraud
VANTAGE	F50Y	processing
VANTAGE	F51C	fraud
VANTAGE	F52C	nonfraud
VANTAGE	F52J	nonfraud
VANTAGE	F52R	fraud
VANTAGE	F52T	processing
VANTAGE	F52V	nonfraud
VANTAGE	F52X	nonfraud
VANTAGE	F53C	fraud
VANTAGE	F53D	fraud
VANTAGE	F54D	nonfraud
VANTAGE	F54G	processing
VANTAGE	F54X	nonfraud
VANTAGE	F55D	nonfraud
VANTAGE	F55O	nonfraud
VANTAGE	F55P	nonfraud
VANTAGE	F55W	processing
VANTAGE	F56L	fraud
VANTAGE	F56P	processing
VANTAGE	F57G	nonfraud
VANTAGE	F57H	processing
VANTAGE	F57R	nonfraud
VANTAGE	F57S	fraud
VANTAGE	F57T	fraud
VANTAGE	F57V	nonfraud
VANTAGE	F57W	nonfraud
VANTAGE	F57Y	fraud
VANTAGE	F58B	fraud
VANTAGE	F58C	nonfraud
VANTAGE	F58E	nonfraud
VANTAGE	F58F	fraud
VANTAGE	F58G	nonfraud
VANTAGE	F58Y	processing
VANTAGE	F59B	nonfraud
VANTAGE	F59C	fraud
VANTAGE	F59D	fraud
VANTAGE	F59G	nonfraud
VANTAGE	F59I	processing
VANTAGE	F59K	fraud
VANTAGE	F59M	fraud
VANTAGE	F59P	processing
VANTAGE	F59S	nonfraud
VANTAGE	F59T	fraud
VANTAGE	F60L	nonfraud
VANTAGE	F60P	nonfraud
VANTAGE	F60Q	fraud
VANTAGE	F60R	nonfraud
VANTAGE	F60T	nonfraud
VANTAGE	F60U	nonfraud
VANTAGE	F61B	fraud
VANTAGE	F61I	nonfraud
VANTAGE	F61K	fraud
VANTAGE	F61O	processing
VANTAGE	F61W	fraud
VANTAGE	F62B	nonfraud
VANTAGE	F62O	processing
VANTAGE	F62T	fraud
VANTAGE	F62U	fraud
VANTAGE	F62W	nonfraud
VANTAGE	F62Y	processing
VANTAGE	F63N	nonfraud
VANTAGE	F63Z	nonfraud
VANTAGE	F64G	fraud
VANTAGE	F65D	fraud
VANTAGE	F65G	processing
VANTAGE	F65H	fraud
VANTAGE	F65R	nonfraud
VANTAGE	F65U	fraud
VANTAGE	F66M	fraud
VANTAGE	F66N	processing
VANTAGE	F66P	processing
VANTAGE	F66T	processing
VANTAGE	F66V	nonfraud
VANTAGE	F66Y	processing
VANTAGE	F67C	processing
VANTAGE	F67D	nonfraud
VANTAGE	F67J	processing

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	F67Q	processing
VANTAGE	F67Y	nonfraud
VANTAGE	F68B	nonfraud
VANTAGE	F68K	fraud
VANTAGE	F68M	nonfraud
VANTAGE	F68S	nonfraud
VANTAGE	F69C	nonfraud
VANTAGE	F69G	nonfraud
VANTAGE	F69J	nonfraud
VANTAGE	F69T	fraud
VANTAGE	F69U	processing
VANTAGE	F70B	nonfraud
VANTAGE	F70C	fraud
VANTAGE	F70D	nonfraud
VANTAGE	F70I	nonfraud
VANTAGE	F70T	fraud
VANTAGE	F70V	nonfraud
VANTAGE	F71A	fraud
VANTAGE	F71I	nonfraud
VANTAGE	F71M	nonfraud
VANTAGE	F71Q	nonfraud
VANTAGE	F71V	fraud
VANTAGE	F71W	fraud
VANTAGE	F72A	fraud
VANTAGE	F72E	processing
VANTAGE	F72F	nonfraud
VANTAGE	F72H	processing
VANTAGE	F72M	nonfraud
VANTAGE	F72X	nonfraud
VANTAGE	F72Y	nonfraud
VANTAGE	F73C	nonfraud
VANTAGE	F73I	nonfraud
VANTAGE	F73K	fraud
VANTAGE	F73Q	fraud
VANTAGE	F74A	fraud
VANTAGE	F74E	nonfraud
VANTAGE	F74M	processing
VANTAGE	F74O	processing
VANTAGE	F74P	processing
VANTAGE	F75E	nonfraud
VANTAGE	F75G	fraud
VANTAGE	F75L	nonfraud
VANTAGE	F75Z	processing
VANTAGE	F76C	nonfraud
VANTAGE	F76H	nonfraud
VANTAGE	F76M	nonfraud
VANTAGE	F76N	fraud
VANTAGE	F76Q	nonfraud
VANTAGE	F76V	fraud
VANTAGE	F76W	nonfraud
VANTAGE	F77B	processing
VANTAGE	F77H	processing
VANTAGE	F77T	fraud
VANTAGE	F77U	processing
VANTAGE	F77Z	processing
VANTAGE	F78H	nonfraud
VANTAGE	F78O	nonfraud
VANTAGE	F78Q	nonfraud
VANTAGE	F78R	fraud
VANTAGE	F78T	fraud
VANTAGE	F79F	nonfraud
VANTAGE	F79H	nonfraud
VANTAGE	F79W	nonfraud
VANTAGE	F80C	nonfraud
VANTAGE	F80F	processing
VANTAGE	F80J	processing
VANTAGE	F80Q	nonfraud
VANTAGE	F81J	nonfraud
VANTAGE	F82H	fraud
VANTAGE	F82M	processing
VANTAGE	F82Q	nonfraud
VANTAGE	F82S	nonfraud
VANTAGE	F82V	nonfraud
VANTAGE	F82Z	processing
VANTAGE	F83D	fraud
VANTAGE	F83I	nonfraud
VANTAGE	F83L	fraud
VANTAGE	F83N	nonfraud
VANTAGE	F83O	fraud
VANTAGE	F83Q	fraud
VANTAGE	F84D	fraud
VANTAGE	F84O	fraud
VANTAGE	F85A	nonfraud
VANTAGE	F85J	nonfraud
VANTAGE	F85L	fraud
VANTAGE	F85X	fraud
VANTAGE	F86A	nonfraud
VANTAGE	F86B	nonfraud
VANTAGE	F86I	fraud
VANTAGE	F86J	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	F86K	processing
VANTAGE	F86Q	fraud
VANTAGE	F86X	fraud
VANTAGE	F86Z	processing
VANTAGE	F87U	nonfraud
VANTAGE	F88B	processing
VANTAGE	F88S	nonfraud
VANTAGE	F88X	processing
VANTAGE	F89E	fraud
VANTAGE	F89G	fraud
VANTAGE	F89V	nonfraud
VANTAGE	F90I	nonfraud
VANTAGE	F90J	fraud
VANTAGE	F90M	nonfraud
VANTAGE	F90Q	nonfraud
VANTAGE	F90W	nonfraud
VANTAGE	F91E	nonfraud
VANTAGE	F91F	nonfraud
VANTAGE	F91R	fraud
VANTAGE	F91S	nonfraud
VANTAGE	F91X	nonfraud
VANTAGE	F92N	nonfraud
VANTAGE	F92O	processing
VANTAGE	F93F	nonfraud
VANTAGE	F93K	nonfraud
VANTAGE	F94K	fraud
VANTAGE	F94M	nonfraud
VANTAGE	F94P	nonfraud
VANTAGE	F95H	fraud
VANTAGE	F95K	nonfraud
VANTAGE	F95Z	nonfraud
VANTAGE	F96C	processing
VANTAGE	F96E	nonfraud
VANTAGE	F96K	fraud
VANTAGE	F96T	fraud
VANTAGE	F97H	fraud
VANTAGE	F97J	fraud
VANTAGE	F97O	nonfraud
VANTAGE	F98B	processing
VANTAGE	F98F	nonfraud
VANTAGE	F98N	fraud
VANTAGE	F98Q	nonfraud
VANTAGE	F98S	nonfraud
VANTAGE	F98U	nonfraud
VANTAGE	F98Y	nonfraud
VANTAGE	F99B	nonfraud
VANTAGE	F99E	nonfraud
VANTAGE	F99G	nonfraud
VANTAGE	F99I	processing
VANTAGE	F99Q	fraud
VANTAGE	P10C	fraud
VANTAGE	P10H	processing
VANTAGE	P10I	nonfraud
VANTAGE	P10P	nonfraud
VANTAGE	P10X	nonfraud
VANTAGE	P10Y	nonfraud
VANTAGE	P10Z	nonfraud
VANTAGE	P11C	nonfraud
VANTAGE	P11D	nonfraud
VANTAGE	P11I	processing
VANTAGE	P11R	fraud
VANTAGE	P12M	nonfraud
VANTAGE	P13B	nonfraud
VANTAGE	P13Q	fraud
VANTAGE	P13X	nonfraud
VANTAGE	P14D	fraud
VANTAGE	P14F	nonfraud
VANTAGE	P14S	nonfraud
VANTAGE	P15D	fraud
VANTAGE	P15N	nonfraud
VANTAGE	P15W	nonfraud
VANTAGE	P15Z	nonfraud
VANTAGE	P16C	nonfraud
VANTAGE	P16D	nonfraud
VANTAGE	P16F	fraud
VANTAGE	P16G	nonfraud
VANTAGE	P16S	nonfraud
VANTAGE	P17C	nonfraud
VANTAGE	P17T	fraud
VANTAGE	P17V	nonfraud
VANTAGE	P17X	processing
VANTAGE	P18B	nonfraud
VANTAGE	P18O	processing
VANTAGE	P18T	fraud
VANTAGE	P18U	nonfraud
VANTAGE	P18Y	fraud
VANTAGE	P19N	nonfraud
VANTAGE	P19Y	fraud
VANTAGE	P20P	nonfraud
VANTAGE	P20Y	fraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	P21D	fraud
VANTAGE	P21K	nonfraud
VANTAGE	P21L	nonfraud
VANTAGE	P22H	processing
VANTAGE	P22R	nonfraud
VANTAGE	P22T	nonfraud
VANTAGE	P23B	nonfraud
VANTAGE	P23M	nonfraud
VANTAGE	P23O	nonfraud
VANTAGE	P24C	fraud
VANTAGE	P24D	nonfraud
VANTAGE	P24E	nonfraud
VANTAGE	P24U	fraud
VANTAGE	P25H	nonfraud
VANTAGE	P25N	processing
VANTAGE	P25S	nonfraud
VANTAGE	P25T	nonfraud
VANTAGE	P25V	fraud
VANTAGE	P25W	fraud
VANTAGE	P26B	processing
VANTAGE	P26N	processing
VANTAGE	P26W	fraud
VANTAGE	P26Y	fraud
VANTAGE	P27O	processing
VANTAGE	P27S	nonfraud
VANTAGE	P27T	nonfraud
VANTAGE	P27U	fraud
VANTAGE	P27X	processing
VANTAGE	P28F	nonfraud
VANTAGE	P28J	nonfraud
VANTAGE	P28K	fraud
VANTAGE	P28Q	fraud
VANTAGE	P28T	fraud
VANTAGE	P28Z	fraud
VANTAGE	P29M	nonfraud
VANTAGE	P29N	processing
VANTAGE	P29S	nonfraud
VANTAGE	P29U	nonfraud
VANTAGE	P30B	fraud
VANTAGE	P30F	nonfraud
VANTAGE	P31A	nonfraud
VANTAGE	P31F	nonfraud
VANTAGE	P31G	fraud
VANTAGE	P31I	nonfraud
VANTAGE	P31K	nonfraud
VANTAGE	P31L	nonfraud
VANTAGE	P31Y	nonfraud
VANTAGE	P32A	fraud
VANTAGE	P32B	nonfraud
VANTAGE	P32D	fraud
VANTAGE	P32F	nonfraud
VANTAGE	P32N	nonfraud
VANTAGE	P32R	nonfraud
VANTAGE	P32W	nonfraud
VANTAGE	P33J	nonfraud
VANTAGE	P33Q	nonfraud
VANTAGE	P33T	fraud
VANTAGE	P34K	fraud
VANTAGE	P34Q	nonfraud
VANTAGE	P34T	fraud
VANTAGE	P34X	nonfraud
VANTAGE	P34Z	nonfraud
VANTAGE	P35H	nonfraud
VANTAGE	P35T	processing
VANTAGE	P35W	fraud
VANTAGE	P36B	fraud
VANTAGE	P36L	fraud
VANTAGE	P37C	nonfraud
VANTAGE	P37F	nonfraud
VANTAGE	P37K	nonfraud
VANTAGE	P37U	nonfraud
VANTAGE	P38H	nonfraud
VANTAGE	P38P	nonfraud
VANTAGE	P38Q	fraud
VANTAGE	P38X	nonfraud
VANTAGE	P39C	fraud
VANTAGE	P39H	nonfraud
VANTAGE	P39J	processing
VANTAGE	P39K	nonfraud
VANTAGE	P39M	nonfraud
VANTAGE	P39T	processing
VANTAGE	P39X	fraud
VANTAGE	P40B	nonfraud
VANTAGE	P40G	processing
VANTAGE	P40P	nonfraud
VANTAGE	P40T	fraud
VANTAGE	P40Z	processing
VANTAGE	P41D	nonfraud
VANTAGE	P41V	processing
VANTAGE	P41W	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	P41X	nonfraud
VANTAGE	P42A	nonfraud
VANTAGE	P42R	processing
VANTAGE	P42Y	nonfraud
VANTAGE	P43I	fraud
VANTAGE	P44W	nonfraud
VANTAGE	P44Z	nonfraud
VANTAGE	P45B	processing
VANTAGE	P45J	fraud
VANTAGE	P45S	nonfraud
VANTAGE	P46W	fraud
VANTAGE	P46X	processing
VANTAGE	P47F	fraud
VANTAGE	P48E	nonfraud
VANTAGE	P48K	nonfraud
VANTAGE	P48W	fraud
VANTAGE	P48X	nonfraud
VANTAGE	P49A	nonfraud
VANTAGE	P49B	processing
VANTAGE	P49M	nonfraud
VANTAGE	P49R	nonfraud
VANTAGE	P49V	nonfraud
VANTAGE	P50L	processing
VANTAGE	P50N	fraud
VANTAGE	P51P	processing
VANTAGE	P52A	fraud
VANTAGE	P52D	nonfraud
VANTAGE	P52E	processing
VANTAGE	P52M	nonfraud
VANTAGE	P52Q	nonfraud
VANTAGE	P52V	nonfraud
VANTAGE	P52W	nonfraud
VANTAGE	P53B	fraud
VANTAGE	P53D	fraud
VANTAGE	P53V	nonfraud
VANTAGE	P53W	fraud
VANTAGE	P53X	processing
VANTAGE	P53Z	processing
VANTAGE	P54B	fraud
VANTAGE	P54C	nonfraud
VANTAGE	P54H	processing
VANTAGE	P54J	fraud
VANTAGE	P54K	fraud
VANTAGE	P54T	fraud
VANTAGE	P54U	fraud
VANTAGE	P54W	nonfraud
VANTAGE	P55D	nonfraud
VANTAGE	P55J	nonfraud
VANTAGE	P55K	fraud
VANTAGE	P55X	nonfraud
VANTAGE	P56D	fraud
VANTAGE	P56J	fraud
VANTAGE	P56K	fraud
VANTAGE	P56M	nonfraud
VANTAGE	P56O	nonfraud
VANTAGE	P56X	nonfraud
VANTAGE	P56Y	nonfraud
VANTAGE	P57N	nonfraud
VANTAGE	P57X	nonfraud
VANTAGE	P57Z	fraud
VANTAGE	P58D	fraud
VANTAGE	P59A	fraud
VANTAGE	P59H	processing
VANTAGE	P59V	fraud
VANTAGE	P60G	nonfraud
VANTAGE	P60L	fraud
VANTAGE	P61H	nonfraud
VANTAGE	P61K	nonfraud
VANTAGE	P62A	nonfraud
VANTAGE	P62I	fraud
VANTAGE	P62P	nonfraud
VANTAGE	P63D	processing
VANTAGE	P63O	nonfraud
VANTAGE	P63V	nonfraud
VANTAGE	P64I	nonfraud
VANTAGE	P64O	processing
VANTAGE	P64P	processing
VANTAGE	P65L	nonfraud
VANTAGE	P65M	fraud
VANTAGE	P66A	processing
VANTAGE	P66D	fraud
VANTAGE	P66P	nonfraud
VANTAGE	P66X	processing
VANTAGE	P66Z	nonfraud
VANTAGE	P67C	fraud
VANTAGE	P67F	fraud
VANTAGE	P67K	nonfraud
VANTAGE	P67Z	nonfraud
VANTAGE	P68B	nonfraud
VANTAGE	P68G	processing

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	P68K	processing
VANTAGE	P68U	nonfraud
VANTAGE	P69D	nonfraud
VANTAGE	P69F	nonfraud
VANTAGE	P69O	nonfraud
VANTAGE	P70G	fraud
VANTAGE	P70H	processing
VANTAGE	P70S	nonfraud
VANTAGE	P71G	nonfraud
VANTAGE	P71I	fraud
VANTAGE	P71L	fraud
VANTAGE	P71U	processing
VANTAGE	P71W	fraud
VANTAGE	P72C	nonfraud
VANTAGE	P72W	processing
VANTAGE	P73B	processing
VANTAGE	P73E	nonfraud
VANTAGE	P73M	fraud
VANTAGE	P74J	fraud
VANTAGE	P74O	nonfraud
VANTAGE	P74T	nonfraud
VANTAGE	P74Y	nonfraud
VANTAGE	P75A	nonfraud
VANTAGE	P75C	processing
VANTAGE	P75F	nonfraud
VANTAGE	P75U	processing
VANTAGE	P76C	fraud
VANTAGE	P76F	fraud
VANTAGE	P76J	nonfraud
VANTAGE	P76Z	nonfraud
VANTAGE	P77I	fraud
VANTAGE	P77J	nonfraud
VANTAGE	P77K	fraud
VANTAGE	P77L	fraud
VANTAGE	P77M	nonfraud
VANTAGE	P77T	nonfraud
VANTAGE	P77Z	nonfraud
VANTAGE	P78A	fraud
VANTAGE	P78I	fraud
VANTAGE	P78O	processing
VANTAGE	P78Q	processing
VANTAGE	P78T	nonfraud
VANTAGE	P78V	processing
VANTAGE	P78W	nonfraud
VANTAGE	P79T	fraud
VANTAGE	P80E	nonfraud
VANTAGE	P80G	nonfraud
VANTAGE	P80P	nonfraud
VANTAGE	P80R	processing
VANTAGE	P80X	processing
VANTAGE	P81A	fraud
VANTAGE	P81G	fraud
VANTAGE	P81J	fraud
VANTAGE	P81O	fraud
VANTAGE	P81X	nonfraud
VANTAGE	P81Z	fraud
VANTAGE	P82C	nonfraud
VANTAGE	P82H	processing
VANTAGE	P82L	nonfraud
VANTAGE	P82S	nonfraud
VANTAGE	P82T	nonfraud
VANTAGE	P83B	nonfraud
VANTAGE	P83F	processing
VANTAGE	P83H	fraud
VANTAGE	P83I	nonfraud
VANTAGE	P83P	nonfraud
VANTAGE	P84D	nonfraud
VANTAGE	P84E	nonfraud
VANTAGE	P84P	nonfraud
VANTAGE	P86G	fraud
VANTAGE	P86Z	nonfraud
VANTAGE	P87J	nonfraud
VANTAGE	P87O	fraud
VANTAGE	P87R	fraud
VANTAGE	P88H	fraud
VANTAGE	P88I	nonfraud
VANTAGE	P88K	nonfraud
VANTAGE	P88P	fraud
VANTAGE	P88X	nonfraud
VANTAGE	P88Y	processing
VANTAGE	P89L	processing
VANTAGE	P89U	fraud
VANTAGE	P91M	fraud
VANTAGE	P92I	fraud
VANTAGE	P92J	nonfraud
VANTAGE	P92R	fraud
VANTAGE	P92V	fraud
VANTAGE	P93X	processing
VANTAGE	P94G	processing
VANTAGE	P95H	fraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	P95J	fraud
VANTAGE	P95L	nonfraud
VANTAGE	P95T	processing
VANTAGE	P95X	fraud
VANTAGE	P96C	nonfraud
VANTAGE	P96J	nonfraud
VANTAGE	P96L	nonfraud
VANTAGE	P96O	nonfraud
VANTAGE	P96P	nonfraud
VANTAGE	P96W	nonfraud
VANTAGE	P97A	processing
VANTAGE	P97U	fraud
VANTAGE	P97X	fraud
VANTAGE	P98B	nonfraud
VANTAGE	P98Q	nonfraud
VANTAGE	P99M	processing
VANTAGE	P99R	nonfraud
VANTAGE	P99V	processing
VANTAGE	R10E	fraud
VANTAGE	R10J	nonfraud
VANTAGE	R10S	nonfraud
VANTAGE	R11F	processing
VANTAGE	R11M	nonfraud
VANTAGE	R11P	nonfraud
VANTAGE	R11X	nonfraud
VANTAGE	R12G	nonfraud
VANTAGE	R12H	nonfraud
VANTAGE	R12L	nonfraud
VANTAGE	R12W	nonfraud
VANTAGE	R13H	fraud
VANTAGE	R14A	nonfraud
VANTAGE	R14E	processing
VANTAGE	R14F	fraud
VANTAGE	R14I	processing
VANTAGE	R14U	fraud
VANTAGE	R14W	nonfraud
VANTAGE	R15I	nonfraud
VANTAGE	R15Q	nonfraud
VANTAGE	R15S	nonfraud
VANTAGE	R15U	nonfraud
VANTAGE	R15X	nonfraud
VANTAGE	R16Z	nonfraud
VANTAGE	R17A	nonfraud
VANTAGE	R17E	fraud
VANTAGE	R17F	fraud
VANTAGE	R17L	nonfraud
VANTAGE	R17U	nonfraud
VANTAGE	R17V	nonfraud
VANTAGE	R18H	nonfraud
VANTAGE	R18O	nonfraud
VANTAGE	R18S	fraud
VANTAGE	R19H	nonfraud
VANTAGE	R19J	processing
VANTAGE	R19L	processing
VANTAGE	R19P	fraud
VANTAGE	R19Z	fraud
VANTAGE	R20F	fraud
VANTAGE	R20I	processing
VANTAGE	R20Q	fraud
VANTAGE	R21C	fraud
VANTAGE	R21E	processing
VANTAGE	R21G	processing
VANTAGE	R21M	nonfraud
VANTAGE	R22I	nonfraud
VANTAGE	R22J	nonfraud
VANTAGE	R22T	nonfraud
VANTAGE	R22X	fraud
VANTAGE	R22Z	fraud
VANTAGE	R23A	nonfraud
VANTAGE	R23D	fraud
VANTAGE	R23M	processing
VANTAGE	R23N	nonfraud
VANTAGE	R24F	nonfraud
VANTAGE	R24I	processing
VANTAGE	R24O	nonfraud
VANTAGE	R24S	fraud
VANTAGE	R24W	nonfraud
VANTAGE	R24Z	nonfraud
VANTAGE	R25H	nonfraud
VANTAGE	R25L	fraud
VANTAGE	R25T	nonfraud
VANTAGE	R26A	fraud
VANTAGE	R26L	processing
VANTAGE	R26M	nonfraud
VANTAGE	R26S	nonfraud
VANTAGE	R26T	nonfraud
VANTAGE	R26U	processing
VANTAGE	R27B	processing
VANTAGE	R27C	nonfraud
VANTAGE	R27G	processing

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	R27J	processing
VANTAGE	R27R	nonfraud
VANTAGE	R27Z	fraud
VANTAGE	R28W	nonfraud
VANTAGE	R29D	nonfraud
VANTAGE	R29G	fraud
VANTAGE	R29K	processing
VANTAGE	R30D	fraud
VANTAGE	R30Q	nonfraud
VANTAGE	R30Z	nonfraud
VANTAGE	R31A	nonfraud
VANTAGE	R31C	processing
VANTAGE	R31F	fraud
VANTAGE	R31G	fraud
VANTAGE	R31P	nonfraud
VANTAGE	R31T	fraud
VANTAGE	R31U	fraud
VANTAGE	R32B	processing
VANTAGE	R32N	fraud
VANTAGE	R32O	processing
VANTAGE	R32W	nonfraud
VANTAGE	R32Z	processing
VANTAGE	R33Z	nonfraud
VANTAGE	R34K	fraud
VANTAGE	R34L	processing
VANTAGE	R34O	nonfraud
VANTAGE	R34T	processing
VANTAGE	R34W	processing
VANTAGE	R35H	nonfraud
VANTAGE	R35N	processing
VANTAGE	R35Q	nonfraud
VANTAGE	R35U	nonfraud
VANTAGE	R36E	fraud
VANTAGE	R36K	fraud
VANTAGE	R36Q	fraud
VANTAGE	R36U	nonfraud
VANTAGE	R37A	nonfraud
VANTAGE	R37F	fraud
VANTAGE	R37H	processing
VANTAGE	R37W	fraud
VANTAGE	R38A	processing
VANTAGE	R38Q	nonfraud
VANTAGE	R38W	nonfraud
VANTAGE	R39T	nonfraud
VANTAGE	R40A	processing
VANTAGE	R40C	fraud
VANTAGE	R40G	nonfraud
VANTAGE	R40I	fraud
VANTAGE	R40N	fraud
VANTAGE	R40S	nonfraud
VANTAGE	R40T	processing
VANTAGE	R41E	fraud
VANTAGE	R41G	nonfraud
VANTAGE	R41K	nonfraud
VANTAGE	R41O	fraud
VANTAGE	R42J	processing
VANTAGE	R42X	nonfraud
VANTAGE	R43H	processing
VANTAGE	R43R	fraud
VANTAGE	R43Z	fraud
VANTAGE	R44D	fraud
vantage	R44P	processing
VANTAGE	R44S	fraud
VANTAGE	R44U	fraud
VANTAGE	R45D	processing
VANTAGE	R45L	nonfraud
VANTAGE	R45M	nonfraud
VANTAGE	R45N	fraud
VANTAGE	R45Q	nonfraud
VANTAGE	R45U	processing
VANTAGE	R46J	nonfraud
VANTAGE	R46N	fraud
VANTAGE	R46Q	nonfraud
VANTAGE	R46U	fraud
VANTAGE	R46W	nonfraud
VANTAGE	R46Y	nonfraud
VANTAGE	R47C	fraud
VANTAGE	R47K	nonfraud
VANTAGE	R47M	nonfraud
VANTAGE	R48F	nonfraud
VANTAGE	R48I	fraud
VANTAGE	R49C	fraud
VANTAGE	R49K	nonfraud
VANTAGE	R49U	nonfraud
VANTAGE	R49Z	fraud
VANTAGE	R50K	nonfraud
VANTAGE	R50R	nonfraud
VANTAGE	R50T	nonfraud
VANTAGE	R50Y	nonfraud
VANTAGE	R51A	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	R51G	fraud
VANTAGE	R51L	fraud
VANTAGE	R51Y	nonfraud
VANTAGE	R52A	fraud
VANTAGE	R52B	nonfraud
VANTAGE	R52C	fraud
VANTAGE	R52H	fraud
VANTAGE	R52M	nonfraud
VANTAGE	R52U	processing
VANTAGE	R53L	fraud
VANTAGE	R53U	fraud
VANTAGE	R53X	nonfraud
VANTAGE	R54J	nonfraud
VANTAGE	R54K	fraud
VANTAGE	R54W	processing
VANTAGE	R55L	nonfraud
VANTAGE	R55T	nonfraud
VANTAGE	R55X	nonfraud
VANTAGE	R56D	fraud
VANTAGE	R56N	processing
VANTAGE	R56S	nonfraud
VANTAGE	R56Z	nonfraud
VANTAGE	R57A	fraud
VANTAGE	R57I	fraud
VANTAGE	R57M	nonfraud
VANTAGE	R57P	fraud
VANTAGE	R58D	fraud
VANTAGE	R58Y	processing
VANTAGE	R59A	processing
VANTAGE	R59W	nonfraud
VANTAGE	R60D	fraud
VANTAGE	R60K	fraud
VANTAGE	R60N	fraud
VANTAGE	R60O	nonfraud
VANTAGE	R60W	nonfraud
VANTAGE	R61X	nonfraud
VANTAGE	R62A	fraud
VANTAGE	R62D	nonfraud
VANTAGE	R62E	nonfraud
VANTAGE	R62F	nonfraud
VANTAGE	R62I	processing
VANTAGE	R62V	nonfraud
VANTAGE	R62W	nonfraud
VANTAGE	R63F	nonfraud
VANTAGE	R63O	fraud
VANTAGE	R64Y	processing
VANTAGE	R65C	nonfraud
VANTAGE	R65F	fraud
VANTAGE	R65M	nonfraud
VANTAGE	R65N	fraud
VANTAGE	R65R	nonfraud
VANTAGE	R65T	nonfraud
VANTAGE	R65V	nonfraud
VANTAGE	R66D	nonfraud
VANTAGE	R66M	fraud
VANTAGE	R67C	nonfraud
VANTAGE	R67G	nonfraud
VANTAGE	R67L	nonfraud
VANTAGE	R67Q	fraud
VANTAGE	R67R	processing
VANTAGE	R67Y	nonfraud
VANTAGE	R68H	processing
VANTAGE	R68I	fraud
VANTAGE	R68L	fraud
VANTAGE	R68S	nonfraud
VANTAGE	R69N	fraud
VANTAGE	R69T	nonfraud
VANTAGE	R69V	nonfraud
VANTAGE	R69W	processing
VANTAGE	R70D	nonfraud
VANTAGE	R70E	processing
VANTAGE	R70O	fraud
VANTAGE	R70P	fraud
VANTAGE	R70S	nonfraud
VANTAGE	R70X	processing
VANTAGE	R71D	nonfraud
VANTAGE	R71I	nonfraud
VANTAGE	R71K	nonfraud
VANTAGE	R71L	fraud
VANTAGE	R71T	processing
VANTAGE	R71V	nonfraud
VANTAGE	R72C	fraud
VANTAGE	R72H	processing
VANTAGE	R72O	fraud
VANTAGE	R72U	fraud
VANTAGE	R72X	nonfraud
VANTAGE	R73A	fraud
VANTAGE	R73E	nonfraud
VANTAGE	R73H	fraud
VANTAGE	R73P	nonfraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	R74G	fraud
VANTAGE	R74M	fraud
VANTAGE	R74Y	fraud
VANTAGE	R75A	fraud
VANTAGE	R75J	fraud
VANTAGE	R75K	nonfraud
VANTAGE	R75O	nonfraud
VANTAGE	R75X	processing
VANTAGE	R76C	fraud
VANTAGE	R76E	nonfraud
VANTAGE	R76P	processing
VANTAGE	R76X	nonfraud
VANTAGE	R77F	nonfraud
VANTAGE	R77L	processing
VANTAGE	R77O	processing
VANTAGE	R77Q	nonfraud
VANTAGE	R78I	nonfraud
VANTAGE	R78P	processing
VANTAGE	R78S	nonfraud
VANTAGE	R78V	processing
VANTAGE	R78X	fraud
VANTAGE	R78Y	nonfraud
VANTAGE	R79E	nonfraud
VANTAGE	R79J	fraud
VANTAGE	R79L	processing
VANTAGE	R79N	fraud
VANTAGE	R79Y	fraud
VANTAGE	R80A	nonfraud
VANTAGE	R80J	nonfraud
VANTAGE	R80N	fraud
VANTAGE	R80O	nonfraud
VANTAGE	R80S	fraud
VANTAGE	R80T	nonfraud
VANTAGE	R81L	fraud
VANTAGE	R81X	processing
VANTAGE	R82Q	fraud
VANTAGE	R83A	nonfraud
VANTAGE	R83B	processing
VANTAGE	R83F	nonfraud
VANTAGE	R83J	nonfraud
VANTAGE	R83N	fraud
VANTAGE	R83R	fraud
VANTAGE	R84J	nonfraud
VANTAGE	R84K	fraud
VANTAGE	R84N	fraud
VANTAGE	R84O	fraud
VANTAGE	R84Q	nonfraud
VANTAGE	R84S	nonfraud
VANTAGE	R84V	fraud
VANTAGE	R84Z	nonfraud
VANTAGE	R85E	processing
VANTAGE	R85H	processing
VANTAGE	R85K	processing
VANTAGE	R85X	fraud
VANTAGE	R86S	processing
VANTAGE	R86W	fraud
VANTAGE	R87G	processing
VANTAGE	R87L	fraud
VANTAGE	R87M	fraud
VANTAGE	R87Q	fraud
VANTAGE	R87T	fraud
VANTAGE	R87W	fraud
VANTAGE	R87X	fraud
VANTAGE	R88G	fraud
VANTAGE	R88L	processing
VANTAGE	R88X	nonfraud
VANTAGE	R89H	fraud
VANTAGE	R89L	fraud
VANTAGE	R89Q	processing
VANTAGE	R89S	nonfraud
VANTAGE	R89X	fraud
VANTAGE	R90J	nonfraud
VANTAGE	R91A	processing
VANTAGE	R91C	processing
VANTAGE	R91G	nonfraud
VANTAGE	R91H	nonfraud
VANTAGE	R91N	fraud
VANTAGE	R91P	processing
VANTAGE	R91Z	nonfraud
VANTAGE	R92A	nonfraud
VANTAGE	R92D	fraud
VANTAGE	R92E	processing
VANTAGE	R92F	nonfraud
VANTAGE	R92H	nonfraud
VANTAGE	R92I	nonfraud
VANTAGE	R92S	fraud
VANTAGE	R92U	fraud
VANTAGE	R93D	processing
VANTAGE	R93E	fraud
VANTAGE	R93Q	fraud

Table: Reason codes (continued)

network	reason_code	class
VANTAGE	R93T	nonfraud
VANTAGE	R93V	fraud
VANTAGE	R93W	nonfraud
VANTAGE	R94A	fraud
VANTAGE	R94H	fraud
VANTAGE	R94O	nonfraud
VANTAGE	R94S	processing
VANTAGE	R94V	processing
VANTAGE	R95R	fraud
VANTAGE	R95V	processing
VANTAGE	R95Y	processing
VANTAGE	R95Z	processing
VANTAGE	R96A	nonfraud
VANTAGE	R96F	nonfraud
VANTAGE	R96L	nonfraud
VANTAGE	R96O	nonfraud
VANTAGE	R96Z	fraud
VANTAGE	R97A	fraud
VANTAGE	R97D	nonfraud
VANTAGE	R97E	nonfraud
VANTAGE	R97U	fraud
VANTAGE	R97V	nonfraud
VANTAGE	R98A	nonfraud
VANTAGE	R98I	nonfraud
VANTAGE	R98K	nonfraud
VANTAGE	R98M	nonfraud
VANTAGE	R98X	fraud
VANTAGE	R99B	nonfraud
VANTAGE	R99F	fraud
VANTAGE	R99I	processing
VANTAGE	R99O	fraud
VANTAGE	R99Q	nonfraud
VANTAGE	R99S	fraud
VANTAGE	R99X	nonfraud

Footnote: override Reason codes; KESTREL/12.2.7a; class; fraud

Footnote: override Reason codes; KESTREL/13.1.5c; class; fraud

Footnote: override Reason codes; KESTREL/14.5.1b; class; fraud

Footnote: override Reason codes; ORBIS/4891E3; class; fraud

Footnote: override Reason codes; VANTAGE/C24X; class; nonfraud

Footnote: override Reason codes; VANTAGE/P91M; class; nonfraud

Footnote: override Reason codes; VANTAGE/R96O; class; fraud