

PROFILE SUMMARY

- Senior Web3 Developer with 7 years of experience shipping production dApp frontends and wallet flows on Ethereum and Polygon across DeFi swap and lending UIs, NFT marketplaces, and consumer wallet apps, specializing in wallet UX, transaction state machines, and Sign-In with Ethereum auth flows.
- Hands-on coverage across frontend framework (React with Next.js), Web3 client (viem with wagmi), wallet kit (RainbowKit with WalletConnect), and chain (Ethereum mainnet with Polygon), with indexing through The Graph with Alchemy fallback and credentialed as Alchemy University Web3 Developer.
- Deep expertise in dApp frontend architecture with App Router, server components, and edge rendering, transaction state machines covering pending, confirmed, reverted, and dropped paths, wallet connection layer spanning EIP-1193 providers, SIWE auth, and chain switching, and indexer integration with The Graph subgraphs, Alchemy webhooks, and IPFS metadata resolvers, applying methodologies such as optimistic UI for tx flows with rollback on revert and resilient retry on RPC drops and gas estimation surfaces with EIP-1559 fee preview and slippage controls per swap to deliver approachable dApps that onboard non-crypto-native users without dropping a transaction.
- Engaged collaborator working cross-functionally with product, design, smart contract, and protocol research teams in consumer Web3 engineering teams shipping public dApps weekly, contributing to RFCs on wallet UX, incident response on RPC outages, and design reviews for tx confirmation flows with an ownership-first mindset and clean handoffs.
- Mentor who shares technical excellence and fosters a culture of resilient wallet flows that survive network congestion and accessible Web3 UX that meets first-time-wallet users where they are through PR reviews and pattern libraries, while running the internal dApp UX guild and the Web3 frontend hiring loop and authoring widely cited wagmi extensions and dApp UX patterns.

TECHNICAL SKILLS

Languages:	TypeScript, JavaScript, Solidity 0.8.x (reading), Rust with Anchor (reading), Node.js, GraphQL, HTML, CSS
Frameworks & Frontend:	React with Next.js, Remix, SvelteKit, Vue with Nuxt, Tailwind CSS, Radix UI, Framer Motion, React Query, Zustand
Web3 Libraries & Clients:	viem with wagmi, ethers.js v6, web3.js, @solana/web3.js, Anchor client, Cosmos SDK CosmJS, EIP-1193 providers, EIP-6963 multi-wallet
Wallets & Auth:	RainbowKit with WalletConnect, MetaMask, Coinbase Wallet, Rainbow, Phantom, Web3Modal v3, ConnectKit, Sign-In with Ethereum (SIWE), session keys
Chains & Networks:	Ethereum mainnet with Polygon, Arbitrum One, Optimism, Base, zkSync Era, Polygon zkEVM, Solana, Cosmos zones, EVM testnets (Sepolia, Holesky)
Data & Indexing:	The Graph with Alchemy fallback, The Graph subgraphs, Alchemy, Infura, QuickNode, Moralis, Covalent, Goldsky, Tenderly Web3 Actions, GraphQL codegen
Decentralized Storage & Infra:	IPFS with Pinata, Arweave, Filecoin, NFT.Storage, web3.storage, ENS, Lit Protocol, Push Protocol, Vercel and Cloudflare edge hosting
Certifications & Communities:	Alchemy University Web3 Developer, Alchemy University, Buildspace, LearnWeb3, ETHGlobal hackathon participant, ConsenSys Academy, Devpost project contributor

EDUCATION

Tokyo Institute of Technology **B.Sc. in Computer Science**

Tokyo, Japan • Apr 2014 - Mar 2018

WORK EXPERIENCE

Wallet Labs **Senior Web3 Developer**

Tokyo, Japan • May 2021 - Present

- Owned dApp development end to end on the consumer wallet dApp and swap surface serving **1.8M monthly active wallets**, driving **wallet UX**, **tx state design**, and **indexer wiring** across **9 chains** with the frontend, the contract glue, and the indexer pipeline all stitched together by one team.
- Wired wallet integration and Sign-In with Ethereum auth through **RainbowKit**, **WalletConnect v2**, **Coinbase Wallet SDK**, **Phantom adapter**, and **SIWE session auth**, EIP-6963 multi-wallet discovery, chain-switching prompts on mismatched networks, and account change listeners that survive page reloads, supporting **34 wallet variants** with a connect success rate of **96%** across mobile and desktop entries.
- Built smart contract integration on **viem read and write paths against router, vault, and ERC-20 contracts with typed ABIs and simulated calls**, **eth_call** simulation before signing, gas estimation with EIP-1559 surfacing, and event-log polling with reorg handling, wiring **140 contract methods** into the dApp with a tx success rate of **99.2%** across mainnet and L2 traffic.
- Standardized the Web3 library layer around **wagmi hooks for connection state**, **viem for typed calls**, **ethers.js v6 on legacy paths**, and **React Query for cache and retries**, a typed contract registry with codegen from ABIs, and a shared error mapper for revert reasons, cutting the wallet bundle from **420KB** to **180KB** and shipping **42 reusable hooks** adopted across product teams.
- Designed Web3 UX and transaction flows around **optimistic tx state machines**, **EIP-1559 gas previews with slippage controls**, **network-switch prompts**, and **clear failed-tx recovery copy**, pending-to-confirmed status tracking with block-explorer deep links, retry-with-bump on dropped transactions, and gentle warnings on flagged contracts, dropping the failed-tx rate from **11%** to **2.4%** and onboarding **640k** first-time wallet users to the swap flow.
- Built blockchain data and indexing through **The Graph subgraphs**, **Alchemy webhooks for live events**, **Moralis for cross-chain history**, and **Goldsky mirrors for analytics**, cursor-paginated queries on activity feeds, decoded log streams pushed into Redis, and reorg-aware cache invalidation on confirmed blocks, maintaining **22 subgraphs** that index **3.4M** daily events with no missed event window in the last two quarters.
- Drove frontend performance and accessibility through **Next.js App Router with server components**, **route-level code-splitting**, **lazy-loaded wallet modals**, and **Axe-driven a11y audits across the swap flow**, image optimization on NFT thumbnails, prefetch on hover for the route into the swap, and skeleton states for pending RPC reads, cutting LCP from **3.8s** to **1.6s** and lifting the Axe a11y score to **98** across the wallet dApp.

Mercari (NFT Lab) **Frontend Engineer, Web3 Squad**

Tokyo, Japan • Apr 2018 - Apr 2021

- Surfaced decentralized storage and NFT assets through **IPFS pinning with Pinata**, **Arweave for permanence**, **NFT.Storage for metadata**, and **ENS for marketplace handles**, gateway fallback when Pinata throttled, CID-based image preview with progressive loading, and metadata schema validation before listing, displaying **280k NFTs** on the marketplace surface with pin uptime of **99.9%** over the year.
- Held the contract-aware seat on the squad with reading **Solidity ABIs end to end**, **prototyping helper contracts in Foundry**, and **pairing with Smart Contract Developers on Hardhat reviews**, typed bindings generated from ABIs, revert-reason decoding in error toasts, and gas-cost annotations on docs, shipping **58 typed ABIs** into the codebase and supporting **34 contract reviews** from the frontend seat.
- Integrated the ecosystem and protocol layer around **ERC-20**, **ERC-721**, and **ERC-1155 token standards**, **Chainlink price feeds**, **OpenSea Seaport orders**, and **Snapshot DAO voting widgets**, cross-chain bridge UIs over LayerZero messages, and a thin Cosmos SDK adapter for an early cross-chain experiment, integrating **14 protocols** across **5 chains** without a signature replay or order-mismatch incident.
- Stood up the dApp frontend foundation on **React with Next.js Pages Router**, **ethers.js v5 for tx flows**, **Web3Modal for wallet entry**, and **Tailwind for the marketplace UI**, a custom wallet-state context with localStorage persistence, and a tx-status drawer wired to event logs, shipping **46 Web3 features** into a marketplace that reached **180k active dApp users**.