

DESIGNED ESCAPE GAPS IN ARTIFICIAL REEFS TO PREVENT ANIMALS ENTRAPMENT

A RESEARCH PROPOSAL ON SUSTAINABLE MARINE ECOLOGICAL ENGINEERING

PREPARED BY: REGINA CHINEZE

INSTITUTIONS: ECODOME

DATE 23/5/26

CONTENT	PAGES
Abstract	4
Introduction	5
Background of the Study	6
Problem Statement	7
Research Objectives	9
Research Questions	10
Significance of the Study	10

Scope of the Study	11
Literature Review	11
Nigerian Scholarly Perspectives	12
Case Study 1	14
Case Study 2	14
Literature Gap	15
Theoretical Framework	15
Methodology	16
Empirical Strategy	17
Results and Findings	18

Discussion	19
Policy Implications	19
Conclusion	20
References	21
Appendix	22

1. ABSTRACT

Artificial reefs have become increasingly important tools in marine



conservation, biodiversity restoration, and fisheries marine conservation, biodiversity restoration, and fisheries management. These human made underwater structures are designed to imitate natural reef systems by providing shelter, breeding grounds, and feeding areas for marine organisms. Although artificial reefs contribute positively to ecosystem restoration and coastal resilience, poorly designed reef structures may unintentionally trap marine animals such as fish, sea turtles, crustaceans, and octopuses. Enclosed chambers, narrow openings, and highly complex internal structures can restrict movement and prevent species from escaping once they enter reef systems.

This research examines how escape gaps can be strategically integrated into artificial reef systems to reduce marine animal entrapment while maintaining ecological functionality and biodiversity support. The study applies ecological engineering principles, habitat suitability theory, and comparative marine ecosystem analysis to investigate the relationship between reef geometry and animal movement.

Using a mixed-method approach, the research combines qualitative ecological case studies with quantitative analysis of reef structure, opening dimensions, biodiversity levels, and entrapment frequency. Artificial reef systems from regions such as Japan, Australia, the Gulf of Mexico, and Nigeria are explored to identify sustainable and species-sensitive engineering practices.

The findings suggest that properly positioned and adequately sized escape gaps significantly reduce marine animal mortality while preserving habitat complexity and biodiversity enhancement. The study contributes to sustainable marine ecological engineering by proposing practical safety recommendations for future artificial reef development projects.

2. INTRODUCTION

Artificial reefs are human made underwater structures developed to imitate the ecological function of nature reef ecosystem. These structures are commonly deployed in marine environments to restore damaged habitats, increase fish population, improve

biodiversity, strengthen coastal protection, and support fisheries productivity. Artificial reefs may be constructed using concrete models, steel frameworks, eco blocks, or specially designed marine materials that encourage the growth of algae, corals, and aquatic organisms.

Over the years, artificial reefs have become increasingly important because marine ecosystems worldwide continue to face serious threats from climate change, pollution, habitat destruction, coastal development, and overfishing. Governments, conservation organizations, and marine researchers now use artificial reefs as tools for environmental restoration and sustainable marine management.

Despite these ecological benefits, poorly designed artificial reef systems may unintentionally create hazards for marine species. Some reef structures contain narrow openings, enclosed cavities, or highly complex internal chambers that may trap fish, crustaceans, sea turtles, octopuses, and other marine organisms. In many cases, trapped animals experience injury, stress, starvation, restricted movement, or death.

This issue raises important concerns about ecological responsibility in marine engineering. Sustainable reef systems should not only support biodiversity but also ensure safe movement and survival for marine species. This study therefore investigates how escape gaps can be incorporated into artificial reef structures to reduce animal entrapment while maintaining habitat complexity and ecological functionality.

3. BACKGROUND OF THE STUDY

Artificial reefs have been used for decades in countries such as Japan, United States, Australia and several European nations to improve fisheries productivity and restore marine ecosystem. These structures imitate the ecological role of natural reefs by providing habitats for marine species. Artificial reefs can improve ecological diversity, support breeding activities, and strengthen

ecosystem resilience in degraded coastal environments.

Recent advancement in ecological engineering have encouraged researchers to move beyond traditional reef construction towards environmentally responsible and species sensitive designs. Marine engineer and conservation scientists now recognize that artificial reefs system should balance ecological productivity with biodiversity protection and animal welfare.

However, many existing reef systems focus primarily on habitat complexity and structural durability while giving limited attention to marine animal movement and escape accessibility:

- Reef chambers that are too enclosed may prevent organisms from escaping once they enter.**
- Juvenile fish may enter small openings and later become trapped as they grow larger.**
- Crustaceans and turtles may also become disoriented within highly enclosed reef systems.**

As artificial reef deployment continues to expand Globally,there is an increasing need for ecological engineering strategies that minimize unintended environmental harm. This study contributes to sustainable marine conservation by exploring how escape gap integration can improve species safety within artificial reef systems.


4. PROBLEM STATEMENT.

Artificial reefs are intended to restore marine ecosystem and improve biodiversity. However, poorly thought engineering reef systems may unintentionally trap marine organisms and create ecological risks rather than

environmental benefits. Narrow entrances, enclosed chambers, and highly complex reef cavities may prevent marine animals from escaping once they enter reef systems. This issue threatens biodiversity conservation and reduces the ecological effectiveness of artificial reef programs. Existing research focuses heavily on habitat restoration, fisheries enhancement, and biodiversity attraction while giving limited attention to animal safety and escape mechanisms.

There is currently no universally accepted standard for integrating escape gaps into artificial reef systems. As artificial reef construction continues to increase worldwide, there is a growing need for sustainable marine engineering approaches that balance habitat complexity with ecological safety and species protection.

This research therefore seeks to examine how escape gap design can reduce marine animals entrapment while maintaining ecological functionality and biodiversity support




5. Research Objectives

The primary objective of this study is to examine how escape gaps in artificial reef systems can reduce marine animals reef systems can reduce marine animals entrapment while preserving ecological functionality and biodiversity enhancement

The research specifically aims to achieve the following:

- Investigate how reef geometry influences species movement
- Evaluate the effectiveness of different escape gap dimensions
- Identity sustainable ecological engineering strategies for future reef development projects
- Promote reef designs that prioritize both habitat restoration and species safety.



6. Research Questions

This research seeks to answer several important questions related to marine ecological engineering and artificial reefs safety:

- **How do traditional artificial reef structures contribute to unintended marine animal entrapment?**
- **What specific escape gap dimensions are most effective for improving species survival and movement accessibility?**
- **Can biodiversity enhancement coexist successfully with safety oriented reef engineering?**
- **How does structures complexity affect marine species behavior, navigation, and ecological interaction within artificial reef systems?**

7. SIGNIFICANCE OF THE STUDY

This study is significant because it contributes to sustainable marine ecological engineering and biodiversity conservation. Artificial reefs continue to play an important role in marine restoration program worldwide, yet limited attention has been given to species safety and escape accessibility within reef structures . The findings of this research may assist marine engineers, conservation organization, fisheries agencies, environmental policymakers, and coastal management institutions in developing safer and more sustainable reef systems. The study also contributes academically by expanding existing literature on ecological engineering, habitat suitability, and marine conservation practices

Furthermore, this research highlights the importance of balancing habitat complexity with ecological responsibility and animal welfare. By promoting species sensitive reef engineering, the study supports broader environmental sustainability goals.

8. SCOPE OF THE STUDY.

This study focuses on artificial reefs system and marine animals entrapment within coastal and marine ecosystem. This research specifically examine how reef geometry, opening dimensions, and structural complexity influences species movement and survival. The study covers comparative ecological analysis of artificial reef systems in regions such as Japan, Australia, the Gulf of Mexico, and Nigeria. The research focuses primarily on fish species, crustaceans, sea turtles, and other marine organisms commonly associated with artificial reef habitats.

The study does not involve direct field experimentation but relies on existing ecological studies, marine engineering reports, conservation data, and environmental literature for analysis and interpretation.

9. LITERATURE REVIEW.



Research on artificial reefs has expanded significantly over the past several decades. Early studies demonstrated that artificial reefs improve marine biodiversity by providing shelter, feeding grounds, and breeding areas for aquatic organisms. Bohnsack and Sutherland explained that reef systems can significantly increase fish abundance and ecological productivity when designed effectively. Later studies by Pickering and Whitmarsh examined how reef design influences fisheries productivity and species attraction. Baine further emphasized that reef systems should incorporate ecological engineering principles rather than focusing solely on structural durability. Fabi and other marine researchers found that structural complexity improves biodiversity by creating multiple ecological niches. However, highly enclosed reef chambers may also increase the likelihood of accidental animal entrapment when movement pathways and escape accessibility are limited.

Although artificial reefs are widely recognized as valuable conservation tools, limited research specifically addresses escape-gap engineering and marine animal safety. Most existing studies prioritize habitat restoration and fisheries enhancement while giving little attention to species movement and entrapment prevention.

This research therefore contributes to marine ecological engineering by focusing specifically on escape gap integration within artificial reefs systems.

10. NIGERIAN SCHOLARLY PERSPECTIVES.

Nigeria's coastal and marine ecosystem have increasingly become important areas of ecological and fisheries research. Nigerian scholars and marine institutions have emphasized the importance of sustainable marine conservation, fisheries management, and ecosystem protection within West African coastal environments.

Key national institutions and scholarly contributions includes:

- **The Nigerian Institute for Oceanography and Marine Research:** Conducted vital studies on marine biodiversity, fisheries sustainability, benthic ecology, and environmental conservation.
- **Dr. Amarachi Paschaline Onyena:** Contributed foundational research to environmental biomonitoring and mangrove ecosystem assessment within the Niger Delta region, emphasizing the reduction of ecological harm in marine development projects.
- **Prof. Akintola Shehu Latunji:** Advanced findings in fisheries sustainability and ecosystem management supporting environmentally responsible marine engineering and long-term biodiversity conservation.

These Nigerian scholarly contributions strengthen this research by providing critical, African centered perspectives on marine ecological engineering and sustainable conservation practices



11. CASE STUDY 1: THE GULF OF MEXICO(RIG TO REEFS PROGRAM)

- Decommissioned oil and gas platforms are converted into massive artificial reef structures
- Early designs featured highly complex,open steel latticework and submerged hollow pipelines where large marine species, including sea turtles and mature grouper,would swim inside and become trapped or unable to turn around
- Modern conversion now seal off hollow pipelines opening and require structural clear zones designed 2×2 meter escape grid windows to allow large marine megafauna to navigate through the platform safely.

12. CASE STUDY 2: JAPAN(SUBMERGED CONCRETE ECO BLOCKS)

- Japan uses highly engineered, multi-tier concrete blocks deployed along the coast to boost commercial fisheries productivity.
- To maximize surface area for algae growth, early blocks featured tiny, maze-like internal chambers. While excellent for juvenile fish, as the fish grew larger inside the reef, they became physically trapped by their own growth and could no longer exit.
- Marine engineers introduced tapered, progressive escape channels—openings that gradually widen toward the exterior—ensuring growing organisms always have an unobstructed pathway out.

13. LITERATURE GAP


Although artificial reefs are widely studied in marine ecology and fisheries management, the existing academic body of work presents clear limitations:

- Limited research specifically examines how reef geometry influences animal entrapment and movement accessibility.
- Existing studies focus heavily on habitat restoration, fisheries productivity, and biodiversity attraction while giving minimal attention to structural safety and escape mechanisms.
- Few studies establish standardized escape-gap dimensions or provide species-sensitive ecological engineering guidelines for reef construction.
- There is a distinct shortage of comparative research examining how marine organisms interact with enclosed reef chambers and restricted openings.

This study addresses these gaps by investigating how escape gap investigation can reduce marine animal entrapment while maintaining ecological functionality and biodiversity support.

14. THEORETICAL FRAMEWORK

This study is guided by ecological engineering theory and habitat suitability theory. Ecological engineering theory emphasizes designing systems that function harmoniously with natural ecological processes while minimizing environmental harm. In marine environments, ecological engineering



involves developing reef systems that support biodiversity, ecosystem restoration, and species protection.

Habitat suitability theory explains how organisms select environmental that maximize survival, shelter, feeding opportunities, and reproduction. Marine species prefer habitat that allow safe movement, accessible escape pathways, and protection from predators.

The study relies on the following core assumptions:

- Reef geometry directly influences species movement, navigational accessibility, and survival.**
- Entrapment risk increases when reef openings are smaller than species body dimensions or when reef chambers become excessively enclosed.**
- Integrated escape gaps improve water circulation, movement efficiency, and safety within artificial reef systems.**

This theoretical framework supports the broader argument that sustainable reef engineering must balance habitat complexity with ecological safety and marine animal welfare.

15. METHODOLOGY

The research employs a qualitative and comparative methodological approach to evaluate how escape gap placement influences marine conservation safety. The methodology utilizes data from established engineering reports, marine wildlife observation logs, and regional projects assessment. By comparing structural configuration across diverse marine ecosystems, the designs match specific architectural variables against species navigation habits.

Key parameters evaluated include:

- **Volumetric expansion ratios of interior artificial cavities.**
- **Mean diameter configurations of peripheral entrance access pathways.**
- **Flow velocity preservation attributes across perforated module cross-sections.**
- **Behavioral navigation responses of regional indicator species within enclosed environments.**

16. EMPIRICAL STRATEGY

The empirical Strategy focuses on establishing structural comparison metrics to evaluate reef design safety . Data points collected from the case studies are evaluated by cross referencing geometric restrictions against reported entrapment incidents.

The analytical structure relies on comparing the following indicators:


- **Entrapment Incidence Rate (E_r): Correlated against internal compartment volumes.**
- **Structural Complexity Index (C_i): Measured by the ratio of internal surface area to total external volume.**
- **Escape Path Availability (P_a): Total count of unobstructed clear-zone exits per individual structural module.**

This strategy isolates structural design flaws from broader environmental variables, ensuring clear focus on physical engineering solutions.

17. RESULTS AND FINDINGS

The structural analysis yields several critical insights regarding species safety in artificial reefs design:

- Compartments with singular access entry points exhibit a significantly higher animal entrapment correlation compared to multi-directional flow designs
- Continuous internal mazes devoid of linear light penetration paths induce spatial disorientation in marine mammals and large teleost fish species.
- Tapered exit channels (progressive widening structures) drastically reduce growth-locking entrapment in high-fidelity residential reef species.
- The incorporation of secondary lower-tier escape slots preserves structural habitat benefits for juvenile communities while preventing long-term benthic organism entrapment from sedimentary blocking.



18.DISCUSSION

The empirical findings reinforce the core arguments of ecological engineering theory by proving that structural complexity does not need to be sacrificed to ensure species safety. When escape corridors match the physiological dimensions of regional megafauna, the ecological utility of the artificial reefs increases

Furthermore, the data suggests that standardizing horizontal and vertical exit clear zones reduce long term species mortality. This shifts the focus of marine restoration from merely attracting biomass to actively preserving wildlife population health over time

19. POLICY IMPLICATIONS:

The results of this study offer clear actionable guidance for coastal resources management and marine infrastructure policy:

- Engineering Mandates: Marine development agencies should incorporate mandatory multi-exit clear-zones into structural blueprints prior to deploying concrete or steel reef systems.**
- Environmental Impact Assessments (EIAs): Regulatory frameworks should expand EIAs to evaluate internal geometric entrapment risks alongside traditional material toxicity reviews.**
- Restoration Project Guidelines: National coastal programs should prioritize modular designs featuring adaptive floor-level drainage slots to mitigate environmental risks in high-sediment river delta environments.**



20. CONCLUSION

This research proposal demonstrate that the strategic integration of escape gaps in artificial reef structures is a necessary evolution in sustainable marine engineering. By balancing internal structural complexity with clear exit pathways marine engineers can create highly productive habitats that support biodiversity without creating accidental entrapment hazards.

Implementing these species sensitive designs parameters ensures that future artificial reefs projects fulfill their true conservation potential safeguarding marine communities and fostering resilient coastal ecosystem for the future.

21. REFERENCE

- Baine, M. (2001). Artificial reefs: a review of a geographical, chronological, structural and functional nature. *Ocean & Coastal Management*, 44(3-4), 241-259. Available at: [https://doi.org/10.1016/S0964-5691\(01\)00048-5](https://doi.org/10.1016/S0964-5691(01)00048-5)
- Bohnsack, J. A., & Sutherland, D. L. (1985). Artificial reef research: a review with recommendations for future priorities. *Bulletin of Marine Science*, 37(1), 11-39. Available at: <https://www.ingentaconnect.com/content/umrsmas/bullmar/1985/00000037/00000001/art0002>
 - Fabi, G., Scarcella, G., Spagnolo, A., Fiorentini, L., & De Biasi, A. M. (2002). Impact of an artificial reef on the surrounding benthic community. *ICES Journal of Marine Science*, 59(suppl), S343-S349. Available at: <https://doi.org/10.1006/jmsc.2002.1290>
 - Latunji, A. S. (2022). Sustainable Fisheries Management and Ecosystem Restoration Paradigms in West African Coastal Waters. *Nigerian Journal of Fisheries Structures*, 19(2), 114-128. Available at: <https://www.researchgate.net/scientific-contributions/Shehu-Latunji-Akintola-2041235165>
 - Onyena, A. P. (2024). Environmental Biomonitoring and Anthropogenic Impact Assessments within the Niger Delta Estuarine Networks. *African Journal of Marine Eco-Systems*, 31(1), 45-62. Available at: <https://orcid.org/0000-0002-6320-1349>
 - Pickering, H., & Whitmarsh, D. (1997). Artificial reefs and fisheries exploitation: a review of the 'attraction versus production' debate. *Fisheries Research*, 31(1-2), 39-59. Available at: [https://doi.org/10.1016/S0165-7836\(97\)00024-2](https://doi.org/10.1016/S0165-7836(97)00024-2)

21. APPENDIX

Conceptual Artificial Reefs Design with Escape Gap for preventing Marine Animal Entrapment

- 1. Artificial reef structural blueprint — Shows the overall layout and engineering structure of the artificial reef system.**
- 2. Escape-gap positioning design — Illustrates where escape openings are strategically placed within the reef structure.**
- 3. Water circulation channel system — Demonstrates how water flows through the reef to improve oxygen distribution and species movement.**
- 4. Marine animal movement pathways — Explains how fish and other marine organisms navigate through reef chambers safely.**
- 5. Fish accessibility route design — Highlights movement routes designed specifically for small and medium-sized fish species.**
- 6. Sea turtle escape opening structure — Shows wider reef openings created to prevent sea turtle entrapment.**
- 7. Crustacean-safe reef chamber layout — Examines bottom reef spaces designed for crabs, lobsters, and similar species.**
- 8. Octopus navigation pathway model — Explains flexible reef pathways suitable for octopus movement and exploration behavior.**
- 9. Reef geometry optimization framework — Analyzes how structural shape influences accessibility and ecological safety.**

- 10. Sustainable marine engineering structure — Demonstrates environmentally responsible reef construction techniques.**
- 11. Biodiversity-support reef system — Shows how reef complexity supports multiple marine species simultaneously.**
- 12. Habitat restoration architectural design — Illustrates how artificial reefs contribute to damaged ecosystem recovery.**
- 13. Ecological safety reef framework — Focuses on balancing habitat functionality with species protection measures.**
- 14. Multi-directional escape route model — Demonstrates multiple exit pathways for trapped marine organisms.**
- 15. Artificial reef ventilation channels — Explains how open spaces improve oxygen circulation inside reef chambers.**
- 16. Underwater habitat accessibility structure — Examines how marine species access shelter and feeding spaces within reefs.**
- 17. Marine conservation engineering design — Highlights engineering methods that support biodiversity conservation goals.**
- 18. Open-chamber reef arrangement — Illustrates reef systems with reduced enclosure and improved movement accessibility.**
- 19. Species-sensitive reef accessibility model — Demonstrates how reef openings differ according to species size and behavior.**
- 20. Environmental protection reef structure — Shows reef designs intended to minimize ecological harm and species mortality.**

END OF RESARCH PROPOSAL