

ASSIGNMENT 10

1. Extend the Student Management System created in Assignment 9 to provide authentication and session management.

In the same database, create a table users with fields: id, username, password. Insert at least one sample user (e.g., admin/1234).

Create login.jsp with username and password fields. Validate against the users table using JDBC.

If login is successful, start a session and redirect the user to dashboard.jsp. If login fails, display an error message.

Combine CRUD operations (Assignment 9) with authentication & session control.

The app should behave as follows:


Start at login.jsp.

Only authenticated users can add, view, update, delete, or see details of students.

Navbar dynamically changes based on session state. Logout cleanly ends the session and brings the user back to login.jsp

addStudent.jsp :

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8" import = "java.sql.*, utility.DB1"%>
<%@ include file="navbar.jsp" %>
<%
    if (session.getAttribute("user") == null) {
        response.sendRedirect("login.jsp");
        return;
    }
%>
```



The screenshot shows a web form with a dark blue background. It contains four text input fields with labels: "Enter your Roll-No.", "Enter your Name.", "Enter your course.", and a dropdown menu labeled "localStorage". Below these fields is a green "Submit" button. The form is styled with rounded corners and a clean, modern look.

```

<%
    String message = "";
    String name = request.getParameter("name");
    if(name != null)
    {
        String email = request.getParameter("email");
        String course = request.getParameter("course");
        int age = Integer.parseInt(request.getParameter("age"));
        float cgpa = Float.parseFloat(request.getParameter("cgpa"));
        Connection con = DB1.getConnection();
        String qry = "insert into college_db(name, email,course,age, cgpa)
values(?,?,?,?,?)";
        PreparedStatement ps = con.prepareStatement(qry);
        ps.setString(1,name);
        ps.setString(2,email);
        ps.setString(3, course);
        ps.setInt(4, age);
        ps.setFloat(5, cgpa);
        int i = ps.executeUpdate();
        if(i == 1)
        {message = "Record Insertion Successfull";
        }
        ps.close();
        con.close();
    }
%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
    <div><h2>Add New Student</h2></div>
    <div class = "addstudent">
        <form class = "addForm" method="POST" action="addStudent.jsp" >
            Name:<input type="text" name="name" id="name"><br>
            Email:<input type="text" name="email" id="email"><br>
            Course:<input type="text" name = "course" id="course"><br>
            Age:<input type="text" name = "age" id="age"><br>
            CGPA:<input type="text" name = "cgpa" id="cgpa"><br>
            <input type="submit" value="Enter Details">
        </form>
    </div>

```

```

        <p> <%=message %></p>
</body>
</html>

```

studentDetails.jsp

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8" import = "java.sql. *, utility.DB1"%>
<%@ include file="navbar.jsp" %>
<% if (session.getAttribute("user") == null) {
    response.sendRedirect("login.jsp");
    return;
}%>
<%
    String message = "";
    int sid = Integer.parseInt(request.getParameter("sid"));
    Connection con = DB1.getConnection();
    String qry = "select * from college_db where id = ?";
    PreparedStatement ps = con.prepareStatement(qry);
    ps.setInt(1, sid);
    ResultSet rs = ps.executeQuery();
    rs.next();
%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Student Detail</title>
</head>
<body>
    <div>
        <div>
            <span>Name: </span><%=rs.getString("name") %>
        </div>
        <div>
            <span>Name: </span><%=rs.getString("email") %>
        </div>
        <div>
            <span>Name: </span><%=rs.getString("course") %>
        </div>
        <div>
            <span>Age: </span><%=rs.getInt("age") %>
        </div>
        <div>
            <span>&u>Cgpa: </span><%=rs.getFloat("cgpa") %>
        </div>
    </div>

```

```
        </div>
    </body>
</html>
```

displayStudents.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8" import = "java.sql. *, utility.DB1"%>
<%@ include file="navbar.jsp" %>
<%
    if (session.getAttribute("user") == null) {
        response.sendRedirect("login.jsp");
        return;
    }
%>
<%
        String message = "";
        Connection con = DB1.getConnection();
        String qry = "select * from college_db";
        PreparedStatement ps = con.prepareStatement(qry);
        ResultSet rs = ps.executeQuery();

%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
    <div class="table-stu">
        <table class="display-table" >
            <tr>
                <td>ID</td>
                <td>Name</td>
                <td>Email</td>
                <td>Course</td>
                <td>Age</td>
                <td>CGPA</td>
                <td colspan=3 align="center" >Actions</td>
            </tr>
            <%
                while(rs.next())
                {
                    %>
```

```

        <tr>
        <td><%=rs.getInt("id") %></td>
        <td><%=rs.getString("name") %></td>
        <td><%=rs.getString("email") %></td>
        <td><%=rs.getString("course") %></td>
        <td><%=rs.getInt("age") %></td>
        <td><%=rs.getFloat("cgpa") %></td>
        <td><button><a
href="studentDetails.jsp?sid=<%=rs.getInt("id")%>">Details</a></button></td>
        <td><button><a
href="studentUpdate.jsp">Update</button></td>
        <td><button><a
href="studentDelete.jsp">Delete</button></td>
        </tr>
    <%
    }
    %>
</table>
</div>
</body>
</html>

```

navbar.jsp

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<link rel="stylesheet" href="navbar1.css">
<title>Insert title here</title>
</head>
<body>
    <header class="navbar">
        <div>
            <a href = "addStudent.jsp">Add Student</a>
        </div>
        <div>
            <a href="displayStudent.jsp"> Display Students</a>
        </div>
        <div>
            <form action="logout.jsp" method="post">
                <button type="submit">Logout</button>
            </form>
        </div>
    </header>

```

```

        </form>
    </div>
</header>
</body>
</html>
login.jsp
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8" import="java.sql.* , utility.DB1"%>
<%
    Connection con = DB1.getConnection();
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    if(username != null && password != null) {
        String sql = "SELECT id, username FROM users WHERE username=? AND
password=?";
        PreparedStatement ps = con.prepareStatement(sql);
        ps.setString(1, username);
        ps.setString(2, password);
        ResultSet rs = ps.executeQuery();
        if(rs.next()) {
            session.setAttribute("user", rs.getString("username"));
            response.sendRedirect("addStudent.jsp");
            return;
        } else {
            request.setAttribute("error", "Invalid username or password");
        }
        rs.close();
        ps.close();
    }
%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<link rel="stylesheet" href="login.css">
<title>Login</title>
</head>
<body>
    <div class="login-div">
        <form method="post" action="login.jsp">
            <div class="field">
                <span>Username:</span><input type="text"
placeholder="username" name="username">

```

```

        </div>
        <div class="field">
            <span>Password:</span><input type="text"
placeholder="password" name="password">
        </div>
        <input type="submit" value="Login" name="submit" >
    </form>
</div>
</body>
</html>

```

logout.jsp

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%
    session.invalidate(); // Destroys the session
    response.sendRedirect("login.jsp");
%>

```

login.css

```

@charset "UTF-8";
body {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
}
.login-div {
    height: 200px;
    width: 400px;
    border: 1px solid #ccc;
    display: flex;
    flex-direction: column;
    justify-content: center;
    background-color: rgb(14, 65, 184);
    border-radius: 6px;
}
span {
    color: white;
    font-size: 14px;
}

```

```

}
.field {
    display: flex;
    gap: 12px;
    justify-content: center;
    align-items: center;
}
form {

    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    gap: 15px;
}
navbar1.css
@charset "UTF-8";
.navbar{
    display:flex;
    margin-bottom:auto;
    background-color:black;
    width:100%;
    justify-content: space-between;
}
.navbar a {
    color:white;
    text-decoration: none;
}

```



Username:

Password: