

ASSIGNMENT 8

1. Write a JSP program to print Hello World and current date and time

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%@ page import="java.util.Date" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
<html>
<body>
    <h1>Hello World</h1>
    <p>Today's date is: <%= new Date() %></p>
</body>
</html>
</body>
</html>
```

Hello World

Today's date is: Fri Apr 24 16:28:57 IST 2026

2. Design an employee Details page With Fieldslike — employee Id, name, mobile, email,gender, date of birth, address, country, and languages known. The country must be a drop-down menu with two options: India and other. Language known should be a check box with 3 to 4 options to select. Design a JSP page to get all the detailsfrom the form and display it.

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>q2</title>
</head>
<body>
<center>
<div>
```

```
<form action="display_employee.jsp" method="post">
```

```
Female<br>
```

```
</div>
```

```
<h1>Employee details</h1>
```

```
ID: <input type="text" name="id"><br>
```

```
Name: <input type="text" name="name"><br> Mobile:
```

```
<input type="text" name="mobile"><br> Email: <input
type="email" name="email"><br>
```

Employee ID:

Employee Name:

Mobile:

Email:

Gender: ☐ Male ☐ Female

Address:

Country:

Languages: ☐ Hindi ☐ English ☐ Odia

Empid: 1234
Empname: df asd
Mobile: 7077098414
Email: cse.24bcsa28@silicon.ac.in
Gender: on
Address: asdfwe
Languages: English

```

Gender: <input type="radio" name="gender" value="Male"> Male
<input type="radio" name="gender" value="Female">
DOB: <input type="date" name="dob"><br>
Address: <textarea name="address"></textarea><br>
Country: <select name="country">
<option value="India">India</option>
<option value="Other">Other</option>
</select><br> Languages:
<input type="checkbox" name="lang" value="Java"> Java
<input type="checkbox" name="lang" value="Python"> Python
<input type="checkbox" name="lang" value="C++"> C++<br>
<input type="submit">
</form>

</center>
</body>
</html>
displayEmployee.jsp:
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
<h2>Employee Details</h2>
ID: <%= request.getParameter("id") %><br>
Name: <%= request.getParameter("name") %><br>
</body>
</html>

```

3. Create jsp page to take a number as input from the user and determine if the number is a prime number or not.

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>q3</title>
</head>
<body>
<form>
Enter Number:
<input type="number" name="num">
<input type="submit">
</form>
<%

```

Enter a number to check prime or not:

The entered number is a prime number!

```
String s = request.getParameter("num"); if(s !=
null) {
int n = Integer.parseInt(s); int
count = 0;
for(int i = 1; i <= n; i++) if(n % i
== 0)
count++;
out.print(n + (count == 2 ? " is Prime" : " is not Prime"));
}
%>
</body>
</html>
```

4. Design a BMR calculator with the fields Age, Gender, Height (CM), and Weight (KG). Use the following formula to calculate and display the BMR (Calories /4ay). For men: $BMR = (10 \times \text{Weight}) + (6.25 \times \text{Height}) - (5 \times \text{Age}) + 5$
For women: $BMR = (10 \times \text{Weight}) + (6.25 \times \text{Height}) - (5 \times \text{Age}) - 161$

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
```

```
pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>q4</title>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<form>
```

```
Weight(in kg): <input type="number" name="w"><br>
```

```
Height(in cm): <input type="number" name="h"><br> Age:
```

```
<input type="number" name="a"><br>
```

```
Gender:
```

```
<input type="radio" name="g" value="m">M
```

```
<input type="radio" name="g" value="f">F<br><br>
```

```
<input type="submit"><br>
```

```
</form>
```

```
</center>
```

```
<%
```

```
if(request.getParameter("w") != null) {
```

```
double w = Double.parseDouble(request.getParameter("w"));
```

```
double h = Double.parseDouble(request.getParameter("h")); int a
```

```
= Integer.parseInt(request.getParameter("a"));
```

```
String g = request.getParameter("g");
```

```
double bmr = (10 * w) + (6.25 * h) - (5 * a) + (g.equals("m") ? 5 : -161); out.print(" BMR  
: " + bmr + " cal/day");
```

```
}
```

```
%>
```

```
</body>
```

```
</html>
```

Age: 19

Gender: ☒ Male ☐ Female

Height (in CM): 190

Weight (in KG): 89

BMR Calculate

1821.5

5. Write JSP code to do the following:

Create header.jsp and footer.jsp files.

Header.jsp should contain a site title and navigation links.

Footer.jsp should contain footer content(.g., © Year, Contact info) Create three JSP pages: home.jsp, about.jsp, and contact.jsp.

Home page: must include a heading, @ short paragraph, and an image with a caption About page: must include at least two paragraphs describing the site/organization.

Contact page: must contain a contact form with fields(Name, Email, Phone, Subject, Message).

Submitted data should be displayed on a JSP page.

Use the include directive to add the same header and footer to all three pages, and apply an external CSS file to style them.

header.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Header</title>
</head>
<body>
<h2>Welcome</h2><br>
<a href="home.jsp">home</a>
<a href="about.jsp">about</a>
<a href="contact.jsp">contact</a>
</body>
</html>
```

home.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<%@ include file="header.jsp" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
<h1>HomePage</h1>
<p>paragraph 1 sdfkshdfhskdfsdfjsdf</p>
<p>paragraph 2 rutujhrsgsdgdgdfgdgg</p>
<p>paragraph 3 uioukwsdfrebfvddfvs</p>
</body>
</html>
```

contact.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<%@ include file="header.jsp" %>
```

```

<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>contact</title>
</head>
<body>
<form action="displayContact.jsp" method="post">
<h1>Contact</h1>
Female<br>
Name:<input type="text" name="name"><br> Mobile:
<input type="text" name="mobile"><br> Email: <input
type="email" name="email"><br>
Gender: <input type="radio" name="gender" value="Male"> Male
<input type="radio" name="gender" value="Female">
DOB: <input type="date" name="dob"><br>
<input type="submit" value="submit">
</form>
</body>
</html>

```

about.jsp

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<%@ include file="header.jsp" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
<h1>hello</h1><br>
<h2>hello</h2><br>
<h3>hello</h3><br>
</body>
</html>

```

Welcome

[home](#) [about](#) [contact](#)

hello

hello

hello

Welcome

[home](#) [about](#) [contact](#)

HomePage

paragraph 1 sdfkshdfhskdfsdjfsdf

paragraph 2 rutujhrsgsdgdgdfgdgg

paragraph 3 uioukwsdfrebfvddfvsv

6.

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>q6</title>
</head>
<body>
<form action="validate.jsp" method="post"> Email:
<input type="email" name="email"><br>
Password: <input type="password" name="pw"><br>

```

```
<input type="submit" value="Login">
</form>
</body>
</html>
```

validate.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Validate</title>
</head>
<body>
    <%
        String email = request.getParameter("email");
        String pw = request.getParameter("pw");
        if("admin@gmail.com".equals(email) &&
            "admin".equals(pw)) {
            request.getRequestDispatcher("welcome.jsp").forward(request, response);
        } else {
            out.print("Invalid Credentials");
        }
    %>
</body>
</html>
```

welcome.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Welcome</title>
</head>
<body>
<h1> Welcome </h1>
</body>
</html>
```



Email: admin@gmail.com

Password:

Login