

CaseUp TestCase Report

08-Feb-2024, 4:44:47 pm

Start : Feb 08, 4:44:09.666 pm

End : Feb 08, 4:44:45.408 pm

Duration : 35.742 s

Features




Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 49







#	Feature Name	T	P	F	S	Duration
1	Testing the file functionality of caseup	2	0	2	0	35.742 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the file functionality of caseup	verify share link(view only) functionality for case folder with account owner role.	29	0	0	29	7.481 s
2	Testing the file functionality of caseup	verify move and copy functionality with account owner role.	22	1	1	20	35.716 s

(F)- Testing the file functionality of caseup

FAILED	DURATION - 35.742 s	Scenarios		Steps	
/ 4:44:09.666 pm // 4:44:45.408 pm /		Total - 2	2	Total - 51	51
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 1	
		Skip - 0		Skip - 49	

(S)- verify share link(view only) functionality for case folder with account owner role.



<div>FAILED</div> <div>DURATION - 7.481 s</div>			Steps	
/ 4:44:09.671 pm // 4:44:17.152 pm /			Total - 29	
Testing the file functionality of caseup			Pass - 0	
@Files			Fail - 0	
			Skip - 29	

#	Step / Hook Details	Status	Duration
	BEFORE - Parallel.ApplicationHooks.navigate_to_CaseUp() org.openqa.selenium.WebDriverException: disconnected: received Inspector.detached event (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=121.0.6167.140) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2e6c4d01ed6577c83b7b36313d31, get {url=https://staging.virtualdepo.com/manager/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\UI-QA~1\AppData\Local\Temp\59514}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59514/devtoo..., se.cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2e6c4d01ed6577c83b7b36313d31 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)	FAILED	3.644 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Parallel.ApplicationHooks.navigate_to_CaseUp(ApplicationHooks.java:37)		
1	Given user navigate to the caseup baseurl	SKIPPED	0.001 s
2	When login with account owner role	SKIPPED	0.001 s
3	Then delete all previous files	SKIPPED	0.001 s
4	When click on create new button	SKIPPED	0.001 s
5	Then enter witness name	SKIPPED	0.001 s
6	And enter noticing firm name	SKIPPED	0.001 s
7	And enter case name	SKIPPED	0.001 s
8	Then click on create button	SKIPPED	0.002 s
9	Then click on upload file button	SKIPPED	0.001 s
10	And upload the file	SKIPPED	0.001 s
11	Then click in submit button	SKIPPED	0.001 s
12	Then click on files button	SKIPPED	0.002 s
13	When click on dotted dropped menu of selected folder	SKIPPED	0.002 s
14	Then click on share button for file	SKIPPED	0.001 s
15	Then enter the email for send	SKIPPED	0.000 s
16	And click on dropdown button	SKIPPED	0.001 s
17	And select viewer radio button for share	SKIPPED	0.001 s
18	Then click on share link toggle button	SKIPPED	0.000 s
19	And click on dropdown arrow and select view only option	SKIPPED	0.001 s
20	And click on copy link button and open in new window	SKIPPED	0.002 s
21	When check for dotted dropped menu of selected folder	SKIPPED	0.001 s
22	Then Cancele the current window and go to pevious window	SKIPPED	0.002 s
23	Then click on send button	SKIPPED	0.003 s
24	Then click on depositions button	SKIPPED	0.001 s
25	Then logout current user	SKIPPED	0.001 s
26	When login with account manager role	SKIPPED	0.002 s
27	Then click on files button	SKIPPED	0.002 s
28	Then click on Case button	SKIPPED	0.000 s
29	Then click on depositions button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=121.0.6167.140) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2e6c4d01ed6577c83b7b36313d31, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\UI-QA~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59514}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59514/devtoo..., se:cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2e6c4d01ed6577c83b7b36313d31 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:322) at Parallel.ApplicationHooks.tearDown(ApplicationHooks.java:50)</pre>	FAILED	0.025 s

(S)- verify move and copy functionality with account owner role.

FAILED	DURATION - 35.716 s		Steps Total - 22 Pass - 1 Fail - 1 Skip - 20	
/ 4:44:09.692 pm // 4:44:45.408 pm /				
Testing the file functionality of caseup				
@Files				

#	Step / Hook Details	Status	Duration
1	Given user navigate to the caseup baseurl	PASSED	0.004 s

#	Step / Hook Details	Status	Duration
2	<p>When login with account owner role</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=121.0.6167.140) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65ddfa8ff3c45b8415221be21b3593e4, findElement {using=xpath, value=//input[@placeholder='Enter your email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\UI-QA-~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59513}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59513/devtoo..., se:cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 65ddfa8ff3c45b8415221be21b3593e4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:439) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:418) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:439) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:418) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:225) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:54) at com.qa.pages.CreateDeposition.loginwithaccountowneraccount(CreateDeposition.java:84) at Parallel.CreateDepositionTest.login_with_account_owner_role(CreateDepositionTest.java:26) at ?.login with account owner role(file:///C:/Users/ui-qa-22-1/Documents/Duplicate%20CaseUp/Duplicate%20CaseUp/.src/test/resources/ Parallel/Files.feature:497) * Not displayable characters are replaced by '?'. </pre>	FAILED	30.435 s
3	Then delete all previous files	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
4	When click on create new button	SKIPPED	0.001 s
5	Then enter witness name	SKIPPED	0.000 s
6	And enter noticing firm name	SKIPPED	0.001 s
7	And enter case name	SKIPPED	0.001 s
8	Then click on create button	SKIPPED	0.001 s
9	Then click on upload file button	SKIPPED	0.000 s
10	And upload the file	SKIPPED	0.001 s
11	Then click in submit button	SKIPPED	0.001 s
12	Then click on files button	SKIPPED	0.000 s
13	When click on selected folder	SKIPPED	0.000 s
14	When click on selected witness folder	SKIPPED	0.000 s
15	When click on selected witness folder	SKIPPED	0.001 s
16	When click on dotted dropped menu of selected folder	SKIPPED	0.001 s
17	Then click on move and copy button for file	SKIPPED	0.001 s
18	Then click on copy button	SKIPPED	0.001 s
19	Then click on depositions button	SKIPPED	0.001 s
20	When click on dotted dropped menu of created deposition	SKIPPED	0.000 s
21	And click on delete button	SKIPPED	0.000 s
22	Then click on yes button	SKIPPED	0.001 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=121.0.6167.140) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65ddfa8ff3c45b8415221be21b3593e4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\UI-QA~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59513}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59513/devtoo..., se:cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 65ddfa8ff3c45b8415221be21b3593e4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:322) at Parallel.ApplicationHooks.tearDown(ApplicationHooks.java:50)		