PRE-DEVELOPMENT DELIVERABLE #1

HireScan — Test Management Tool

Comprehensive UI Wireframe Prototypes, Screen Specifications & Navigation Architecture

---

SYSTEM TARGET STACK:

- **Backend:** Python / Django Framework
- **Database:** SQLite (Local Relational Store)
- **Frontend:** HTML5, CSS3, Bootstrap (Custom Forms — No Django Admin / Forms)
- **Authentication:** Email OTP (Passwordless for Candidates)

DELIVERABLE SCOPE:

- **Total Screens:** 15 Wireframe Specifications + Flow Architecture Map
- **Core Requirements:** Screens 1 through 13, Screen 15 (14 Screens)
- **Optional Feature:** Screen 14 (Activity Telemetry & Tab Switch Audit)
- **Status:** Ready for Formal Guide Approval prior to backend development

PROJECT GUIDE REVIEW & APPROVAL SIGN-OFF SHEET

GUIDE / EVALUATOR NAME:

_____

DATE OF REVIEW:

____ / ____ / 2026

SIGNATURE:

_____

GUIDE RECOMMENDATION / VERDICT:

☐ [ ] Approved to begin Django development ☐ [ ] Approved with specified modifications ☐ [ ] Revisions required

GUIDE FEEDBACK / CONDITIONS:

Write review feedback and approved optional feature selections here...

Page Overview **Navigation & User Flow Map** SYSTEM / BOTH CORE REQUIREMENT

Purpose: Architectural map illustrating role segregation, screen navigation hierarchy, and sequential workflows for Administrators and Candidates.

HireScan Architecture: Role-Segregated Navigation & Workflow Map

The system maintains strict role segregation. Candidates authenticate via email OTP and only access test-taking workflows for tests they are pre-registered for. Administrators manage candidates, author tests, import questions, and inspect post-assessment analytics.

C Candidate User Journey (Applicant Assessment Flow)

SELF-SERVICE CANDIDATE PATHWAY

Step 01

Email OTP Login

Candidate inputs email; system dispatches OTP

[Screen 1]

Step 02

Candidate Dashboard

Views only enrolled tests & status

[Screen 7]

Step 03

Instructions & Rules

Agrees to 1-attempt rule & policy

[Screen 8]

Step 04

Test-Taking Engine

Timed sitting, autosave, palette

[Screen 9]

Step 05

Submission Confirmation

Manual review or timeout submit

[Screen 10]

Step 06

Candidate Results

Pass/Fail score & topic insights

[Screen 11]

A Administrator Workflow (Recruiter Management & Evaluation)

RESTRICTED MANAGEMENT CONSOLE

CORE HUB [Screen 2]

Administrator Dashboard

Aggregated KPI cards, active tests overview, and quick execution shortcuts.

TEST & CONTENT PIPELINE

- Test Management [Screen 4]
- Question Bank CSV [Screen 5]

CANDIDATE & ENROLMENT

- Candidate Directory & CSV [Screen 3]
- Test Registration [Screen 6]

Analytics & Reports [Screen 12]
Statistical charts, leaderboard, CSV export

Individual Candidate Detail [Screen 13]
Detailed scorecard & evaluator notes

Suspicious Activity Audit (Optional) [Screen 14]
Tab-switch event logs & review flags

Components: Administrator Workflow Flowchart • Candidate Assessment Flowchart • Role Permissions Boundary Notice
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Navigation & User Flow Map (Page 0):

CORE REQUIREMENT

Architectural Assumptions:


- Administrators and Candidates have strictly separate entry routes and authorization contexts.
- Candidates cannot navigate backwards once an assessment session is formally submitted.

Guide Approval Points:

- Should administrative users also utilize OTP verification or standard encrypted password credentials?
- Are candidate sessions single-device bound or can a candidate resume on another machine if hardware fails?

Page 01 **Login & Authentication** CANDIDATE CORE REQUIREMENT

Purpose: Secure entry point for candidates using email OTP authentication. Restricts access strictly to pre-registered applicants.



• Note: Form avoids Django Admin / Django Forms in favor of custom HTML & Bootstrap.

• Design Assumption: Public sign-up route is intentionally omitted to avoid uninvited submissions.

Components: HireScan Branding Header • Email Address Input Field • Send OTP Button

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Login & Authentication (Page 1): CORE REQUIREMENT

Architectural Assumptions:

- No public candidate registration exists; candidates are pre-enrolled by HR administrators.
- OTP expires after 5 minutes and is rate-limited to prevent abuse.

Guide Approval Points:

- What should the OTP expiry duration be (3 minutes vs 5 minutes)?
- Should administrators log in via a dedicated /admin/ path or through a unified login toggle?

Page 02 **Administrator Dashboard** ADMINISTRATOR CORE REQUIREMENT

Purpose: Central command interface giving administrators at-a-glance recruitment metrics, recent activity feeds, and quick shortcuts.

[UI WIREFRAME NOTICE: All figures, candidate names, and scores shown are illustrative placeholders] **Role: Evaluator / Administrator**

HireScan Admin
Recruitment Management

- 01. Dashboard
- 02. Candidates
- 03. Tests
- 04. Question Bank
- 05. Enrolments
- 06. Reports & Analytics
- 07. Audit Logs

Logged in as:
admin@company.com

TOTAL CANDIDATES
124

TOTAL TESTS
8

+18 imported this week

Blueprints configured

ACTIVE TESTS

3

Accepting submissions

COMPLETED SITTINGS

86

69.3% average pass rate

QUICK ADMINISTRATIVE ACTIONS

+ Create Test

Import Candidates CSV

Upload Questions

View Analytics

RECENT ASSESSMENTS & SUBMISSIONS

View Full Report →

Candidate Name	Test Title	Submitted At	Score	Result	Action
Rohan Sharma	Senior Python Backend	Today, 11:42 AM	24 / 30 (80%)	PASSED	Inspect
Priya Patel	Full Stack JavaScript	Today, 10:15 AM	14 / 30 (46%)	FAILED	Inspect
Aman Verma	Senior Python Backend	Yesterday, 04:30 PM	27 / 30 (90%)	PASSED	Inspect

Components: Sidebar Navigation with Active Page Highlighting • Metric Cards (Total Candidates, Total Tests, Active Tests, Completed Sittings) • Quick Action Cards (Create Test, Import CSV, Upload Questions, View Analytics)

```
Draft Version 1.0 (Pre-Development Prototype)
```

Specifications & Assumptions for Administrator Dashboard (Page 2):

CORE REQUIREMENT

Architectural Assumptions:

- Metrics calculate in real-time or update on dashboard refresh.
- All metrics are illustrative placeholder numbers prior to database integration.

Guide Approval Points:

- Should the dashboard show live ongoing test sessions in real time or aggregate historic numbers?
- Would multi-recruiter role permissions (Super Admin vs Proctor) be needed later?

Page 03 **Candidate Management & CSV Import** ADMINISTRATOR CORE REQUIREMENT

Purpose: Allows administrators to manage applicant rosters, filter by test status, and bulk-import candidates with automatic duplicate prevention.

Candidate Roster Management

Administered roster: 428 Pre-enrolled Candidates across 6 Assessment Cycles

Import Candidates CSV + Add Single Candidate

Search by name, email, college, or degree...

Filter Status: All Registered Attempted Pending

Showing 5 of 428

CANDIDATE ID	FULL NAME & EMAIL	CONTACT & EDUCATION	ASSOCIATED TEST	STATUS	ACTIONS
CAN-101	**Aarav Mehta** aarav.mehta@example.com	B.Tech CS (2025), IIT Delhi +91 98765 43210	Python Developer Assessment	Attempted	
CAN-102	**Diya Sen** diya.sen@example.com	MCA (2024), Pune University +91 98220 11223	Backend Engineering Test	Registered	
CAN-103	**Rohan Sharma** rohan.sharma@example.com	B.E. Information Tech (2025) +91 94112 33445	Fullstack Django Evaluation	Registered	
CAN-104	**Sneha Patel** sneha.patel@example.com	B.Tech Data Science (2025) +91 97788 99001	Data Analyst Screening	Pending	

CANDIDATE ID	FULL NAME & EMAIL	CONTACT & EDUCATION	ASSOCIATED TEST	STATUS	ACTIONS
CAN-105	**Vikram Joshi** vikram.j@example.com	B.Sc Computer Science (2024) +91 91234 56789	Python Developer Assessment	Attempted	

Components: Search and Filter Toolbar (by Test, Status, College) • Candidate Roster Table (Name, Email, WhatsApp Phone, College, Qualification, Passing Year, Assigned Test, Status) • Action Buttons (View Profile, Edit, Remove)

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Candidate Management & CSV Import (Page 3):

CORE REQUIREMENT

Architectural Assumptions:

- Candidate email is globally unique across the system.
- Importing a duplicate email either skips the row or updates existing candidate details based on administrator prompt.

Guide Approval Points:

- When importing duplicates, should the system overwrite existing candidate details or reject duplicate rows?
- Is WhatsApp number mandatory for all technical assessments or optional?

Page 04 **Test Management & Test Builder** ADMINISTRATOR CORE REQUIREMENT

Purpose: Authoring and lifecycle management of test blueprints, timing, passing thresholds, and activation switches.

Test Definition & Lifecycle Management

Define assessment parameters, duration limits, passing benchmarks, and availability states.

Test Catalog (4) | Test Builder Form | + Create New Test

TEST CODE & TITLE	DESCRIPTION	DURATION & QUESTIONS	PASSING MARKS	STATUS	ACTIONS
Python Developer Assessment ID: PY-2025-01	Core Python, data structures, generators, OOP co...	60 mins 30 Questions	65% (20 marks to pass)	Active	
Backend Engineering Test (Django & SQL) ID: DJ-2025-02	ORM queries, database transactions, REST API co...	75 mins 35 Questions	70% (25 marks to pass)	Active	
Fullstack Django Evaluation ID: FS-2025-03	Fullstack patterns, template rendering, CSRF secu...	90 mins 40 Questions	60% (24 marks to pass)	Inactive	
Data Analyst Screening Assessment ID: DA-2025-04	Data manipulation, Pandas, SQL joins, aggregate ...	45 mins 25 Questions	50% (13 marks to pass)	Active	

Specification Constraint Note:

Candidates can only view and attempt tests flagged as **Active**. When a test is deactivated, registered candidates see an "Assessment Inactive / Window Closed" status banner on their dashboard and the Start Test action is strictly disabled.

```
Components: Test Catalog Table (Test Name, Unique ID, Duration, Pass Marks, Question Count, Status) • Activate / Deactivate Toggle Switches • Create / Edit Test Configuration Modal
Draft Version 1.0 (Pre-Development Prototype)
```

Specifications & Assumptions for Test Management & Test Builder (Page 4): CORE REQUIREMENT

Architectural Assumptions:

- Active tests with registered candidates cannot have their duration or passing criteria modified while tests are ongoing.
- Inactive tests cannot be initiated by candidates.

Guide Approval Points:

- Can an administrator modify passing marks after candidates have already completed the test?
- Should tests have a scheduled start/end date window in addition to a duration limit?

Page 05 Question Bank Management ADMINISTRATOR CORE REQUIREMENT

Purpose: Management of test-specific question repositories, bulk CSV question uploading, validation parsing, and question previews.

Question Bank Management

Manage pool of randomized assessment questions mapped directly to specific test IDs.

Upload Questions CSV + Manual Add

Active Test Scope: **PY-2025-01: Python Developer Assessment (50 Questions in Bank)**

Serving **30 randomized questions** per candidate sitting from this bank.

Q#	QUESTION STEM & OPTIONS SUMMARY	TOPIC CATEGORY	DIFFICULTY	CORRECT OPTION	ACTIONS
Q-01	**What is the output of `bool([]) == bool([False])` in Python 3?** 1: True | 2: False | 3: TypeError: unsupported operand | 4: None	Core Python Syntax	Medium	Option 2	
Q-02	**Which Python keyword is used to create a generator function?** 1: return | 2: generate | 3: yield | 4: async	Generators & Iterators	Easy	Option 3	
Q-03	**In Django ORM, how do you prevent N+1 queries when fetching related ForeignKey objects?** 1: prefetch_related() | 2: select_related() | 3: values_list() …	Django ORM & SQL Optimization	Hard	Option 2	
Q-04	**What is the default isolation level in SQLite transactions?** 1: Read Uncommitted | 2: Read Committed | 3: Serializable | 4: …	Database Transactions	Medium	Option 3	

Q#	QUESTION STEM & OPTIONS SUMMARY	TOPIC CATEGORY	DIFFICULTY	CORRECT OPTION	ACTIONS
Q-05	**Which built-in Python decorator transforms a method into a read-only descriptor?** 1: @staticmethod | 2: @classmethod | 3: @property | 4: @abstrac…	Object-Oriented Programming	Easy	Option 3	

CSV Question Bank Schema Specification: File encoding: UTF-8 (.csv)

```
question, option_1, option_2, option_3, option_4, correct_option, topic, suggestions, difficulty
```

The suggestions column contains constructive improvement pointers displayed on the Candidate Results screen when a question in that topic is answered incorrectly. Correct options must be an integer between 1 and 4.

Components: Target Test Selector Dropdown • Question Bank CSV Upload Box with Column Schema Notice • CSV Expected Columns: question, option_1, option_2, option_3, option_4, correct_option, topic, suggestions, difficulty

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Question Bank Management (Page 5): CORE REQUIREMENT

Architectural Assumptions:

- Questions belong strictly to a specific test question bank (no global shared question pooling in v1).
- Correct option must be one of: option_1, option_2, option_3, or option_4 (or 1, 2, 3, 4).

Guide Approval Points:

- Should multiple-choice questions support multiple correct answers (checkboxes) or only single-choice (radio)?
- Is question difficulty (Easy/Medium/Hard) required for score weighting or purely informational?

Page 06 **Candidate Registration & Test Assignment** ADMINISTRATOR CORE REQUIREMENT

Purpose: Formal association of candidates with specific test blueprints, enforcing UNIQUE(candidate_id, test_id) constraint.

Candidate Test Enrollment & Access Control

Explicit administrative mapping of candidates to tests. No public self-enrollment allowed.

Strict Pre-Enrollment Policy

Assign Candidate to Assessment

1. Candidate Email Address *:

e.g. rohan.sharma@example.com (try to trigger duplicate check)

2. Target Assessment *:

PY-2025-01: Python Developer Assessment

Enroll Candidate

Search enrolled candidates or tests...

Showing 4 active registration records

REG ID	CANDIDATE INFORMATION	ENROLLED ASSESSMENT	REGISTRATION DATE	ELIGIBILITY STATUS	ACTIONS
REG-501	Rohan Sharma rohan.sharma@example.com	Python Developer Assessment Code: PY-2025-01	2025-02-18	Ready to Attempt	Revoke Access
REG-502	Diya Sen diya.sen@example.com	Backend Engineering Test Code: DJ-2025-02	2025-02-19	Ready to Attempt	Revoke Access

REG ID	CANDIDATE INFORMATION	ENROLLED ASSESSMENT	REGISTRATION DATE	ELIGIBILITY STATUS	ACTIONS
REG-503	**Aarav Mehta** aarav.mehta@example.com	Python Developer Assessment Code: PY-2025-01	2025-02-15	Assessment Completed (1/1)	Revoke Access
REG-504	**Sneha Patel** sneha.patel@example.com	Data Analyst Screening Assessment Code: DA-2025-04	2025-02-20	Ready to Attempt	Revoke Access

Database Integrity Rule: Composite Primary / Unique Key

The database schema strictly defines `UNIQUE(candidate_id, test_id)`. This prevents double registration, prevents accidental test resets, and guarantees that candidates can only see tests specifically provisioned for them by administrators.

Components: Test Assignment Form (Select Candidates + Select Test) • Active Enrolments Table • Candidate Search and Multi-Select
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Candidate Registration & Test Assignment (Page 6):

CORE REQUIREMENT

Architectural Assumptions:

- A candidate can be registered for multiple distinct tests, but only once per specific test.
- Registration creates a secure enrolment token.

Guide Approval Points:

- Should registration automatically dispatch an invitation email with test details to the candidate?
- Can an administrator re-register a candidate who previously failed to grant a second attempt?

Page 07 **Candidate Dashboard** CANDIDATE CORE REQUIREMENT

Purpose: Candidate landing page after login showing exclusively their assigned assessments and current completion status.

Rohan Sharma ID: CAN-103
rohan.sharma@example.com
Registered candidate portal. Only assessments explicitly allocated to your email appear below.

ASSIGNED TESTS	COMPLETED
3	1

Access Restricted: You cannot view or attempt tests outside your personal assignment list. 1 Attempt Allowed Per Test

YOUR ALLOCATED TECHNICAL ASSESSMENTS:

Python Developer Assessment PY-2025-01

Technical assessment evaluating core Python, collections, generators, memory management, and OOP.

Eligible to Start

DURATION	QUESTIONS	PASSING CUTOFF	MARKING SCHEME
60 Minutes	30 Questions	65%	1 Mark / No Negative

- Clock starts automatically upon launching assessment

Proceed to Instructions →

Backend Engineering Test (Django & SQL) DJ-2025-02

ORM database query optimization, REST API architecture, transactions, and session management.

Attempt Completed

DURATION
75 Minutes

QUESTIONS
35 Questions

PASSING CUTOFF
70%

MARKING SCHEME
1 Mark / No Negative

• Submitted: Yesterday, 4:15 PM (Score: 78%)

View Performance Breakdown →

Fullstack Django Evaluation FS-2025-03

Fullstack evaluation covering template rendering, CSRF security, and relational data modeling.

Test Inactive / Window Closed

DURATION
90 Minutes

QUESTIONS
40 Questions

PASSING CUTOFF
60%

MARKING SCHEME
1 Mark / No Negative

• Administrator has closed this assessment round

Assessment Unavailable

Components: Personalized Candidate Welcome Header • Registered Tests Grid / Cards • Test Parameters (Duration, Total Questions, Passing Marks)
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Candidate Dashboard (Page 7): CORE REQUIREMENT

Architectural Assumptions:

- Candidates cannot see any assessments other than those explicitly assigned to their candidate_id.
- Completed assessments disable the Start Test button and display an immutable Completed badge.

Guide Approval Points:

- Should the candidate dashboard show an expiration deadline date for each registered test?
- Should candidates be able to download a PDF participation certificate or score slip from their dashboard?

Page 08 **Test Instructions & Confirmation** CANDIDATE CORE REQUIREMENT

Purpose: Pre-assessment briefing communicating rules, timer behaviour, autosaving, and securing candidate acknowledgement before starting.

Assessment Code: PY-2025-01

Python Developer Assessment

Candidate: Rohan Sharma (rohan.sharma@example.com)

Single Attempt Only

DURATION	TOTAL QUESTIONS	PASSING CUTOFF	MAX RETAKES
60 Minutes	30 Questions	65% (20 Marks)	0 (Strict 1 Sitting)

IMPORTANT EXAMINATION RULES & GUIDELINES:

1. **Randomized Question Set:** Every candidate receives a unique randomized sequence of questions sampled from the active pool.
2. **Automatic Autosaving:** Your selected response is sent to the server the instant you click an option. You do not lose answers if you refresh or switch questions.
3. **Live Countdown & Auto-Submission:** The timer runs continuously in the top bar. When 60 minutes expire, your assessment will be submitted automatically with all answered items evaluated.
4. **Question Navigation Palette:** You can jump back and forth freely between questions, and mark questions for review before submitting.
5. **Focus & Tab-Switch Telemetry:** Leaving the test tab or minimizing the window is recorded in the activity audit log for evaluator review.

⚠ **Irreversible Attempt Policy:** Once you click "Begin Assessment Now", this test attempt is locked to your account. You cannot pause the timer or retake the assessment after submission.

☐ I have read and fully understood all assessment guidelines, scoring criteria, and browser rules. I am ready to begin my timed sitting.

← Back to Dashboard

▷ Begin Assessment Now

Components: Test Overview Card (Title, Time Allocated, Total Items, Passing Score) • Assessment Rules & Guidelines Bulletins • Autosave & Navigation Policy Notice
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Test Instructions & Confirmation (Page 8): CORE REQUIREMENT

Architectural Assumptions:

- Timer starts the moment the candidate clicks Begin Assessment.
- Once begun, the TestAttempt record is created with started_at timestamp.

Guide Approval Points:

- Should candidates be required to complete a sample practice question before beginning the real test?
- Should fullscreen mode be mandatory upon clicking Begin Assessment?

Page 09 **Test-Taking Interface** CANDIDATE CORE REQUIREMENT

Purpose: The central examination screen with distraction-free question presentation, countdown timer, question palette, and autosaving.

Wireframe Test State Simulator: Normal (Q 7/30) | Last Question (Q 30/30) | Timer Alert (< 01:45)

PY

Python Developer Assessment

Code: PY-2025-01 • Candidate: Rohan Sharma

ANSWER AUTOSAVE
All answers saved

REMAINING
00:44:18

Question 7 of 30 Topic: Context Managers

Marked for Review

Which method is called by the `with` statement at the entry of a context manager block?

A __enter__()

B __start__()

C __open__()

D __init__()

< Previous Question

Auto-saves instantly on click

Next Question >

Question Palette 30 Questions Total

- Answered (11)
- Unanswered (19)
- Review (3)
- Current (Q 7)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30

Submit Assessment

Assessment Security Active:

Question order is uniquely randomized for this session. Tab switches and focus losses are logged with timestamps.

Components: Top Sticky Header with Test Title, Question Counter (e.g. Q 7 of 30), and Countdown Clock • Main Question Card with Clean Typography and Code Block Support • 4 Radio Selection Option Cards (Option 1 to 4)

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Test-Taking Interface (Page 9): CORE REQUIREMENT

Architectural Assumptions:

- Question order is randomized per candidate sitting.
- Answers are persisted immediately upon option selection via asynchronous custom form payload.
- No evaluation or correct answers are displayed during test execution.

Guide Approval Points:

- Should candidates be allowed to return to previously answered questions or must questions be answered in strict sequence?
- What warning threshold should the timer use before auto-submitting (5 minutes vs 2 minutes)?

Page 10 **Submission Confirmation & Timeout** CANDIDATE CORE REQUIREMENT

Purpose: Verification dialog summarizing attempted vs unanswered items prior to irreversible final submission, plus timeout handler.

Simulate Submission Event Trigger: Manual Submission Modal | Timer Timeout Auto-Submit

Confirm Assessment Submission

Python Developer Assessment (PY-2025-01)

⚠ **Irreversible Action Warning:** Once submitted, your responses will be locked and sent for immediate automated evaluation. You will not be able to re-enter or retake this test.

Assessment Completion Breakdown:

ATTEMPTED	MARKED REVIEW	UNANSWERED
26	2	4
of 30 Questions	Requires Check	Will Score 0 Marks

Remaining Examination Time: **21 minutes 42 seconds** You may return to answer remaining questions.

Return to Assessment

Confirm & Submit Assessment

Technical Architecture Note for Guide Review (Browser Close Handling):

The specification mentions auto-submission on browser closure. In modern web standards, client-side `beforeunload` and `unload` events cannot reliably guarantee an HTTP fetch executes before the process terminates (especially upon browser crash or network drop).

HireScan Solution: We use continuous per-option AJAX autosaving combined with a server-side timer session token. If the browser closes abruptly, the server automatically finalizes the sitting when the session lease expires, preserving all answered questions without data loss.

Components: Submission Summary Modal (Total Attempted, Unanswered, Marked for Review) • Irreversible Action Warning (Cannot modify answers once submitted) • Confirm Final Submission Button
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Submission Confirmation & Timeout (Page 10):

CORE REQUIREMENT

Architectural Assumptions:

- When timer hits 00:00, submission executes automatically without requiring confirmation.
- Browser close events trigger server-side timeout auto-submission upon elapsed duration.

Guide Approval Points:

- If a candidate accidentally closes their browser with 20 minutes remaining, should they be allowed to re-enter or is it auto-submitted?
- Should unanswered questions trigger an extra warning modal before submitting?

Page 11 **Candidate Results** CANDIDATE CORE REQUIREMENT

Purpose: Post-assessment performance summary presenting scores, pass/fail status, topic strengths/weaknesses, and developmental suggestions.

Sitting Complete • PY-2025-01

Official Candidate Scorecard

Rohan Sharma (rohan.sharma@example.com) • Attempted: 2025-02-22 15:42:10 UTC

Print Scorecard

PASSED

80% PASSED

Scored **24 out of 30** questions correctly (Passing cutoff: 65%).

Time Utilized: 38 mins 20 secs (of 60 mins allotted)

CORRECT	INCORRECT	SKIPPED
24	4	2

TOPIC-WISE COMPETENCY ANALYSIS

Benchmark: 65%

Core Python Syntax & Built-ins 7/8 Correct (87.5%) Strong

Object-Oriented Programming & Metaclasses 6/7 Correct (85.7%) Strong

Data Structures, Collections & Memory 5/6 Correct (83.3%) Strong

Generators, Iterators & Context Managers 4/5 Correct (80%) Satisfactory

Concurrency, Threading & GIL Mechanics 2/4 Correct (50%) Needs Improvement

Key Competencies & Strengths:

- Exceptional grasp of Core Python syntax and data structure implementations.
- Solid understanding of Object-Oriented principles and Python descriptor protocols.
- Consistent answer pace with strong time management (38 minutes used of 60).

Recommended Areas for Growth:

- **Concurrency & Threading:** Deep dive into Global Interpreter Lock (GIL) limitations and multiprocessing process isolation.
- **Context Managers:** Review `contextlib.contextmanager` generator yield patterns.
- Brush up on algorithmic time complexity bounds in collections.

Security Notice: Individual question solutions are confidential and not disclosed to preserve question pool integrity. HireScan Assessment Engine

Components: Score Banner (Total Score, Percentage, Final Status: PASSED / FAILED) • Statistics Metrics Grid (Correct Answers, Incorrect, Unanswered, Total Duration Taken) • Topic-wise Performance Progress Breakdown
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Candidate Results (Page 11):

CORE REQUIREMENT

Architectural Assumptions:

- Passing is evaluated against test.passing_marks threshold.
- Correct answers remain hidden from candidates to prevent question leakage.

Guide Approval Points:

- Should candidates receive immediate results or should evaluators review and publish results later?
- Should candidates see which specific questions they got wrong without seeing the correct answer?

Page 12 **Admin Analytics & Reports** ADMINISTRATOR CORE REQUIREMENT

Purpose: Aggregated statistical reports, pass rates, test comparison metrics, question accuracy analysis, and leaderboard rankings.

Hiring Assessment Analytics & Reporting

Aggregate candidate performance benchmarks, question discrimination, and exportable ranking reports.

Export Roster CSV | Generate PDF Summary

TOTAL TESTS #
4
3 Active, 1 Inactive

APPEARED
312
72.8% Completion Rate

AVERAGE SCORE %
68.4%
Median: 70.0%

PASS RATE
74.2%
Threshold: 65%

HIGH / LOW SCORE
96.7% / 33.3%
Spread: 63.4 pts


Test Performance Overview | Top Scorers Leaderboard | Question Accuracy Analysis

Filter Test: All Assessments

TEST CODE & TITLE	REGISTERED	APPEARED / SUBMITTED	AVERAGE SCORE	PASS RATE	EXPORT
Python Developer Assessment PY-2025-01	180	142 (79%)	71.5%	78.2%	CSV
Backend Engineering Test (Django & SQL) DJ-2025-02	140	110 (79%)	66.8%	71.8%	CSV
Data Analyst Screening Assessment DA-2025-04	80	60 (75%)	64.2%	68.3%	CSV

Score Distribution Histogram (All Assessment Sittings)

N = 312 Candidates



18	62	88	104	40
0 - 40%	41 - 60%	61 - 70%	71 - 85%	86 - 100%

Components: Executive Summary Cards (Total Candidates Evaluated, Pass Rate %, Average Score, Highest/Lowest Score) • Test-wise Performance Comparison Table • Topic-wise Mastery & Difficulty Distribution Table

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Admin Analytics & Reports (Page 12):

CORE REQUIREMENT

Architectural Assumptions:

- Reports update dynamically as candidates complete attempts.
- Charts are represented as clean wireframe visual plots suitable for project documentation.

Guide Approval Points:

- Should analytics allow filtering by college/institution or date ranges?
- What percentile ranking formulas should be included in the reporting output?

Page 13 **Candidate Performance Detail** ADMINISTRATOR CORE REQUIREMENT

Purpose: Deep-dive administrator inspection view for an individual candidate attempt, reviewing timeline, topic mastery, and flags.

Administrator Access Only • Candidate Evaluation Dossier

Candidate Performance Profile: Rohan Sharma

Export PDF Dossier

APPLICANT IDENTITY INFORMATION:

Full Name:	**Rohan Sharma**
Candidate ID:	CAN-103
Email Address:	rohan.sharma@example.com
Contact Number:	+91 94112 33445
Academic Background:	Delhi Technological University (DTU)

SITTING & TECHNICAL ENVIRONMENT METADATA:

Assessment Code:	PY-2025-01
Test Started:	2025-02-22 15:03:50 UTC
Test Submitted:	2025-02-22 15:42:10 UTC
Client Environment:	Chrome 122.0 / Windows 11 ×64
Tab Switch Activity:	2 events recorded

80%

24 / 30 Marks PASSED

Passing threshold was 65% • Duration: 38 minutes 20 seconds

24 CORRECT | 4 INCORRECT | 2 SKIPPED

RECRUITER DECISION & INTERVIEW RECOMMENDATION:

Strong performance on core Python fundamentals and OOP architecture. 2 tab switch events were momentary (<3s) and do not indicate illicit assistance. Recommended for Technical Round 2 (System Design).

Evaluator: HR Lead (admin@hirescan.internal)

Save Remarks & Advance to Round 2

Components: Candidate Dossier Header (Name, Email, WhatsApp, College, Qualification) • Assessment Sitting Summary (Test ID, Registration Token, Start/End Timestamps, Total Time) • Evaluator Scorecard (Total Points, Percentage, Pass/Fail Verdict)

Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Candidate Performance Detail (Page 13):

CORE REQUIREMENT

Architectural Assumptions:

- This view is strictly restricted to authenticated recruitment administrators.
- Evaluator remarks can be appended without modifying the calculated objective test score.

Guide Approval Points:

- Should the administrator be able to override a score or grant partial marks on subjective questions?
- Should this individual report be exportable as a standalone PDF candidate dossier?

Page 14 **Activity & Suspicious Behaviour (Audit Log)** ADMINISTRATOR OPTIONAL MODULE

Purpose: Optional audit trail monitoring candidate test events, tab-switches, and window-blur signals without automated disqualification.

OPTIONAL MODULE **Activity Telemetry & Focus Monitoring (Awaiting Guide Approval)** Review Item #4 for Guide Sign-Off

Important Architectural Distinction: This module records browser focus changes as objective telemetry events. It does *not* automatically disqualify candidates or brand every tab switch as academic dishonesty. Tab switches can occur from operating system notifications, antivirus popups, or accidental touchpad gestures.

Examination Telemetry & Event Audit Trail

Real-time event logging capturing client focus state, heartbeats, and submission triggers.

Filter Event Severity: All Events (5)

EVENT ID & TIMESTAMP	CANDIDATE INFORMATION	EVENT TYPE	SEVERITY CLASSIFICATION	TECHNICAL DETAIL DESCRIPTION
EVT-901 2025-02-22 15:18:24 UTC	**Rohan Sharma** rohan.sharma@example.com	TAB_BLUR	Telemetry Notice	Browser window lost focus (visibilitychange=hidden). Duration: 2.1 seconds.
EVT-902 2025-02-22 15:18:26 UTC	**Rohan Sharma** rohan.sharma@example.com	TAB_FOCUS	Info	Candidate returned focus to assessment window.
EVT-903 2025-02-22 15:22:10 UTC	**Karan Singh** karan.s@example.com	TAB_BLUR	Audit Flag	Extended window blur detected: 48 seconds away from test window.
EVT-904	**Pooja Verma** pooja.v@example.com	AUTOSAVE_HEARTBEAT	Info	Server session heartbeat acknowledged. 20 responses synced.

EVENT ID & TIMESTAMP	CANDIDATE INFORMATION	EVENT TYPE	SEVERITY CLASSIFICATION	TECHNICAL DETAIL DESCRIPTION
2025-02-22 15:25:00 UTC				
EVT-905 2025-02-22 15:42:10 UTC	**Rohan Sharma** rohan.sharma@example.com	SUBMISSION	Info	Manual submission executed by candidate. All 26 responses committed.

Project Guide Decision Points for Screen 14:

- **Approval Decision:** Should client-side tab-switch telemetry be retained in the core MVP release, or deferred to Phase 2?
- **Threshold Policy:** If retained, what duration threshold should trigger an administrator audit flag (e.g. >10 seconds blur vs >30 seconds)?
- **Warning Modal:** Should the candidate receive a client-side warning toast upon tab blur ("Assessment window focus lost")?

Components: Optional Module Notice Awaiting Project Guide Approval Banner • Audit Trail Event Table (Candidate, Test, Event Type, Timestamp, Details, Risk Level) • Event Types: TEST_STARTED, TAB_SWITCH, WINDOW_BLUR, RECONNECT, SUBMIT
Draft Version 1.0 (Pre-Development Prototype)

Specifications & Assumptions for Activity & Suspicious Behaviour (Audit Log) (Page 14):

OPTIONAL FEATURE

Architectural Assumptions:

- Tab-switch detection uses browser Page Visibility API / window blur events.
- System does NOT automatically disqualify candidates; human evaluator reviews flags.

Guide Approval Points:

- Is browser tab-switch logging officially included in the project scope for internship evaluation?
- Should candidates be shown an in-test warning banner when they switch tabs (e.g. "Warning: Tab switch recorded")?

Page 15 **Profile, Session & Error States** SYSTEM / BOTH CORE REQUIREMENT

Purpose: Comprehensive wireframe gallery of edge cases, session timeouts, validation errors, and network handling states.

Edge Cases, Validation & Error States Blueprint

Standardized wireframe specifications for authentication failures, session drops, and validation handling.

ALL | Auth | Session | Security | Network | Data

SELECT EDGE CASE STATE (10):

Invalid OTP Submission AUTH_001
Candidate enters an incorrect 6-digit one-time password.

Expired OTP (5-Minute Window Elapsed) AUTH_002
Candidate submits code after the 5-minute validity window expires.

Rate Limit: Too Many OTP Requests (HTTP 429) AUTH_003
Candidate or script requests OTP more than 3 times within 10 minutes.

Candidate Session Timeout / Expired SESS_001
Candidate remains inactive on dashboard past server session TTL.

Unauthorized Access (HTTP 403 Forbidden) SEC_001
Candidate navigates to an administrative URL (/admin/tests/).

Inactive / Unavailable Assessment TEST_001

Candidate attempts to launch a test that has been deactivated by the administrator.

Duplicate Registration Conflict (Integrity Constraint) DB_001


Admin attempts to re-enroll a candidate already associated with a test.

WIREFRAME PRESENTATION: AUTH_001

Category: Auth

AUTH_001

Invalid OTP Submission



Trigger Context:
Candidate enters an incorrect 6-digit one-time password.

Visual UI Specification:
Red border highlight on OTP input with message: "Invalid verification code. 2 attempts remaining before temporary lockout."

Candidate / Admin Recovery Action:
Candidate re-enters code or clicks "Resend OTP".

```
Components: Interactive State Selector (10 Distinct Edge Scenarios) • 1. Invalid OTP State Wireframe • 2. Expired OTP State Wireframe
Draft Version 1.0 (Pre-Development Prototype)
```

Specifications & Assumptions for Profile, Session & Error States (Page 15):

CORE REQUIREMENT

Architectural Assumptions:

- Every system failure provides clear, user-friendly recovery instructions.
- Network interruptions allow local answer caching and automatic resynchronization.

Guide Approval Points:

- How should network disconnection be handled during a test: allow local timer continuation or pause timer?
- What is the session inactivity timeout for administrator accounts (15 minutes vs 30 minutes)?