

# “LEARNING MANAGEMENT SYSTEM”

Internet Programming Laboratory-CSE326

## PROJECT REPORT

### Submitted By:

Kumar Ayush : (Reg.no 12310601)

Himanshu Yadav: (Reg.no 12311621)

Manvendra Pratap : (Reg.no 12320339)

### Submitted To:

DR. Nidhi Arora

(Asst. Professor)

In partial fulfillment for the requirement of the award of degree of B.tech (Computer Science and Engineering



**L**OVELY  
**P**ROFESSIONAL  
**U**NIVERSITY

---

*Transforming Education Transforming India*

Phagwara, punjab

## Group Members:

1. Name: Kumar Ayush

Roll No: 08

Registration No.: 12310601

2. Name: Himanshu Yadav

Roll No: 09

Registration No.: 12311621

3. Name: Manvendra Pratap Singh

Roll No: 10

Registration No.: 12320339

## Table of Contents

Chapter	Particulars	Page No.
Chapter 1.	Acknowledgement.....	4
Chapter 2.	Introduction.....	5
Chapter 3.	Technologies used.....	6
Chapter 4.	Modules and Descriptions.....	7-30
Chapter 5.	Website snapshots.....	31-38
References.....		39

## ACKNOWLEDGEMENT

Special thanks to our university as well as our mentor and CSE faculty, Nidhi Arora Ma'am for the guidance and knowledge about the subject, which played a pivotal role in shaping the direction of our website and was instrumental in refining our ideas & improving the overall quality of the work.

We would like to express our heartfelt gratitude to everyone else as well who contributed to the development of “**LMS: Learning made easy**”, a learning, library & courses website project. This endeavour was a collaborative effort, and we are sincerely thankful for the support and assistance we received throughout it.

Thank you to everyone, group members and friends, who played a part, big or small, in completion of this project in the stipulated amount of time. The support is deeply appreciated.

Kumar Ayush

Himanshu Yadav

Manvendra Pratap Singh

## Introduction:

***“LMS: learning made easy”*** is a learning, library and courses website that we were assigned to make for our project in Internet Programming Laboratory. The need for a music streaming website arises from the desire to create a space where users can seamlessly immerse themselves in the world of knowledge, discover new courses, and explore the many more books and degrees.

The demand for an accessible, knowledgeable, and engaging platform for students consumption has never been more pressing. Traditional modes of acquiring and studying and getting new courses in less price have given way to the convenience of library, allowing users to explore an extensive but selected catalogue of courses with just a few clicks, for now and users now seek platforms that offer convenience, an extensive courses library, and personalized directory features.

While the project does not achieve all the above-mentioned tasks, it's on its way to achieve so. We plan on keeping the website dynamic by making changes and improvements along the way as we learn more and more about web development and its front-end and back-end aspects.

By leveraging the power of HTML, CSS and JavaScript, the foundational building blocks of web development, LMS was crafted to offer an intuitive and visually appealing interface that enhances the overall user experience and there knowledges.

## Technologies Used:

Through the implementation of HTML, we were able to organize and present the various elements of the website, ensuring a logical and user-friendly layout. Whether it's the seamless navigation between pages, the display of selected courses' profiles, or the presentation of curated subjects, HTML formed the backbone that brought structure and coherence to the platform.

CSS, the style sheet language, breathed life into LMS (learning made easy) by dictating its aesthetic appeal. With CSS, we meticulously designed the visual elements, ensuring a harmonious blend of colour schemes, typography, and responsive layouts. The use of CSS not only enhanced the website's visual appeal but also contributed to a consistent and enjoyable user interface across different devices.

While developing this Learning management system website project, we incorporated JavaScript to enhance specific functionalities, albeit in a minimal capacity. JavaScript was strategically employed to serve targeted purposes, such as facilitating dynamic content updates and improving user interactivity. While JavaScript does add valuable interactive elements, its role is supplementary, with the primary emphasis placed on harnessing the capabilities of HTML and CSS to create a cohesive and engaging music streaming platform.

'LMS', with the usage of website building technologies, exceeds expectations by providing a visually captivating and user-friendly environment for knowledge to explore, enjoy, and discover different course and that make them move.

## LOGIN PAGE

### HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>LMS Login Page</title>
  <link rel="stylesheet" href="style2.css">
  <link rel="stylesheet" href="index.html">
</head>

<body>
  <div class="container">
    
    <h1>Learning Management System</h1>
    <form action="index.html">

      <label for="username">Username:</label>

      <input type="text" id="username" name="username" required>

      <br>

      <label for="password">Password:</label>

      <input type="password" id="password" name="password" required>
      <br>

      <a href="http://127.0.0.1:5500/index.html">
        <button type="submit">Login</button>
      </a>

    </form>
    <p>Forgot your password? <a href="#">Click here</a> to reset it.</p>
  </div>
</body>

</html>
```

## CSS CODE

```
body {  
  font-family: sans-serif;  
}  
  
.container {  
  width: 400px;  
  margin: 50px auto;  
  border: 1px solid #ccc;  
  padding: 20px;  
}  
  
.logo {  
  width: 100%;  
  height: auto;  
  display: flex;  
  background-size: cover;  
  margin-bottom: 20px;  
}  
  
h1 {  
  text-align: center;  
  margin-bottom: 20px;  
}  
  
form {  
  display: block;  
  margin-bottom: 20px;  
}  
  
label {  
  display: block;  
  margin-bottom: 5px;  
}  
  
input {  
  width: 100%;  
  padding: 5px;  
  border: 1px solid #ccc;  
}  
  
button {  
  background-color: #04AA6D;  
  color: white;  
  padding: 10px;  
  border: none;  
  cursor: pointer;  
}
```



```
button:hover {  
  opacity: 0.8;  
}  
  
p {  
  text-align: center;  
}  
  
a {  
  color: #04AA6D;  
  text-decoration: none;  
}
```

For login page...

## HTML home Page

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Online course website design</title>
  <!-- custom css link -->
  <link rel="stylesheet" type="text/css" href="style.css">
  <link rel="stylesheet" href="login.html">
  <link rel="stylesheet" href="https://unpkg.com/boxicons@latest/css/boxicons.min.css">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto+Mono:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
  <!-- Staring of header -->
  <header>
    <a href="#" class="logo">
      
    </a>

    <ul class="navbar">
      <li><a href="#home">Home</a></li>
      <li><a href="#categories">Categories</a></li>
      <li><a href="#Courses">Courses</a></li>
      <li><a href="#about">About Us</a></li>
      <li><a href="#contact">Contacts</a></li>
    </ul>

    <div class="header-icons">
      <!-- i got this bx bx thing from boxicons -->
      <a href="#"><i class='bx bx-user'></i></a>
      <a href="#"><i class='bx bx-heart'></i></a>
      <a href="#"><i class='bx bx-cart'></i></a>
      <div class="bx bx-menu" id="menu-icon"></div>
    </div>

  </header>
  <!-- starting home section -->
  <section class="home" id="home">
    <div class="home-text">
      <h6>Best online learning platform</h6>
      <h1>Accessible Online Courses For All</h1>
      <p>Get your future bright with learning new skill online</p>
    </div>
    <div class="latter">
      <form>
```

```

        <input type="email" placeholder="Write Your Email" required>
        <input type="submit" value="Let's Start" required>
    </form>
</div>
</div>
<div class="home-img">
    
</div>
</section>
<!-- starting container section -->
<section class="container">
    <div class="container-box">
        <div class="container-img">
            
        </div>
        <div class="container-text">
            <h4>7K+</h4>
            <p>Online Courses</p>
        </div>
    </div>

    <div class="container-box">
        <div class="container-img">
            
        </div>
        <div class="container-text">
            <h4>7K+</h4>
            <p>Online Courses</p>
        </div>
    </div>

    <div class="container-box">
        <div class="container-img">
            
        </div>
        <div class="container-text">
            <h4>7K+</h4>
            <p>Online Courses</p>
        </div>
    </div>

    <div class="container-box">
        <div class="container-img">
            
        </div>
        <div class="container-text">
            <h4>7K+</h4>
            <p>Online Courses</p>
        </div>
    </div>

```

```

</div>

</section>

<!-- start categories section -->
<section class="categories" id="categories">
  <div class="center-text">
    <h5>CATEGORIES</h5>
    <h2>Popular categories</h2>
  </div>

  <div class="categories-content">
    <div class="box">
      
      <h3>Angular Development</h3>
      <p>5 Courses</p>
    </div>

    <div class="box">
      
      <h3>Python</h3>
      <p>15 Courses</p>
    </div>

    <div class="box">
      
      <h3>complete CSS</h3>
      <p>7 Courses</p>
    </div>

    <div class="box">
      
      <h3>Node JS</h3>
      <p>9 Courses</p>
    </div>

  </div>

  <div class="main-btn">
    <a href="#" class="btn">All Categories</a>
  </div>

</section>

<!-- start course section -->
<section class="Courses" id="Courses">
  <div class="center-text">
    <h5>COURSES</h5>
    <h2>Enroll Popular Courses</h2>
  </div>
  <div class="courses-content">

```

```

<div class="row">
  
  <div class="courses-text">
    <h5>₹999</h5>
    <h3>The Complete ETHICAL HACKING Course 2023</h3>
    <h6>17 hours 15 minutes</h6>
    <div class="rating">
      <div class="star">
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
      </div>
      <div class="review">
        <p>{ 5 Reviews }</p>
      </div>
    </div>
  </div>
</div>

```

```

</div>

```

```

<div class="row">
  
  <div class="courses-text">
    <h5>₹499</h5>
    <h3>The Complete Data Science Course 2023</h3>
    <h6>08 hours 05 minutes</h6>
    <div class="rating">
      <div class="star">
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
      </div>
      <div class="review">
        <p>{ 5 Reviews }</p>
      </div>
    </div>
  </div>
</div>

```

```

</div>

```

```

<div class="row">
  
  <div class="courses-text">

```

```

<h5>₹799</h5>
<h3>The Complete WEB Developer Course 2023</h3>
<h6>09 hours 15 minutes</h6>
<div class="rating">
  <div class="star">
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
  </div>
  <div class="review">
    <p>{5 Reviews}</p>
  </div>
</div>

</div>

</div>

<div class="row">
  
  <div class="courses-text">
    <h5>₹1499</h5>
    <h3>The Complete SpeakinG Skill Course 2023</h3>
    <h6>12 hours 35 minutes</h6>
    <div class="rating">
      <div class="star">
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
      </div>
      <div class="review">
        <p>{5 Reviews}</p>
      </div>
    </div>
  </div>

</div>

</div>

<div class="row">
  
  <div class="courses-text">
    <h5>₹499</h5>
    <h3>The Complete Data Algorithm Course 2023</h3>
    <h6>05 hours 05 minutes</h6>

```

```

<div class="rating">
  <div class="star">
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
    <a href="#"><i class='bx bxs-star'></i></a>
  </div>
  <div class="review">
    <p>{ 5 Reviews }</p>
  </div>
</div>

</div>

<div class="row">
  
  <div class="courses-text">
    <h5>₹1099</h5>
    <h3>The Complete Business Analyst Course 2023</h3>
    <h6>09 hours 15 minutes</h6>
    <div class="rating">
      <div class="star">
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
        <a href="#"><i class='bx bxs-star'></i></a>
      </div>
      <div class="review">
        <p>{ 5 Reviews }</p>
      </div>
    </div>
  </div>

</div>

</div>

<div class="main-btn">
  <a href="#" class="btn">Buy Now</a>

</div>

</section>

```

```

<!-- start cta section -->
<section class="cta">
  <div class="center-text">
    <h5>Trusted By</h5>
    <h2>500+ Leading Universities And Companies</h2>
  </div>
  <div class="cta-content">
    <div class="cta-img">
      

    </div>

    <div class="cta-img">
      

    </div>

    <div class="cta-img">
      

    </div>

    <div class="cta-img">
      

    </div>

    <div class="cta-img">
      

    </div>

    <div class="cta-img">
      

    </div>

  </div>
</section>
<!-- start about section -->
<section class="about" id="about">
  <div class="about-img">
    

  </div>

  <div class="about-text">
    <h2>Want to share your knowledge? Join us a Mentor</h2>
    <p>High-definition video with high resolution and quality than

```



standard-definition. While there is no  
standardized meaning for high-definition, generally any video.</p>  
<h4>Best Courses</h4>  
<h5>Top rated Instructors</h5>  
<a href="#" class="btn">Read More</a>

</div>

</section>

<!-- start contact section -->

<section class="contact" id="contact">

<div class="main-contact">

<div class="contact-content">



<!-- <li><a href="#">Facebook</a></li> -->

<li><a href="#">Instagram</a></li>

<li><a href="#">Twitter</a></li>

</div>

<div class="contact-content">

<li><a href="#home">Home</a></li>

<li><a href="#Categories">Categories</a></li>

<li><a href="#Courses">Courses</a></li>

<li><a href="#about">About Us</a></li>

<li><a href="#contact">Contacts</a></li>

</div>

<div class="contact-content">

<li><a href="#">Profile</a></li>

<li><a href="#">Login</a></li>

<li><a href="#">Register</a></li>

<li><a href="#">Instructor</a></li>

<li><a href="#">Dashboard</a></li>

</div>

<div class="contact-content">

<li><a href="#">Phagwara,<br> punjab, 144411</a></li>

<li><a href="#">info@lpu.co.in</a></li>

<li><a href="#">8252458080</a></li>

</div>

</div>

</section>

<footer>

<div class="last-text">

<p>&copy; 2023 LMS. All rights reserved</p>

```
</div>  
</footer>
```

```
<!-- custom js link -->  
<script type="text/javascript" src="js/script.js"></script>
```

```
</body>
```

```
</html>
```

## CSS

```
*{
  padding: 0;
  margin: 0;
  box-sizing: border-box;
  font-family: 'Roboto Mono', monospace;
  list-style: none;
  text-decoration: none;
  scroll-behavior: smooth;
}
/* Using the root selector or root in CSS we can define a global variable in CSS that can be used later in
the code. */
:root{
  --bg-color: #ffffff;
  --text-color: #22100d;
  --second-color: #685f78;
  --main-color: #f66962;
  --big-font: 3.0rem;
  --h2-font: 2.6rem;
  --p-font: 1.1rem;
}
body{
  background: var(--bg-color);
  color: var(--text-color);
  /* that how am using my :root */
}
header{
  position: fixed;
  width: 100%;
  top: 0;
  right: 0;
  z-index: 1000;
  display: flex;
  align-items: center;
  justify-content: space-between;
  /* before using this my home and contacts are coming down now after this its coming at a line */
  background: transparent;
  padding: 19px 13%;
  transition: all .40s ease;
}
.logo img{
  height: auto;
  width: 187px;
  max-width: 70%;
}
.navbar{
  /* i use this to make them come in a line */
  display: flex;
}
```

```

.navbar a{
  color: var(--text-color);
  font-weight: 600;
  font-size: var(--p-font);
  padding: 10px 22px;
  transition: all .40s ease;
}
.navbar a:hover{
  color: var(--main-color);
}
.header-icons{
  display: flex;
  align-items: center;
}
.header-icons i{
  margin-left: 10px;
  font-size: 24px;
  color: var(--text-color);
  transition: all .40s ease;
  margin-right: 15px;
}
.header-icons i:hover{
  transform: scale(1.1);
  color: var(--main-color);
}
#menu-icon{
  font-size: 34px;
  color: var(--text-color);
  z-index: 10001;
  cursor: pointer;
  display: none;
}
section{
  padding: 80px 13%;
}
.home{
  position: relative;
  height: 100vh;
  width: 100%;
  background: url(background1.png);
  background-size: cover;
  background-position: center;
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 1rem;
  align-items: center;
}

```

```

.home-text h1{
  font-size: var(--big-font);
  margin: 15px 0 15px;
}
.home-text h6{
  color: var(--main-color);
  font-size: 18px;
  font-weight: 600;
  letter-spacing: 2px;
}
.home-text p{
  color: var(--second-color);
  font-size: var(--p-font);
  font-weight: 500;
  margin-bottom: 48px;
}
.latter form{
  width: 100%;
  max-width: 460px;
  position: relative;
}
.latter form input:first-child{
  display: inline-block;
  width: 100%;
  outline: none;
  padding: 16px 140px 16px 15px;
  border: 2px solid var(--main-color);
  border-radius: 30px;
}
.latter form input:last-child{
  position: absolute;
  display: inline-block;
  border: none;
  outline: none;
  background: var(--main-color);
  color: var(--bg-color);
  padding: 16px 40px;
  border-radius: 30px;
  cursor: pointer;
  top: 2px;
  right: 1px;
}
.home-img img{
  height: auto;
  width: 100%;
}

```

```

header.sticky{
  background: var(--bg-color);
  padding: 12px 13%;
  box-shadow: 0px 4px 15px rgb(0 0 0 / 8%);
}
.container{
  padding: 70px 13%;
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(297px, auto));
  gap: 1.5rem;
  /* Rem (short for "root-em") units dictate an element's font size relative to the size of the root
  element. By default, most browsers use a font size value of 16px. So, if the root element is 16px, an
  element with the value 1rem will also equal 16px. */
  align-items: center;
  cursor: pointer;
}
.container-box{
  display: flex;
  align-items: center;
  gap: 1.7rem;
  border: 1px solid #e9ecef;
  border-radius: 20px;
  padding: 20px 27px;
  box-shadow: -11.729px -11.729px 32px rgb(255 255 255 / 15%);
  transition: all .40 ease;
}
.container-box:hover{
  transform: translateY(-15.7px);
}
.container-text h4{
  font-size: 20px;
  font-weight: 700;
  margin-bottom: 4px;
}
.container-text p{
  font-size: var(--p-font);
  color: var(--second-color);
  font-weight: 500;
}
img.rounded {
  object-fit: cover;
  border-radius: 50%;
  height: 70px;
  width: 70px;
}
.center-text{
  text-align: center;
}

```

```

.center-text h5{
  color: var(--main-color);
  font-size: 16px;
  font-weight: 600;
  letter-spacing: 1px;
  margin-bottom: 20px;
}
.center-text h2{
  font-size: var(--h2-font);
  line-height: 1.2;
}
.categories-content{
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(297px, auto));
  gap: 1.5rem;
  align-items: center;
  cursor: pointer;
  text-align: center;
  margin-top: 4rem;
}
.box img{
  /* height: auto; */
  /* width: 110px; */
  margin-bottom: 20px;
}
.box{
  padding: 8px 4px;
  border: 1px solid #e9ecef;
  border-radius: 20px;
  /* padding: 20px 27px; */
  box-shadow: -11.729px -11.729px 32px rgb(255 255 255 / 15%);
  transition: all .40 ease
}
.box:hover{
  transform: translateY(-15.7px);
}
.box h3{
  font-size: 20px;
  font-weight: 700;
  margin-bottom: 7px;
  line-height: 1.3;
  transition: all .40s ease;
}
.box h3:hover{
  color: var(--main-color);
}

```

```

.box p{
  font-size: var(--p-font);
  color: var(--second-color);
  font-weight: 500;
}
.main-btn{
  text-align: center;
  margin-top: 5rem;

}.btn{
  display: inline-block;
  padding: 16px 30px;
  font-size: var(--p-font);
  font-weight: 700;
  background: var(--main-color);
  color: var(--bg-color);
  border-radius: 30px;
  transition: all .40s ease;
}
.btn:hover{
  transform: scale(0.9) translateY(-7px);
}
.Courses{
  background: url(coursebg.png);
  background-size: cover;
  background-position: center;
}
.courses-content{
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(347px, auto));
  gap: 2rem;
  align-items: center;
  margin-top: 4rem;
  cursor: pointer;
  border-radius: 15px;

}
.row{
  background: var(--bg-color);
  padding: 0px 0px 5px 0px;
  border-radius: 20px;
  box-shadow: 0px 5px 4px rgb(19 9 73 / 13%);
  transition: all .40s ease;
}
.row:hover{
  transform: translateY(-15.7px);
}
.row img{
  width: 100%;

```



```

height: 277px;
object-fit: cover;
border-radius: 15px 15px 0px 0px;

}
.courses-text{
padding: 35px 20px;
}
.courses-text h5{
color: var(--main-color);
font-size: 18px;
font-weight: 700;

}
.courses-text h3{
font-size: 21px;
font-weight: 700;
line-height: 27px;
margin: 13px 0px 13px;
transition: all .40s ease;
}
.courses-text h3:hover{
color: var(--main-color);

}
.courses-text h6{
color: #696969;
font-size: var(--p-font);
font-weight: 400;
line-height: 27px;
letter-spacing: 1px;
margin-bottom: 27px;
}
.rating{
display: flex;
align-items: center;
flex-wrap: wrap;
justify-content: space-between;
}
.star i{
color: var(--main-color);
margin-right: 2px;
font-size: 17px;
}
.review p{
color: #696969;
font-size: var(--p-font);
font-weight: 400;
letter-spacing: 1px;
}
.

```

```

cta-content{
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(170px, auto));
  gap: 2rem;
  align-items: center;
  text-align: center;
  margin-top: 5rem;
}
.about{
  background: url(aboutbg.png);
  background-size: cover;
  background-position: center;
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 2rem;
  align-items: center;
}
.about-img img{
  width: 88%;
  height: auto;
}
.about-text h2{
  font-size: var(--h2-font);
  line-height: 1.2;
  margin-bottom: 20px;
}
.about-text p{
  font-size: var(--p-font);
  color: var(--second-color);
  font-weight: 500;
  line-height: 30px;
  margin-bottom: 30px;
}
.about-text h4{
  font-size: 20px;
  margin-bottom: 10px;
}
.about-text h5{
  font-size: 20px;
  margin-bottom: 40px;
}
.contact{
  padding: 60px 13%;
  background: var(--bg-color);
}
.main-contact{

```

```

display: grid;
grid-template-columns: repeat(auto-fit, minmax(200px, auto));
gap: 2rem;
}
.contact-content img{
  height: auto;
  width: 160px;
  max-width: 45%;
  margin-bottom: 6px;

}
.contact-content li{
  margin-bottom: 10px;
}
.contact-content li a{
  display: block;
  color: var(--text-color);
  font-weight: 500;
  font-size: 15px;
  transition: all .40s ease;
}
.contact-content li a:hover{
  transform: translateX(10px);
  color: var(--main-color);
}
.last-text p{
  text-align: center;
  padding: 18px;
  color: var(--second-color);
  font-size: 15px;
  font-weight: 500;
  letter-spacing: 1px;
}
/* now am using meddia to make it more responisve we use change our screen size */

@media (max-width 1410px){
  header{
    padding: 10px 3%;
    transition: .2s;

  }
  header.sticky{
    padding: 12px 3%;
    transition: .2s;
  }
  section{
    padding: 70px 3%;
    transition: .2s;
  }
}

```

```

.container{
  padding: 70px 3%;
  transition: .2s;

}
.contact{
  padding: 60px 3%;
  transition: .2s;

}
}
@media (max-width 1050px){
  :root{
    --big-font: 2.7rem;
    --h2-font: 2rem;
    --p-font: 1rem;
    transition: .1s;

  }
  .home{
    height: 84vh;

  }
}
@media (max-width 1025px){
  #menu-icon{
    display: block;

  }
  .navbar{
    position: absolute;
    top: 100%;
    right: -100%;
    width: 300px;
    height: 110vh;
    background: var(--main-color);
    display: flex;
    flex-direction: column;
    align-items: center;
    padding: 170px 30px;
    transition: all .40s ease;
  }
  .navbar a{
    display: block;
    margin: 1.3rem 0;
    color: var(--bg-color);
  }
  .navbar a:hover{
    color: var(--bg-color);
    transform: translateY(-5px)

```

```
}  
  .navbar.open{  
    right: 0;  
  }  
}
```

## Java Script


```
const header = document.querySelector("header");

window.addEventListener ("scroll", function() {
  header.classList.toggle ("sticky",this.window.scrollY > 0);

});
```

Page 2

title: "login\_form1"



**Learning Management System**

Username:

Password:

Forgot your password? [Click here](#) to reset it.

## Website Snapshots:

Page 1


title: "HTML LEARNING MANAGEMENT SYSTRM(LMS) WEBSITE CSE 326"






Page 3:

title: "Categories", Home tab



Page 5:

title: "Courses"

[Home](#)[Categories](#)[Courses](#)[About Us](#)[Contacts](#)

COURSES

## Enroll Popular Courses



₹999

The Complete ETHICAL HACKING Course 2023

17 hours 15 minutes

★★★★★ (5 Reviews)



₹499

The Complete Data Science Course 2023

08 hours 05 minutes

★★★★★ (5 Reviews)



₹799


The Complete WEB Developer Course 2023

09 hours 15 minutes

★★★★★ (5 Reviews)


Page 6:

title: "Courses"




Page 7:

title: “trusted by”,



Page 8:


title: "about us"



773313300Video,HighDefinition,1080p,mp4,m4v,avi

Page 9:

title: "Contacts"



## References:

1. Inspired by elements from Udemy, lpu lms, .
2. Several projects on GitHub and Uizard
3. Fonts: Google  
Fonts<https://fonts.googleapis.com/css2?family=Roboto+Mono:wght@600&display=swap>
4. Youtube.
5. Bootstrap