

REPO_RESTRUCTURE_PLAN

Helios — Repository Restructure Plan

Status: **PROPOSED** — awaiting approval. No filesystem changes have been made. · 2026-06-03 · Maintainer: Staff Architect

1. Repository audit

- **88 files, 14 directories.** Everything is documentation + assets; no implementation code exists yet.
- **A partial restructure is already in place** (reflected below, marked ✓ — no action needed):
 - `CLAUDE.md` is **already at the repo root**.
 - `docs/architecture/` **already exists** and holds 6 of the architecture docs.
- **Still flat in `docs/`** (need homing): `DBT_GUIDE.md`, `DEVELOPMENT_PLAN.md`, `IMPLEMENTATION_PLAYBOOK.md`, `DEPENDENCY_MAP.md`, `LEAN_SCOPE.md`, `RED_TEAM_REVIEW.md`, `INTERVIEW_GUIDE.md`, `CLAUDE_CODE_WORKFLOW.md`.
- **Generated intermediate artifacts** (assembled into final docs; to archive): `docs/sections/` (10) + six `docs/*_sections/` folders (45) + `models/semantic/_build/` (6) = **61 files**.
- **Assets in correct homes** (keep): `models/semantic/semantic_layer.yaml` (canonical v2) and `eval/scenarios/` (9 benchmark files).
- **Two flagged items needing a decision:** `PROJECT_STRUCTURE.md` (root, no target home) and `models/semantic/semantic_models.yaml` (the **retired v1** registry — a superseded duplicate of `semantic_layer.yaml`).
- **Missing dirs from the target** (to create, empty): `docs/planning/`, `docs/strategy/`, `docs/archive/`, `eval/benchmark_results/`, `dbt/`, `mcp/`, `agents/`, `backend/`, `frontend/`, `tests/`, `scripts/`, `notebooks/`, plus root `README.md`.

2. Migration plan & policies

- **No deletions.** Every file is moved or kept. Generated intermediates are **archived** (moved to `docs/archive/`), never deleted — honoring "preserve all content."
- **Preserve content; relocate only.** Moves use `Move-Item` (these files are untracked in git; no history to preserve). Empty future dirs get a `.gitkeep`.
- **Archive folders are renamed for clarity** (strip the `*_sections` temp naming → descriptive names), with a one-line `README.md` dropped in each noting which final doc it was assembled into.
- **Sequencing on approval:** (1) create the new empty dirs; (2) move loose `docs/` files into `planning/` / `strategy/` / `architecture/`; (3) move the intermediate folders into `docs/archive/`; (4) resolve the two decisions; (5) verify counts (88 files still present); (6) update `README.md`'s tree section to match the new layout.

3. File movement table

Already correct — NO ACTION (8 items)

Current path	Status
CLAUDE.md	✓ at root (special rule already satisfied)
docs/architecture/HELIOS_PROJECT_BIBLE.md	✓
docs/architecture/DATA_MODEL.md	✓
docs/architecture/MCP_ARCHITECTURE.md	✓
docs/architecture/AGENT_ARCHITECTURE.md	✓
docs/architecture/METRIC_DEPENDENCY_GRAPH.md	✓
docs/architecture/METRIC_GOVERNANCE_GUIDE.md	✓
models/semantic/semantic_layer.yaml	✓ canonical v2 registry — keep

Move → docs/architecture/

Current	New	Reason
docs/DBT_GUIDE.md	docs/architecture/DBT_GUIDE.md	Analytics-engineering architecture spec; belongs with the other engineering specs (not in your special-rule list, but architectural by content).

Move → docs/planning/ (create)

Current	New	Reason
docs/DEVELOPMENT_PLAN.md	docs/planning/DEVELOPMENT_PLAN.md	Special rule.
docs/IMPLEMENTATION_PLAYBOOK.md	docs/planning/IMPLEMENTATION_PLAYBOOK.md	Special rule.
docs/DEPENDENCY_MAP.md	docs/planning/DEPENDENCY_MAP.md	Special rule.
docs/LEAN_SCOPE.md	docs/planning/LEAN_SCOPE.md	Special rule.

Move → docs/strategy/ (create)

Current	New	Reason
docs/RED_TEAM_REVIEW.md	docs/strategy/RED_TEAM_REVIEW.md	Special rule.
docs/INTERVIEW_GUIDE.md	docs/strategy/INTERVIEW_GUIDE.md	Special rule.
docs/CLAUDE_CODE_WORKFLOW.md	docs/strategy/CLAUDE_CODE_WORKFLOW.md	Special rule.

Move → docs/archive/ (create) — generated intermediate artifacts (61 files; folders move whole)

Current folder (files)	New	Reason
docs/sections/ (10)	docs/archive/bible-sections/	Source fragments assembled into <code>HELIOS_PROJECT_BIBLE.md</code> .
docs/_interview_sections/ (15)	docs/archive/interview-sections/	Fragments assembled into <code>INTERVIEW_GUIDE.md</code> .
docs/_dbt_sections/ (7)	docs/archive/dbt-guide-sections/	Fragments assembled into <code>DBT_GUIDE.md</code> .
docs/_datamodel_sections/ (4)	docs/archive/data-model-sections/	Fragments assembled into <code>DATA_MODEL.md</code> .
docs/_playbook_sections/ (7)	docs/archive/playbook-sections/	Fragments assembled into <code>IMPLEMENTATION_PLAYBOOK.md</code> .
docs/_redteam_sections/ (5)	docs/archive/red-team-sections/	Fragments assembled into <code>RED_TEAM_REVIEW.md</code> .
docs/_ccworkflow_sections/ (7)	docs/archive/claude-code-workflow-sections/	Fragments assembled into <code>CLAUDE_CODE_WORKFLOW.md</code> .
models/semantic/_build/ (6)	docs/archive/semantic-layer-build/	Fragments merged into <code>semantic_layer.yaml</code> .

Keep in place — NO ACTION

Current	Reason
eval/scenarios/scenarios.yaml	Benchmark asset — keep (special rule).
eval/scenarios/01..07*.yaml (7)	Per-bucket benchmark sources — keep.
eval/scenarios/_VALIDATION.md	Benchmark validation report — keep.

Decisions required (flagged — see §5)

Current	Proposed new (recommended)	Reason
PROJECT_STRUCTURE.md (root)	README.md (root)	It already <i>is</i> a project overview; root README is the conventional entry point. Its tree section would be updated post-migration.
models/semantic/semantic_models.yaml	docs/archive/superseded/semantic_models.yaml	Duplicate/superseded: the retired v1 (28 metrics, short-key schema), replaced by <code>semantic_layer.yaml</code> (v2, 47 metrics). Two

Current	Proposed new (recommended)	Reason
		registry files in one folder is the exact "future confusion" to avoid.

Create (empty, `.gitkeep`) — future implementation code + the target scaffold

`docs/planning/`, `docs/strategy/`, `docs/archive/`, `eval/benchmark_results/`, `dbt/`, `mcp/`, `agents/`, `backend/`, `frontend/`, `tests/`, `scripts/`, `notebooks/`.

4. Final folder tree (target, populated)

```
helios/
├── README.md # from PROJECT_STRUCTURE.md (tree updated) [DECISION 1]
├── CLAUDE.md # ✓ already at root
├── REPO_RESTRUCTURE_PLAN.md # this doc (archive after migration)
├── docs/
│   ├── architecture/
│   │   ├── HELIOS_PROJECT_BIBLE.md # ✓
│   │   ├── DATA_MODEL.md # ✓
│   │   ├── DBT_GUIDE.md # ← moved from docs/
│   │   ├── MCP_ARCHITECTURE.md # ✓
│   │   ├── AGENT_ARCHITECTURE.md # ✓
│   │   ├── METRIC_DEPENDENCY_GRAPH.md # ✓
│   │   └── METRIC_GOVERNANCE_GUIDE.md # ✓
│   ├── planning/
│   │   ├── DEVELOPMENT_PLAN.md
│   │   ├── IMPLEMENTATION_PLAYBOOK.md
│   │   ├── DEPENDENCY_MAP.md
│   │   └── LEAN_SCOPE.md
│   ├── strategy/
│   │   ├── RED_TEAM_REVIEW.md
│   │   ├── INTERVIEW_GUIDE.md
│   │   └── CLAUDE_CODE_WORKFLOW.md
│   └── archive/
│       ├── bible-sections/ (10)
│       ├── interview-sections/ (15)
│       ├── dbt-guide-sections/ (7)
│       ├── data-model-sections/ (4)
│       ├── playbook-sections/ (7)
│       ├── red-team-sections/ (5)
│       ├── claud-code-workflow-sections/ (7)
│       ├── semantic-layer-build/ (6)
│       └── superseded/
│           └── semantic_models.yml # v1 retired [DECISION 2]
├── models/
│   └── semantic/
│       └── semantic_layer.yml # ✓ canonical v2
├── eval/
│   ├── scenarios/ # scenarios.yml + 01-07 + _VALIDATION.md (✓)
│   └── benchmark_results/ # new (empty .gitkeep)
├── dbt/ # new (empty) - future dbt project
├── mcp/ # new (empty) - future MCP servers
├── agents/ # new (empty) - future agent code
├── backend/ # new (empty)
└── frontend/ # new (empty)
```

```
└─ tests/          # new (empty)
└─ scripts/        # new (empty)
└─ notebooks/     # new (empty)
```

5. Decisions requiring your input

- **Decision 1** — `PROJECT_STRUCTURE.md` : rename → `README.md` (recommended), keep as-is at root, or archive it?
- **Decision 2** — `semantic_models.yml` (**retired v1**): archive to `docs/archive/superseded/` (recommended), or keep in `models/semantic/` with a deprecation banner? (*Note: it's still referenced by the stale registry-filename pointers in `CLAUDE.md` and `MCP_ARCHITECTURE.md` — archiving it makes the canonical `semantic_layer.yml` unambiguous.*)

6. Verification (run after execution)

- Re-count: **88 files** still present (61 in `docs/archive/`, the rest relocated). 0 deletions.
- Spot-check each moved doc opens at its new path; archive subfolders carry a one-line provenance `README.md`.

Nothing will be moved until you approve. Reply with **"approve"** (I'll proceed with the recommended resolutions for Decisions 1 & 2), or tell me how to adjust.