

24 February 2020

2A, part of Westend Saab and Boyriven Textile Bridgewater Road

In the London Borough of Brent

planning application no. 19/4541

Strategic planning application stage 1 referral

Town & Country Planning Act 1990 (as amended); Greater London Authority Acts 1999 and 2007; Town & Country Planning (Mayor of London) Order 2008.

The proposal

Demolition of the existing buildings and structures, the erection of a 'co-location' scheme ranging in height from 3 to 19 storeys, incorporating industrial floorspace with 124 residential units, together with associated landscaping, vehicular access arrangements, car and cycle parking, servicing and refuse and recycling facilities.

The applicant

The applicant is **Peabody** and the architect is **Barton Willmore LLP**.

Strategic issues summary

Principle of development: In view of the masterplan approach adopted by the applicant and emerging plan-led approach by the Council, the residential-led mixed use scheme on this LSIS is acceptable in strategic planning terms (paragraphs 13-16).

Affordable housing: 100% affordable housing (with a tenure mix of 38% affordable rent and 62% shared ownership); this is strongly supported and would qualify for the Fast Track Route, subject to the Council's approval of the tenure mix (paragraphs 20-24).

Urban design: The residential quality is generally high and the layout, height and massing responds well to the existing and emerging context (paragraphs 25-32).

Environment: Further information is required in relation to the district centre connection, overheating and ground source heat pumps. Additional PV cells should be considered (paragraphs 33-36).

Transport: Clarification on the trip generation for public transport is required to determine the development's impacts. Details of cycle parking and various transport-related plans should be secured via the S106 (paragraphs 37-42).

Recommendation

That Brent Council be advised that whilst the principle of development is supported the application does not yet fully comply with the London Plan and Mayor's intend to publish London Plan for the reasons set out in paragraph 46 of this report. However, the resolution of these issues could lead to the application becoming fully compliant with the London Plan and Mayor's intend to publish London Plan.

Context

1 On 13 January 2020, the Mayor of London received documents from Brent Council notifying him of a planning application of potential strategic importance to develop the above site for the above uses. Under the provisions of The Town & Country Planning (Mayor of London) Order 2008 the Mayor must provide the Council with a statement setting out whether he considers that the application complies with the London Plan and draft London Plan, and his reasons for taking that view. The Mayor may also provide other comments. This report sets out information for the Mayor's use in deciding what decision to make.

2 The application is referable under Category 1C of the Mayor of London Order 2008:

- **Category 1C:** *“Development which comprises or includes the erection of a building of (c) more than 30 metres high and is outside the City of London.”*

3 Once Brent Council has resolved to determine the application, it is required to refer it back to the Mayor for his decision as to whether to direct refusal, call the application in for his own determination or allow the Council to determine it itself.

4 The Mayor of London's statement on this case will be made available on the GLA website www.london.gov.uk.

Site description

5 The 0.35-hectare application site falls within a Housing Zone. It is occupied by a single-storey, vacant car showroom situated on the north-eastern side of Bridgewater Road, opposite the intersection with Manor Farm Road, an area of vacant land to the rear of the showroom (formerly the Boyriven Textiles building) and part of a single-storey workshop building to the rear of the adjacent hand car wash.

6 The site is bounded to the south by Bridgewater Road and the Piccadilly Underground line tracks run directly north of the site. An electricity substation is immediately to the southeast and industrial buildings to the northwest. The wider surrounding area is mixed in character, comprising traditional residential areas to the west, the Recreation Ground and Alperton School to the north, Alperton Bus Garage to the southeast and commercial and industrial buildings to the south, with large-scale redevelopment occurring in Alperton Growth Area further to the southeast. The site is not within a conservation area nor are the buildings occupying the site listed.

7 The nearest part of the Transport for London Road Network (TLRN) is A406 North Circular Road, approximately 1.15 kilometres to the northeast. The nearest part of the Strategic Road Network (SRN) is A404 High Road/ A4089 Ealing Road junction, approximately 1.6 kilometres to the north of the site. The nearest rail station is Alperton, approximately 270 metres to the east of the site, offering LU Piccadilly Line services. The site is served by 7 bus routes, with the nearest stops located on Bridgewater Road. Additional bus stops are located on Ealing Road. Consequently, the site has a good public transport access level (PTAL) of 4, on a scale of 0 to 6b, where 6b is the best.

Details of the proposal

8 Peabody, a registered social housing provider and GLA Strategic Partner, proposes to demolish the existing buildings and redevelop the site to provide a residential-led mixed use development, involving the erection of three blocks ranging in height from 3 to 18 floors and comprising: 124 new residential units; 1,879 sq.m. of B1c floorspace; and, 9 Blue Badge parking spaces.

Case history

9 GLA officers provided initial pre-application advice on this scheme on 18 October 2019 covering strategic issues with respect to: principle of development, urban design, housing, affordable housing, inclusive access and sustainable development/climate change. The pre-application advice note issued by the GLA strongly supported the principle of development, subject to the applicant demonstrating that opportunities for the re-provision of industrial capacity on site have been maximised. Any future planning application also needed to address issues raised in the report in relation to affordable housing, urban and inclusive design, environment and transportation.

Strategic planning issues and relevant policies and guidance

10 For the purposes of Section 38(6) of the Planning and Compulsory Purchase Act 2004, the development plan in force for the area is Brent Council's 2010 Core Strategy Development Plan Document (DPD); the 2011 Site Specific Allocation Development Plan Document; the 2016 Development Management Policies; and, the London Plan 2016 (The Spatial Development Strategy for London Consolidated with Alterations since 2011).

11 The relevant issues and corresponding policies are as follows:

- Land use *London Plan;*
- Employment land *London Plan; Land for Industry and Transport SPG;*
- Housing/Affordable housing *London Plan; Housing SPG; Housing Strategy; Shaping Neighbourhoods: Play and Informal Recreation SPG; Shaping Neighbourhoods: Character and Context SPG; Affordable Housing and Viability SPG;*
- Urban design *London Plan; Shaping Neighbourhoods: Character and Context SPG; Housing SPG; Shaping Neighbourhoods: Play and Informal Recreation SPG;*
- Inclusive design *London Plan; Accessible London: Achieving an Inclusive Environment SPG;*
- Environment *London Plan; Sustainable Design and Construction SPG; Mayor's Environment Strategy;*
- Transport *London Plan; Mayor's Transport Strategy.*

12 The following are relevant material considerations:

- the National Planning Policy Framework and National Planning Practice Guidance;
- The London Plan – Intend to publish version (December 2019), which should be taken into account on the basis explained in the NPPF; and,
- Brent Council Draft Preferred Options Local Plan (2018).

Principle of development

13 The site is designated as a Locally Significant Industrial Site (LSIS). London Plan Policy 4.4 and draft London Plan Policy E4 of the Mayor's intend to publish London Plan require all boroughs to effectively manage industrial land to ensure enough stock of land and premises are available to meet current and future needs in various parts of London. Policy E4 further sets out that any release of industrial land should facilitate industrial intensification, co-location and land substitution processes and makes clear that any release that accords with this approach should be in locations that have high public transport accessibility and aid in delivering other planning priorities, particularly affordable housing. The approach in relation to LSIS is reflected in Policy E6 and Policy E7 of the Mayor's intend to publish London Plan. Policy E7 re-emphasises the need for a plan or masterplan-led approach to intensification and co-location on industrial sites.

14 In response to updated strategic evidence on the supply and demand for industrial land, Policies E4 and E7 of the Mayor's intend to publish London Plan propose a revised strategic planning policy framework for designated industrial land in London. This approach seeks to ensure there is no overall net loss in industrial floorspace capacity (and yard space capacity) within designated SIL and LSIS areas.

15 Policies E6 and E7 recognise that there may be potential within LSIS for industrial intensification and co-location with residential and other land uses, subject to compliance with the criteria set out in Policy E7. This includes securing no overall net loss of industrial floorspace (and yard space capacity) and ensuring adjacent industrial activities are not compromised and appropriate design mitigation measures are secured in line with the Agent of Change principle set out in Policy D13 of the Mayor's intend to publish London Plan. Furthermore, it is noted that Brent has been reclassified as a 'provide capacity' borough in Table 6.2 of the Mayor's intend to publish London Plan. Given this categorisation, the Council has started the process of a plan-led approach with the publication of the draft Preferred Options Local Plan, which identifies sites within the Alperton area (including the application site under Site Allocation BWSA1 – Alperton Industrial Sites) for industrial intensification/co-location. Additionally, in line with the Mayor's intend to publish London Plan requirement for a masterplan-led approach to intensification and co-location on industrial sites, the applicant commissioned a masterplan that considered the sites in Site Allocation BWSA1. This has been discussed with GLA planning officers and though not adopted, satisfactorily demonstrates the feasibility of developing the sites contained within the allocation.

16 In view of the masterplan-led approach employed by the applicant and the Council's emerging plan-led strategy of intensifying industrial capacity on LSIS, including the application site, the principle of development is considered acceptable in line with London Plan Policy 4.4 and Policies E4, E6 and E7 and objective GG2 of the Mayor's intend to publish London Plan.

Re-provision of industrial capacity

17 As stated earlier at paragraphs 15 and 17, in line with the Mayor's intend to publish London Plan and the Mayor's Land for Industry and Transport SPG there must be no net loss of industrial capacity. Policy E4 of the Mayor's intend to publish London Plan defines capacity as either the existing industrial and warehousing floorspace on site or the potential industrial and warehousing floorspace that could be accommodated on-site at a 65% plot ratio, whichever is the greater. Whilst the site currently contains 300 sq.m. of industrial floorspace, on a 65% plot ratio basis the notional industrial capacity of the site equates to 2,275 sq.m. The proposal includes the re-provision of 1,879 sq.m. of B1c floorspace at ground, first and second floor, with floor to ceiling heights of 4.8 metres for the ground floor and 3.5 metres on the upper floors. Although the proposed quantum of industrial floorspace exceeds the existing amount on-site, it would be 396 sq.m. short of the above-mentioned industrial capacity benchmark.

18 Notwithstanding the proposed loss in industrial capacity, given the Council's emerging local policy and its commitment to intensifying industrial uses across the borough in line with its new categorisation as a 'provide capacity' borough, on balance, the proposed quantum of industrial floorspace is acceptable.

Housing

19 London Plan Policy 3.3 and Policy H1 of the Mayor's intend to publish London Plan, in seeking to increase the supply of housing in London, set borough housing targets. Table 3.1 in the London Plan puts the minimum annual monitoring target for the London Borough of Brent at 1,525 additional homes per year between 2015 and 2025. Under Policy H1 of the Mayor's intend to publish London Plan, a target of 23,250 is set for the period 2019/20 to 2028/29. The scheme would deliver 124 new affordable residential units, which would contribute positively to this target and the Mayor's strategic target of 50% affordable housing across London and is strongly supported. Details of the proposed housing mix are set out in Table 1 below.

Table 1: Proposed housing mix

tenure	1Bed	2Bed	3Bed	total
affordable rent	14	18	15	47
shared ownership	21	50	6	77
total	35	68	21	124

Affordable housing

20 London Plan Policies 3.11 and 3.12 and Policy H4 of the Mayor's intend to publish London Plan seek to maximise the delivery of affordable housing, with the Mayor setting a strategic target of 50%. Policy H6 of the Mayor's intend to publish London Plan provides a flexibly prescribed tenure mix of: 30% social rent/London Affordable Rent; 30% intermediate products; and, 40% to be determined by the relevant borough as low cost rented homes or intermediate products. Locally, Brent Local Plan has set a borough-wide target of 50% and expects a tenure mix of 70% affordable/social rent and 30% intermediate.

21 Policy H5 of the Mayor's intend to publish London Plan and the Mayor's Affordable Housing and Viability SPG set out a 'threshold approach', whereby schemes meeting or exceeding a specific percentage of affordable housing by habitable room, without public subsidy, and other criteria such as tenure mix are eligible for the Fast Track Route (FTR). Such applications are not required to submit viability information to the GLA and are also exempted from a late stage review mechanism. On Locally Significant Industrial Sites, where there is any loss of industrial capacity, a minimum of 50% affordable housing by habitable room, without public subsidy, must be provided to be eligible for the FTR.

22 The scheme would deliver 100% affordable housing, with a 38%:62% affordable rent-intermediate tenure split by habitable room. This is strongly supported in response to the strategic policy context. Given the proposed level of affordable housing, the scheme would qualify for the Fast Track Route in accordance with Policy H5 of the Mayor's intend to publish London Plan, subject to the Council's approval of the tenure mix. An early implementation review mechanism will be required unless the proposed tenure mix is amended to comply with local policy.

23 The applicant is reminded that the affordable rent units must be provided at London Affordable Rent or similar levels. Regarding the shared ownership units, these should be provided in line with the household income cap and affordability eligibility criteria for intermediate products set out in the London Plan, Mayor's intend to publish London Plan and the Mayor's Affordable Homes Programme Funding Guidance. Intermediate units should be made available to a range of maximum household income thresholds below the maximum £90k or £60k income cap threshold referred to above.

24 Lastly, a draft of the Section 106 agreement must be provided to the GLA for review as soon as one is available to ensure that the review mechanism and affordability have been secured and the eligibility criteria for the intermediate units comply with the London Plan, Mayor's intend to publish London Plan and the Mayor's Affordable Homes Programme Funding Guidance.

Urban design

Density

25 The net residential density for the proposed development is approximately 1,020 habitable rooms and 354 units per hectare respectively. Both metrics exceed the 200-700 habitable rooms and 45-260 units per hectare set out in Table 3.2 of the London Plan for sites with a PTAL of 4 and an urban character setting. The number of units per hectare and height of the building also exceed the threshold for increased scrutiny of design quality set out in the Mayor's intend to publish London Plan. Notwithstanding, given the emerging local context, good transport accessibility and optimisation of land use to deliver 100% affordable housing, the proposed density is supported. In line with Policy D4 of the Mayor's intend to publish London Plan, a management plan detailing day-to-day servicing and delivery arrangements and long-term maintenance implications, as detailed in paragraph 3.4.9, will be required. The agreed maintenance plan should be secured by condition as part of any permission.

Layout and massing

26 The proposed development consists of three blocks around a podium, with taller residential elements arranged at the northern end of the site, stepping down to ensure

the residential quality of residential properties along Bridgwater Close is maintained. The approach to lowering the massing of the commercial block on Bridgewater Road to ground plus 2 storeys to create a gradual transition in height is supported, as is the maximisation of active frontages onto the public facing side of the building.

Appearance

27 The use of high-quality brickwork as the primary material is welcomed, as it captures the aesthetic of the existing and emerging context and as such responds positively to its setting. The Council's planning officers should seek to secure key details including facing materials and depth of window reveals.

Residential quality

28 The residential quality is high, with all units meeting the internal space standards contained within the London Plan, the Mayor's intend to publish London Plan and the Housing SPG. There would be efficient cores and floor to ceiling heights are proposed to be at least 2.5 metres. The provision of dual aspect units would be maximised, with 76% proposed and no single aspect north facing units. Each unit would also have access to private amenity space in the form of recessed balconies. In accordance with Policy D13 of the Mayor's intend to publish London Plan, the proposal has been designed to address issues of noise and vibration.

29 In accordance with London Plan Policy 3.6 and Policy S4 of the Mayor's intend to publish London Plan, development proposals that include housing should provide play space for children based on the short and long-term needs of the expected child population generated by the scheme. The total play space required, using the GLA's 2019 child play space calculator, is 699.5 sq.m., of which 319 sq.m. and 235 sq.m. is required for the Under 5's and 5-11 years old respectively. The proposal includes 671 sq.m. of on-site play space at 1st, 4th and 11th floor, which incorporates diverse play elements and allows for passive surveillance. The Council should ensure that the play space exhibits the highest standards of inclusiveness, accessibility and safety. One Tree Hill Recreation Ground is 100 metres away from the site and provides a range of play spaces, including a MUGA; it therefore can provide suitable off-site play areas for older children. To ensure compliance with Policy S4 of the Mayor's intend to publish London Plan, the applicant should confirm whether the proposed play space at the 4th and 11th floors would be accessible by tenants from both residential blocks.

30 The proposal responds positively to London Plan Policy 3.8 and Policy D7 of the Mayor's intend to publish London Plan and meets Building Regulation requirement M4 (2) 'accessible and adaptable dwellings' and Building Regulation requirement M4 (3) 'wheelchair user dwellings'. The Council should ensure that any shared surfaces, routes to waste disposal and recycling are accessible, safe and convenient for everyone, particularly the disabled and older people, and physically separate vehicles and pedestrians.

31 In line with policy D12 of the Mayor's intend to publish London Plan, development proposals must achieve the highest standards of fire safety and ensure that they are:

- designed to incorporate appropriate features, which reduce the risk to life in the event of a fire;
- constructed in an appropriate way to minimise the risk of fire spread;

- provide suitable and convenient means of escape for all building users; and,
- adopt a robust strategy for evacuation which all building users can have confidence in and provide suitable access and equipment for firefighting which is appropriate for the size and use of the development.

32 The applicant is required to submit a Fire Statement by a third party suitably qualified assessor. The statement should detail how the development proposal will function in terms of: the building's construction; the means of escape; access for fire service personnel and equipment, and the ongoing maintenance and monitoring of these how provision will be made within the site to enable fire appliances to gain access to the building. The fire statement should be submitted prior to determination.

Environment

33 Full details of the outstanding issues relating to Environment have been provided directly to the applicant and Brent Council.

Energy strategy

34 The applicant has submitted an energy assessment in accordance with London Plan Policy 5.2 and Policy SI1 of the Mayor's intend to publish London Plan. An on-site reduction of 126 tonnes of carbon dioxide per year in regulated emissions compared to a 2013 Building Regulations compliant development is expected for the domestic element, equivalent to an overall saving of 64%, which does not meet the required zero carbon target. For the non-domestic element, a reduction of 7 tonnes of carbon dioxide per year and an overall saving of 44% is expected. Further information is required in relation to the district centre connection, overheating and ground source heat pumps. In addition, additional provision of PV cells should be considered. A payment of £126,000 to the borough's offset fund will be necessary.

Flood risk, sustainable drainage and water efficiency

35 The site is in Flood Zone 1 and at a low risk of flooding. A flood risk assessment (FRA) has been submitted, which considers the risk of flooding from a range of sources. When mitigation measures are considered, the residual flood risk to the site is low. The approach to flood risk management for the proposed development complies with London Plan Policy 5.12 and Policy SI12 of the Mayor's intend to publish London Plan. In terms of surface water management, a mix of blue roofs and water butts are proposed. This approach generally satisfies the requirements of London Plan Policy 5.13 and Policy SI13 of the Mayor's intend to publish London Plan. The sustainability statement states that the proposed dwellings would have a maximum indoor water consumption of 105 l/person/day, in line with the optional standard in Part G of the Building Regulations, and compliant with Policy 5.15 of the London Plan and Policy SI5 of the Mayor's intend to publish London Plan.

Urban greening

36 In line with London Plan Policy 5.10 and Policies G1 and G5 of the Mayor's intend to publish London Plan, urban greening has been embedded as a fundamental element of site and building design. The Urban Greening Factor of the proposal has been calculated in accordance with Policy G5, which recommends a target score of 0.4 for predominantly residential developments. The proposed development records an

Urban Greening Factor score of 0.35; whilst this falls short of the Mayor's target, the proposal does provide a significant uplift in greening and utilises greening measures identified by the Mayor including trees, high quality landscaping and intensive gardens at roof level. Therefore, on balance, it is considered that the proposal maximises urban greening provision and the level of green cover is acceptable.

Transport

Trip generation and highway impact

37 The general methodology applied in the transport assessment is reasonable. Clarification on the forecast mode share for walking trips, however, is required as the adjusted mode share for walking is notably larger when compared with other sites in the Alperton area. Additionally, clarification on the revised trip generation for public transport is needed. Subject to the outcome of this, financial contributions towards enhancing local bus services and/or towards accessibility improvements of Alperton Underground Station may be sought.

Healthy streets and Vision Zero

38 In keeping with the Healthy Streets and Vision Zero approach, the development is expected to deliver public realm improvements along Bridgewater Road. As a minimum, the Council should secure public realm and highway improvements near the site through a Section 278 Agreement. The Council should inform TfL of the outcome of negotiations between the Council and the applicant in relation to these improvements, which should also consider cycling infrastructure and pedestrian routes near the site, especially to/from Alperton station and the nearest bus stops.

Cycle and car parking

39 A total of 243 long-stay and 9 short-stay cycle parking spaces are proposed. This number accords with the Mayor's intend to publish London Plan minimum standards. However, there are some concerns about the quality of the cycle parking, specifically the layout and aisle width and suitability for large bicycles. Further detail on the cycle parking provision is therefore required, which could be secured by condition. Compliance with the London Cycling Design Standards (LCDS), including at least 20% Sheffield stands and further 5% wider spaces for non-standard bicycles, is expected. Lockers and changing facilities for cyclist should be provided.

40 The proposed development is car-free except for nine (9) disabled persons parking bays to serve both elements of the development. This accords with Policy T6 of the Mayor's intend to publish London Plan requirement of 3% from the outset. The applicant must demonstrate how the additional 7% disabled parking can be provided to accommodate future demand; or explain why this requirement cannot be met. The car park should be monitored, managed and enforced through a parking design and management plan (PDMP) secured by condition. In accordance with the Mayor's intend to publish London Plan, 20% of spaces must have an active EVCP and at least passive provision is required for the rest.

Transport-related plans

41 The submitted draft framework travel plan (TP) is welcomed and generally acceptable. The full travel plan and all agreed measures should be secured, enforced,

monitored and reviewed through the Section 106 agreement. The outline delivery and servicing plan (DSP) and construction logistic plan (CLP) are welcomed and the contents of these documents are found to be broadly acceptable. The full DSP and CLP should be secured by condition.

Mayoral CIL2

42 The proposed development is subject to Mayoral Community Infrastructure Levy 2 (MCIL2). The rate for the London Borough of Brent is £60 per square metre of floorspace.

Local planning authority's position

43 Brent Council planning officers are currently assessing the application. It is understood that the application is supported by officers.

Legal considerations

44 Under the arrangements set out in Article 4 of the Town and Country Planning (Mayor of London) Order 2008 the Mayor is required to provide the local planning authority with a statement setting out whether he considers that the application complies with the London Plan, and his reasons for taking that view. Unless notified otherwise by the Mayor, the Council must consult the Mayor again under Article 5 of the Order if it subsequently resolves to make a draft decision on the application, in order that the Mayor may decide whether to allow the draft decision to proceed unchanged, or direct the Council under Article 6 of the Order to refuse the application, or issue a direction under Article 7 of the Order that he is to act as the local planning authority for the purpose of determining the application. There is no obligation at this present stage for the Mayor to indicate his intentions regarding a possible direction, and no such decision should be inferred from the Mayor's statement and comments.

Financial considerations

45 There are no financial considerations at this stage.

Conclusion

46 London Plan and the Mayor's intend to publish London Plan policies on LSIS, employment land, housing, affordable housing, urban design, inclusive access, environment and transport are relevant to this application. Whilst the principle of the development is supported, the application does not fully comply with the London Plan and Mayor's intend to publish London Plan. The following changes might, however, lead to the application becoming fully compliant with the London Plan and Mayor's intend to publish London Plan:

- **Principle of development:** In view of the masterplan-led approach employed by the applicant and the Council's emerging plan-led strategy of intensifying industrial capacity on existing LSIS, including the application site, the principle of development is considered acceptable in line with London Plan Policy 4.4 and Policies E4, E6 and E7 and objective GG2 of the Mayor's intend to publish London Plan.

- **Affordable housing:** 100% affordable housing, with a tenure mix of 38% affordable rent and 62% shared ownership, which is strongly supported and would qualify for the Fast Track Route subject to the Council's approval of the tenure mix.
- **Urban design:** The residential quality is generally high and the layout and height and massing responds well to the existing and emerging context. The Council's planning officers should seek to secure key details including facing materials and depth of window reveals.
- **Environment:** Further information is required in relation to the district centre connection, overheating and ground source heat pumps. In addition, additional provision of PV cells should be considered. A payment of £126,000 to the borough's offset fund will be necessary.
- **Transport:** Clarification on the trip generation for public transport is required to determine the development's impacts. A car park management plan demonstrating how the additional 7% Blue Badge parking spaces would be accommodated should be secured by legal agreement. Details of cycle parking, a CLP, DSP and travel plan should all be secured by legal agreement.

For further information, contact the GLA Planning Team:

Debbie Jackson, Interim, Head of Built Environment

020 7983 4500 email debbie.jackson@london.gov.uk

John Finlayson, Head of Development Management

020 7084 2632 email john.finlayson@london.gov.uk

Allison Flight, Deputy Head of Development Management

020 7084 2820 email alison.flight@london.gov.uk

Lyndon Fothergill, Team Leader

020 7983 4512 email lyndon.fothergill@london.gov.uk

Andrew Payne, Case Officer

020 7983 4650 email andrew.payne@london.gov.uk
