

SMART INDIA HACKATHON (SIH) 2026

TECHNICAL REPORT

PROJECT TITLE- ORCA: Ocean Reasoning & Collaborative Agents

Problem Statement ID – 26176

Problem Statement Title – ORCA: Marine Ecosystem Reasoning with Collaborative Agents

Ministry / Organisation: Indian Space Research Organisation (ISRO)

Theme – Space Technology

Team ID – 121280

Team Name (Registered on portal) – Lumina Eos

Team Members – Ayush Karvir - BE

Shreya Patil - BE

Om Tambde - BE

Sufiyan Shaikh - BE

Akanksha Prajapati - TE

Vaishnavi Chaudhari - TE

Chapter 1 — Executive Summary

ORCA: Marine EcOsysteem Reasoning with Collaborative Agents

Marine operations rely on diverse sources of information, including weather forecasts, Potential Fishing Zone (PFZ) advisories, oceanographic observations, satellite Earth Observation (EO) products, and maritime advisories. These services are provided through independent platforms by organizations such as ISRO, INCOIS, and IMD, requiring users to manually retrieve and correlate information before making operational decisions. This fragmented workflow increases decision time, operational complexity, and safety risks.

4

ORCA (Marine EcOsysteem Reasoning with Collaborative Agents) is a collaborative multi-agent system that enables users to access and analyse marine information through a natural language interface. A Planner Agent interprets user queries and coordinates specialized agents responsible for weather analysis, PFZ identification, ocean analytics, geospatial reasoning, route planning, risk assessment, and response generation.

The platform integrates trusted marine datasets, including PFZ advisories, satellite-derived ocean observations, weather forecasts, ocean state information, and maritime boundaries. These datasets are correlated to support applications such as fishing zone identification, safe route planning, geofencing, hazard alerts, and voyage planning.

By combining domain-specific agents with geospatial analysis and data fusion, ORCA delivers a unified decision-support platform that provides location-aware recommendations for fishermen, researchers, maritime authorities, and other marine stakeholders.

Chapter 2 — Problem Analysis

2.1 Marine Decision-Making Landscape

Marine operations rely on Satellite Earth Observation (EO) products, Potential Fishing Zone (PFZ) advisories, weather forecasts, oceanographic observations, and geospatial datasets for activities such as fishing, navigation, coastal monitoring, and disaster response. Although organizations such as ISRO, INCOIS, and IMD provide reliable marine information, these datasets are distributed across independent platforms with different formats and update frequencies. Users must manually retrieve and correlate information before making operational decisions, increasing decision time and reducing operational efficiency. This highlights the need for an integrated marine decision-support system capable of spatial and temporal reasoning.



Figure 2.1: Existing Marine Decision-Making Workflow

2.2 Problem Analysis

The study of the existing marine information ecosystem identified key challenges affecting decision-making:

- Fragmented access to marine information across multiple platforms.
- Heterogeneous oceanographic, meteorological, and geospatial datasets requiring manual correlation.
- Limited contextual reasoning and integrated decision support.
- Dispersed hazard advisories reducing situational awareness.
- Technical interfaces that are difficult for non-specialist users.
- Lack of **explainable AI** recommendations for operational planning.

The analysis indicates that the primary challenge is not the availability of marine data, but the lack of a unified system capable of integrating heterogeneous datasets and providing actionable decision support through a single interface.

Field Observation 1-

Location: Dahanu (Palghar)

The respondent operated a 25-foot fishing vessel, typically carrying approximately 10 litres of fuel per trip and fishing near the shoreline during daytime operations. Sudden cyclones and lightning were identified as major operational risks due to the lack of timely predictive guidance. The respondent expressed interest in a voice-enabled application with satellite-assisted emergency support, along with safe route planning considering fuel consumption and vessel load.

Field Observation 2-

Location: Dahanu (Palghar)

The respondent regularly uses GPS and receives cyclone information through government advisories and local fishing networks. Internet connectivity was reported to be unreliable in deep-sea regions, making alternative communication methods such as walkie-talkies important. Nearby vessels are identified primarily through visual observation rather than digital systems, highlighting the need for vessel-awareness and low-connectivity communication support.

2.3 Consolidated Field Findings

The on-ground analysis identified practical requirements relating to:

- Advance awareness of sudden weather hazards.
- Emergency communication and assistance.
- Reliable location and navigation support.
- Nearby-vessel awareness.
- Low-connectivity communication conditions.
- Fuel-related planning.
- Safe and shorter route identification.
- Accessible interaction, including voice-based assistance.

2.4 Stakeholder Analysis

ORCA supports multiple marine stakeholders by addressing their operational requirements through domain-specific decision support.

Stakeholder	Primary Requirement	Expected Benefit
Fishermen	PFZ, weather, navigation	Improved safety and fishing efficiency
Maritime Operators	Route optimization, geofencing	Safer navigation
Researchers	Integrated EO and ocean data	Better marine analysis
Coastal Authorities	Boundary monitoring, alerts	Enhanced surveillance
Disaster Management	Early warnings	Faster emergency response
Environmental Organizations	Ecosystem monitoring	Sustainable resource management



Figure 2.2: Stakeholder Ecosystem

2.5 Design Considerations

The system was designed around the following principles:

- Integration of marine, meteorological, and geospatial datasets.
- Collaborative multi-agent execution for modular decision-making.

- Spatial and temporal reasoning for location-aware recommendations.
- Explainable recommendations with supporting evidence and confidence indicators.
- Multilingual interaction for improved accessibility across Indian coastal communities..

These principles establish ORCA as a scalable **Marine Decision Intelligence Platform** capable of autonomous reasoning and contextual decision support.

2.6 Alignment with the Problem

ORCA directly addresses the requirements of **Problem** through:

- Natural language interaction.
- Collaborative multi-agent reasoning.
- Integration of marine, weather, and geospatial data.
- Spatial analysis and route planning.
- Explainable recommendations.
- Multilingual accessibility.

The proposed architecture aligns each functional module with the objectives of the problem statement, ensuring a comprehensive and intelligent marine decision-support platform.

CHAPTER 3 — Research & Design Decisions

3.1 Research Approach

The design of ORCA was driven by the functional requirements identified during problem analysis. The research focused on selecting an architecture capable of natural language interaction, collaborative task execution, geospatial reasoning, multilingual support, explainability, and integration of heterogeneous marine datasets.

The research was conducted in four stages:

- Requirement analysis
- Evaluation of existing marine information systems
- Identification of technical gaps
- Architecture design

3.2 Existing Marine Information Ecosystem

Organizations such as **ISRO**, **INCOIS**, **IMD**, and GIS providers generate reliable marine datasets for fisheries, navigation, weather forecasting, and disaster management. Although these datasets are publicly available, they operate as independent platforms requiring users to manually retrieve and correlate information before making operational decisions.

Marine stakeholders typically consult multiple sources, including PFZ advisories, weather forecasts, ocean state information, and maritime boundaries. Accessing these independently increases operational complexity and delays decision-making.

The study concludes that the primary challenge is **not data availability**, but the absence of a unified **Marine Decision Intelligence Platform** capable of integrating heterogeneous datasets, performing contextual reasoning, and delivering conversational, evidence-based recommendations.

Organization	Primary Data	Role	Limitation
ISRO (EO)	SST, Ocean Colour, Chlorophyll	Satellite ocean observations	Requires integration with other datasets
INCOIS	PFZ, OSF, Currents, Waves	Fisheries & marine safety	Standalone advisory system
IMD	Weather, Wind, Cyclone Alerts	Meteorological forecasts	Not integrated with ocean data

GIS	Maritime Boundaries, Restricted Zones	Spatial analysis & navigation	Visualization only
OpenStreetMap	Base Maps, Coastal Infrastructure	Mapping & location services	No marine intelligence

The comparison shows that existing platforms provide reliable domain-specific information but operate independently. ORCA addresses this by integrating multiple data sources into a coordinated reasoning workflow.

Table 3.2 Research Gap Analysis

Existing Capability	Gap	ORCA Solution
EO Products	Isolated satellite data	Ocean Intelligence Agent
PFZ Advisories	Limited contextual analysis	PFZ + Weather correlation
Weather Forecasts	Separate weather information	Weather Risk Assessment
GIS Maps	Visualization only	Spatial reasoning & geofencing
Multiple Marine Portals	Fragmented workflow	Unified conversational interface
Conventional Systems	No autonomous reasoning	Collaborative multi-agent system

Key Research Insights

- Reliable marine datasets exist but remain distributed across independent platforms.
- Effective decision-making requires combining satellite, weather, oceanographic, and geospatial information.
- Integrated reasoning across these datasets is more valuable than isolated information retrieval.

These findings established the technical and functional foundation for ORCA and directly influenced the selection of an **Agentic AI architecture** capable of autonomous planning, intelligent task decomposition, multi-source data integration, and explainable decision support.

3.4 Design Decisions

The technology stack was selected to support modular system design, scalable workflow execution, geospatial processing, multilingual interaction, and seamless integration of real-time marine information.

Flutter & Dart (Frontend)

Flutter was selected to develop a single cross-platform mobile application for Android and iOS. It provides a responsive interface supporting text and voice interactions, map visualization, authentication, multilingual communication, and real-time display of marine advisories.

Node.js API Gateway

Node.js serves as the API Gateway between the mobile application and backend services. It manages incoming requests, user authentication, API routing, workflow invocation, and communication with external services before forwarding requests to the AI workflows.

Python & REST API (Backend)

Python powers the workflow orchestration and processing logic, while REST APIs enable communication between the mobile application, Planner Agent, specialized workflows, databases, and external marine data providers.

Dify Framework

Dify manages conversational workflows, prompt execution, API integrations, and workflow orchestration. It provides the execution environment for the Planner Agent and coordinates interactions between specialized workflows.

Gemini Flash Lite

Gemini Flash Lite performs intent understanding, natural language reasoning, and response synthesis. It assists the Planner Agent in interpreting user requests and generating coherent responses from multiple workflow outputs.

Collaborative Multi-Agent Architecture

The system distributes domain-specific tasks across independent workflows responsible for weather analysis, ocean analytics, geospatial reasoning, and result correlation. This modular architecture improves scalability, maintainability, and reasoning accuracy while allowing workflows to execute in parallel.

SQLite & MongoDB

SQLite stores local application data required for offline functionality, while MongoDB maintains cloud-based user information, conversation history, workflow data, and synchronized application records.

Firestore Authentication

Firestore Authentication provides secure user registration, login, and identity verification before allowing access to personalized services and protected resources.

Geospatial Services

OpenStreetMap provides the base maps, Nominatim enables location search and reverse geocoding, while Marine Regions APIs supply maritime boundaries and Exclusive Economic Zone (EEZ) information required for geospatial analysis and safe route planning.

Bhashini API

Bhashini enables multilingual interaction through speech-to-text, text-to-speech, and language translation services, allowing users to communicate with ORCA using voice or text in regional Indian languages.

External Marine Data Sources

ORCA integrates trusted real-time marine information from multiple organizations:

- **INCOIS:** Potential Fishing Zone (PFZ) and Ocean State Forecasts
- **IMD:** Weather forecasts and cyclone alerts
- **NOAA:** Oceanographic and weather observations
- **Open-Meteo:** Supplementary weather forecasts
- **GSDACS:** Global disaster and emergency alerts

These datasets provide the environmental information required by the specialized workflows to generate operational recommendations.

Deployment Infrastructure

Render hosts the backend services and REST APIs, while Firestore Storage manages application assets and user-generated content, providing scalable deployment and reliable cloud-based data access.

Table 3.3 Technology Selection

Requirement	Design Choice	Technology	Purpose
Cross-platform mobile application	Flutter Framework	Flutter, Dart	Mobile application development
Workflow orchestration	Multi-agent workflows	Dify	Workflow management

Natural language reasoning	Lightweight LLM	Gemini Flash Lite	Intent understanding & response synthesis
Backend processing	REST-based architecture	Python, Node.js	API services & workflow execution
Authentication	Cloud authentication	Firebase	User identity management
Geospatial processing	GIS integration	OpenStreetMap, Nominatim, Marine Regions API	Maps & spatial analysis
Database	Hybrid storage	SQLite, MongoDB	Local & cloud data storage
Multilingual communication	Speech & translation	Bhashini API	Voice interaction
Marine information	External APIs	INCOIS, IMD, NOAA, Open-Meteo, GSDACS	Real-time environmental data

3.5 Design Rationale

Table 3.4 Design Alternatives

Alternative	Limitation	Selected Approach
Single LLM	Limited domain specialization	Collaborative multi-agent workflows
Independent applications	Fragmented user experience	Unified conversational interface
Rule-based systems	Limited adaptability	LLM-assisted reasoning
Standalone GIS tools	Visualization only	GIS with AI-assisted spatial reasoning

The selected architecture combines modular workflows, geospatial intelligence, and trusted marine datasets within a unified conversational interface. This design improves scalability, simplifies integration of additional services, and enables coordinated decision support across multiple marine domains.

CHAPTER 4 – Proposed System

ORCA follows a modular collaborative multi-agent architecture designed to process marine queries through coordinated workflow execution. User requests are interpreted by a Planner Agent, which invokes specialized workflows for weather analysis, ocean analytics, geospatial reasoning, and response generation. This architecture enables independent processing while combining outputs into a unified recommendation.




Figure 4.1 ORCA System Architecture

Figure 4.1 illustrates the end-to-end execution pipeline. User requests are authenticated, processed by the Planner Agent, executed through specialized workflows, correlated, and returned as a unified response through text or voice. Live marine datasets are retrieved during workflow execution to ensure current recommendations.

4.2 System Components

Table 4.1 System Components

Component	Responsibility
User Interface	Accepts text and voice queries
Firebase Authentication	Secure user verification
Node.js API Gateway	Routes requests and manages APIs
Planner Agent	Interprets intent and coordinates workflows

Weather Workflow	Weather forecasts and hazard analysis
Ocean Analytics Workflow	PFZ, SST, chlorophyll and ocean analysis
Geospatial Workflow	Spatial analysis, routing and maritime boundaries
Correlation Workflow	Combines workflow outputs and evaluates risk
Response Generator	Produces final conversational response

The architecture separates each functional responsibility into an independent module, allowing workflows to execute in parallel while maintaining a centralized coordination mechanism through the Planner Agent.

4.3 Request Processing Pipeline

The execution of a user request follows a structured workflow from query submission to response generation.




Figure 4.2 Request Processing Flow

The Planner Agent determines which workflows are required based on user intent. Independent workflows execute simultaneously where applicable, reducing processing time while maintaining modular task execution.

4.4 Planner Agent

The Planner Agent serves as the central coordinator of the system. It interprets user intent, identifies the required workflows, manages execution order, and aggregates intermediate outputs before generating the final response. Depending on the query, workflows may execute individually or in parallel before being combined through the Correlation Workflow.

Conversation variables maintain contextual information throughout an interaction, enabling follow-up queries without requiring users to repeat previously supplied information.

4.5 Specialized Workflows

The Planner Agent invokes domain-specific workflows according to the user's request.

Table 4.2 Specialized Workflows

Workflow	Function
Weather Workflow	Retrieves weather forecasts, wind conditions and hazard alerts
Ocean Analytics Workflow	Processes PFZ advisories, SST, chlorophyll and ocean state information
Geospatial Workflow	Performs location analysis, route planning and maritime boundary validation
Correlation Workflow	Integrates workflow outputs and evaluates operational risks

Each workflow retrieves live information from trusted marine data sources and returns structured outputs to the Correlation Workflow, which combines them into a unified recommendation.

4.6 Data Integration

ORCA integrates live information from multiple external services during workflow execution. Weather forecasts, PFZ advisories, ocean observations, geospatial information, and disaster alerts are retrieved through APIs and processed according to the user's request. This approach ensures recommendations are generated using current environmental conditions rather than static datasets.

4.7 Response Generation

After workflow execution, the Correlation Workflow combines the outputs into a single structured response. Gemini Flash Lite synthesizes the final conversational answer, while

the Bhashini API enables multilingual interaction through speech-to-text, text-to-speech, and language translation services. Responses are delivered in text or voice, depending on the user's preferred interaction mode.

4.8 System Characteristics

The architecture incorporates the following design characteristics:

- Modular workflow execution.
- Parallel processing of independent tasks.
- Integration of real-time marine datasets.
- Geospatial reasoning and route analysis.
- Explainable response generation.
- Multilingual voice and text interaction.
- Scalable service-oriented architecture.

Table 4.3 End-to-End Execution Summary

Stage	Description
User Input	Text or voice query submitted through the mobile application
Authentication	User identity verified using Firebase
Intent Understanding	Planner Agent interprets the request
Workflow Execution	Specialized workflows process domain-specific tasks
Data Correlation	Outputs are combined and validated
Response Generation	Final response synthesized using Gemini
User Response	Delivered through text or speech using Bhashini

CHAPTER 5 – System Implementation

5.1 Implementation Overview

ORCA was implemented as a modular client–server application integrating collaborative AI workflows, geospatial processing, multilingual interaction, and real-time marine information services. The implementation combines a Flutter mobile application, a Node.js API Gateway, Python-based workflow execution, cloud services, and external marine APIs to provide an end-to-end marine decision-support platform.

The implementation follows a layered architecture where the mobile application manages user interaction, the backend coordinates workflow execution, and external data providers supply real-time environmental information. This modular approach simplifies maintenance, supports scalability, and enables independent development of system components.

5.2 Marine Data Integration




Figure 5.1 Marine Data Integration Architecture

Figure 5.1 illustrates how ORCA retrieves live information from trusted marine organizations. Weather forecasts, Potential Fishing Zone (PFZ) advisories, oceanographic observations, disaster alerts, and geospatial datasets are collected through external APIs, standardized by the integration layer, and processed by the specialized workflows before generating the final recommendation.

5.3 Deployment Architecture

The deployment architecture separates the presentation layer, backend services, AI workflows, databases, and external APIs. The Flutter mobile application communicates with the Node.js API Gateway, which coordinates requests to AI workflows, cloud services, databases, and external marine information providers.

5.4 Database Architecture

The platform uses a hybrid storage strategy to support both offline functionality and cloud synchronization. SQLite stores locally cached information required for offline operation, while MongoDB maintains user profiles, conversation history, workflow data, and application records. Firebase Authentication manages secure user identity, and Firebase Storage stores application assets and uploaded files.

Table 5.1 Database Components

Component	Purpose
SQLite	Local storage and offline caching
MongoDB	Cloud database for user and workflow data
Firebase Authentication	User identity management
Firebase Storage	Application assets and file storage

5.5 External API Integration

The Planner Agent retrieves live information through an API management layer that communicates with multiple marine service providers. Responses from external APIs are standardized into a common format before being processed by the Weather, Ocean Analytics, and Geospatial workflows. This abstraction simplifies integration of additional data providers while maintaining a consistent processing pipeline.

Table 5.2 External Data Sources

Organization	Data Utilized
INCOIS	PFZ advisories, Ocean State Forecasts
IMD	Weather forecasts, cyclone alerts
NOAA	Oceanographic observations
Open-Meteo	Supplementary weather forecasts
GSDACS	Disaster and emergency alerts

5.6 Mobile Application Modules

The Flutter application is organized into independent functional modules that communicate with the backend through REST APIs. This modular structure simplifies application maintenance while supporting future feature expansion.

Table 5.3 Application Modules

Module	Function
Authentication	User login and identity verification
Chat Interface	Text and voice interaction
Map Module	Marine layers, PFZ, EEZ and navigation
Profile Module	User preferences and settings

5.7 Implemented Functionalities

Table 5.4 Implemented Features

Functionality	Description
Weather Advisory	Real-time weather forecasts and hazard alerts
Potential Fishing Zone	Identification of suitable fishing regions
Safe Route Planning	Navigation considering weather and marine hazards
Geospatial Analysis	Maritime boundaries, EEZ and restricted zones
Voice Interaction	Speech-based multilingual communication
Conversational Querying	Natural language information retrieval
Explainable Responses	Recommendations supported by correlated workflow outputs

5.8 Technology Deployment Summary

Table 5.5 Deployment Components

Layer	Technology
Mobile Application	Flutter, Dart
API Gateway	Node.js
Workflow Engine	Python, Dify

Language Model	Gemini Flash Lite
Authentication	Firebase Authentication
Database	SQLite, MongoDB
Cloud Storage	Firebase Storage
Hosting	Render
External Services	INCOIS, IMD, NOAA, Open-Meteo, GSDACS
Geospatial Services	OpenStreetMap, Nominatim, Marine Regions API
Multilingual Support	Bhashini API

5.9 Chapter Summary

The implementation combines modular AI workflows, cloud-based services, geospatial processing, multilingual interaction, and trusted marine information sources into a unified decision-support platform. The layered implementation enables independent component development, simplifies future enhancements, and supports scalable deployment while maintaining reliable integration with real-time marine datasets.

CHAPTER 6 – Results & Demonstration

6.1 Functional Demonstration

The platform was tested using representative marine scenarios covering fisheries, navigation, weather intelligence, and marine safety.


Table 6.1 Demonstration Scenarios

Scenario	System Response
Nearest Potential Fishing Zone	Retrieved PFZ location with supporting marine conditions
Safe to Venture into Sea	Combined weather, wave, wind, and advisory data
Weather & Tide Information	Generated location-specific forecast
Cyclone / Lightning Alerts	Displayed active marine hazards
Safe Navigation Route	Suggested optimized route avoiding hazardous regions
Maritime Boundary Check	Generated geofencing alert near restricted waters

6.2 Sample Conversational Outputs

← Ask ORCA • Where is the nearest Potential Fishing Zone (PFZ) today? Dahanu The nearest Potential Fishing Zone to Dahanu is Narpad/DahanuAgar, located approximately 34.3 km northwest, with a reported depth of 30–35 metres, valid for 26 September 2026 to 27 September 2026 (forecast date: 26 September 2026). Q.1) Where is the nearest PFZ today?	← Ask ORCA • Is it safe to venture into the sea tomorrow morning? Dahanu Only current atmospheric and marine conditions are available, so I cannot provide a forecast for tomorrow morning. ⚠️ Alert: Wind Speed Wind speed is currently 14.4 m/s in Dahanu, which meets IMD's official warning threshold—do not venture out into the sea. As of this morning (weather data recorded at 10:45 AM today, marine data recorded at 10:45 AM today), the current conditions in Dahanu show a temperature of 27.2°C, a wind speed of 14.4 m/s from the southwest (224 degrees), and zero precipitation, with no active thunderstorm. Q.2) Is it safe to venture in the sea today?
---	---

6.3 Explainable Decision Support



Explaining with evidence support

6.4 System Highlights

The developed platform successfully demonstrates:

- Natural language understanding
- Agentic AI planning
- Collaborative multi-agent execution
- Multi-source marine data integration
- Spatial-temporal reasoning
- Explainable recommendations
- Interactive map visualization
- Multilingual interaction
- Geofencing support
- Marine safety alerts

6.5 System Highlights

- Natural Language Interaction
- Agentic AI Planning

- Collaborative Multi-Agent Architecture
- Multi-Source Data Fusion
- Spatial-Temporal Reasoning
- Explainable AI
- Interactive Maps
- Geofencing
- Marine Safety Alerts
- Multilingual Support

6.6 Chapter Summary

The demonstration confirms that ORCA integrates heterogeneous marine datasets into a conversational platform capable of delivering **context-aware, location-specific**, and **explainable recommendations** through **collaborative AI agents**.

CHAPTER 7 – Future Scope

7.1 Future Scope

The modular architecture of ORCA provides a strong foundation for future enhancements that can improve offshore connectivity, navigation, and intelligent marine decision support. Potential developments include:

- Integration with **ISRO's Vessel Communication and Support System (VCSS)** and the **Nabhmitra** ecosystem to support satellite-based communication, SOS services, and offshore connectivity across India's Exclusive Economic Zone (EEZ).
- Integration of **Automatic Identification System (AIS)** data for real-time vessel tracking, collision awareness, and enhanced maritime situational awareness.
- **GNSS-enhanced offline navigation** using multi-constellation positioning (GPS, GLONASS, Galileo, BeiDou, and NavIC) to enable reliable positioning and route guidance without internet connectivity.
- **LoRa-enabled Mobile Ad Hoc Networks (MANETs)** to establish low-power, long-range boat-to-boat communication for exchanging navigation updates, emergency alerts, and safety messages in regions without cellular coverage.
- Deployment of **IoT-enabled smart buoys** for continuous collection of weather, oceanographic, and environmental observations.
- Integration of **predictive analytics** for fish migration, ocean condition forecasting, and weather trend analysis using historical and real-time marine datasets.
- Development of a **web-based monitoring dashboard** for fisheries departments, Coast Guard, and disaster management agencies to support centralized monitoring and decision-making.
- Addition of specialized workflows for biodiversity monitoring, marine pollution assessment, illegal fishing detection, and sustainable marine resource management.

7.2 Potential Impact

The proposed enhancements extend ORCA beyond a prototype into a comprehensive marine decision-support ecosystem. Integration with national initiatives such as **VCSS** and **Nabhmitra**, together with **GNSS-based offline navigation** and **LoRa-enabled MANET communication**, can improve navigation, emergency response, and operational safety for fishermen operating beyond cellular coverage. These capabilities also strengthen coordination among fisheries departments, maritime authorities, researchers, and disaster management agencies while supporting sustainable marine resource

management. The modular architecture enables these capabilities to be incorporated with minimal changes to the existing system.

7.3 Chapter Summary

ORCA's modular design provides a scalable foundation for future expansion through satellite communication, collaborative networking, intelligent analytics, and advanced marine monitoring technologies. The proposed enhancements support improved safety, connectivity, and operational efficiency while enabling the platform to evolve alongside emerging maritime technologies and national digital fisheries initiatives.

CHAPTER 8 – Conclusion

8.1 Conclusion

ORCA successfully integrates weather forecasts, oceanographic observations, Potential Fishing Zone (PFZ) advisories, geospatial information, and multilingual conversational interaction into a unified marine decision-support platform. By combining workflow-based processing with real-time data integration and geospatial analysis, the system delivers reliable recommendations for navigation, fishing, and marine safety through an intuitive natural language interface.

The developed prototype demonstrates the feasibility of consolidating fragmented marine information into a single platform that supports informed decision-making for fishermen and maritime stakeholders. Its modular architecture enables seamless integration of additional data sources and future technologies, providing a scalable foundation for continued development and deployment.

8.2 Key Outcomes

The ORCA platform successfully demonstrates:

- Development of a unified marine decision-support platform for fishermen and maritime stakeholders.
- Integration of weather, oceanographic, Potential Fishing Zone (PFZ), and geospatial datasets from multiple trusted sources.
- Workflow-based processing for contextual analysis and recommendation generation.
- Support for multilingual text and voice interaction through a conversational interface.
- Delivery of explainable recommendations with interactive maps, alerts, and location-aware guidance.
- A modular and scalable architecture that supports future integration with emerging marine technologies and national digital fisheries initiatives.