SECOND REVIEW · ACADEMIC PROTOTYPE · NOT AN OPERATIONAL SYSTEM

Component C — Audience

How the prototype describes a group of accounts without profiling a person.

This brief is for the teammate who presents audience. The output is a coarse guess from public text and posting time. It is not a census.

1. What this agent does

Component C summarises who appears to be talking in a time window: rough age bands, rough region, language, interests, and when posts arrive in India Standard Time. It works on groups. It does not open a page for one named person and assign them an age.

2. Where it sits




Figure 1. Posts land in Postgres. B reads one post at a time. C, D, and E recompute a time window. Ask searches the short summaries those agents write.

C runs on a window, usually 48 hours of `posted_at`. It recomputes that window. It does not update one account in place all day.

3. Two layers

Layer	What is visible	What we infer
Broadcast	Channel name, topic tags, hours when posts appear	A coarse interest and a daily rhythm
Discussion	Public display name and bio text of people who spoke in a linked discussion	Keyword hints for age band, region, and interest

Telegram does not give us a subscriber list. Anyone who never speaks is invisible. Say that before a reviewer treats the chart as the whole audience.

4. The privacy line

The locked rule is k-anonymity with k at least 50. A group smaller than 50 accounts is marked `below_threshold`. The production guard uses 50. A demo run can use 15 so a small seed still produces a card. The card must be described as below the research threshold, not as a reliable demographic.

> The current Audience page can show a small group because a demo run saved one. In the review, say the guard exists and the number on screen is below 50, so it is illustrative, not a finding about a population.

5. What is written

Field	Meaning
`account_count`	How many accounts were in the group.
Age, geography, language, interest	Shares that sum as distributions, not a label on one user.
`below_threshold`	True when the group is too small.
`analyzed_at`	When this snapshot was computed. Each run inserts a new snapshot.

The API keeps the newest snapshot for each group label, so the page does not stack three copies of the same run.

6. What to show

Open **Audience**. Explain the clock first: morning, afternoon, evening in IST, computed from `posted_at`. Then the group card. If the count is under 50, say so out loud.

> **One sentence.** "This is a keyword sketch of public speakers in the window. It is not an identity record."

7. Related parts

Part	Relation to C
Table	`demographic_aggregates_c`
API	`GET /api/demographics`
Ask	Can quote the group summary. It should not invent a person's age.
After the exam	`scripts/post_viva_scrub.sql` clears bios and display names.

8. Done, and not done

Done	Not claimed
Heuristic distributions, threshold flag, Audience page, IST rhythm.	No individual dossier. No claim that the age bands were validated against a census.

9. Likely questions

Question	Answer

How do you know someone is 25 to 34?	We do not know. A keyword in a public bio can place the account in a band. Many bios say nothing, so the band is a weak prior.
Why show a group of 8?	The demo threshold is lower so the screen is not empty. The research line remains 50. Eight is below it.
Why three identical cards before?	Each analysis run saved another copy. The page now keeps the latest copy of each label.