

```
#!/bin/bash
```

```
Create() {  
    echo "Enter the Address book name"  
    read name  
    res=$(ls | grep -w "$name" | wc -w)  
    if [ $res -gt 0 ]; then  
        echo "File already exists"  
    else  
        touch "$name"  
        echo "File is created"  
    fi  
}
```

```
Display() {  
    echo "Enter the Address book name to display"  
    read name  
    res=$(ls | grep -w "$name" | wc -w)  
    if [ $res -gt 0 ]; then  
        cat "$name"  
    else  
        echo "File does not exist"  
    fi  
}
```

```
Insert() {  
    echo "Enter the address book name in which you want to enter the data"  
    read name  
    if [ -f "$name" ]; then  
        echo "Enter email"  
        read email  
        len=$(cat "$name" | grep -w "$email" | wc -w)  
        if [ $len -gt 0 ]; then  
            echo "Email ID already exists"  
        else  
            echo "Enter the first name, last name, PRN and Mobile Number"  
            read fname lastname prn mobilenum  
            record="$fname $lastname $prn $mobilenum $email"  
            echo "$record" >> "$name"  
            echo "Record Inserted Successfully"  
        fi  
    else  
        echo "File does not exist"  
    fi  
}
```

```

Modify() {
    echo "Enter the address book name in which you want to Modify"
    read name
    res=$(ls | grep -w "$name" | wc -w)
    if [ $res -gt 0 ]; then
        echo "Enter Email"
        read email
        len=$(cat "$name" | grep -w "$email" | wc -w)
        if [ $len -gt 0 ]; then
            echo "Enter first name, last name, PRN and Mobile Number"
            read fname lastname prn mobilenumber
            new="$fname $lastname $prn $mobilenumber $email"
            old=$(cat "$name" | grep -w "$email")
            sed -i "s|$old|$new|g" "$name"
            echo "Record is updated Successfully"
        else
            echo "Error: Email not found"
        fi
    else
        echo "File does not exist"
    fi
}

```

```

Delete() {
    echo "Enter the Address book name:"
    read name
    if [ -f "$name" ]; then
        echo "Enter the Email of the record you want to delete:"
        read email
        # Copies everything EXCEPT the matching email to a temp file
        grep -v -w "$email" "$name" > temp.txt
        # Overwrites the old address book with the temp file
        mv temp.txt "$name"
        echo "Record deleted"
    else
        echo "File does not exist."
    fi
}

```

```

Exit() {
    echo "Exiting..."
    exit
}

```

```
# --- MAIN MENU LOOP ---
while true
do
    echo "***** MENU *****"
    echo "1. Create"
    echo "2. Display"
    echo "3. Insert"
    echo "4. Modify"
    echo "5. Delete"
    echo "6. Exit"
    echo "Enter your choice"
    read choice
    case $choice in
        1) Create ;;
        2) Display ;;
        3) Insert ;;
        4) Modify ;;
        5) Delete ;;
        6) Exit ;;
        *) echo "Invalid choice" ;;
    esac
done
```