




**SPECIALIST IN  
ALUMINUM PROFILE  
& ACCESSORIES**


**KP**  
**METALS**

## INDEX

## SINGLE PARTITION




Section No.	C/L	A	B	T	Weight
10001	12'	63.5	38.1	0.790	1.800-2.100
10002	12'	63.5	38.1	0.990	2.200-2.400
10003	12'	63.5	38.1	1.100	2.500-2.800
10004	12'	63.5	38.1	1.334	2.900-3.200
10005	12'	63.5	38.1	1.533	3.300-3.600




## DOUBLE PARTITION

Section No.	C/L	A	B	T	Weight
11001	12'	63.5	38.1	0.677	1.800-2.100
11002	12'	63.5	38.1	0.876	2.200-2.400
11003	12'	63.5	38.1	1.025	2.500-2.800
11004	12'	63.5	38.1	1.225	2.900-3.200
11005	12'	63.5	38.1	1.424	3.300-3.600

## DOOR MIDDLE SINGLE




Section No.	C/L	A	B	T	Weight
12001	12'	47	44	0.956	2.100-2.400
12002	12'	47	44	1.172	2.500-2.800
12003	12'	47	44	1.411	2.900-3.200
12004	12'	47	44	1.623	3.300-3.600
12005	12'	47	44	1.845	3.700-4.000
12006	12'	85	44	1.262	3.600-4.000
12007	12'	85	44	1.459	4.100-4.500




## DOOR MIDDLE DOUBLE

Section No.	C/L	A	B	T	Weight
13001	12'	47	44	0.745	2.100-2.400
13002	12'	47	44	0.967	2.500-2.800
13003	12'	47	44	1.189	2.900-3.200
13004	12'	47	44	1.412	3.300-3.600
13005	12'	47	44	1.634	3.700-4.000
13006	12'	85	44	1.113	3.600-4.000
13007	12'	85	44	1.310	4.100-4.500

## DOOR TOP




Section No.	C/L	A	B	T	Weight
14001	12'	44	47	0.956	2.100-2.400
14002	12'	44	47	1.178	2.500-2.800
14003	12'	44	47	1.411	2.900-3.200
14004	12'	44	47	1.623	3.300-3.600
14005	12'	44	47	1.845	3.700-4.000




## DOOR BOTTOM

Section No.	C/L	A	B	T	Weight
15001	12'	114	44	1.030	3.600-4.000
15002	12'	114	44	1.191	4.100-4.500
15003	12'	114	44	1.351	4.600-5.000
15004	12'	114	44	1.511	5.100-5.500
15005	12'	114	44	1.671	5.600-6.000
15006	12'	85	44	1.262	3.600-4.000
15007	12'	85	44	1.459	4.100-4.500

## DOOR VERTICLE




Section No.	C/L	A	B	T	Weight
16001	12'	47	44	0.956	2.100-2.400
16002	12'	47	44	1.178	2.500-2.800
16003	12'	47	44	1.401	2.900-3.200
16004	12'	47	44	1.623	3.300-3.600
16005	12'	47	44	1.845	3.700-4.000
16006	12'	85	44	1.262	3.600-4.000
16007	12'	85	44	1.459	4.100-4.500



**3/4 HANDLE**


Section No.	C/L	A	B	T	Weight
17001	12'	40	18	0.700	0.900-1.100
17002	12'	40	18	0.870	1.200-1.400
17003	12'	40	18	1.110	1.500-1.700
17004	12'	40	18	1.368	1.800-2.100
17005	12'	40	18	1.700	2.200-2.400

## 1" HANDLE




Section No.	C/L	A	B	T	Weight
18001	12'	50	25	0.670	1.300-1.500
18002	12'	50	25	0.864	1.600-1.800
18003	12'	50	25	1.056	1.900-2.100
18004	12'	50	25	1.248	2.200-2.400

## 1" MIDDLE




Section No.	C/L	A	B	T	Weight
19001	12'	50	25	0.640	1.300-1.500
19002	12'	50	25	0.822	1.600-1.800
19003	12'	50	25	1.000	1.900-2.100
19004	12'	50	25	1.180	2.200-2.400

## 3/4 INTERLOCK




Section No.	C/L	A	B	T	Weight
20001	12'	40	18	0.765	1.150-1.300
20002	12'	40	18	0.898	1.350-1.500
20003	12'	40	18	1.031	1.550-1.700
20004	12'	40	18	1.165	1.750-1.900
20005	12'	40	18	1.298	1.950-2.100

## 3/4" TOP BOTTOM




Section No.	C/L	A	B	T	Weight
21001	12'	40	18	0.700	0.900-1.100
21002	12'	40	18	0.870	1.200-1.400
21003	12'	40	18	1.119	1.500-1.700
21004	12'	40	18	1.368	1.800-2.100
21005	12'	40	18	1.700	2.200-2.400

## 3/4" MIDDLE




Section No.	C/L	A	B	T	Weight
22001	12'	40	18	0.650	0.900-1.100
22002	12'	40	18	0.830	1.200-1.400
22003	12'	40	18	1.067	1.500-1.700
22004	12'	40	18	1.304	1.800-2.100
22005	12'	40	18	1.620	2.200-2.400



## 3/4" BEARING BOTTOM


Section No.	C/L	A	B	T	Weight
23001	12'	52	18	0.850	1.300-1.500
23002	12'	52	18	0.990	1.600-1.800
23003	12'	52	18	1.996	1.900-2.100

## RECTANGULAR TUBE




Section No.	C/L	A	B	T	Weight
24001	12'	36	24	0.530	0.750-0.900
24002	12'	36	24	0.806	0.950-1.100
24003	12'	36	24	0.969	1.150-1.250
24004	12'	48	24	0.590	1.000-1.200
24005	12'	48	24	0.750	1.300-1.500
24006	12'	48	24	1.100	1.900-2.100
24007	12'	62	24	0.853	1.800-2.000
24008	12'	63.5	38.1	0.500	1.200-1.400
24009	12'	63.5	38.1	0.660	1.600-1.800
24010	12'	63.5	38.1	0.950	2.300-2.500

## SQUARE TUBE




Section No.	C/L	A	B	T	Weight
25001	12'	25	25	0.800	0.800-0.900
25002	12'	25	25	0.961	0.950-1.100
25003	12'	25	25	1.214	1.200-1.300
25004	12'	25	25	1.425	1.400-1.600
25005	12'	25	25	1.720	1.700-1.800
25006	12'	50	50	0.657	1.300-1.500
25007	12'	50	50	0.708	1.400-1.500
25008	12'	50	50	0.809	1.600-1.800
25009	12'	50	50	0.910	1.800-2.100
25010	12'	50	50	1.113	2.200-2.500



**GLAZING CLIP**


Section No.	C/L	A	B	T	Weight
26001	12'	19.2	17.2	0.400	0.200-0.250
26002	12'	19.2	17.2	0.550	0.260-0.300
26003	12'	19.2	17.2	0.750	0.350-0.450

## DOUBLE GLASS CHANNEL




Section No.	C/L	A	B	T	Weight
27001	12'	19	12	0.550	0.300-0.400
27002	12'	25	12	0.668	0.400-0.500
27003	12'	25	12	0.910	0.550-0.650
27004	12'	25	12	1.161	0.700-0.800
27005	12'	25	12	1.493	0.900-1.000
27006	12'	22	12	0.697	0.400-0.500
27007	12'	22	12	0.959	0.550-0.650

## ANGEL




Section No.	C/L	A	B	T	Weight
28001	12'	19	19	1.859	0.700-0.900
28002	12'	25	25	2.023	1.000-1.300

## UNEQUAL ANGEL




Section No.	C/L	A	B	T	Weight
29001	12'	38.1	25	2.409	1.500-1.700
29002	12'	38.1	25	3.640	1.800-2.000




TEE

Section No.	C/L	A	B	T	Weight
30001	12'	19	19	0.90	0.300-0.500
30002	12'	25	25	1.25	0.600-0.800

## G CHANNEL (DOOR GEAR)




Section No.	C/L	A	B	T	Weight
31001	12'	38	38	1.457	1.800-2.100
31002	12'	38	38	1.780	2.200-2.500




## 3/4" TWO TRACK TOP

Section No.	C/L	A	B	T	Weight
32001	12'	61.85	31.75	0.707	1.300-1.500
32002	12'	61.85	31.75	0.870	1.600-1.800
32003	12'	61.85	31.75	1.033	1.900-2.100
32004	12'	61.85	31.75	1.196	2.200-2.500
32005	12'	61.85	31.75	1.414	2.600-2.900

## 3/4 2 TRACK BOTTOM




Section No.	C/L	A	B	T	Weight
33001	12'	61.85	31.75	0.544	1.400-1.600
33002	12'	61.85	31.75	0.707	1.700-1.900
33003	12'	61.85	31.75	0.870	2.000-2.300
33004	12'	61.85	31.75	1.088	2.400-2.600
33005	12'	61.85	31.75	1.305	2.800-3.100
33006	12'	61.85	31.75	1.523	3.200-3.500



## 3/4" 3 TRACK TOP


Section No.	C/L	A	B	T	Weight
34001	12'	92	31.75	0.737	1.800-2.000
34002	12'	92	31.75	0.860	2.100-2.400
34003	12'	92	31.75	1.024	2.500-2.800
34004	12'	92	31.75	1.188	2.900-3.300
34005	12'	92	31.75	1.392	3.400-3.700

## 3/4" 3 TRACK BOTTOM




Section No.	C/L	A	B	T	Weight
35001	12'	92	31.75	0.530	1.900-2.200
35002	12'	92	31.75	0.696	2.300-2.500
35003	12'	92	31.75	0.819	2.600-2.800
35004	12'	92	31.75	0.942	2.900-3.300
35005	12'	92	31.75	1.147	3.400-3.800

## GLAZING PLATE




Section No.	C/L	A	B	T	Weight
36001	12'	44.5	3.5	0.510	0.450-0.550
36002	12'	44.5	3.5	0.770	0.600-0.750

## F-CHANNEL




Section No.	C/L	A	B	T	Weight
37001	12'	25	12.50	1.22	0.750-0.950




## U-CHANNEL

Section No.	C/L	A	B	T	Weight
38001	12'	9	9	0.54	0.170-0.210
38002	12'	12	12	0.60	0.260-0.300

## GLAZING SECTION




Section No.	C/L	A	B	T	Weight
39001	12'	48	48	1.130	2.200-2.500
39002	12'	48	48	1.335	2.600-2.900




Section No.	C/L	A	B	T	Weight
40001	12'	38.1	25	0.729	0.900-1.100
40002	12'	38.1	25	0.971	1.200-1.400
40003	12'	38.1	25	1.214	1.500-1.600

## 2"X1" L-TUBE GROUP




Section No.	C/L	A	B	T	Weight
40005	12'	45	24	0.867	1.200-1.400
40006	12'	45	24	1.084	1.500-1.750



## 1" BEARING BOTTOM


Section No.	C/L	A	B	T	Weight
41001	12'	60	25	0.600	1.300-1.450
41002	12'	60	25	0.710	1.500-1.700
41003	12'	60	25	0.881	1.800-2.000
41004	12'	60	25	1.051	2.100-2.400

## 2.5X1.5 M. PIPE




Section No.	C/L	A	B	T	Weight
42001	12'	63.5	40	0.905	1.840

## 2X1 M. PIPE




Section No.	C/L	A	B	T	Weight
43001	12'	53	27	0.810	1.300

## LEDDER 'C'




Section No.	C/L	A	B	T	Weight
44001	12'	65	31.5	1.000	1.300

## LEDDER STEPC




Section No.	C/L	A	B	T	Weight
45001	12'	65	30.5	0.830	1.600


## 2X1 MOLDING HANDLE



Section No.	C/L	A	B	T	Weight
46001	12'	50	25	0.850	1.600



Section No.	C/L	A	B	T	Weight
47001	12'	50	25	0.850	1.300



## **K P Metals Pvt Ltd**

---

Office - K46/161 Hartirath, Varanasi

Factory Address- H-2, Phase-1

Ramnagar Industrial Area, Chandauli - 221008

E mail- kpmetals1101@gmail.com

Customer care no. : 8957100508