



Name: Jitesh R U

Reg No: 11601801

Section: KE056(A06)

Submitted To: Balwinder Kaur Dhaliwal

Project: Job Portal

Github link: <https://github.com/JiteshJitz/Job-Portal.git>

Job Portal



The job portal is designed for a person seeking employment as well as for the companies who want to post their job vacancies.


The job portal is designed using HTML, CSS, JavaScript, Php, Bootstrap, MySql, etc.

This website has various modules

1. HOME PAGE


The home page gives access to various modules like About the company, Employer Section, Job Seeker Section, Latest News, Contact Information and Login for the Users.







2. About Us

Provides details about the website and the company.



3. Employer Module

- Provides the list of employers on the website with the name of the contact person with his email id.
- If a new employer wants to register on the website, there is an option to register at the bottom.



4. Job Seekers Module

- Provides the list of job seekers on the website with the name of the contact person with his email id.
- If a new job seeker wants to register on the website, there is an option to register at the bottom.

The screenshot shows a web browser displaying the 'JOB PORTAL' website. The page has a purple header with a navigation menu: Home, About Us, Employer, Job Seeker, Latest News, and Contact Us. Below the header, there's a section titled 'Our Job Seekers' which contains a table listing job seekers. To the right of this table is a 'Contact Us' sidebar with contact information and a 'Login' form.

Company Name	Contact Person	Email
Jalpa Prajapati	Mehsana	jalpa@gmail.com
Krunal Prajapati	Patan	krunal@gmail.com
Gopal Patel	Patan	gopal@gmail.com
Mehul Mistry	Baroda	mehul@gmail.com

[New Job Seeker? Register Here](#)

Contact Us
JOB-PORTAL
099-520612
982348094
jobportal.com
Bangalore, India

Login
User Name

Password

The screenshot shows the 'Job Seeker Registration Form' on the website. The form is divided into two main sections: a registration form on the left and a contact/login sidebar on the right. The registration form includes fields for personal and professional details, a gender dropdown, a birth date field, a file upload for a marksheet, and a user type selection.

Job Seeker Registration Form

JobSeeker Name:
Address:
City:
Email:
Mobile:
Qualification:
Other:
Gender:
BirthDate:
Upload Marksheet: No file chosen
User Name:
Password:

Contact Us
JOB-PORTAL
099-520612
982348094
jobportal.com
Bangalore, India


Login
User Name

Password

User Type


5. Latest News

- This module gives the latest job posting by any employer with the date on which it was posted.



6. Contact Information of the Website portal

Here the website owner's name along with the address of the company with contact information is available.




7. Login

Here a person after his or her registration could log in by there User Name and Password either as follows:

- Employer
- Job Seeker
- Administrator


8. Employer's Place

If a person is logged in as an employer, he or she as various options on the website for managing the vacancies of his or her company. Some of the options include managing his or her profile as an employer, manage the job postings, manage the walk-in interviews and viewing the application by the jobseeker.



8.1 Profile management of the employer


Here employer could manage his or her profile on the website for posting the job. Some of the information includes Company ID, Company Name, Contact Person(HR), Address of the company, City, Email, Mobile, Area of work and as well as the option to edit the profile.



8.2 Manage Job


Here the company can post any job openings. This module Manage Job has options like Job Title, Total Vacancy, Qualification needed, Salary, any description of the job which helps job seekers to easily see the jobs of their choice.

Furthermore, all the posted jobs can be viewed by the employer in the Posted Job Section.



8.3 Manage walk-in


In this section, the employer has access to manage various job interviews posted along with the timings of the interviews.



9. Job Seekers Place


This module is very useful for job seekers as it has various options to manage his job applications efficiently.

Here the control panel has the option to manage profile, education qualification, search for a new job according to his or her qualification, manage interview schedules and give feedback.





9.1 Profile

In this section, the job seeker can manage his or her profile for the job. It has various options like Name, Address, City, Email, Mobile, Highest Qualification, Gender, Birthdate, Resume, etc.




9.2 Search Job

- A job seeker could search for a job based on his or her qualifications, company interested in, as well as the preferred area of work.
- Various job postings are displayed. If a person is interested in any job then he or she could apply for the same.
- The status of the job application could be also viewed in this module.




9.3 Manage Walkin

In this module, the job seeker could see all his scheduled interviews. Each interview specifies Job Title, Vacancies, Minimum Qualification, Job Description, Date and Time of job.




9.4 Feedback of Jobseeker

If the user wants to provide any feedback regarding any job or experiences, he or she could do that in the feedback section.



MySQL Structure



Code

MAIN PAGE

```
<?php
session_start();

if(isset($_SESSION['$UserName'])) {
    header('location:Admin/index.php');
}

if(isset($_SESSION['$UserName_job'])) {
    header('location:JobSeeker/index.php');
}

if(isset($_SESSION['$UserName_emp'])) {
```

```
header('location:Employer/index.php');
}
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all, follow" />

    <title>JOB PORTAL BY JITESH</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href=".." title="Home" />
    <link rel="stylesheet" media="screen, projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
    color: #000066;
    font-weight: bold;
}
.style2 {
    font-size: medium;
    font-weight: bold;
}
-->
    </style>
</head>
```

```
<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
  <div id="page" class="box">
    <div id="page-in" class="box">

      <div id="strip" class="box noprint">

        <!-- RSS feeds -->
        <hr class="noscreen" />

        <!-- Breadcrumbs -->
        <p id="breadcrumbs">&nbsp;</p>
        <hr class="noscreen" />

      </div> <!-- /strip -->

      <!-- Content -->
      <div id="content">

        <!-- /article -->

        <hr class="noscreen" />

        <!-- /article -->

        <hr class="noscreen" />

      </div>
    </div>
  </div>
</body>
```



```

        <!-- Article -->

        <!-- /article -->

        <hr class="noscreen" />

        <!-- Article -->
        <div class="article">
            <h2><span><a href="#">Welcome To Job Portal System by
JITESH</a></span></h2>
            <h3><marquee>Welcome To Job Portal System by
JITESH</marquee></h3>

            <p> <span class="style2">W</span>elcome to online Job
Portal. It provides facility to the Job Seeker to search for various jobs
as per his qualification. Here Job Seeker can registered himself on the
web portal and create his profile along with his educational information.
Job Seeker can search various jobs and apply for the Job.</p>
            <p>This Portal is also designed for the various employer who
required to recruit employees in their organization. Employer can
registered himself on the web portal and then he can upload information of
various job vacancies in their organization. Employeeer can view the
applications of Job Seeker and send call latter to the job seekers.</p>
            <p align="right"> </p>
            <p class="btn-more box noprint">&nbsp;</p>
        </div> <!-- /article -->

        <hr class="noscreen" />

    </div> <!-- /content -->

<?php
include "right.php"
?>

```

```

        </div> <!-- /page-in -->
    </div> <!-- /page -->

<?php
include "footer.php"
?>
</div> <!-- /main -->

</body>
</html>

```

LOGIN

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php
session_start();
$UserName=$_POST['txtUser'];
$Password=$_POST['txtPass'];
$UserType=$_POST['cmbUser'];
if($UserType=="Administrator")
{
$con = mysqli_connect("localhost","root","","job");

$sql = "select * from user_master where UserName='".$UserName.'" and
Password='".$Password.'"";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)

```

```
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
    $_SESSION['$UserName']=$UserName;
header("location:Admin/index.php");
}
mysqli_close($con);
}
else if($UserType=="JobSeeker")
{
$con = mysqli_connect("localhost","root","","job");
$sql = "select * from jobseeker_reg where UserName='".$UserName.'" and
Password='".$Password.'" and Status='Confirm'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
    $_SESSION['ID']=$row['JobSeekId'];
    $_SESSION['Name']=$row['JobSeekerName'];
    $_SESSION['$UserName_job']=$UserName;
header("location:JobSeeker/index.php");
}
mysqli_close($con);
}
else
{
$con = mysqli_connect("localhost","root","","job");
```

```

$sql = "select * from employer_reg where UserName='".$UserName.'" and
Password='".$Password.'" and Status='Confirm'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
    $_SESSION['ID']=$row['EmployerId'];
$_SESSION['Name']=$row['CompanyName'];
$_SESSION['$UserName_emp']=$UserName;
header("location:Employer/index.php");
}
mysqli_close($con);
}
?>

</body>
</html>

```

JOB POST

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php

    $Name=$_POST['txtName'];

```

```

$Address=$_POST['txtAddress'];
$City=$_POST['txtCity'];
$Email=$_POST['txtEmail'];
$Mobile=$_POST['txtMobile'];
$Qualification=$_POST['txtQualification'];
$Gender=$_POST['cmbGender'];
$BirthDate=$_POST['txtBirthDate'];
$path1 = $_FILES["txtFile"]["name"];
$Status="Pending";
$UserName=$_POST['txtUserName'];
$Password=$_POST['txtPassword'];
$Question=$_POST['cmbQue'];
$Answer=$_POST['txtAnswer'];
$UserType="JobSeeker";
if ($Qualification=="Other")
{
    $Qualification=$_POST['txtOther'];
}
// move_uploaded_file($_FILES["txtFile"]["tmp_name"],"upload/"
.$_FILES["txtFile"]["name"]);
// Establish Connection with MYSQL
$con = mysqli_connect ("localhost","root","","job");
// Select Database  mysql_select_db("job", $con);
// Specify the query to Insert Record
// $sql = "insert into
jobseeker_reg(JobSeekerName,Address,City,Email,Mobile,Qualification,Gender
,BirthDate,Resume,Status,UserName>Password,Question,Answer) values(
//'".$Name."','".$Address."','".$City."','".$Email."','".$Mobile."','".$Qual
ification."','".$Gender."',
//'".$BirthDate."','".$path1."','".$Status."','".$UserName."','".$Password
."','".$Question."','".$Answer.'')";

$sql="insert into
jobseeker_reg(JobSeekerName,Address,City,Email,Mobile,Qualification,Gender
,BirthDate,Status,UserName>Password,Question,Answer) VALUES (
'$Name','$Address','$City','$Email','$Mobile','$Qualification','$Gender','
$BirthDate','$Status','$UserName','$Password','$Question','$Answer'

```

```

    );
    // execute query

// var_dump($sql);
    if(mysqli_query ($con,$sql)){

        echo '<script type="text/javascript">alert("Registration Completed
        Succesfully");window.location=\'index.php\';</script>';
    }

mysqli_close ($con);

    // Close The Connection

?>
</body>
</html>

```

```

!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all, follow" />

    <title>JOB PORTAL BY JITESH</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

```

```

<link rel="index" href=".." title="Home" />
<link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
<link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
<link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
<style type="text/css">
<!--
.style1 {
    color: #000066;
    font-weight: bold;
}
.style2 {font-weight: bold}
-->
</style>
</head>

<body id="www-url-cz">
<SCRIPT language="JavaScript1.2" src="gen_validation.js"></SCRIPT>
<SCRIPT language="JavaScript1.2">
var arrFormValidation=
    [
        [//Name
            ["minlen=1",
            "Please Enter Name "
            ]
        ],
        [//Address
            ["minlen=1",
            "Please Enter Address "
            ]
        ],
        [//Country

```



```
    ],
    [//State

    ],
    [//City

    ],
    [//Mobile

        ["num",
        "Please Enter valid Mobile "
        ],
        ["minlen=10",
        "Please Enter valid Mobile "
        ]

    ],
    [//Email

        ["minlen=1",
        "Please Enter Email "
        ],
        ["email",
        "Please Enter valid email "
        ]

    ],
    [//ID

    ],
```

```
        [//TDType

                ["minlen=1",
                "Please Select File "
                ]

        ],
        [//UserName

                ["minlen=1",
                "Please Enter UserName "
                ]

        ],
        [//Password

                ["minlen=1",
                "Please Enter Password "
                ]

        ],
        [//Confirm

                ["minlen=1",
                "Please Enter Confirm Password "
                ]

        ]

];

</SCRIPT>
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
```

```
<!-- Page (2 columns) -->
<div id="page" class="box">
<div id="page-in" class="box">

    <div id="strip" class="box noprint">

        <!-- RSS feeds -->
        <hr class="noscreen" />

        <!-- Breadcrumbs -->
        <p id="breadcrumbs">&nbsp;</p>
        <hr class="noscreen" />

    </div> <!-- /strip -->

    <!-- Content -->
    <div id="content">

        <!-- /article -->

        <hr class="noscreen" />

        <!-- /article -->

        <hr class="noscreen" />

        <!-- Article -->

        <!-- /article -->

        <hr class="noscreen" />

        <!-- Article -->
        <div class="article">
            <h2><span><a href="#">Our Job Seekers</a></span></h2>
```

```

        <p>
        <table width="100%" border="1" cellpadding="1"
cellspacing="2" bordercolor="#006699" >
<tr>
<th height="32" bgcolor="#006699" class="style3"><div align="left"
class="style9 style5 style2"><strong>Company Name</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9
style5 style2"><strong>Contact Person</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9
style5 style2"><strong>Email</strong></div></th>
</tr>
<?php
// Establish Connection with Database
$con = mysqli_connect("localhost","root","","job");
// Select Database
//mysqli_select_db("job", $con);
// Specify the query to execute
$sql = "select * from jobseeker_reg where Status='Confirm'";
// Execute query

$result = mysqli_query($con,$sql);

//var_dump($result);

// Loop through each records
while($row = mysqli_fetch_array($result))
{
$name=$row['JobSeekerName'];
$city=$row['City'];
$email=$row['Email'];
?>

```

```

<tr>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $Name;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $City;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $Email;?></strong></div></td>
</tr>
<?php
}
// Retrieve Number of records returned
$records = mysqli_num_rows($result);
?>

<?php
// Close the connection
mysqli_close($con);
?>
</table>
    </td>
</tr>
</table>

    </p>

    <div align="center"><a href="JobSeekerReg.php"><strong>New
Job Seeker? Register Here</strong></a>                </div>
    <p class="btn-more box noprint">&nbsp;</p>
</div> <!-- /article -->

    <hr class="noscreen" />

</div> <!-- /content -->

<?php
include "right.php"
?>

```

```

</div> <!-- /page-in -->
</div> <!-- /page -->

<?php
include "footer.php"
?>
</div> <!-- /main -->

</body>
</html>

```

EMPLOYEE REGISTRATION

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
  <meta http-equiv="content-language" content="cs" />
  <meta name="robots" content="all, follow" />

  <title>JOB PORTAL BY JITESH</title>
  <meta name="description" content="..." />
  <meta name="keywords" content="..." />

  <link rel="index" href=".." title="Home" />
  <link rel="stylesheet" media="screen, projection" type="text/css"
href="./css/main.css" />
  <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
  <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
  <style type="text/css">
<!--
.style1 {

```

```
    color: #000066;
    font-weight: bold;
}
.style2 {font-weight: bold}
-->
    </style>
</head>

<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
        <div id="page-in" class="box">

            <div id="strip" class="box noprint">

                <!-- RSS feeds -->
                <hr class="noscreen" />

                <!-- Breadcrumbs -->
                <p id="breadcrumbs">&nbsp;</p>
                <hr class="noscreen" />

            </div> <!-- /strip -->

            <!-- Content -->
            <div id="content">

                <!-- /article -->
```



```

        <hr class="noscreen" />

        <!-- /article -->

        <hr class="noscreen" />

        <!-- Article -->

        <!-- /article -->

        <hr class="noscreen" />

        <!-- Article -->
        <div class="article">
            <h2><span><a href="#">Our Employers</a></span></h2>

            <p>

                <table width="100%" border="1" cellpadding="1"
cellspacing="2" bordercolor="#006699" >
<tr>
<th height="32" bgcolor="#006699" class="style3"><div align="left"
class="style9 style5 style2"><strong>Company Name</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9
style5 style2"><strong>Contact Person</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9
style5 style2"><strong>Email</strong></div></th>
</tr>
<?php
// Establish Connection with Database
$con = mysqli_connect("localhost","root","","job");

// Specify the query to execute
$sql = "select * from employer_reg where Status='Confirm'";

```

```

// Execute query
$result = mysqli_query($con,$sql);
// Loop through each records
//var_dump($result);
while($row = mysqli_fetch_array($result))
{
$CompanyName=$row['CompanyName'];
$ContactPerson=$row['ContactPerson'];
$Email=$row['Email'];

?>
<tr>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $CompanyName;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $ContactPerson;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php
echo $Email;?></strong></div></td>
</tr>
<?php
}
// Retrieve Number of records returned
$records = mysqli_num_rows($result);
?>

<?php
// Close the connection
mysqli_close($con);
?>
</table>
    </td>
</tr>
</table>

        </p>

        <div align="center"><a href="EmployerReg.php"><strong>New
Employer? Register Here</strong></a>

```

```

        </div>

        <p class="btn-more box noprint">&nbsp;</p>
    </div> <!-- /article -->

    <hr class="noscreen" />

</div> <!-- /content -->

<?php
include "right.php"
?>

    </div> <!-- /page-in -->
</div> <!-- /page -->

<?php
include "footer.php"
?>
</div> <!-- /main -->

</body>
</html>

```

Manage jobs

```

<?php
session_start();
if (isset($_SESSION['$UserName_emp'])) {
} else {
    header('location:../index.php');
}
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">

```

```
<head>
  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
  <meta http-equiv="content-language" content="cs" />
  <meta name="robots" content="all, follow" />

  <title>JOB PORTAL BY JITESH</title>
  <meta name="description" content="..." />
  <meta name="keywords" content="..." />

  <link rel="index" href=".." title="Home" />
  <link rel="stylesheet" media="screen, projection" type="text/css"
href="./css/main.css" />
  <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
  <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
  <style type="text/css">
    <!--
    .style1 {
      color: #000066;
      font-weight: bold;
    }
    -->
  </style>
  <script src="../SpryAssets/SpryValidationTextField.js"
type="text/javascript"></script>
  <script src="../SpryAssets/SpryValidationTextarea.js"
type="text/javascript"></script>
  <link href="../SpryAssets/SpryValidationTextField.css" rel="stylesheet"
type="text/css" />
  <link href="../SpryAssets/SpryValidationTextarea.css" rel="stylesheet"
type="text/css" />
  <style type="text/css">
    <!--
    .style3 {
```

```
        font-weight: bold
    }
    -->
</style>
</head>

<body id="www-url-cz">
    <!-- Main -->
    <div id="main" class="box">
        <?php
            include "Header.php"
        ?>
        <?php
            include "menu.php"
        ?>
        <!-- Page (2 columns) -->
        <div id="page" class="box">
            <div id="page-in" class="box">

                <div id="strip" class="box noprint">

                    <!-- RSS feeds -->
                    <hr class="noscreen" />

                    <!-- Breadcrumbs -->
                    <p id="breadcrumbs">&nbsp;</p>
                    <hr class="noscreen" />

                </div> <!-- /strip -->

                <!-- Content -->
                <div id="content">

                    <!-- /article -->

                    <hr class="noscreen" />
                </div>
            </div>
        </div>
    </div>
</body>
</html>
```

```

<!-- /article -->

<hr class="noscreen" />

<!-- Article -->

<!-- /article -->

<hr class="noscreen" />

<!-- Article -->
<div class="article">
    <h2><span><a href="#">Welcome <?php echo $_SESSION['Name'];
?></a></span></h2>

    <table width="100%" border="0" cellspacing="0" cellpadding="0">
        <tr>
            <td bgcolor="#A0B9F3"><strong>Manage Job</strong></td>
        </tr>
        <tr>
            <td>
                <form id="form1" method="post" action="InsertJob.php">
                    <table width="100%" border="0" cellspacing="0"
cellpadding="0">
                        <tr>
                            <td><strong>Job Title:</strong></td>
                            <td><span id="sprytextfield1">
                                <label>
                                    <input type="text" name="txtTitle"
id="txtTitle" />
                                </label>
                                <span class="textfieldRequiredMsg">A value is
required.</span></span></td>
                        </tr>

```

```

        <tr>
            <td><strong>Total Vacancy:</strong></td>
            <td><span id="sprytextfield2">
                <label>
                    <input type="text" name="txtTotal"
id="txtTotal" />
                </label>
                <span class="textfieldRequiredMsg">A value is
required.</span></span></td>
        </tr>
        <tr>
            <td><strong>Qualification:</strong></td>
            <td><input type="text" name="cmbQual" id="cmbQual">

            </td>
        </tr>
        <tr>
            <td><strong>Salary:</strong></td>
            <td><label>
                <input type="number" name="txtOther"
id="txtOther" />
            </label></td>
        </tr>
        <tr>
            <td><strong>Description:</strong></td>
            <td><span id="sprytextareal">
                <label>
                    <textarea name="txtDesc" id="txtDesc"
cols="25" rows="3"></textarea>
                </label>
                <span class="textareaRequiredMsg">A value is
required.</span></span></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td><label>

```



```

                                <input type="submit" name="button" id="button"
value="Submit" />
                                </label></td>
                                </tr>
                                </table>
                                </form>
                                </td>
                                </tr>
                                <tr>
                                <td bgcolor="#A0B9F3"><strong>Posted Job </strong></td>
                                </tr>
                                <tr>
                                <td>
                                <table width="100%" border="1" bordercolor="#1CB5F1">
                                <tr>
                                <th height="32" bgcolor="#1CB5F1" class="style3">
                                <div align="left" class="style9
style5"><strong>Id</strong></div>
                                </th>
                                <th bgcolor="#1CB5F1" class="style3">
                                <div align="left" class="style9 style5"><strong>Job
Title</strong></div>
                                </th>
                                <th bgcolor="#1CB5F1" class="style3">
                                <div align="left" class="style9
style5"><strong>Vacancy</strong></div>
                                </th>
                                <th bgcolor="#1CB5F1" class="style3">
                                <div align="left" class="style9
style5"><strong>Qualification</strong></div>
                                </th>
                                <th bgcolor="#1CB5F1" class="style3">
                                <div align="left" class="style9
style5"><strong>Description</strong></div>
                                </th>
                                <th bgcolor="#1CB5F1" class="style3">

```

```

        <div align="left" class="style12">Delete</div>
    </th>
</tr>
<?php
    // Establish Connection with Database
    $con = mysqli_connect("localhost", "root", "", "job");

    // Specify the query to execute
    $sql = "select * from job_master where CompanyName='" .
$_SESSION['Name'] . "'";
    // Execute query
    $result = mysqli_query($con, $sql) or
die(mysqli_error($con));

    // Loop through each records
    while ($row = mysqli_fetch_array($result)) {
        $Id = $row['JobId'];
        $JobTitle = $row['JobTitle'];
        $Vacancy = $row['Vacancy'];
        $MinQualification = $row['MinQualification'];
        $Description = $row['Description'];

    ?>
        <tr>
            <td class="style3">
                <div align="left" class="style9
style5"><strong><?php echo $Id; ?></strong></div>
            </td>
            <td class="style3">
                <div align="left" class="style9
style5"><strong><?php echo $JobTitle; ?></strong></div>
            </td>
            <td class="style3">
                <div align="left" class="style9
style5"><strong><?php echo $Vacancy; ?></strong></div>
            </td>
            <td class="style3">

```



```

        <hr class="noscreen" />

</div> <!-- /content -->

<?php
include "right.php"
?>

</div> <!-- /page-in -->
</div> <!-- /page -->

<?php
include "footer.php"
?>
</div> <!-- /main -->

<script type="text/javascript">
    <!--
        var sprytextfield1 = new
Spry.Widget.ValidationTextField("sprytextfield1");
        var sprytextfield2 = new
Spry.Widget.ValidationTextField("sprytextfield2");
        var sprytextareal = new
Spry.Widget.ValidationTextarea("sprytextareal");
        //
    -->
</script>
</body>

</html>

```

SQL CODE

```


```

```

SET SQL_MODE="NO_AUTO_VALUE_ON_ZERO";

CREATE TABLE IF NOT EXISTS `application_master` (
  `ApplicationId` int(11) NOT NULL AUTO_INCREMENT,
  `JobSeekId` int(11) NOT NULL,
  `JobId` int(11) NOT NULL,
  `Status` varchar(30) NOT NULL,
  `Description` varchar(200) NOT NULL,
  PRIMARY KEY (`ApplicationId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;

--
-- Dumping data for table `application_master`
--

INSERT INTO `application_master` (`ApplicationId`, `JobSeekId`, `JobId`,
`Status`, `Description`) VALUES
(1, 3, 1, 'Call Latter Send', 'Invited on 21-Dec-2020.'),
(2, 3, 2, 'Call Latter Send', 'You are Invited For Interview on
10-MAR-2020.'),
(3, 3, 3, 'Call Latter Send', 'Invited on 21-Dec-2020.'),
(5, 3, 4, 'Call Latter Send', 'Invited on 21-Dec-2020.');
```

```

--
-- Table structure for table `employer_reg`
--

CREATE TABLE IF NOT EXISTS `employer_reg` (
  `EmployerId` int(11) NOT NULL AUTO_INCREMENT,
  `CompanyName` varchar(20) NOT NULL,
  `ContactPerson` varchar(20) NOT NULL,
  `Address` varchar(100) NOT NULL,
  `City` varchar(20) NOT NULL,
  `Email` varchar(40) NOT NULL,

```

```

`Mobile` bigint(20) NOT NULL,
`Area_Work` varchar(40) NOT NULL,
`Status` varchar(10) NOT NULL,
`UserName` varchar(20) NOT NULL,
`Password` varchar(20) NOT NULL,
`Question` varchar(100) NOT NULL,
`Answer` varchar(50) NOT NULL,
PRIMARY KEY (`EmployerId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;

--
-- Dumping data for table `employer_reg`
--

INSERT INTO `employer_reg` (`EmployerId`, `CompanyName`, `ContactPerson`,
`Address`, `City`, `Email`, `Mobile`, `Area_Work`, `Status`, `UserName`,
`Password`, `Question`, `Answer`) VALUES
(2, 'TCS Private Limited', 'Mr. Mohan Shah', 'Navarangpura1', 'Ahmedabad',
'mohan@gmail.com', 9898989898, 'Software', 'Confirm', 'mohan', 'mohan',
'Who is Your Favourite Person?', 'sachin'),
(3, 'Wipro Infotech', 'Mr. Sunil Pandya', 'Baroda', 'Baroda',
'sunil@wipro.com', 8989898989, 'Hardware', 'Confirm', 'sunil', 'sunil',
'', ''),
(4, 'Solusoft Pvt Limite', 'Mr. Nirav Soni', 'Narayanpura', 'Ahmedabad',
'nirav@gmail.com', 9898989898, 'Software', 'Confirm', 'nirav', 'nirav',
'What is Your Pet Name?', 'niru'),
(5, 'Info Matrics', 'Mr. Narayan', 'Sahibagh', 'Ahmedabad',
'narayan@yahoo.com', 6767676767, 'Software', 'Confirm', 'narayan',
'narayan', 'What is Your Pet Name?', 'nari');

--
-- Table structure for table `feedback`
--

CREATE TABLE IF NOT EXISTS `feedback` (

```

```

`FeedbackId` int(11) NOT NULL AUTO_INCREMENT,
`JobSeekId` int(11) NOT NULL,
`Feedback` varchar(200) NOT NULL,
`FeedbakDate` date NOT NULL,
PRIMARY KEY (`FeedbackId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=9 ;

--
-- Dumping data for table `feedback`
--

INSERT INTO `feedback` (`FeedbackId`, `JobSeekId`, `Feedback`,
`FeedbakDate`) VALUES
(5, 3, 'asadad', '2020-09-13'),
(6, 3, 'asd', '2020-09-18'),
(7, 4, 'Thanks For Your Support.', '2020-09-18'),
(8, 3, 'asd', '2020-09-22');

-----

--
-- Table structure for table `jobseeker_education`
--

CREATE TABLE IF NOT EXISTS `jobseeker_education` (
  `EduId` int(11) NOT NULL AUTO_INCREMENT,
  `JobSeekId` int(11) NOT NULL,
  `Degree` varchar(20) NOT NULL,
  `University` varchar(100) NOT NULL,
  `PassingYear` mediumint(9) NOT NULL,
  `Percentage` float NOT NULL,
  PRIMARY KEY (`EduId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;

--
-- Dumping data for table `jobseeker_education`
--

```

```

INSERT INTO `jobseeker_education` (`EduId`, `JobSeekId`, `Degree`,
`University`, `PassingYear`, `Percentage`) VALUES
(3, 3, 'B.C.A', 'Ganpat Universiy', 2011, 68.89),
(4, 3, 'M.C.A', 'Ganpat University', 2013, 89.9),
(5, 3, 'S.S.C', 'GSEB', 2005, 80);

```

```

-- -----

```

```

--

```

```

-- Table structure for table `jobseeker_reg`

```

```

--

```

```

CREATE TABLE IF NOT EXISTS `jobseeker_reg` (
  `JobSeekId` int(11) NOT NULL AUTO_INCREMENT,
  `JobSeekerName` varchar(20) NOT NULL,
  `Address` varchar(100) NOT NULL,
  `City` varchar(20) NOT NULL,
  `Email` varchar(40) NOT NULL,
  `Mobile` bigint(20) NOT NULL,
  `Qualification` varchar(20) NOT NULL,
  `Gender` varchar(10) NOT NULL,
  `BirthDate` date NOT NULL,
  `Resume` varchar(200) NOT NULL,
  `Status` varchar(10) NOT NULL,
  `UserName` varchar(20) NOT NULL,
  `Password` varchar(20) NOT NULL,
  `Question` varchar(100) NOT NULL,
  `Answer` varchar(50) NOT NULL,
  PRIMARY KEY (`JobSeekId`),
  KEY `JobSeekId` (`JobSeekId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=7 ;

```

```

--

```

```

-- Dumping data for table `jobseeker_reg`

```

```

--

```



```

INSERT INTO `jobseeker_reg` (`JobSeekId`, `JobSeekerName`, `Address`,
`City`, `Email`, `Mobile`, `Qualification`, `Gender`, `BirthDate`,
`Resume`, `Status`, `UserName`, `Password`, `Question`, `Answer`) VALUES
(3, 'Jalpa Prajapati', 'Near Dena Bank', 'Mehsana', 'jalpa@gmail.com',
9898989898, 'M.C.A', 'Female', '2020-09-10', 'Marksheet.pdf', 'Confirm',
'jalpa', 'jalpa', 'What is Your Pet Name?', 'jalpa'),
(4, 'Krunal Prajapati', 'Patan', 'Patan', 'krunal@gmail.com', 8989898989,
'M.B.A', 'Male', '2020-09-16', 'Marksheet.pdf', 'Confirm', 'krunal',
'krunal', '', ''),
(5, 'Gopal Patel', 'Patan', 'Patan', 'gopal@gmail.com', 9898989898, 'MA',
'Male', '2020-10-15', 'admin.jpg', 'Confirm', 'gopal', 'gopal', '', ''),
(6, 'Mehul Mistry', 'Swastik SOciety', 'Baroda', 'mehul@gmail.com',
8989898998, 'BE', 'Male', '2020-10-09', '470X310_1.jpg', 'Confirm',
'mehul', 'mehul', 'What is Your Pet Name?', 'mehu');

```

```

-- -----

```

```

--

```

```

-- Table structure for table `job_master`

```

```

--

```

```

CREATE TABLE IF NOT EXISTS `job_master` (
  `JobId` int(11) NOT NULL AUTO_INCREMENT,
  `CompanyName` varchar(20) NOT NULL,
  `JobTitle` varchar(50) NOT NULL,
  `Vacancy` int(11) NOT NULL,
  `MinQualification` varchar(50) NOT NULL,
  `Description` varchar(200) NOT NULL,
  PRIMARY KEY (`JobId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=5 ;

```

```

--

```

```

-- Dumping data for table `job_master`

```

```

--

```

```

INSERT INTO `job_master` (`JobId`, `CompanyName`, `JobTitle`, `Vacancy`,
`MinQualification`, `Description`) VALUES

```

```

(1, 'Wipro Infotech', 'Software Professional Required', 2, 'M.C.A',
'ASP.NET'),
(2, 'Wipro Infotech', 'Marketing Executive Required', 5, 'M.B.A',
'Freshers Are Invited'),
(3, 'TCS Private Limited', 'Software Trainee Required', 1, 'B.Sc.I.T',
'Starting Salary 5000'),
(4, 'Wipro Infotech', 'Cleaners Required', 3, 'S.S.C', 'N');

```

```

-- -----

```

```

--
-- Table structure for table `news_master`
--

```

```

CREATE TABLE IF NOT EXISTS `news_master` (
  `NewsId` int(11) NOT NULL AUTO_INCREMENT,
  `News` varchar(200) NOT NULL,
  `NewsDate` date NOT NULL,
  PRIMARY KEY (`NewsId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=3 ;

```

```

--
-- Dumping data for table `news_master`
--

```

```

INSERT INTO `news_master` (`NewsId`, `News`, `NewsDate`) VALUES
(1, 'Register and Get JOB', '2020-09-24'),
(2, 'New Vacancies will be updated after diwali', '2020-10-31');

```

```

-- -----

```

```

--
-- Table structure for table `user_master`
--

```

```

CREATE TABLE IF NOT EXISTS `user_master` (
  `UserId` int(11) NOT NULL AUTO_INCREMENT,

```

```

`UserName` varchar(20) NOT NULL,
`Password` varchar(20) NOT NULL,
PRIMARY KEY (`UserId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=11 ;

--
-- Dumping data for table `user_master`
--

INSERT INTO `user_master` (`UserId`, `UserName`, `Password`) VALUES
(6, 'admin', 'admin'),
(10, 'xyz', 'xyz');

-- -----
--
-- Table structure for table `walkin_master`
--

CREATE TABLE IF NOT EXISTS `walkin_master` (
  `WalkInId` int(11) NOT NULL AUTO_INCREMENT,
  `CompanyName` varchar(20) NOT NULL,
  `JobTitle` varchar(50) NOT NULL,
  `Vacancy` int(11) NOT NULL,
  `MinQualification` varchar(50) NOT NULL,
  `Description` varchar(100) NOT NULL,
  `InterviewDate` date NOT NULL,
  `InterviewTime` time NOT NULL,
  PRIMARY KEY (`WalkInId`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=3 ;

--
-- Dumping data for table `walkin_master`
--

```

```
INSERT INTO `walkin_master` (`WalkInId`, `CompanyName`, `JobTitle`,  
`Vacancy`, `MinQualification`, `Description`, `InterviewDate`,  
`InterviewTime`) VALUES  
(1, 'Wipro Infotech', 'Freshers Required', 5, 'B.C.A', 'Hardworking Person  
are Required.', '2020-09-25', '09:00:00'),  
(2, 'TCS Private Limited', 'Marketive Representative Invited', 2,  
'Pharmacist', 'Ready TO work in North Gujarat', '2020-10-07', '09:00:00');
```