

Name:- Patel Ayush Padminikumar

Branch:- Cyber security (Sem 1)

Enrollment no:- CS32

PRACTICAL 2 :- To study HTML Formatting tags and Font tags.

Tags:

- a) **** :- bold text
- b) **<I>** :- displayed text in italic.
- c) **<U>** :- displayed text with an underline
- d) **<big>** :- to define bigger text
- e) **<small>** :- to define smaller text
- f) **** :- define emphasized text (italic)
- g) **** :- define text with strong importance (bold)
- h) **<sub>** :- define subscript text
- i) **<ins>** :- defines a text that has been inserted into a document
- j) **** :- defines text that has been deleted from document
- k) **<bdo>** :- used to override the current text direction (eg.= text ---- txet)
- l) **<dfn>** :- stands for the definition element
- m) **<pre>** :- defines preformatted text
- n) **<tt>** :- defines teletype text

o) **<code>** :- defines a piece of computer code

p) **<kbd>** :- define keyboard input

q) **** :- defines the font face , font size , and colour of font

r) **<basefont>**:- specify a default text colour , font size or font family

EXERCISES :

1. Write a HTML Code which explains HTML header tags with use of text attributes

: Italic, Bold, Underline.

INPUT:-

```
<html>
<head>
<title>Practical 1</title>
</head>
<body>
<h1 style="text-align: center; font-size: 60px;">Welcome to ICT</h1> <br>
<center>
<h2><b>This is bold tag</b></h2><br>
<h3><i>This is Italic tag</i></h3><br>
<h4><u>This is unerline tag</u></h4>
  </center>
</body>
</html>
```

OUTPUT:-

Welcome to ICT

This is bold tag

This is Italic tag

This is unerline tag

2. Create a Page to Show different text formatting attributes (include all text formatting tag).

INPUT :-

```
<html>
<head>
<title> Exercise 2.2 </title>
</head>
<body bgcolor="lightblue"><br><h1><center>formatting text </center></h1>
<h3>
<b>Bold Text</b><br>
<i> ITALIC TEXT </i><br>
<u> UNDERLINED TEXT </u><br>
<big> BIGGER TEXT </big><br>
<small> SMALLER TEXT </small><br>
<em> EMPHASIZED TEXT </em><br>
<strong>text with strong importance</strong><br>
<sub>subscript text</sub><br>
<ins>text that has been inserted into a document </ins><br>
<del>deleted text</del><br>
<bdo dir="rtl">override the current text directon</bdo><br>
<dfn>definition element</dfn><br>
```

<pre>preformatted text</pre>

<tt>teletype text</tt>

<code>computer code</code>

<kbd>keyboard input</kbd>

font face, font size and colour of font


<basefont>specify a default text colour , font size or font family
</basefont>

<mark>marked/highlighted text</mark>


^{superscripted text}

</body>
</html>

OUTPUT:-



3. Write a HTML code to display following output.



INPUT :-

<html>

<head>

<title> EXERSICE 2.3 </title>

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?

family=Source+Code+Pro:wght@300&display=swap" rel="stylesheet">

<body>

New ^{Super}**Strength** H₂O *plus* will
knock out any strain

,**big** and small.

Look for new ^{Super}**Strength** H₂O
plus in a stream near you

NUTRITION

INFORMATION (**void where prohibited**)






	Calories	Grams	USRDA
	/serving	of Fat	Moisture
Regular	3	4	100%
Unleaded	3	2	100%
Organic	2	3	99%

Sugar Free 0 1 110%

</body>

</html>

OUTPUT:-

 Gmail  YouTube  WhatsApp  Google Docs  My Drive - Google...

New ^{Super} **Strength** H₂O *plus* will knock out any strain ,big and small.

Look for new ^{Super} **Strength** H₂O *plus* in a stream near you

NUTRITION INFORMATION (void where prohibited)

	Calories /serving	Grams of Fat	USDA Moisture
Regular	3	4	100%
Unleaded	3	2	100%
Organic	2	3	99%
Sugar Free	0	1	110%

