

Practical – 7

Q-1:

Html code:

```
<html>

<head>

<style>

img {

    width: 350px;

    height: 300px;

}

</style>

<title>Practical 7.1</title>

</head>

<body>

<h4><u>Using Width and Height</u></h4>

<a href="Q1_1.html" target="_blank"></a><br>

<h4><u>Using Style</u></h4>

<a href="Q1_2.html" target="_blank"></a><br>

<h4><u>Using Float</u></h4><br>

<a href="Q1_3.html" target="_blank"></a>

</body>

</html>
```

Html code(Q1_1):

```
<html>

<head>

<title>Practical 7.1.1</title>

</head>

<body>

<h2><u>This image is 50px in width and 50px in height</u></h2>
```

```
</body>
```

```
</html>
```

Html code(Q1_2):

```
<html>
```

```
<head>
```

```
<title>Practical 7.1.2</title>
```

```
</head>
```

```
<body>
```

```
<h2><u>This image is 60px in width and 40px in height using css.</u></h2>
```

```
</body>
```

```
</html>
```

Html code(Q1_3):

```
<html>
```

```
<head>
```

```
<title>Practical 7.1.3</title>
```

```
</head>
```


```
<body>
```



```
<h2><u>This image is using Float.</u></h2>
```


```
</body>
```

```
</html>
```

Output:







Q2:

Html code:

```
<html>

<head>

<title>Practical 7.2</title>

</head>

<body>

<h2>Here is a Picture:</h2><br>

<p>With Size Attribute</p>

<p>

</p>

<p><pre><sub>Image of
Nature.</sub></pre></p>

<p>Image of Nature.</p>


<p>Image of Nature.</p>

<p>Image of Nature.</p>

</body>

</html>
```

Output:



Q3:

Html code:

```
<html>
```

```
<head>
```

```
<style>
```

```
table, th, td {
```

```
    border: 1px solid black;
```

```
}
```

```
</style>
<title>Practical 7.3</title>
</head>
<body>
<table>
<caption>Employee Details</caption>
<tr>
    <th>Employee ID</th>
    <th>Name</th>
    <th>Address</th>
</tr>
<tr>
    <td>0056</td>
    <td>Akshat patel</td>
    <td>Ahmedabad</td>
</tr>
<tr>
    <td>0057</td>
    <td>Divya patel</td>
    <td>Gandhinagar</td>
</tr>
<tr>
    <td>0058</td>
    <td>Aditya patel</td>
    <td>Ahmedabad</td>
</tr>
</table>
</body>
</html>
```

Output:

Employee Details

Employee ID	Name	Address
0056	Akshat patel	Ahmedabad
0057	Divya patel	Gandhinagar
0058	Aditya patel	Ahmedabad

Q4:

Html code:

```
<html>
```

```
<head>
```

```
<style>
```

```
table, th, td {
```

```
    border: 1px solid black;
```

```
}
```

```
</style>
```

```
<title>Practical 7.4</title>
```

```
</head>
```

```
<body>
```

```
<table>
```

```
<tr>
```

```
    <th rowspan="2"><center>Name of<br>Train</center></th>
```

```
    <th rowspan="2"><center>place</th>
```

```
    <th rowspan="2"><center>Destination</th>
```

```
    <th rowspan="2">Train No</th>
```

```
    <th colspan="2">Time</th>
```



```

        <th rowspan="2">Fair</th>
</tr>
<tr>
        <th>Arrival</th>
        <th>Departure</th>
</tr>
<tr>
        <td>Rajdhani</td>
        <td>Ahmedabad</td>
        <td>Delhi</td>
        <td>5144</td>
        <td>5:00pm</td>
        <td>1:00am</td>
        <td><pre>Rs. 5000</pre></td>
</tr>
<tr>
        <td>Shatabadi</td>
        <td>Ahmedabad</td>
        <td>Lucknow</td>
        <td>4534</td>
        <td>7:30pm</td>
        <td>3:25am</td>
        <td><pre>Rs. 4300</pre></td>
</tr>
</table>
</body>
</html>

```

Output:

Name of Train	place	Destination	Train No	Time		Fair
				Arrival	Departure	
Rajdhani	Ahmedabad	Delhi	5144	5:00pm	1:00am	Rs. 5900
Shatabadi	Ahmedabad	Lucknow	4534	7:30pm	3:25am	Rs. 4300