
3. Design following responsive layout using html.

Use <header>, <footer>, <div> and appropriate tags



To design the layout you provided in HTML with responsive behavior, we can use HTML structure with <hear>, <footer>, <div>, and CSS for styling. The layout consists of a section with buttons below that change the section's color.

Here's the HTML and CSS code to achieve this:

HTML Code:

```
html
Copy code
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Responsive Layout</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <header>
        <h1>Responsive Color Changing Section</h1>
    </header>
    <div class="content">
        <section id="color-section">
            This section should change colour after clicking on
following buttons
```

CSS Code (styles.css):

```
CSS
Copy code
/* General Styles */
* {
   margin: 0;
   padding: 0;
   box-sizing: border-box;
}
body {
   font-family: Arial, sans-serif;
    line-height: 1.6;
header, footer {
   background-color: #333;
    color: white;
   padding: 20px;
   text-align: center;
footer {
   font-size: 14px;
h1 {
   margin-bottom: 20px;
/* Content Section */
```

```
.content {
    display: flex;
    flex-direction: column;
    align-items: center;
   padding: 20px;
/* Color Changing Section */
#color-section {
   width: 80%;
   height: 200px;
    margin-bottom: 20px;
    border: 2px solid #333;
    display: flex;
   justify-content: center;
    align-items: center;
   text-align: center;
   background-color: white;
/* Button Styles */
.buttons {
   display: flex;
   gap: 10px;
.color-button {
   width: 60px;
   height: 60px;
   border-radius: 50%;
   border: none;
    cursor: pointer;
    transition: background-color 0.3s ease;
.color-button:hover {
   opacity: 0.8;
/* Color Button Colors */
#blue {
   background-color: blue;
#orange {
   background-color: orange;
#green {
  background-color: green;
```

```
/* Responsive Styles */
@media (max-width: 768px) {
    .content {
        width: 100%;
    }

    #color-section {
        width: 90%;
    }

    .buttons {
        flex-direction: column;
        align-items: center;
    }
}
```

JavaScript Code (script.js):

```
javascript
Copy code
// JavaScript to change the section color based on button click
document.getElementById('blue').addEventListener('click', function()
{
    document.getElementById('color-section').style.backgroundColor =
'blue';
});

document.getElementById('orange').addEventListener('click',
function() {
    document.getElementById('color-section').style.backgroundColor =
'orange';
});

document.getElementById('green').addEventListener('click',
function() {
    document.getElementById('color-section').style.backgroundColor =
'green';
});
```

Explanation:

- 1. **HTML Structure**: The <header> contains a title. The main content is wrapped in a <div class="content"> which contains the color-changing section and buttons.
- 2. CSS Layout:
 - o The layout is designed to be responsive with a @media query for devices with a width of 768px or less.

- Buttons are styled as circular elements, and the section changes color depending on the clicked button.
- 3. **JavaScript Functionality**: When a button is clicked, the background color of the section changes according to the button's color.