

Reiki Bliss - Deployment Guide

Complete InfinityFree.com Production Cloud Setup

Project: Shree Sai Reiki Healing Center
Domain: reikibliss.infinityfreeapp.com
Updated: September 2026

Goal Achieved: The website is configured to run **24/7 in the cloud** on InfinityFree. Visitors and clients worldwide can access the site, book free consultations via Google Calendar, send contact inquiries, and purchase Reiki products even when your local computer is powered off.

1. Deployment Credentials & Overview

Below are the official hosting and database connection parameters generated for your InfinityFree account:

Parameter	Production Value	Purpose
Live Website URL	http://reikibliss.infinityfreeapp.com/	Public client-facing web address
Account Username	if0_42861215	InfinityFree hosting account identifier
MySQL Hostname	sql206.infinityfree.com	Remote cloud database server
MySQL Database	if0_42861215_reikibliss	Production database name
MySQL Port	3306	Standard TCP MySQL communication port
MySQL Username	if0_42861215	Database administrative user
MySQL Password	Ayush171998	Database authentication password

2. File Directory Architecture

In the InfinityFree File Manager (`filemanager.ai`), the web root folder is always `htdocs/` .

Important Root Placement Rule:

All files (`index.php` , `contact.php` , `assets/` , `config/` , `includes/` , etc.) must reside **directly inside** `htdocs/` , NOT nested inside a subfolder like `htdocs/DemoWebsite/` .

This ensures clients visit `reikibliss.infinityfreeapp.com/` directly without typing extra folder names.

```
htdocs/           ← InfinityFree Root Directory
├─ assets/        ← CSS stylesheets, JS scripts, and images
│  ├─ css/
│  ├─ images/
│  │  ├─ reikilogo1.png      (Brand Logo)
│  │  └─ favicon-circle.png  (Circular Tab Icon)
│  └─ js/
├─ config/
│  ├─ db.php           ← Database configuration (Cloud + Local dual-mode)
│  └─ constants.php    ← Site constants, BASE_URL & BOOKING_URL
├─ includes/
│  ├─ header.php       ← Sticky navigation bar & branding
│  ├─ footer.php       ← Footer & Google Calendar scheduler scripts
│  └─ cta-section.php  ← Reusable booking CTA blocks
├─ index.php        ← Homepage
├─ contact.php       ← Contact & Inquiry page
├─ services.php      ← Reiki healing services
└─ database.sql      ← SQL schema and seed data backup
```

3. Database Setup & SQL Import

To populate your cloud database with all services, products, testimonials, and site settings:

1. Log into your **InfinityFree Dashboard** at `dash.infinityfree.com`.
2. Under your account (`if0_42861215`), go to **MySQL Databases**.
3. Verify that database `if0_42861215_reikibliss` exists.
4. Click the purple **phpMyAdmin** button next to your database name.
5. In phpMyAdmin, click the **Import** tab in the top navigation bar.
6. Click **Choose File** and select `database.sql` from your project.
7. Click **Go** (or **Import**) at the bottom. All tables and initial seed data will be created in seconds.

4. Dynamic URL & Reverse-Proxy Resolution (`config/constants.php`)

InfinityFree and Cloudflare utilize edge reverse-proxies to terminate SSL/TLS. `config/constants.php` dynamically detects whether traffic is coming through `HTTP_X_FORWARDED_PROTO` so that assets never face mixed-content security blocks:

```
// Dynamic Base URL definition
if (!defined('BASE_URL')) {
    if (isset($_SERVER['HTTP_HOST']) && isset($_SERVER['SCRIPT_NAME'])) {
        $isHttps = (isset($_SERVER['HTTPS']) && $_SERVER['HTTPS'] === 'on')
            || (isset($_SERVER['HTTP_X_FORWARDED_PROTO']) && $_SERVER['HTTP_X_FORWARDED_PROTO']
            === 'https');
        $scheme = $isHttps ? 'https' : 'http';
        $host = $_SERVER['HTTP_HOST'];
        $dir = str_replace('\\', '/', dirname($_SERVER['SCRIPT_NAME']));
        $baseDir = rtrim($dir, '/') . '/';
        define('BASE_URL', "{$scheme}://{ $host }{$baseDir}");
    } else {
        define('BASE_URL', 'http://localhost/reikibliss/');
    }
}
```

5. Smart Dual-Environment Database Configuration (config/db.php)

To ensure you can continue developing locally on **XAMPP** while simultaneously running live on **InfinityFree** without breaking either environment, config/db.php uses dynamic host-detection:

```
<?php
// Database configuration and PDO connection

// Check if running on Local XAMPP
$hostHeader = $_SERVER['HTTP_HOST'] ?? ($_SERVER['SERVER_NAME'] ?? '');
$isLocal = (strpos($hostHeader, 'localhost') !== false || strpos($hostHeader, '127.0.0.1') !== false);

if ($isLocal) {
    // Localhost XAMPP Environment
    $host = 'localhost';
    $port = 3306;
    $dbname = 'reiki_website';
    $username = 'root';
    $password = '';
} else {
    // InfinityFree Cloud Production Environment
    $host = 'sql206.infinityfree.com';
    $port = 3306;
    $dbname = 'if0_42861215_reikibliss';
    $username = 'if0_42861215';
    $password = 'Ayush171998';
}

$charset = 'utf8mb4';
$dsn = "mysql:host={$host};port={$port};dbname={$dbname};charset={$charset}";

$options = [
    PDO::ATTR_ERRMODE            => PDO::ERRMODE_EXCEPTION,
    PDO::ATTR_DEFAULT_FETCH_MODE => PDO::FETCH_ASSOC,
    PDO::ATTR_EMULATE_PREPARES   => false,
];

try {
    $pdo = new PDO($dsn, $username, $password, $options);
    $pdo->exec("SET NAMES utf8mb4");
} catch (\PDOException $e) {
    die("Database Connection Failed: " . $e->getMessage());
}

return $pdo;
```

6. Common Issues & Solutions

Issue / Error	Root Cause	Exact Solution
SQLSTATE[HY000] [2002] No such file or directory	PHP tried connecting to 'localhost' on InfinityFree, attempting to use a local Unix socket instead of TCP network host.	Set <code>\$host = 'sql206.infinityfree.com'</code> and explicitly specify <code>port=3306</code> in the PDO DSN string.
Website shows Index of / directory listing	Files were uploaded inside a nested subfolder (e.g. <code>htdocs/DemoWebsite/</code>) instead of directly in <code>htdocs/</code> .	In File Manager, select all files inside <code>DemoWebsite</code> and move them directly to the parent <code>htdocs/</code> directory.
CSS or Images not loading	Hardcoded <code>BASE_URL</code> pointing to localhost.	Ensure <code>config/constants.php</code> uses dynamic <code>\$_SERVER['HTTP_HOST']</code> resolution (already implemented).
Free SSL Certificate (HTTPS)	InfinityFree subdomains start on HTTP by default.	In the InfinityFree dashboard, go to Free SSL Certificates , click New SSL Certificate , choose Let's Encrypt / ZeroSSL , and follow the 1-click install.

7. Google Calendar Appointment Scheduling Integration

The website is integrated with Google Calendar Appointment Scheduling:

- **Schedule URL:** Configured in `config/constants.php` via `BOOKING_URL`.
- **Modal Popup Experience:** Clicking "*Book Free Session*" anywhere on the site triggers Google's full-screen modal overlay without taking visitors away from the website.
- **Auto Google Meet:** Confirmed appointments automatically generate unique Google Meet links and email invites to both the client and Dr. Chirag / Anupama Agrawal.
- **Hidden Native Trigger:** The default generic Google button (`.qxCTlb`) is safely hidden so only your custom gold-themed buttons initiate bookings.

8. Maintenance & Updating Code

When you make improvements or changes to your website in the future:

1. **Via Online File Manager:** Open `filemanager.ai` from your InfinityFree dashboard, navigate to the file, click **Edit**, save, and refresh.
2. **Via FTP (FileZilla):** Use your FTP Host (`ftpupload.net`), Username (`if0_42861215`), and Password to upload bulk updates with drag-and-drop.