

Objective:

Create a digital twin that accurately models the behavior of a specific network or security device (e.g., router or firewall). The twin should simulate device operations, respond to inputs, and predict device states or issues based on logs and documentation.

1. Input Data & Resources**Primary Data:**

- **Synthetic Logs Data:** Logs mimicking device behavior under normal and abnormal conditions.
- **Product Documentation:** Specifications, operational parameters, and typical behavior descriptions.
- **Configuration Data:** Device settings, policies, and firmware versions.
- **Operational Metrics:** CPU usage, memory utilization, throughput, error rates (simulated).

Preparation Tips:

- Use logs to capture device states over time, including normal operation, errors, and anomalies.
 - Extract key parameters from documentation to define device behavior rules.
 - Simulate different operational scenarios to generate diverse logs.
-

2. Expected Outputs**Primary Goals:**

- **Device Behavior Model:**
 - Input: Configuration parameters, logs, and documentation.
 - Output: A predictive model or simulation that mimics device responses to inputs or network conditions.
- **Anomaly Detection & Prediction:**
 - Detect deviations from normal behavior, predict failures or security breaches.
- **Visualization & Dashboard:**
 - Real-time simulation of device states, health metrics, and alerts.

Additional Outputs:

- Documentation of the model architecture and assumptions.

- Sample scenarios demonstrating device responses.
-

3. Key Requirements & Guidelines

- **Data Handling:**
 - Use logs to train models that predict device states.
 - Incorporate device specifications to inform behavior rules.
 - **Modeling Approaches:**
 - Use machine learning (classification, regression) to simulate device responses.
 - Rule-based systems combined with ML for hybrid modeling.
 - Reinforcement learning for adaptive behavior.
 - **Features to Consider:**
 - Device-specific metrics (CPU, memory, throughput).
 - Log event types (errors, warnings, info).
 - Configuration parameters and policies.
 - External network conditions.
 - **Evaluation Metrics:**
 - Accuracy of behavior prediction.
 - Ability to detect anomalies.
 - Response time and fidelity of simulation.
 - **Deliverables:**
 - A functional digital twin prototype.
 - Code/scripts for the model.
 - Demonstration scenarios.
 - Documentation explaining the architecture, data, and results.
-

4. Additional Datasets & Resources Needed

- **Synthetic Device Logs:** Normal and abnormal operation logs.
- **Device Documentation:** Specifications, typical behavior, and operational parameters.
- **Configuration Data:** Simulated device settings.

- **Operational Metrics:** CPU, memory, throughput, error logs.