

Filters

Habitat

Forest × Grassland ×

Park

ANTI × CATO ×
CHOH × GWMP ×
HAFE × MANA ×
MONO × NACE ×
PDWL × RQCP ×

Year

2018 ×



Bird Biodiversity Intelligence Dashboard: Forest & Grassland Insights

Turning Bird Observation Data into Actionable Insights for Conservation and Ecosystem Management

Observations

17077

Species

126

Parks

11


Habitats

2




Monthly Bird Activity Trend

Monthly Bird Observation Pattern




Seasonal Distribution

Bird Observations Across Seasons




Yearly Trend (Smoothed)

Yearly Bird Observations




Peak Activity Month

Peak Bird Activity by Month



Activity Heatmap (Year vs Month)

Bird Activity Intensity



Smart Insights

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal

Download Data

Filters

Habitat

Forest

Grassland

Park

ANTI

CATO

CHOH

GWMP

HAFE

MANA

MONO

NACE

PRWI

ROCR

Year

2018



 Bird Biodiversity Intelligence Dashboard: Forest & Grassland Insights

Turning Bird Observation Data into Actionable Insights for Conservation and Ecosystem Management



- Temporal
- Spatial
- Species
- Environment
- Map
- SQL

 Spatial Biodiversity Insights




 Biodiversity Hotspots (Species Richness)




 Top Observation Plots



 Habitat vs Location Type



 Park-Level Activity



 Smart Insights ↔

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal

Download Data

Filters

Habitat

ForestGrassland

Park

ANTICATOGWMPHAFEMANAMONONACEBPWIBOCP

Year

2018



Bird Biodiversity Intelligence Dashboard: Forest & Grassland Insights

Turning Bird Observation Data into Actionable Insights for Conservation and Ecosystem Management



- Temporal
- Spatial
- Species
- Environment
- Map
- SQL



Species Analysis & Biodiversity Insights




Biodiversity Metrics





Species Contribution (%)


Contribution of Top Species





Sex Distribution of Observed Birds


Male vs Female Distribution





Species Distribution Across Habitats


Unique Species Count per Habitat





Bird Activity Identification Methods

Top Identification Methods (e.g., Singing, Visual)





Bird Activity Identification Methods

Top Identification Methods (e.g., Singing, Visual)





Smart Insights

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal

Download Data

Filters

Habitat

Forest

Grassland

Park

ANTI

CATO

CHOH

GWMP

HIAFE

MANA

MONO

NACE

RDWH

RDWP


Year

2018

Environmental & Behavioral Intelligence

Impact of Temperature on Bird Observations

Temperature Distribution Across Observations



Impact of Humidity on Bird Observations

Humidity Distribution Across Observations




Impact of Wind on Bird Observations

Wind Distribution Across Observations




Impact of Sky on Bird Observations

Wind Distribution Across Observations




Impact of Sky on Bird Observations

Disturbance Distribution Across Observations




Environmental Correlation (Temperature vs Humidity)

Temperature vs Humidity Relationship




Distance-Based Observation Analysis

Distribution of Observation Distance



Distance-Based Observation Analysis

Distribution of Observation Distance




Observer Contribution Analysis

Top Observers by Number of Observations




Observer Contribution Analysis

Top Observers by Number of Observations




Visit Frequency Analysis

Distribution of Visit Counts




Regional Conservation Priority

Species Conservation Priority Levels



Regional Conservation Priority

Species Conservation Priority Levels



Smart Insights

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal

Download Data

Filters

Habitat

Forest

Grassland

Park

ANTI

CATO

CHOH

GWMP

HAFE

MANA

MONO

NACE

PRWI

ROCR

Year

2018

 Bird Biodiversity Intelligence Dashboard: Forest & Grassland Insights


Turning Bird Observation Data into Actionable Insights for Conservation and Ecosystem Management




- Temporal
- Spatial
- Species
- Environment
- Map
- SQL

 Geographic Bird Observation Insights


 Bird Observation Locations




 Observation Density Map



 Top Parks by Bird Activity



 Habitat Distribution (%)



 Geographic Insights

- Most Active Park: ANTI
- Dominant Habitat: Forest
- Total Geo Points: 17077

 Smart Insights

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal

Download Data

🔍 Filters

Habitat

Forest × Grassland × × ▾

Park

ANTI × CATO ×
CHOH × GWMP ×
HAFE × MANA ×
MONO × NACE ×
PRWL × ROCP × × ▾

Year

2018 × × ▾



Bird Biodiversity Intelligence Dashboard: Forest & Grassland Insights

Turning Bird Observation Data into Actionable Insights for Conservation and Ecosystem Management

Observations

17077

Species

126

Parks

11

Habitats

2

📊 Temporal

🌐 Spatial

🦜 Species

🌱 Environment

📍 Map

📄 SQL



Interactive SQL Data Explorer



Sample Queries

Choose a sample query

Habitat Distribution ▾

Write SQL Query

```
SELECT Habitat, COUNT(*) as Count FROM data GROUP BY Habitat
```

🚀 Run Query



Smart Insights

- Peak Season: Monsoon
- Top Park: ANTI
- Top Species: Northern Cardinal


⬇ Download Data



Activity Heatmap (Year vs Month) [↗](#)




Bird Activity Intensity







Auto Visualization



Bar Chart Representation



Bird Observation Locations




Habitat


- Forest
- Grassland



Environmental Correlation (Temperature vs Humidity)



Temperature vs Humidity Relationship






Habitat vs Location Type




Habitat Comparison Across Locations






Impact of Temperature on Bird Observations



Temperature Distribution Across Observations



Interactive SQL Data Explorer

Sample Queries

Choose a sample query

Top 10 Species



Write SQL Query

```
SELECT Common_Name, COUNT(*) as Count FROM data GROUP BY Common_Name ORDER BY Count DESC LIMIT 10
```

 Run Query

Rows Returned

10

Columns

2

Observations

17077

Species

126

Parks

11

Habitats

2

Biodiversity Metrics

 Common Species

126

 Scientific Species


127



Monthly Bird Activity Trend




Monthly Bird Observation Pattern




Activate Windows
Go to Settings to activate Windows.

Observation Count per Park





Spatial Biodiversity Insights



Observation Distribution by Location Type




Activate Windows



Species Contribution (%)

Contribution of Top Species




- Northern Cardinal
- Carolina Wren
- Red-eyed Vireo
- Eastern Tufted Titmouse
- Indigo Bunting
- Eastern Wood-Pewee
- Field Sparrow
- European Starling
- American Goldfinch
- American Robin

Species Distribution Across Habitats

Unique Species Count per Habitat



🏆 Top 10 Most Observed Bird Species



Top 10 Species by Observation Count



Top Parks by Bird Activity

Observation Count per Park

