ELECTROSTATICS - I
– Electrostatic Force

1. **Frictional Electricity**

2. **Properties of Electric Charges**

3. **Coulomb's Law**

4. **Coulomb's Law in Vector Form**

5. **Units of Charge**

6. **Relative Permittivity or Dielectric Constant**

7. **Continuous Charge Distribution**

   i) **Linear Charge Density**

   ii) **Surface Charge Density**

   iii) **Volume Charge Density**

Frictional Electricity:

Frictional electricity is the electricity produced by rubbing two suitable bodies and transfer of electrons from one body to other.

Glass

Silk

Ebonite

Flannel

Electrons in glass are loosely bound in it than the electrons in silk. So, when glass and silk are rubbed together, the comparatively loosely bound electrons from glass get transferred to silk.

As a result, glass becomes positively charged and silk becomes negatively charged.

Electrons in fur are loosely bound in it than the electrons in ebonite. So, when ebonite and fur are rubbed together, the comparatively loosely bound electrons from fur get transferred to ebonite.

As a result, ebonite becomes negatively charged and fur becomes positively charged.

It is very important to note that the electrification of the body (whether positive or negative) is due to transfer of electrons from one body to another.

i.e. If the electrons are transferred from a body, then the deficiency of electrons makes the body positive.

If the electrons are gained by a body, then the excess of electrons makes the body negative.

If the two bodies from the following list are rubbed, then the body appearing early in the list is positively charges whereas the latter is negatively charged.

Fur, Glass, Silk, Human body, Cotton, Wood, Sealing wax, Amber, Resin, Sulphur, Rubber, Ebonite.

Column I (+ve Charge)	Column II (-ve Charge)
Glass	Silk
Wool, Flannel	Amber, Ebonite, Rubber, Plastic
Ebonite	Polythene
Dry hair	Comb

Properties of Charges:

1. There exists only two types of charges, namely positive and negative.

2. Like charges repel and unlike charges attract each other.

3. Charge is a scalar quantity.

4. Charge is additive in nature.   eg.   +2 C + 5 C – 3 C = +4 C

5. Charge is quantized.

   i.e. Electric charge exists in discrete packets rather than in continuous amount.

   It can be expressed in integral multiples fundamental electronic charge ($e = 1.6 \times 10^{-19}$ C)

$$q = \pm ne \qquad \text{where n = 1, 2, 3, …………}$$

6. Charge is conserved.

   i.e. The algebraic sum of positive and negative charges in an isolated system remains constant.

   eg. When a glass rod is rubbed with silk, negative charge appears on the silk and an equal amount of positive charge appear on the glass rod. The net charge on the glass-silk system remains zero before and after rubbing.

   It does not change with velocity also.

Note: Recently, the existence of quarks of charge ⅓ e and ⅔ e has been postulated. If the quarks are detected in any experiment with concrete practical evidence, then the minimum value of 'quantum of charge' will be either ⅓ e or ⅔ e. However, the law of quantization will hold good.

Coulomb's Law – Force between two point electric charges:

The electrostatic force of interaction (attraction or repulsion) between two point electric charges is directly proportional to the product of the charges, inversely proportional to the square of the distance between them and acts along the line joining the two charges.

Strictly speaking, Coulomb's law applies to stationary point charges.

q_1 q_2

r

$$F \alpha \; q_1 \, q_2$$

$$F \alpha \; 1 \, / \, r^2$$

or $F \alpha \dfrac{q_1 \, q_2}{r^2}$ or $F = k \; \dfrac{q_1 \, q_2}{r^2}$ **where k is a positive constant of proportionality called electrostatic force constant or Coulomb constant.**

In vacuum, $k = \dfrac{1}{4\pi\varepsilon_0}$ **where ε_0 is the permittivity of free space**

In medium, $k = \dfrac{1}{4\pi\varepsilon}$ where ε is the absolute electric permittivity of the dielectric medium

The dielectric constant or relative permittivity or specific inductive capacity or dielectric coefficient is given by

$$K = \varepsilon_r = \frac{\varepsilon}{\varepsilon_0}$$

∴ **In vacuum,** $F = \dfrac{1}{4\pi\varepsilon_0} \dfrac{q_1\, q_2}{r^2}$

In medium, $F = \dfrac{1}{4\pi\varepsilon_0\varepsilon_r} \dfrac{q_1\, q_2}{r^2}$

$$\varepsilon_0 = 8.8542 \times 10^{-12}\ C^2\ N^{-1}\ m^{-2}$$

$$\dfrac{1}{4\pi\varepsilon_0} = 8.9875 \times 10^9\ N\ m^2\ C^{-2} \quad \text{or} \quad \dfrac{1}{4\pi\varepsilon_0} = 9 \times 10^9\ N\ m^2\ C^{-2}$$

Coulomb's Law in Vector Form:

In vacuum, for $q_1 q_2 > 0$,

$$\vec{F}_{12} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^2} \hat{r}_{21}$$

$$\vec{F}_{21} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^2} \hat{r}_{12}$$


In vacuum, for $q_1 q_2 < 0$,

$$\vec{F}_{12} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^2} \hat{r}_{12} \quad \& \quad \vec{F}_{21} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^2} \hat{r}_{21}$$

$$\therefore \boxed{\vec{F}_{12} = -\vec{F}_{21}} \quad \text{(in all the cases)}$$

$$\vec{F}_{12} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^3} \vec{r}_{12} \qquad \& \qquad \vec{F}_{21} = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r^3} \vec{r}_{21}$$

Note: The cube term of the distance is simply because of vector form.

Otherwise the law is 'Inverse Square Law' only.

Units of Charge:

In SI system, the unit of charge is coulomb (C).

One coulomb of charge is that charge which when placed at rest in vacuum at a distance of one metre from an equal and similar stationary charge repels it and is repelled by it with a force of 9×10^9 newton.

In cgs electrostatic system, the unit of charge is 'statcoulomb' or 'esu of charge'.

In cgs electrostatic system, $k = 1 / K$ where K is 'dielectric constant'.

For vacuum, $K = 1$.

$$\therefore \quad F = \frac{q_1 q_2}{r^2}$$

If $q_1 = q_2 = q$ (say), $r = 1$ cm and $F = 1$ dyne, then $q = \pm 1$ statcoulomb.

In cgs electromagnetic system, the unit of charge is 'abcoulomb' or 'emu of charge'.

1 emu of charge = c esu of charge

1 emu of charge = 3 x 10^{10} esu of charge

1 coulomb of charge = 3 x 10^9 statcoulomb

1 abcoulomb = 10 coulomb

Relative Permittivity or Dielectric Constant or Specific Inductive Capacity or Dielectric Coefficient:

The dielectric constant or relative permittivity or specific inductive capacity or dielectric coefficient is given by the ratio of the absolute permittivity of the medium to the permittivity of free space.

$$K = \varepsilon_r = \frac{\varepsilon}{\varepsilon_0}$$

The dielectric constant or relative permittivity or specific inductive capacity or dielectric coefficient can also be defined as the ratio of the electrostatic force between two charges separated by a certain distance in vacuum to the electrostatic force between the same two charges separated by the same distance in that medium.

Dielectric constant has no unit.

$$K = \varepsilon_r = \frac{F_v}{F_m}$$

Continuous Charge Distribution:

Any charge which covers a space with dimensions much less than its distance away from an observation point can be considered a point charge.

A system of closely spaced charges is said to form a continuous charge distribution.

It is useful to consider the density of a charge distribution as we do for density of solid, liquid, gas, etc.

(i) Line or Linear Charge Density (λ):

If the charge is distributed over a straight line or over the circumference of a circle or over the edge of a cuboid, etc, then the distribution is called 'linear charge distribution'.

Linear charge density is the charge per unit length. Its SI unit is C / m.

$$\lambda = \frac{q}{l} \quad \text{or} \quad \lambda = \frac{dq}{dl}$$

$$+ + + + + \boxed{+ \ +} + + + + +$$

$$dq$$
$$dl$$

Total charge on line l, $\qquad q = \int_{l} \lambda \, dl$

(ii) Surface Charge Density (σ):

If the charge is distributed over a surface area, then the distribution is called 'surface charge distribution'.

Surface charge density is the charge per unit area. Its SI unit is C / m².

$$\sigma = \frac{q}{S} \quad \text{or} \quad \sigma = \frac{dq}{dS}$$

**Total charge on surface S,** $\quad q = \int_S \sigma \, dS$

```
+ + + + + + dq + + + +
+ + + + + + + + + + + +
+ + + + + + + + + + + +
+ + + + + + dS + + + +
```

(iii) Volume Charge Density (ρ):

If the charge is distributed over a volume, then the distribution is called 'volume charge distribution'.

Volume charge density is the charge per unit volume. Its SI unit is C / m³.

$$\rho = \frac{q}{\tau} \quad \text{or} \quad \rho = \frac{dq}{d\tau}$$

Total charge on volume τ, $\quad q = \int_\tau \rho \, d\tau$

ELECTROSTATICS - II : Electric Field

1. Electric Field

2. Electric Field Intensity or Electric Field Strength

3. Electric Field Intensity due to a Point Charge

4. Superposition Principle

5. Electric Lines of Force

   i) Due to a Point Charge

   ii) Due to a Dipole

   iii) Due to a Equal and Like Charges

   iv) Due to a Uniform Field

6. Properties of Electric Lines of Force

7. Electric Dipole

8. Electric Field Intensity due to an Electric Dipole

9. Torque on an Electric Dipole

10. Work Done on an Electric Dipole

Electric Field:

Electric field is a region of space around a charge or a system of charges within which other charged particles experience electrostatic forces.

Theoretically, electric field extends upto infinity but practically it is limited to a certain distance.

Electric Field Strength or Electric Field Intensity or Electric Field:

Electric field strength at a point in an electric field is the electrostatic force per unit positive charge acting on a vanishingly small positive test charge placed at that point.

| + q | + q_0 | - q | + q_0 |
| | F | | F |

q – Source charge, q_0 – Test charge, F – Force & E - Field

$$\vec{E} = \lim_{\Delta q \to 0} \frac{\vec{F}}{\Delta q} \quad \text{or} \quad \vec{E} = \frac{\vec{F}}{q_0} \quad \text{or} \quad \vec{E} = \frac{1}{4\pi\varepsilon_0} \frac{q}{r^2} \hat{r}$$

The test charge is considered to be vanishingly small because its presence should not alter the configuration of the charge(s) and thus the electric field which is intended to be measured.

Note:

1. Since q_0 is taken positive, the direction of electric field ($\vec{E}$) is along the direction of electrostatic force ($\vec{F}$).

2. Electrostatic force on a negatively charged particle will be opposite to the direction of electric field.

3. Electric field is a vector quantity whose magnitude and direction are uniquely determined at every point in the field.

4. SI unit of electric field is newton / coulomb ($N\ C^{-1}$).

Electric Field due to a Point Charge:

Force exerted on q_0 by q is

$$\vec{F} = \frac{1}{4\pi\varepsilon_0} \frac{q\,q_0}{r^2} \hat{r}$$

or $\quad \vec{F} = \frac{1}{4\pi\varepsilon_0} \frac{q\,q_0}{r^3} \vec{r}$

Electric field strength is $\quad \vec{E} = \dfrac{\vec{F}}{q_0}$

$\therefore \quad \vec{E}(r) = \dfrac{1}{4\pi\varepsilon_0} \dfrac{q}{r^3} \vec{r}$

or $\quad \vec{E}(r) = \dfrac{1}{4\pi\varepsilon_0} \dfrac{q}{r^2} \hat{r}$

The electric field due to a point charge has spherical symmetry.

If q > 0, then the field is radially outwards.

If q < 0, then the field is radially inwards.

Electric field in terms of co-ordinates is given by

$$\vec{E}(\vec{r}) = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x^2+y^2+z^2)^{3/2}} (x\,\hat{i} + y\,\hat{j} + z\,\hat{k})$$

Superposition Principle:

The electrostatic force experienced by a charge due to other charges is the vector sum of electrostatic forces due to these other charges as if they are existing individually.

$$\vec{F}_1 = \vec{F}_{12} + \vec{F}_{13} + \vec{F}_{14} + \vec{F}_{15}$$

$$\vec{F}_a(\vec{r}_a) = \frac{1}{4\pi\varepsilon_0} \sum_{\substack{b=1 \\ b\neq a}}^{N} q_a\, q_b \frac{\vec{r}_a - \vec{r}_b}{|\vec{r}_a - \vec{r}_b|^3}$$

In the present example, a = 1 and b = 2 to 5.

If the force is to be found on 2nd charge, then a = 2 and b = 1 and 3 to 5.

Note:

The interactions must be on the charge which is to be studied due to other charges.

The charge on which the influence due to other charges is to be found is assumed to be floating charge and others are rigidly fixed.

For eg. 1st charge (floating) is repelled away by q_2 and q_4 and attracted towards q_3 and q_5.

The interactions between the other charges (among themselves) must be ignored. i.e. F_{23}, F_{24}, F_{25}, F_{34}, F_{35} and F_{45} are ignored.

Superposition principle holds good for electric field also.

Electric Lines of Force:

An electric line of force is an imaginary straight or curved path along which a unit positive charge is supposed to move when free to do so in an electric field.

Electric lines of force do not physically exist but they represent real situations.

Electric Lines of Force

## 1. Electric Lines of Force due to a Point Charge:

q > 0

q < 0

a) **Representation of electric field in terms of field vectors:**

The size of the arrow represents the strength of electric field.

b) **Representation of electric field in terms of field lines**

(Easy way of drawing)

2. Electric Lines of Force due to a pair of Equal and Unlike Charges: (Dipole)

Electric lines of force contract lengthwise to represent attraction between two unlike charges.

## 3. Electric Lines of Force due to a pair of Equal and Like Charges:

Electric lines of force exert lateral (sideways) pressure to represent repulsion between two like charges.

4. Electric Lines of Force due to a Uniform Field:

$\vec{E}$

+ | -
+ | -
+ •   -
+1 C

+   -

Properties of Electric Lines of Force or Field Lines:

1. The electric lines of force are imaginary lines.

2. A unit positive charge placed in the electric field tends to follow a path along the field line if it is free to do so.

3. The electric lines of force emanate from a positive charge and terminate on a negative charge.

4. The tangent to an electric field line at any point gives the direction of the electric field at that point.

P $\vec{E}$

5. Two electric lines of force can never cross each other. If they do, then at the point of intersection, there will be two tangents. It means there are two values of the electric field at that point, which is not possible.

E_1

E

E_2

NOT POSSIBLE

Further, electric field being a vector quantity, there can be only one resultant field at the given point, represented by one tangent at the given point for the given line of force.

6. **Electric lines of force are closer (crowded) where the electric field is stronger and the lines spread out where the electric field is weaker.**

7. **Electric lines of force are perpendicular to the surface of a positively or negatively charged body.**

Q > q

8. **Electric lines of force contract lengthwise to represent attraction between two unlike charges.**

9. **Electric lines of force exert lateral (sideways) pressure to represent repulsion between two like charges.**

10. The number of lines per unit cross – sectional area perpendicular to the field lines (i.e. density of lines of force) is directly proportional to the magnitude of the intensity of electric field in that region.

$$\frac{\Delta N}{\Delta A} \; \alpha \; E$$

11. Electric lines of force do not pass through a conductor. Hence, the interior of the conductor is free from the influence of the electric field.

Solid or hollow conductor

No Field

(Electrostatic Shielding)

12. Electric lines of force can pass through an insulator.

Electric Dipole:

Electric dipole is a pair of equal and opposite charges separated by a very small distance.

The electric field produced by a dipole is known as dipole field.

Electric dipole moment is a vector quantity used to measure the strength of an electric dipole.

$$\vec{p} = (q \times 2l)\ \hat{l}$$

The magnitude of electric dipole moment is the product of magnitude of either charge and the distance between the two charges.

The direction is from negative to positive charge.

The SI unit of 'p' is 'coulomb metre (C m)'.

Note:

An ideal dipole is the dipole in which the charge becomes larger and larger and the separation becomes smaller and smaller.

Electric Field Intensity due to an Electric Dipole:

i) At a point on the axial line:

Resultant electric field intensity at the point P is

$$\vec{E_P} = \vec{E_A} + \vec{E_B}$$

**The vectors $\vec{E_A}$ and $\vec{E_B}$ are collinear and opposite.**

$$\therefore \quad \left|\vec{E_P}\right| = \left|\vec{E_B}\right| - \left|\vec{E_A}\right|$$

$$\vec{E_A} = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x + l)^2} \hat{i}$$

$$\vec{E_B} = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x - l)^2} \hat{i}$$

$$\left|\vec{E_P}\right| = \frac{1}{4\pi\varepsilon_0} \left[\frac{q}{(x - l)^2} - \frac{q}{(x + l)^2}\right]$$

$$\left|\vec{E_P}\right| = \frac{1}{4\pi\varepsilon_0} \frac{2(q \cdot 2l) x}{(x^2 - l^2)^2}$$

$$\vec{E_P} = \vec{E_B} - \vec{E_A}$$

$$\left|\vec{E_P}\right| = \frac{1}{4\pi\varepsilon_0} \frac{2 p x}{(x^2 - l^2)^2}$$

$$\vec{E_P} = \frac{1}{4\pi\varepsilon_0} \frac{2 p x}{(x^2 - l^2)^2} \hat{i}$$

If l << x, then

$$E_P \approx \frac{2 p}{4\pi\varepsilon_0 \; x^3}$$

The direction of electric field intensity at a point on the axial line due to a dipole is always along the direction of the dipole moment.

ii) At a point on the equatorial line:

Resultant electric field intensity at the point Q is

$$\vec{E_Q} = \vec{E_A} + \vec{E_B}$$

The vectors $\vec{E_A}$ and $\vec{E_B}$ are acting at an angle 2θ.

$$\vec{E_A} = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x^2 + l^2)} \hat{i}$$

$$\vec{E_B} = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x^2 + l^2)} \hat{i}$$

The vectors $E_A \sin\theta$ and $E_B \sin\theta$ are opposite to each other and hence cancel out.

The vectors $E_A \cos\theta$ and $E_B \cos\theta$ are acting along the same direction and hence add up.

$$\therefore \quad E_Q = E_A \cos\theta + E_B \cos\theta$$

$$E_Q = \frac{2}{4\pi\varepsilon_0} \frac{q}{(x^2 + l^2)} \frac{l}{(x^2 + l^2)^{1/2}}$$

$$E_Q = \frac{1}{4\pi\varepsilon_0} \frac{q \cdot 2l}{(x^2 + l^2)^{3/2}}$$

$$E_Q = \frac{1}{4\pi\varepsilon_0} \frac{p}{(x^2 + l^2)^{3/2}}$$

$$\vec{E}_Q = \frac{1}{4\pi\varepsilon_0} \frac{p}{(x^2 + l^2)^{3/2}} (-\hat{i})$$

If l << y, then

$$E_Q \approx \frac{p}{4\pi\varepsilon_0 \, y^3}$$

The direction of electric field intensity at a point on the equatorial line due to a dipole is parallel and opposite to the direction of the dipole moment.

If the observation point is far away or when the dipole is very short, then the electric field intensity at a point on the axial line is double the electric field intensity at a point on the equatorial line.

i.e. If l << x and l << y, then $E_P = 2\,E_Q$

Torque on an Electric Dipole in a Uniform Electric Field:

The forces of magnitude pE act opposite to each other and hence net force acting on the dipole due to external uniform electric field is zero. So, there is no translational motion of the dipole.

However the forces are along different lines of action and constitute a couple. Hence the dipole will rotate and experience torque.

Torque = Electric Force x ⊥ distance

$$t = q E (2l \sin \theta)$$

$$= p E \sin \theta$$

$$\vec{t} = \vec{p} \times \vec{E}$$

Direction of Torque is perpendicular and into the plane containing $\vec{p}$ and $\vec{E}$.

SI unit of torque is newton metre (Nm).

Case i: If θ = 0°, then t = 0.

Case ii: If θ = 90°, then t = pE
                                  (maximum value).

Case iii: If θ = 180°, then t = 0.

Work done on an Electric Dipole in Uniform Electric Field:

When an electric dipole is placed in a uniform electric field, it experiences torque and tends to allign in such a way to attain stable equilibrium.

$dW = t\,d\theta$

$\qquad = p\,E\,\sin\theta\,d\theta$

$W = \int_{\theta_1}^{\theta_2} p\,E\,\sin\theta\,d\theta$

$W = p\,E\,(\cos\theta_1 - \cos\theta_2)$

If Potential Energy is arbitrarily taken zero when the dipole is at 90°, then P.E in rotating the dipole and inclining it at an angle θ is

Potential Energy $U = -\,p\,E\,\cos\theta$

Note: Potential Energy can be taken zero arbitrarily at any position of the dipole.

Case i: If $\theta = 0°$, then $U = -\,pE$ (Stable Equilibrium)

Case ii: If $\theta = 90°$, then $U = 0$

Case iii: If $\theta = 180°$, then $U = pE$ (Unstable Equilibrium)

ELECTROSTATICS - III

- Electrostatic Potential and Gauss's Theorem

1. **Line Integral of Electric Field**

2. **Electric Potential and Potential Difference**

3. **Electric Potential due to a Single Point Charge**

4. **Electric Potential due to a Group of Charges**

5. **Electric Potential due to an Electric Dipole**

6. **Equipotential Surfaces and their Properties**

7. **Electrostatic Potential Energy**

8. **Area Vector, Solid Angle, Electric Flux**

9. **Gauss's Theorem and its Proof**

10. **Coulomb's Law from Gauss's Theorem**

11. **Applications of Gauss's Theorem:**

   Electric Field Intensity due to Line Charge, Plane Sheet of Charge and Spherical Shell

## Line Integral of Electric Field (Work Done by Electric Field):

Negative Line Integral of Electric Field represents the work done by the electric field on a unit positive charge in moving it from one point to another in the electric field.

$$W_{AB} = \int dW = -\int_{A}^{B} \vec{E} \cdot \vec{dl}$$

Let q_0 be the test charge in place of the unit positive charge.

The force $\vec{F} = +q_0\vec{E}$ acts on the test charge due to the source charge $+q$.

It is radially outward and tends to accelerate the test charge. To prevent this acceleration, equal and opposite force $-q_0\vec{E}$ has to be applied on the test charge.

Total work done by the electric field on the test charge in moving it from A to B in the electric field is

$$W_{AB} = \int dW = -\int_{A}^{B} \vec{E} \cdot \vec{dl} = \frac{qq_0}{4\pi\varepsilon_0}\left[\frac{1}{r_B} - \frac{1}{r_A}\right]$$

$$W_{AB} = \int dW = -\int_A^B \vec{E}.d\vec{i} = \frac{qq_0}{4\pi\varepsilon_0} \left[\frac{1}{r_B} - \frac{1}{r_A} \right]$$

1. The equation shows that the work done in moving a test charge q_0 from point A to another point B along any path AB in an electric field due to +q charge depends only on the positions of these points and is independent of the actual path followed between A and B.

2. That is, the line integral of electric field is path independent.

3. Therefore, electric field is 'conservative field'.

4. Line integral of electric field over a closed path is zero. This is another condition satisfied by conservative field.

$$\oint_A^B \vec{E}.d\vec{l} = 0$$

Note:

Line integral of only static electric field is independent of the path followed. However, line integral of the field due to a moving charge is not independent of the path because the field varies with time.

Electric Potential:

Electric potential is a physical quantity which determines the flow of charges from one body to another.

It is a physical quantity that determines the degree of electrification of a body.

Electric Potential at a point in the electric field is defined as the work done in moving (without any acceleration) a unit positive charge from infinity to that point against the electrostatic force irrespective of the path followed.

$$W_{AB} = - \int_{A}^{B} \vec{E} \cdot \vec{dl} = \frac{qq_0}{4\pi\varepsilon_0} \left[\frac{1}{r_B} - \frac{1}{r_A} \right] \quad \text{or} \quad \frac{W_{AB}}{q_0} = \frac{q}{4\pi\varepsilon_0} \left[\frac{1}{r_B} - \frac{1}{r_A} \right]$$

According to definition, $r_A = \infty$ **and** $r_B = r$

(where r is the distance from the source charge and the point of consideration)

$$\therefore \quad \frac{W_{\infty B}}{q_0} = \frac{q}{4\pi\varepsilon_0 r} = V \qquad \therefore \quad \boxed{V = \frac{W_{\infty B}}{q_0}}$$

SI unit of electric potential is volt (V) or J C^{-1} or Nm C^{-1}.

Electric potential at a point is one volt if one joule of work is done in moving one coulomb charge from infinity to that point in the electric field.

Electric Potential Difference:

Electric Potential Difference between any two points in the electric field is defined as the work done in moving (without any acceleration) a unit positive charge from one point to the other against the electrostatic force irrespective of the path followed.

$$W_{AB} = - \int_A^B \vec{E} \cdot \vec{dl} = \frac{qq_0}{4\pi\varepsilon_0}\left[\frac{1}{r_B} - \frac{1}{r_A}\right] \quad \text{or} \quad \frac{W_{AB}}{q_0} = \frac{q}{4\pi\varepsilon_0}\left[\frac{1}{r_B} - \frac{1}{r_A}\right]$$

$$\frac{W_{AB}}{q_0} = \frac{q}{4\pi\varepsilon_0}\frac{1}{r_B} - \frac{q}{4\pi\varepsilon_0}\frac{1}{r_A} = V_B - V_A$$

$$\therefore \quad V_B - V_A = \Delta V = \frac{W_{AB}}{q_0}$$

1. Electric potential and potential difference are scalar quantities.

2. Electric potential at infinity is zero.

3. Electric potential near an isolated positive charge ($q > 0$) is positive and that near an isolated negative charge ($q < 0$) is negative.

4. cgs unit of electric potential is stat volt.   1 stat volt = 1 erg / stat coulomb

Electric Potential due to a Single Point Charge:

Let $+q_0$ be the test charge placed at P at a distance x from the source charge $+q$.

The force $F = +q_0E$ is radially outward and tends to accelerate the test charge.

To prevent this acceleration, equal and opposite force $-q_0E$ has to be applied on the test charge.

Work done to move q_0 from P to Q through 'dx' against q_0E is

$$dW = \vec{F} \cdot \vec{dx} = q_0\vec{E} \cdot \vec{dx} \qquad \text{or} \qquad dW = q_0E \, dx \cos 180° = -q_0E \, dx$$

$$dW = - \frac{q\,q_0}{4\pi\varepsilon_0 \ x^2} dx \qquad \because \quad E = \frac{q}{4\pi\varepsilon_0 \ x^2}$$

Total work done to move q_0 from A to B (from ∞ to r) is

$$W_{\infty B} = \int_{\infty}^{B} dW = - \int_{\infty}^{r} \frac{q\,q_0}{4\pi\varepsilon_0 \ x^2} dx = - \frac{q\,q_0}{4\pi\varepsilon_0 \ x^2} \int_{\infty}^{r} \frac{1}{x^2} dx$$

$$\frac{W_{\infty B}}{q_0} = \frac{q}{4\pi\varepsilon_0 \ r}$$

$$\boxed{V = \frac{q}{4\pi\varepsilon_0 \ r}}$$

Electric Potential due to a Group of Point Charges:

The net electrostatic potential at a point in the electric field due to a group of charges is the algebraic sum of their individual potentials at that point.

$$V_P = V_1 + V_2 + V_3 + V_4 + \ldots\ldots\ldots + V_n$$

$$V = \frac{1}{4\pi\varepsilon_0} \sum_{i=1}^{n} \frac{q_i}{r_i}$$

$$V = \frac{1}{4\pi\varepsilon_0} \sum_{i=1}^{n} \frac{q_i}{|\vec{r} - \vec{r_i}|}$$

(in terms of position vector)

1. Electric potential at a point due to a charge is not affected by the presence of other charges.

2. Potential, $V \propto 1/r$ whereas Coulomb's force $F \propto 1/r^2$.

3. Potential is a scalar whereas Force is a vector.

4. Although V is called the potential at a point, it is actually equal to the potential difference between the points r and ∞.

Electric Potential due to an Electric Dipole:

i) At a point on the axial line:

$$V_{P\,q+} = \frac{1}{4\pi\varepsilon_0} \frac{q}{(x-l)}$$

$$V_{P\,q-} = \frac{1}{4\pi\varepsilon_0} \frac{-q}{(x+l)}$$

$$V_P = V_{P\,q+} + V_{P\,q-}$$

$$V_P = \frac{q}{4\pi\varepsilon_0} \left[\frac{1}{(x-l)} - \frac{1}{(x+l)} \right]$$

$$V_P = \frac{1}{4\pi\varepsilon_0} \frac{q \cdot 2l}{(x^2 - l^2)}$$

$$V_P = \frac{1}{4\pi\varepsilon_0} \frac{p}{(x^2 - l^2)}$$

ii) At a point on the equatorial line:

$$V_{Q\,q+} = \frac{1}{4\pi\varepsilon_0} \frac{q}{BQ}$$

$$V_{Q\,q-} = \frac{1}{4\pi\varepsilon_0} \frac{-q}{AQ}$$

$$V_Q = V_{P\,q+} + V_{P\,q-}$$

$$V_Q = \frac{q}{4\pi\varepsilon_0} \left[\frac{1}{BQ} - \frac{1}{AQ} \right]$$

$$\boxed{V_Q = 0} \qquad \because \quad BQ = AQ$$

The net electrostatic potential at a point in the electric field due to an electric dipole at any point on the equatorial line is zero.

## Equipotential Surfaces:

A surface at every point of which the potential due to charge distribution is the same is called equipotential surface.

i) For a uniform electric field:

$\vec{E}$

V_1 V_2 V_3

Plane Equipotential Surfaces

Spherical Equipotential Surfaces

$\vec{E}$

ii) For an isolated charge:

Properties of Equipotential Surfaces:

1. **No work is done in moving a test charge from one point to another on an equipotential surface.**

$$V_B - V_A = \Delta V = \frac{W_{AB}}{q_0}$$

If A and B are two points on the equipotential surface, then $V_B = V_A$.

$$\therefore \quad \frac{W_{AB}}{q_0} = 0 \quad \text{or} \quad W_{AB} = 0$$

2. **The electric field is always perpendicular to the element dl of the equipotential surface.**

Since no work is done on equipotential surface,

$$W_{AB} = - \int_A^B \vec{E} \cdot \vec{dl} = 0 \quad \text{i.e.} \quad E\ dl\ \cos\theta = 0$$

As $E \neq 0$ and $dl \neq 0$, $\qquad \cos\theta = 0 \qquad$ or $\quad \theta = 90°$

3. **Equipotential surfaces indicate regions of strong or weak electric fields.**

   Electric field is defined as the negative potential gradient.

   $$\therefore \quad E = -\frac{dV}{dr} \quad \text{or} \quad dr = -\frac{dV}{E}$$

   Since dV is constant on equipotential surface, so

   $$dr \; \alpha \; \frac{1}{E}$$

   If E is strong (large), dr will be small, i.e. the separation of equipotential surfaces will be smaller (i.e. equipotential surfaces are crowded) and vice versa.

4. **Two equipotential surfaces can not intersect.**

   If two equipotential surfaces intersect, then at the points of intersection, there will be two values of the electric potential which is not possible.

   (Refer to properties of electric lines of force)

   Note:

   Electric potential is a scalar quantity whereas potential gradient is a vector quantity.

   The negative sign of potential gradient shows that the rate of change of potential with distance is always against the electric field intensity.

Electrostatic Potential Energy:

The work done in moving a charge q from infinity to a point in the field against the electric force is called electrostatic potential energy.

$$W = q\, V$$

i) Electrostatic Potential Energy of a Two Charges System:

$$U = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{|\vec{r_2} - \vec{r_1}|}$$

or

$$U = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{r_{12}}$$

ii) Electrostatic Potential Energy of a Three Charges System:

$$U = \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_2}{|\vec{r}_2 - \vec{r}_1|} + \frac{1}{4\pi\varepsilon_0} \frac{q_1 q_3}{|\vec{r}_3 - \vec{r}_1|} + \frac{1}{4\pi\varepsilon_0} \frac{q_2 q_3}{|\vec{r}_3 - \vec{r}_2|}$$

or

$$U = \frac{1}{4\pi\varepsilon_0} \left[\frac{q_1 q_2}{r_{12}} + \frac{q_1 q_3}{r_{31}} + \frac{q_2 q_3}{r_{32}} \right]$$

iii) Electrostatic Potential Energy of an n - Charges System:

$$U = \frac{1}{2} \left[\frac{1}{4\pi\varepsilon_0} \sum_{i=1}^{n} \sum_{\substack{j=1 \\ i \neq j}}^{n} \frac{q_i q_i}{|\vec{r}_j - \vec{r}_i|} \right]$$

Area Vector:

Small area of a surface can be represented by a vector.

$$\vec{dS} = dS\ \hat{n}$$

Electric Flux:

Electric flux linked with any surface is defined as the total number of electric lines of force that normally pass through that surface.

Electric flux $d\Phi$ through a small area element dS due to an electric field E at an angle θ with dS is

$$d\Phi = \vec{E} . \vec{dS} = E\ dS\ \cos\theta$$

Total electric flux Φ over the whole surface S due to an electric field E is

$$\Phi = \int_S \vec{E} . \vec{dS} = E\ S\ \cos\theta = \vec{E} . \vec{S}$$

Electric flux is a scalar quantity. But it is a property of vector field.

SI unit of electric flux is $N\ m^2\ C^{-1}$ or $J\ m\ C^{-1}$.

Special Cases:

1. For $0° < \theta < 90°$, Φ is positive.

2. For $\theta = 90°$, Φ is zero.

3. For $90° < \theta < 180°$, Φ is negative.

Solid Angle:

Solid angle is the three-dimensional equivalent of an ordinary two-dimensional plane angle.

SI unit of solid angle is steradian.

Solid angle subtended by area element dS at the centre O of a sphere of radius r is

$$d\Omega = \frac{dS \cos \theta}{r^2}$$

$$\Omega = \int_S d\Omega = \int_S \frac{dS \cos \theta}{r^2} = 4\pi \ \text{steradian}$$

Gauss's Theorem:

The surface integral of the electric field intensity over any closed hypothetical surface (called Gaussian surface) in free space is equal to $1 / \varepsilon_0$ times the net charge enclosed within the surface.

$$\Phi_E = \oint_S \vec{E} . \vec{dS} = \frac{1}{\varepsilon_0} \sum_{i=1}^{n} q_i$$

Proof of Gauss's Theorem for Spherically Symmetric Surfaces:

$$d\Phi = \vec{E} . \vec{dS} = \frac{1}{4\pi\varepsilon_0} \frac{q}{r^2} \hat{r} . dS\ \hat{n}$$

$$d\Phi = \frac{1}{4\pi\varepsilon_0} \frac{q\ dS}{r^2} \hat{r} . \hat{n}$$

Here, $\hat{r} . \hat{n} = 1 \times 1\ \cos 0° = 1$

$$\therefore d\Phi = \frac{1}{4\pi\varepsilon_0} \frac{q\ dS}{r^2}$$

$$\Phi_E = \oint_S d\Phi = \frac{1}{4\pi\varepsilon_0} \frac{q}{r^2} \oint_S dS = \frac{1}{4\pi\varepsilon_0} \frac{q}{r^2} 4\pi\ r^2 = \frac{q}{\varepsilon_0}$$

Proof of Gauss's Theorem for a Closed Surface of any Shape:

$$d\Phi = \vec{E} . \vec{dS} = \frac{1}{4\pi\varepsilon_0} \frac{q}{r^2} \hat{r} . dS \, \hat{n}$$

$$d\Phi = \frac{1}{4\pi\varepsilon_0} \frac{q \, dS}{r^2} \hat{r} . \hat{n}$$

Here, $\hat{r} . \hat{n} = 1 \times 1 \, \cos\theta = \cos\theta$

$$\therefore \quad d\Phi = \frac{q}{4\pi\varepsilon_0} \frac{dS \cos\theta}{r^2}$$

$$\Phi_E = \oint_S d\Phi = \frac{q}{4\pi\varepsilon_0} \oint_S d\Omega = \frac{q}{4\pi\varepsilon_0} 4\pi = \frac{q}{\varepsilon_0}$$

Deduction of Coulomb's Law from Gauss's Theorem:

From Gauss's law,

$$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

Since $\vec{E}$ and $\vec{dS}$ are in the same direction,

$$\therefore \quad \Phi_E = \oint_S E \, dS = \frac{q}{\varepsilon_0}$$

$$\text{or} \quad \Phi_E = E \oint_S dS = \frac{q}{\varepsilon_0}$$

$$E \times 4\pi r^2 = \frac{q}{\varepsilon_0} \qquad \text{or} \quad E = \frac{q}{4\pi\varepsilon_0 \, r^2}$$

If a charge q_0 is placed at a point where E is calculated, then

$$\boxed{F = \frac{qq_0}{4\pi\varepsilon_0 \, r^2}}$$ **which is Coulomb's Law.**

Applications of Gauss's Theorem:

1. Electric Field Intensity due to an Infinitely Long Straight Charged Wire:

E

dS

C

r

- ∞

B

A

**+ ∞**

dS

dS

E

l

E

From Gauss's law,

$$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

$$\oint_S \vec{E} \cdot \vec{dS} = \int_A \vec{E} \cdot \vec{dS} + \int_B \vec{E} \cdot \vec{dS} + \int_C \vec{E} \cdot \vec{dS}$$

$$\oint_S \vec{E} \cdot \vec{dS} = \int_A E \, dS \cos 90° + \int_B E \, dS \cos 90° + \int_C E \, dS \cos 0° = E \int_C dS = E \times 2 \, \pi \, r \, l$$

> **Gaussian surface is a closed surface, around a charge distribution, such that the electric field intensity has a single fixed value at every point on the surface.**

$$\frac{q}{\varepsilon_0} = \frac{\lambda \, l}{\varepsilon_0} \qquad \text{(where } \lambda \text{ is the liner charge density)}$$

$$\therefore \quad E \times 2 \pi \, r \, l = \frac{\lambda \, l}{\varepsilon_0}$$

$$\text{or} \quad E = \frac{1}{2 \pi \varepsilon_0} \frac{\lambda}{r}$$

$$\text{or} \quad \boxed{E = \frac{1}{4 \pi \varepsilon_0} \frac{2\lambda}{r}}$$

In vector form, $\quad \boxed{\vec{E}(r) = \frac{1}{4 \pi \varepsilon_0} \frac{2\lambda}{r} \hat{r}}$

The direction of the electric field intensity is radially outward from the positive line charge. For negative line charge, it will be radially inward.

Note:
The electric field intensity is independent of the size of the Gaussian surface constructed. It depends only on the distance of point of consideration. i.e. the Gaussian surface should contain the point of consideration.

2. **Electric Field Intensity due to an Infinitely Long, Thin Plane Sheet of Charge:**

σ

$\overrightarrow{dS}$

$\overrightarrow{E}$

$\overrightarrow{E}$

$\overrightarrow{dS}$

I

C

A

$\overrightarrow{E}$

r

$\overrightarrow{E}$

$\overrightarrow{dS}$

B

$\overrightarrow{dS}$

From Gauss's law,

$$\Phi_E = \oint_S \overrightarrow{E} \cdot \overrightarrow{dS} = \frac{q}{\varepsilon_0}$$

TIP:

The field lines remain straight, parallel and uniformly spaced.

$$\oint_S \overrightarrow{E} \cdot \overrightarrow{dS} = \int_A \overrightarrow{E} \cdot \overrightarrow{dS} + \int_B \overrightarrow{E} \cdot \overrightarrow{dS} + \int_C \overrightarrow{E} \cdot \overrightarrow{dS}$$

$$\oint_S \overrightarrow{E} \cdot \overrightarrow{dS} = \int_A E\, dS \cos 0° + \int_B E\, dS \cos 0° + \int_C E\, dS \cos 90° = 2E \int dS = 2E \times \pi\, r^2$$

$$\frac{q}{\varepsilon_0} = \frac{\sigma \pi r^2}{\varepsilon_0}$$ **(where σ is the surface charge density)**

$$\therefore \quad 2 E \times \pi r^2 = \frac{\sigma \pi r^2}{\varepsilon_0}$$

or $$\boxed{E = \frac{\sigma}{2\varepsilon_0}}$$ **In vector form,** $$\boxed{\vec{E}\,(\vec{l}) = \frac{\sigma}{2\varepsilon_0}\,\hat{l}}$$

The direction of the electric field intensity is normal to the plane and away from the positive charge distribution. For negative charge distribution, it will be towards the plane.

Note:
The electric field intensity is independent of the size of the Gaussian surface constructed. It neither depends on the distance of point of consideration nor the radius of the cylindrical surface.

If the plane sheet is thick, then the charge distribution will be available on both the sides. So, the charge enclosed within the Gaussian surface will be twice as before. Therefore, the field will be twice.

$$\therefore \quad \boxed{E = \frac{\sigma}{\varepsilon_0}}$$

3. Electric Field Intensity due to Two Parallel, Infinitely Long, Thin Plane Sheet of Charge:

Case 1: $\sigma_1 > \sigma_2$

$\vec{E_1}$

σ_1

$\vec{E_1}$

σ_2

$\vec{E_1}$

Region I

Region II

Region III

$\vec{E}$

$\vec{E}$

$(\because \sigma_1 > \sigma_2)$

$\vec{E}$

$\vec{E_2}$

$\vec{E_2}$

$\vec{E_2}$

$E = E_1 + E_2$	$E = E_1 - E_2$	$E = E_1 + E_2$
$E = \dfrac{\sigma_1 + \sigma_2}{2\,\varepsilon_0}$	$E = \dfrac{\sigma_1 - \sigma_2}{2\,\varepsilon_0}$	$E = \dfrac{\sigma_1 + \sigma_2}{2\,\varepsilon_0}$

Case 2: + σ_1 & - σ_2

$\vec{E_1}$

σ_1

$\vec{E_1}$

σ_2

$\vec{E_1}$

Region I

Region II

Region III

$\vec{E}$

$\vec{E}$

$\vec{E}$

($\therefore$ $\sigma_1 > \sigma_2$)

($\therefore$ $\sigma_1 > \sigma_2$)

$\vec{E_2}$

$\vec{E_2}$

$\vec{E_2}$

$E = E_1 - E_2$	$E = E_1 + E_2$	$E = E_1 - E_2$
$E = \dfrac{\sigma_1 - \sigma_2}{2\,\varepsilon_0}$	$E = \dfrac{\sigma_1 + \sigma_2}{2\,\varepsilon_0}$	$E = \dfrac{\sigma_1 - \sigma_2}{2\,\varepsilon_0}$

Note IT

Case 3: + σ & - σ

4. <u>Electric Field Intensity due to a Uniformed Charged This Spherical Shell:</u>

i) At a point P outside the shell:

From Gauss's law,

$$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

Since $\vec{E}$ and $\vec{dS}$ are in the same direction,

$$\therefore \quad \Phi_E = \oint_S E \, dS = \frac{q}{\varepsilon_0}$$

or $\quad \Phi_E = E \oint_S dS = \dfrac{q}{\varepsilon_0}$

$$E \times 4\pi \, r^2 = \frac{q}{\varepsilon_0} \quad \text{or} \quad \boxed{E = \frac{q}{4\pi\varepsilon_0 \, r^2}}$$

Since $q = \sigma \times 4\pi \, R^2$,

$$\therefore \quad \boxed{E = \frac{\sigma \, R^2}{\varepsilon_0 \, r^2}}$$

………. **Gaussian Surface**

HOLLOW

Electric field due to a uniformly charged thin spherical shell at a point outside the shell is such as if the whole charge were concentrated at the centre of the shell.

ii) At a point A on the surface of the shell:

From Gauss's law,

$$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

Since $\vec{E}$ and $\vec{dS}$ are in the same direction,

$$\therefore \quad \Phi_E = \oint_S E \, dS = \frac{q}{\varepsilon_0}$$

$$\text{or} \quad \Phi_E = E \oint_S dS = \frac{q}{\varepsilon_0}$$

$$E \times 4\pi R^2 = \frac{q}{\varepsilon_0} \quad \text{or} \quad \boxed{E = \frac{q}{4\pi\varepsilon_0 R^2}}$$

Since $q = \sigma \times 4\pi R^2$,

$$\therefore \quad \boxed{E = \frac{\sigma}{\varepsilon_0}}$$

Electric field due to a uniformly charged thin spherical shell at a point on the surface of the shell is maximum.

iii) At a point B inside the shell:

From Gauss's law,

$$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

Since $\vec{E}$ and $\vec{dS}$ are in the same direction,

$$\therefore \quad \Phi_E = \oint_S E \, dS = \frac{q}{\varepsilon_0}$$

$$\text{or} \quad \Phi_E = E \oint_S dS = \frac{q}{\varepsilon_0}$$

$$E \times 4\pi r'^2 = \frac{q}{\varepsilon_0} \quad \text{or} \quad \boxed{E = \frac{0}{4\pi\varepsilon_0 \, r'^2}}$$

(since q = 0 inside the Gaussian surface)

$$\therefore \quad \boxed{E = 0}$$

**This property E = 0 inside a cavity is used for electrostatic shielding.**

ELECTROSTATICS - IV
- Capacitance and Van de Graaff Generator

1. Behaviour of Conductors in Electrostatic Field

2. Electrical Capacitance

3. Principle of Capacitance

4. Capacitance of a Parallel Plate Capacitor

5. Series and Parallel Combination of Capacitors

6. Energy Stored in a Capacitor and Energy Density

7. Energy Stored in Series and Parallel Combination of Capacitors

8. Loss of Energy on Sharing Charges Between Two Capacitors

9. Polar and Non-polar Molecules

10. Polarization of a Dielectric

11. Polarizing Vector and Dielectric Strength

12. Parallel Plate Capacitor with a Dielectric Slab

13. Van de Graaff Generator

# Behaviour of Conductors in the Electrostatic Field:

1. **Net electric field intensity in the interior of a conductor is zero.**

    When a conductor is placed in an electrostatic field, the charges (free electrons) drift towards the positive plate leaving the + ve core behind. At an equilibrium, the electric field due to the polarisation becomes equal to the applied field. So, the net electrostatic field inside the conductor is zero.

2. **Electric field just outside the charged conductor is perpendicular to the surface of the conductor.**

    Suppose the electric field is acting at an angle other than 90°, then there will be a component E cos θ acting along the tangent at that point to the surface which will tend to accelerate the charge on the surface leading to 'surface current'. But there is no surface current in electrostatics. So, θ = 90° and cos 90° = 0.

3. **Net charge in the interior of a conductor is zero.**

    The charges are temporarily separated. The total charge of the system is zero.

    $$\Phi_E = \oint_S \vec{E} \cdot \vec{dS} = \frac{q}{\varepsilon_0}$$

    Since E = 0 in the interior of the conductor, therefore q = 0.

4. **Charge always resides on the surface of a conductor.**

    Suppose a conductor is given some excess charge q. Construct a Gaussian surface just inside the conductor.

    Since E = 0 in the interior of the conductor, therefore q = 0 inside the conductor.

5. **Electric potential is constant for the entire conductor.**

    dV = - E . dr

    Since E = 0 in the interior of the conductor, therefore dV = 0. i.e. V = constant

6. **Surface charge distribution may be different at different points.**

$$\sigma = \frac{q}{S}$$

Every conductor is an equipotential volume (three- dimensional) rather than just an equipotential surface (two- dimensional).

Electrical Capacitance:

The measure of the ability of a conductor to store charges is known as capacitance or capacity (old name).

$$q \ \alpha \ V \quad or \quad q = C\,V \qquad or \qquad C = \frac{q}{V}$$

If   V = 1 volt,   then C = q

Capacitance of a conductor is defined as the charge required to raise its potential through one unit.

SI Unit of capacitance is 'farad' (F).   Symbol of capacitance:

Capacitance is said to be 1 farad when 1 coulomb of charge raises the potential of conductor by 1 volt.

Since 1 coulomb is the big amount of charge, the capacitance will be usually in the range of milli farad, micro farad, nano farad or pico farad.

Capacitance of an Isolated Spherical Conductor:

Let a charge q be given to the sphere which is assumed to be concentrated at the centre.

Potential at any point on the surface is

$$V = \frac{q}{4\pi\varepsilon_0 r}$$

$$C = \frac{q}{V}$$

$$\boxed{C = 4\pi\varepsilon_0 r}$$

1. **Capacitance of a spherical conductor is directly proportional to its radius.**

2. **The above equation is true for conducting spheres, hollow or solid.**

3. **IF the sphere is in a medium, then $C = 4\pi\varepsilon_0\varepsilon_r r$.**

4. **Capacitance of the earth is 711 μF.**

Principle of Capacitance:

Step 1: Plate A is positively charged and B is neutral.

Step 2: When a neutral plate B is brought near A, charges are induced on B such that the side near A is negative and the other side is positive.

The potential of the system of A and B in step 1 and 2 remains the same because the potential due to positive and negative charges on B cancel out.

Step 3: When the farther side of B is earthed the positive charges on B get neutralised and B is left only with negative charges.

Now, the net potential of the system decreases due to the sum of positive potential on A and negative potential on B.

To increase the potential to the same value as was in step 2, an additional amount of charges can be given to plate A.

This means, the capacity of storing charges on A increases.

The system so formed is called a 'capacitor'.

A   B

+ +
+ +
+ +
+ +
+ +
+ +

Potential = V

A   B

+ +   − +
+ +   − +
+ +   − +
+ +   − +
+ +   − +
+ +   − +

Potential = V
Potential   E
decreases to v

Capacitance of Parallel Plate Capacitor:

Parallel plate capacitor is an arrangement of two parallel conducting plates of equal area separated by air medium or any other insulating medium such as paper, mica, glass, wood, ceramic, etc.

$$V = E \, d = \frac{\sigma}{\varepsilon_0} \, d$$

or $\qquad V = \dfrac{q \, d}{A \, \varepsilon_0}$

But $\qquad C = \dfrac{q}{V}$ $\qquad \therefore \qquad \boxed{C = \dfrac{A \, \varepsilon_0}{d}}$

If the space between the plates is filled with dielectric medium of relative permittivity ε_r, then

$$C = \frac{A \, \varepsilon_0 \, \varepsilon_r}{d}$$

Capacitance of a parallel plate capacitor is

(i) directly proportional to the area of the plates and

(ii) inversely proportional to the distance of separation between them.

Series Combination of Capacitors:

In series combination,

i) Charge is same in each capacitor

ii) Potential is distributed in inverse proportion to capacitances

i.e. $V = V_1 + V_2 + V_3$

But $V = \dfrac{q}{C}$, $V_1 = \dfrac{q}{C_1}$, $V_2 = \dfrac{q}{C_2}$ and $V_3 = \dfrac{q}{C_3}$

$\therefore \dfrac{q}{C} = \dfrac{q}{C_1} + \dfrac{q}{C_2} + \dfrac{q}{C_3}$

(where C is the equivalent capacitance or effective capacitance or net capacitance or total capacitance)

or $\boxed{\dfrac{1}{C} = \dfrac{1}{C_1} + \dfrac{1}{C_2} + \dfrac{1}{C_3}}$

$$\boxed{\dfrac{1}{C} = \sum_{i=1}^{n} \dfrac{1}{C_i}}$$

The reciprocal of the effective capacitance is the sum of the reciprocals of the individual capacitances.

Note: The effective capacitance in series combination is less than the least of all the individual capacitances.

Parallel Combination of Capacitors:

In parallel combination,

i) **Potential is same across each capacitor**

ii) **Charge is distributed in direct proportion to capacitances**

   i.e. $q = q_1 + q_2 + q_3$

But $q_1 = C_1 V$, $q_2 = C_2 V$, $q_3 = C_3 V$ and $q = C V$

∴ **$C V = C_1 V + C_2 V + C_3 V$**   **(where C is the equivalent capacitance)**

or $C = C_1 + C_2 + C_3$ $C = \sum\limits_{i=1}^{n} C_i$

The effective capacitance is the sum of the individual capacitances.

Note: The effective capacitance in parallel combination is larger than the largest of all the individual capacitances.

V C_1 q^1

C_2

V q_2

C_3

V q_3

V

Energy Stored in a Capacitor:

The process of charging a capacitor is equivalent to transferring charges from one plate to the other of the capacitor.

The moment charging starts, there is a potential difference between the plates. Therefore, to transfer charges against the potential difference some work is to be done. This work is stored as electrostatic potential energy in the capacitor.

If dq be the charge transferred against the potential difference V, then work done is

$$dU = dW = V\, dq$$

$$= \frac{q}{C}\, dq$$

V

The total work done (energy) to transfer charge q is

$$U = \int_{0}^{q} \frac{q}{C}\, dq \quad \text{or} \quad U = \frac{1}{2}\frac{q^2}{C} \quad \text{or} \quad U = \frac{1}{2}C V^2 \quad \text{or} \quad U = \frac{1}{2}q V$$

Energy Density:

$$U = \frac{1}{2} C V^2 \qquad \text{But} \quad C = \frac{A\,\varepsilon_0}{d} \quad \text{and} \quad V = E\,d$$

$$\therefore \quad U = \frac{1}{2} \varepsilon_0 A d\, E^2 \quad \text{or} \quad \frac{U}{Ad} = \frac{1}{2} \varepsilon_0 E^2 \quad \text{or} \quad \boxed{\overline{U} = \frac{1}{2} \varepsilon_0 E^2}$$

SI unit of energy density is $J\ m^{-3}$.

Energy density is generalised as energy per unit volume of the field.

Energy Stored in a Series Combination of Capacitors:

$$\frac{1}{C} = \frac{1}{C_1} + \frac{1}{C_2} + \frac{1}{C_3} + \ldots\ldots + \frac{1}{C_n}$$

$$\boxed{U = \frac{1}{2}\frac{q^2}{C}} \qquad \therefore \quad U = \frac{1}{2} q^2 \left[\frac{1}{C_1} + \frac{1}{C_2} + \frac{1}{C_3} + \ldots\ldots + \frac{1}{C_n} \right]$$

$$U = U_1 + U_2 + U_3 + \ldots\ldots + U_n$$

The total energy stored in the system is the sum of energy stored in the individual capacitors.

Energy Stored in a Parallel Combination of Capacitors:

$$C = C_1 + C_2 + C_3 + \ldots\ldots + C_n$$

$$\boxed{U = \frac{1}{2} C V^2}$$

$$\therefore \quad U = \frac{1}{2} V^2 (C_1 + C_2 + C_3 + \ldots\ldots + C_n)$$

$$U = U_1 + U_2 + U_3 + \ldots\ldots + U_n$$

The total energy stored in the system is the sum of energy stored in the individual capacitors.

Loss of Energy on Sharing of Charges between the Capacitors in Parallel:

Consider two capacitors of capacitances C_1, C_2, charges q_1, q_2 and potentials V_1, V_2.

Total charge after sharing = Total charge before sharing

$$\therefore \quad (C_1 + C_2) V = C_1 V_1 + C_2 V_2$$

$$V = \frac{C_1 V_1 + C_2 V_2}{C_1 + C_2}$$

The total energy before sharing is

$$U_i = \frac{1}{2} C_1 V_1^2 + \frac{1}{2} C_2 V_2^2$$

The total energy after sharing is

$$U_f = \frac{1}{2} (C_1 + C_2) V^2$$

$$U_i - U_f = \frac{C_1 C_2 (V_1 - V_2)2}{2 (C_1 + C_2)}$$

$$U_i - U_f > 0 \quad \text{or} \quad U_i > U_f$$

**Therefore, there is some loss of energy when two charged capacitors are connected together.**

The loss of energy appears as heat and the wire connecting the two capacitors may become hot.

Polar Molecules:

A molecule in which the centre of positive charges does not coincide with the centre of negative charges is called a polar molecule.

Polar molecule does not have symmetrical shape.

Eg. HCl, H_2O, NH_3, CO_2, alcohol, etc.

Effect of Electric Field on Polar Molecules:

$\vec{E} = 0$

$\vec{p} = 0$

In the absence of external electric field, the permanent dipoles of the molecules orient in random directions and hence the net dipole moment is zero.

$\vec{E}$ ⟶

$\vec{p}$ ⟶

When electric field is applied, the dipoles orient themselves in a regular fashion and hence dipole moment is induced. Complete allignment is not possible due to thermal agitation.

Non - polar Molecules:

A molecule in which the centre of positive charges coincides with the centre of negative charges is called a non-polar molecule.

Non-polar molecule has symmetrical shape.

Eg. N_2 , $C H_4$, O_2, $C_6 H_6$, etc.

Effect of Electric Field on Non-polar Molecules:

$\vec{E} = 0$

$\vec{p} = 0$

$\vec{E}$

$\vec{p}$

In the absence of external electric field, the effective positive and negative centres coincide and hence dipole is not formed.

When electric field is applied, the positive charges are pushed in the direction of electric field and the electrons are pulled in the direction opposite to the electric field. Due to separation of effective centres of positive and negative charges, dipole is formed.

Dielectrics:

Generally, a non-conducting medium or insulator is called a 'dielectric'.

Precisely, the non-conducting materials in which induced charges are produced on their faces on the application of electric fields are called dielectrics.

Eg. Air, H_2, glass, mica, paraffin wax, transformer oil, etc.

Polarization of Dielectrics:

When a non-polar dielectric slab is subjected to an electric field, dipoles are induced due to separation of effective positive and negative centres.

**E_0 is the applied field and E_p is the induced field in the dielectric.**

The net field is $E_N = E_0 - E_p$

i.e. the field is reduced when a dielectric slab is introduced.

The dielectric constant is given by

$$K = \frac{E_0}{E_0 - E_p}$$

Polarization Vector:

The polarization vector measures the degree of polarization of the dielectric. It is defined as the dipole moment of the unit volume of the polarized dielectric.

If n is the number of atoms or molecules per unit volume of the dielectric, then polarization vector is

$$\vec{P} = n\,\vec{p}$$

SI unit of polarization vector is C m^{-2}.

Dielectric Strength:

Dielectric strength is the maximum value of the electric field intensity that can be applied to the dielectric without its electric break down.

Its SI unit is V m^{-1}.

Its practical unit is kV mm^{-1}.

Dielectric	Dielectric strength (kV / mm)
Vacuum	∞
Air	0.8 – 1
Porcelain	4 – 8
Pyrex	14
Paper	14 – 16
Rubber	21
Mica	160 – 200

Capacitance of Parallel Plate Capacitor with Dielectric Slab:

$$V = E_0 (d - t) + E_N t$$

$$K = \frac{E_0}{E_N} \quad \text{or} \quad E_N = \frac{E_0}{K}$$

∴ $$V = E_0 (d - t) + \frac{E_0}{K} t$$

$$V = E_0 \left[(d - t) + \frac{t}{K} \right]$$

But $$E_0 = \frac{\sigma}{\varepsilon_0} = \frac{qA}{\varepsilon_0}$$

and $$C = \frac{q}{V}$$

∴ $$C = \frac{A \varepsilon_0}{\left[(d - t) + \frac{t}{K} \right]}$$

or $$C = \frac{A \varepsilon_0}{d \left[1 - \frac{t}{d} \left(1 - \frac{t}{K} \right) \right]}$$

or $$C = \frac{C_0}{\left[1 - \frac{t}{d} \left(1 - \frac{t}{K} \right) \right]}$$

$C > C_0$. i.e. Capacitance increases with introduction of dielectric slab.

If the dielectric slab occupies the whole space between the plates, i.e. t = d, then

$$C = K C_0$$

Dielectric Constant $\quad K = \dfrac{C}{C_0}$

WITH DIELECTRIC SLAB

Physcial Quantity	With Battery disconnected	With Battery connected
Charge	Remains the same	Increases ($K C_0 V_0$)
Capacitance	Increases ($K C_0$)	Increases ($K C_0$)
Electric Field	Decreases $E_N = E_0 - E_p$	Remains the same
Potential Difference	Decreases	Remains the same
Energy stored	Remains the same	Increases ($K U_0$)

Note IT

Van de Graaff Generator:

S – Large Copper sphere

C_1, C_2 – Combs with sharp points

P_1, P_2 – Pulleys to run belt

HVR – High Voltage Rectifier

M – Motor

IS – Insulating Stand

D – Gas Discharge Tube

T - Target

Principle:

Consider two charged conducting spherical shells such that one is smaller and the other is larger. When the smaller one is kept inside the larger one and connected together, charge from the smaller one is transferred to larger shell irrespective of the higher potential of the larger shell. i.e. The charge resides on the outer surface of the outer shell and the potential of the outer shell increases considerably.

Sharp pointed surfaces of a conductor have large surface charge densities and hence the electric field created by them is very high compared to the dielectric strength of the dielectric (air).

Therefore air surrounding these conductors get ionized and the like charges are repelled by the charged pointed conductors causing discharging action known as Corona Discharge or Action of Points. The sprayed charges moving with high speed cause electric wind.

Opposite charges are induced on the teeth of collecting comb (conductor) and again opposite charges are induced on the outer surface of the collecting sphere (Dome).

Construction:

Van de Graaff Generator consists of a large (about a few metres in radius) copper spherical shell (S) supported on an insulating stand (IS) which is of several metres high above the ground.

A belt made of insulating fabric (silk, rubber, etc.) is made to run over the pulleys (P_1, P_2) operated by an electric motor (M) such that it ascends on the side of the combs.

Comb (C_1) near the lower pulley is connected to High Voltage Rectifier (HVR) whose other end is earthed. Comb (C_2) near the upper pulley is connected to the sphere S through a conducting rod.

A tube (T) with the charged particles to be accelerated at its top and the target at the bottom is placed as shown in the figure. The bottom end of the tube is earthed for maintaining lower potential.

To avoid the leakage of charges from the sphere, the generator is enclosed in the steel tank filled with air or nitrogen at very high pressure (15 atmospheres).

Working:

Let the positive terminal of the High Voltage Rectifier (HVR) is connected to the comb (C_1). Due to action of points, electric wind is caused and the positive charges are sprayed on to the belt (silk or rubber). The belt made ascending by electric motor (EM) and pulley (P_1) carries these charges in the upward direction.

The comb (C_2) is induced with the negative charges which are carried by conduction to inner surface of the collecting sphere (dome) S through a metallic wire which in turn induces positive charges on the outer surface of the dome.

The comb (C_2) being negatively charged causes electric wind by spraying negative charges due to action of points which neutralize the positive charges on the belt. Therefore the belt does not carry any charge back while descending. (Thus the principle of conservation of charge is obeyed.)

The process continues for a longer time to store more and more charges on the sphere and the potential of the sphere increases considerably. When the charge on the sphere is very high, the leakage of charges due to ionization of surrounding air also increases.

Maximum potential occurs when the rate of charge carried in by the belt is equal to the rate at which charge leaks from the shell due to ionization of air.

Now, if the positively charged particles which are to be accelerated are kept at the top of the tube T, they get accelerated due to difference in potential (the lower end of the tube is connected to the earth and hence at the lower potential) and are made to hit the target for causing nuclear reactions, etc.

Uses:

Van de Graaff Generator is used to produce very high potential difference (of the order of several million volts) for accelerating charged particles.

The beam of accelerated charged particles are used to trigger nuclear reactions.

The beam is used to break atoms for various experiments in Physics.

In medicine, such beams are used to treat cancer.

It is used for research purposes.