

EVENT MANAGEMENT WEBSITE

A PROJECT REPORT

Submitted By

**Shagun Jindal
2100290140120
Soumya Jain
2100290140135**

**Submitted in partial fulfilment of the
Requirements for the Degree of**

MASTER OF COMPUTER APPLICATION

**Under the Supervision of
Dr. Shashank Bhardwaj
(Associate Professor)**



Submitted to

**DEPARTMENT OF COMPUTER APPLICATIONS
KIET Group of Institutions, Ghaziabad
Uttar Pradesh-201206
JUNE 2023**

CERTIFICATE

Certified that **Shagun Jindal (2100290140120), Soumya Jain (2100290140135)** has/ have carried out the project work having “**Event Management Website**” for Master of Computer Applications from Dr. A.P.J. Abdul Kalam Technical University (AKTU) (formerly UPTU), Technical University, Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student himself / herself and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Date:

Shagun Jindal(2100290140120)

Soumya Jain (2100290140135)

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Date:

Dr. Shashank Bhardwaj
Associate Professor
Department of Computer Applications
KIET Group of Institutions, Ghaziabad

Signature of Internal Examiner

Signature of External Examiner

Dr. Arun Tripathi
Head, Department of Computer Applications
KIET Group of Institutions, Ghaziabad

ABSTRACT

The Event Management System is an online Event Management System software project project that serves the functionality of an event manager. The system allow registered user login and new user are allowed to register on the application. The system helps in the management of events, users and the aspects related to them. This proposed to be a web application. User needs to Login at the initial phase, set his/her profile details including location, choices, email-id, etc. User can modify or change his/her profile at any stage. All the data is logged in the database. The data is then sent to the administrator and they may interact with the user as per his requirement.

ACKNOWLEDGEMENT

Success in life is never attained single handedly. My deepest gratitude goes to my Report supervisor, **Dr. Shashank Bhardwaj** for his guidance, help and encouragement throughout my research work. Their enlightening ideas, comments, and suggestions. Words are not enough to express my gratitude to **Dr. Arun Kumar Tripathi, Professor and Head, Department of Computer Applications**, for his insightful comments and administrative help at various occasions. Fortunately, I have many understanding friends, who have helped me a lot on many critical conditions.

Finally, my sincere thanks go to my family members and all those who have directly and indirectly provided me moral support and other kind of help. Without their support, completion of this work would not have been possible in time. They keep my life filled with enjoyment and happiness.

TABLE OF CONTENTS

| | |
|---------------------------------------|-------|
| Certificate | i |
| Abstract | ii |
| Acknowledgements | iii |
| Table of Contents | iv |
| Chapter 1 –Introduction | |
| 1.1 Project Description | 8 |
| 1.2 Project Scope | 9 |
| 1.3 Hardware/Software used in Project | 10 |
| Chapter 2 –Feasibility Study | |
| 1.4 Technical feasibility | 11 |
| 1.5 Operational feasibility | 11 |
| 1.6 Behavioral feasibility | 11 |
| Chapter 3 –Database Design | |
| 3.1 Database Table | 12 |
| 3.2 Data Flow Diagram | 16 |
| 3.3 Use Case Diagram | 19 |
| 3.4 E-R Diagram | 21 |
| 3.5 Sequence Diagram | 22 |
| Chapter 4–Form Design | |
| 4.1 Admin Module(Screenshot) | 23-32 |
| 4.2 User Module(Screenshot) | 33-40 |
| Chapter 5–Coding | |
| 5.1 Admin Module | 41-71 |
| 5.2 User Module | 42-82 |

| | |
|---------------------------|--------|
| Chapter 6 –Testing | |
| 6.1 Introduction | 83 |
| 6.2 Type of Testing | 84 |
| Chapter 7 –Conclusion | 85 |
| Chapter 8 –References | 86 |

LIST OF FIGURES

| Figure No. | Name of Figure | Page No. |
|-------------------|-------------------------------|-----------------|
| 3.1 | Context Level Diagram | 16 |
| 3.2 | Data Flow Diagram Level-1 | 17 |
| 3.3 | Administrator Context Level-1 | 18 |
| 3.4 | UseCase Diagram of User | 19 |
| 3.5 | UseCase Diagram of Admin | 20 |
| 3.6 | E-R Diagram | 21 |
| 3.7 | Sequence Diagram | 22 |
| 4.1 | Admin Login | 23 |
| 4.2 | Admin Dashboard | 23 |
| 4.3 | Add Category | 24 |
| 4.4 | Manage Category | 24 |
| 4.5 | Manage Sponsor | 25 |
| 4.6 | Add Sponsor | 25 |
| 4.7 | Add Events | 26 |
| 4.8 | Manage Events | 26 |
| 4.9 | Edit Events | 27 |
| 4.10 | Manage User | 28 |
| 4.11 | Edit User | 28 |
| 4.12 | Manage Booking | 29 |
| 4.13 | Booking Details | 29 |
| 4.14 | Add News | 30 |
| 4.15 | Manage News | 30 |
| 4.16 | About Us | 31 |
| 4.17 | General Settings | 31 |

| | | |
|------|-------------------|----|
| 4.18 | Admin Profile | 32 |
| 4.19 | Change Password | 32 |
| 4.20 | About US of EMS | 33 |
| 4.21 | Home Page of EMS | 34 |
| 4.22 | Add News | 35 |
| 4.23 | User Sign-Up | 36 |
| 4.24 | Change Password | 37 |
| 4.25 | User Booking | 38 |
| 4.26 | Booking Details | 39 |
| 4.27 | Password Recovery | 40 |

CHAPTER 1

INTRODUCTION

1.1 PROJECT DESCRIPTION

The Event Management System is a comprehensive software solution designed to streamline the planning, organization, and execution of various events. It offers a centralized platform for event managers, coordinators, and stakeholders to collaborate, automate processes, and ensure seamless event operations. This project description provides an overview of the key features and functionalities of the Event Management System.

In EMS project we use PHP and MySQL database. It has two modules.

- Admin Module
- User Module

1.1.1 Admin Module

- **Dashboard:** In this section, admin can see all detail in brief like listed categories, Sponsors, Total Events, Total Registered Users, Total Booking, Total New Booking, Total Confirmed Booking and Total Cancelled Booking.
- **Category:** In this section, admin manage event category (add and update).
- **Manage Sponsors:** In this section, admin can add sponsors and manage sponsors details (Add/Update/Delete).
- **Events:** In this section, admin manage events (add and update).
- **Manage Users:** In this section, admin can update details of registered users and also block them.
- **Manage Booking:** In this section, admin can manage booking by cancel and confirm it.
- **News:** In this section admin manage news (add and delete).
- **Website Setting:** In this section, admin can update about us and another general website setting.

Admin can also update his profile, change password and recover password.

1.1.2 User Module

Guest User: In this guest user can see only general information like about us, event details, contact details and new about events.

Registered users can do following activity:

- Books the events.
- Update his/her own profile.
- Change Password.
- Users can also cancel booking which is not confirmed.
- Registered user can also recover his/her own password.

1.2 PROJECT SCOPE

The objective of this application is to develop a system that effectively manages all the data related to the various events that take place in an organization. The purpose is to maintain a centralized database of all event related information. The goal is to support various functions and processes necessary to manage the data efficiently.

1.3 HARDWARE/SOFTWARE USED

1.3.1 Hardware Requirements:

| | |
|-----------------|-------------------------|
| PROCESSOR | INTEL P-IV BASED SYSTEM |
| PROCESSOR SPEED | 2.0. GHZ |
| RAM | 1GB |
| HARD DISK | 40GB TO 80GB |

1.3.2 Software Requirements:

| | |
|--------------------|-------------|
| DATABASE | MYSQL |
| SERVER | APACHE |
| FRONTEND | HTML |
| SCRIPTING LANGUAGE | JAVA SCRIPT |
| TECHNOLOGY | PHP |

CHAPTER 2

FEASIBILITY STUDY

A feasibility study is a high-level capsule version of the entire System analysis and Design Process. The study begins by classifying the problem definition. Feasibility is to determine if it's worth doing. Once an acceptance problem definition has been generated, the analyst develops a logical model of the system. A search for alternatives is analysed carefully. There are 3 parts in feasibility study.

2.1 TECHNICAL FEASIBILITY

Does the necessary technology exist to do what is been suggested Does the proposed equipment have the technical capacity for using the new system? Are there technical guarantees of accuracy, reliability and data security? The project is developed on Pentium III with 128 MB RAM. The environment required in the development of system is any windows platform. The language used in the development is PHP, APACHE Server and database as MySQL.

2.2 OPERATIONAL FEASIBILITY

Question that going to be asked are Will the system be used if it developed and implemented. If there was sufficient support for the project from the management and from the users. Have the users been involved in planning and development of the Project.

2.3 BEHAVIOURAL FEASIBILITY

The behavioural feasibility of an event management system project refers to its practicality and viability from a user perspective. It assesses whether the proposed system aligns with the intended users' needs, expectations, and behaviours.

The behavioural feasibility of an event management system project refers to the assessment of whether the proposed system can be accepted and effectively used by the users and stakeholders.

CHAPTER 3

DATABASE DESIGN

3.1 DATABASE TABLES

The data in the system has to be stored and retrieved from database. Designing the database is part of system design. Data elements and data structures to be stored have been identified at analysis stage. They are structured and put together to design the data storage and retrieval system.

A database is a collection of interrelated data stored with minimum redundancy to serve many users quickly and efficiently. The general objective is to make database access easy, quick, inexpensive and flexible for the user. Relationships are established between the data items and unnecessary data items are removed. Normalization is done to get an internal consistency of data and to have minimum redundancy and maximum stability. This ensures minimizing data storage required, minimizing chances of data inconsistencies and optimizing for updates. The MySQL Access database has been chosen for developing the relevant databases.

3.1.1 Table_admin : This table store the admin login details:


| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|---|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id  | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | FullName | varchar(100) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | AdminEmail | varchar(120) | latin1_swedish_ci | | Yes | NULL | | |
| 4 | UserName | varchar(100) | latin1_swedish_ci | | No | None | | |
| 5 | Password | varchar(100) | latin1_swedish_ci | | No | None | | |
| 6 | updateDate | timestamp | | | No | 0000-00-00 00:00:00 | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.1: Admin Table

3.1.2 Table_users: This table store the user personal and login details:


| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|----|---|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | Userid  | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | FullName | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | UserName | varchar(200) | latin1_swedish_ci | | Yes | NULL | | |
| 4 | Emailid | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 5 | PhoneNumber | bigint(12) | | | Yes | NULL | | |
| 6 | UserGender | varchar(100) | latin1_swedish_ci | | Yes | NULL | | |
| 7 | UserPassword | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 8 | RegDate | timestamp | | | Yes | current_timestamp() | | |
| 9 | LastUpdateDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |
| 10 | IsActive | int(1) | | | Yes | NULL | | |

Table 3.2: User Table

3.1.3 Table_category: This table store the event category details:


| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|---|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id  | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | CategoryName | varchar(200) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | CategoryDescription | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 4 | CreationDate | timestamp | | | Yes | current_timestamp() | | |
| 5 | UpdateDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |
| 6 | IsActive | char(1) | latin1_swedish_ci | | Yes | NULL | | |

Table 3.3: Category Table

3.1.4 Table_sponsors: This table store the event sponsor details:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|------------------|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id 🗝 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | sponsorName | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | sponsorLogo | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 4 | postingDate | timestamp | | | Yes | current_timestamp() | | |
| 5 | lastUpdationDate | timestamp | | | No | 0000-00-00 00:00:00 | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.4: Sponsor Table

3.1.5 Table_events: This table store the event full details:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|----|------------------|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id 🗝 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | CategoryId | char(10) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | SponsorId | char(10) | latin1_swedish_ci | | Yes | NULL | | |
| 4 | EventName | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 5 | EventDescription | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 6 | EventStartDate | date | | | Yes | NULL | | |
| 7 | EventEndDate | date | | | Yes | NULL | | |
| 8 | EventLocation | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 9 | EventImage | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 10 | PostingDate | timestamp | | | Yes | current_timestamp() | | |
| 11 | LastUpdationDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |
| 12 | IsActive | int(1) | | | Yes | NULL | | |

Table 3.5: Event Table

3.1.6 Table_bookings: This table store the event booking details:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|----|------------------|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id 🗝 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | BookingId | bigint(12) | | | Yes | NULL | | |
| 3 | UserId | int(11) | | | Yes | NULL | | |
| 4 | EventId | int(11) | | | Yes | NULL | | |
| 5 | NumberOfMembers | int(11) | | | Yes | NULL | | |
| 6 | UserRemark | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 7 | AdminRemark | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 8 | UserCancelRemark | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 9 | BookingDate | timestamp | | | Yes | current_timestamp() | | |
| 10 | BookingStatus | varchar(100) | latin1_swedish_ci | | Yes | NULL | | |
| 11 | LastUpdationDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.6: Booking Table

3.1.7 Table_news: This table store the news details:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|----------------|--------------|-------------------|------------|------|---------------------|----------|-------------------------------|
| 1 | id 🔑 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | News Title | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | NewsDetails | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 4 | PostingDate | timestamp | | | Yes | current_timestamp() | | |
| 5 | LastUpdateDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.7: News Table

3.1.8 Table_info: This table store the pages info details:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|----------------|--------------|-------------------|------------|------|---------|----------|-------------------------------|
| 1 | id 🔑 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | PageType | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | PageDetails | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 4 | LastupdateDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.8: Info Table

3.1.9 Table_generalsettings : This table store the website general settings:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|----------------|--------------|-------------------|------------|------|---------|----------|-------------------------------|
| 1 | id 🔑 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | SiteName | varchar(200) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | PhoneNumber | bigint(12) | | | Yes | NULL | | |
| 4 | EmailId | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 5 | address | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 6 | footercontent | mediumtext | latin1_swedish_ci | | Yes | NULL | | |
| 7 | LastUpdateDate | timestamp | | | Yes | NULL | | ON UPDATE CURRENT_TIMESTAMP() |

Table 3.9: General Setting Table

3.1.10 Table_subscriber: This table store the subscribers info:

| # | Name | Type | Collation | Attributes | Null | Default | Comments | Extra |
|---|-----------|--------------|-------------------|------------|------|---------------------|----------|----------------|
| 1 | is 🔑 | int(11) | | | No | None | | AUTO_INCREMENT |
| 2 | UserEmail | varchar(255) | latin1_swedish_ci | | Yes | NULL | | |
| 3 | Regdate | timestamp | | | Yes | current_timestamp() | | |

Table 3.10:Subscriber Table

3.2 (DFD's) DATA FLOW DIAGRAM

3.2.1 Data Flow Diagram for Context Level




Fig:3.1 Context Level Diagram

3.2.2 Data Flow Diagram for Level-1




Fig:3.2 Data Flow Diagram Level-1

3.2.3 Data Flow Diagram for Administrator Context Level-1




Fig:3.3 Administrator Context Level-1

3.3 USE CASE DIAGRAM

Use case diagram consists of actors, use cases and their relationships. These diagrams are especially important in organizing and modelling the behaviours of a system.




Fig:3.4 UseCase Of User




Fig:3.5 Use Case of Admin

3.4 ER-Diagram




Fig:3.6 ER Diagram

3.5 SEQUENCE DIAGRAM




Fig:3.7 Sequence Diagram

CHAPTER 4

FORM DESIGN

4.1 PROJECT SCREEN LAYOUT

4.1.1 Admin

Event Management System | Admin Panel

Please Sign In

15481

submit

Fig:4.1 Admin Login

4.1.2 Admin Dashboard




Fig:4.2 Admin Dashboard

4.1.3 Add Category

Event Mangement System | Admin Panel

Dashboard

Category

Add

Manage

Manage Sponsors

Events

Manage Users

Manage Bookings

News

Website Setting

Add Category

Add Category

Category

Please fill out this field.

Description

Add

Fig:4.3 Add Category

4.1.4 Manage Category

Event Mangement System | Admin Panel

Dashboard

Category

Add

Manage

Manage Sponsors

Events

Manage Users

Manage Bookings

News

Website Setting

Manage Category

Manage Category

Show 10 entries

Search:

| # | Category | Description | Creation Date | Is Active | Action |
|---|--------------|--------------|---------------------|-----------|-----------------------------------|
| 1 | Sports Party | Sports Party | 2019-01-08 00:00:11 | No | <div><div></div><div></div></div> |
| 2 | Music Day | Music Day | 2019-01-08 00:00:30 | Yes | <div><div></div><div></div></div> |
| 3 | Kitty Party | Kitty Party | 2019-06-12 23:19:03 | Yes | <div><div></div><div></div></div> |

Showing 1 to 3 of 3 entries

Previous

1

Next

Fig:4.4 Manage Category

4.1.5 Manage Sponsor




Fig:4.5 Manage Sponsor

4.1.6 Add Sponsor




Fig:4.6 Add Sponsor

4.1.7 Add Events

Event Mangement System | Admin Panel

Dashboard
Category
Manage Sponsors
Events
Add
Manage
Manage Users
Manage Bookings
News
Website Setting

Add Event

Add Event

Category
Select

Event Sponsors :
Select

Event Name

Event Description

Event Start Date

Event End Date

Event location

Event Featured Image
 No file chosen

Fig:4.7 Add Events

4.1.8 Manage Event

Event Mangement System | Admin Panel

Dashboard
Category
Manage Sponsors
Events
Add
Manage
Manage Users
Manage Bookings
News
Website Setting

Manage Events

Manage Events

Show 10 entries Search:

| # | Event Name | Category | Event from - To | Action |
|---|---------------------|--------------|--------------------------|-------------------------------------|
| 1 | Cricket Match event | Sports Party | 2019-06-13----2019-06-30 | <input type="button" value="Edit"/> |
| 2 | Test Event | Music Day | 2019-02-28----2019-03-28 | <input type="button" value="Edit"/> |

Showing 1 to 2 of 2 entries

Previous 1 Next

Fig:4.8 Manage Events

4.1.9 Edit Event

Event Mangement System | Admin Panel

Dashboard

Category

Manage Sponsors

Events

Manage Users

Manage Bookings

News

Website Setting

Edit Event

Add Event

Category

Sports Party

Event Sponsors :

Event Name

Cricket Match event

Event Description

This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing. This is sample text for testing.

Event Start Date

06/13/2019


Event End Date

06/30/2019

Event location

New Delhi

Event Featured Image :



Change Event Image

Update Event

Fig:4.9 Edit Events

4.1.10 Manage User

The screenshot shows the 'Manage Users' page in the Event Management System Admin Panel. The left sidebar contains a menu with options: Dashboard, Category, Manage Sponsors, Events, Manage Users (selected), Manage Bookings, News, and Website Setting. The main content area is titled 'Manage Users' and features a table with columns: #, FullName, Username, Status, Reg. Date, and Action. A search bar and a 'Show 10 entries' dropdown are at the top. The table contains one entry for 'Anuj kumar' with username 'ak30' and status 'Active'. A pagination bar at the bottom shows 'Showing 1 to 1 of 1 entries' and 'Previous 1 Next'.

| # | FullName | Username | Status | Reg. Date | Action |
|---|------------|----------|--------|---------------------|--------|
| 1 | Anuj kumar | ak30 | Active | 2019-06-08 16:01:18 | |

Fig:4.10 Manage User

4.1.11 Edit User

The screenshot shows the 'Edit User Profile' page in the Event Management System Admin Panel. The left sidebar is the same as in Fig 4.10. The main content area is titled 'Edit User Profile' and displays 'Anuj kumar's Profile'. It shows the user's registration date (2019-06-08 16:01:18) and last updated date (2019-06-11 12:57:58). Below this are input fields for Username (ak30), Fullname (Anuj kumar), Email id (ak30@gmail.com), Phone Number (1234567899), Gender (Male), and Status (Active). An 'Update' button is at the bottom.

Anuj kumar's Profile

Reg Date : 2019-06-08 16:01:18
Last Updated at : 2019-06-11 12:57:58

Username
ak30

Fullname
Anuj kumar

Email id
ak30@gmail.com

Phone Number
1234567899

Gender
Male

Status
Active

Update

Fig:4.11 Edit User

4.1.12 Manage Booking

Event Mangement System | Admin Panel

Manage Bookings

Show 10 entries Search:

| # | Booking Id | Event Name | FullName | Number of Members | Status | Booking Date | Action |
|---|------------|---------------------|------------|-------------------|---------------------|--------------|--------|
| 1 | 659452988 | Cricket Match event | Anuj kumar | 4 | 2019-06-10 00:18:20 | Confirmed | |

Showing 1 to 1 of 1 entries

Previous 1 Next

Fig:4.12 Manage Bookings

4.1.13 Booking Detail

Event Mangement System | Admin Panel

Booking Details

#659452988 Details

| | | | | | |
|--------------------|--|----------------|---------------------|--------------|---------------------|
| Booking Id | 659452988 | Booking Date | 2019-06-10 00:18:20 | Event Name | Cricket Match event |
| Number of Members | 4 | Booking Status | Confirmed | | |
| Full Name | Anuj kumar | Email Id | ak30@gmail.com | Phone Number | 1234567899 |
| User Remark | Event booked successfully. Booking number is | | | | |
| Admin Remark | Your booking is confirmed. | | | | |
| Last Updation Date | 2019-06-12 23:24:57 | | | | |

Fig:4.13 Booking Detail

4.1.14 Add News

Event Mangement System | Admin Panel

Dashboard
Category
Manage Sponsors
Events
Manage Users
Manage Bookings
News
Add
Manage
Website Setting

Add News

Add News

News Title

Description

Add

Fig:4.14 Add News

4.1.15 Manage News

Event Mangement System | Admin Panel

Dashboard
Category
Manage Sponsors
Events
Manage Users
Manage Bookings
News
Add
Manage
Website Setting

Manage News

Manage News

Show 10 entries

Search:

| # | News Title | Description | Posting Date | Action |
|---|------------|----------------------------------|---------------------|--------|
| 1 | Test News | This is sample text for testing. | 2019-06-12 23:07:12 | |

Showing 1 to 1 of 1 entries

Previous 1 Next

Fig:4.15 Manage News

4.1.16 About Us

[illegible]

Fig:4.16 About Us

4.1.17 General Setting

Event Mangement System | Admin Panel

Dashboard

Category

Manage Sponsors

Events

Manage Users

Manage Bookings

News

Website Setting

About us

General Settings

General Setting

Header Setting

Website name

EMS

Other Settings

Phone Number

1234567890

Email Id

test@test.com

Address

Test address
Test City

Footer Text

Copyright 2019 All Rights Reserved

Update

Fig:4.17 General Setting

4.1.18 Admin Profile

The screenshot shows the 'Admin Profile' page within the 'Event Management System | Admin Panel'. On the left is a sidebar menu with options: Dashboard, Category, Manage Sponsors, Events, Manage Users, Manage Bookings, News, and Website Setting. The main content area is titled 'Admin Profile' and contains a form with the following fields: 'Full Name' (containing 'Admin'), 'Admin Email-Id' (containing 'admin@gmail.com'), and 'UserName' (containing 'admin'). Above these fields is a green success message: 'SUCCESS : Your profile updated.' Below the 'UserName' field is an 'Update' button.

Fig:4.18 Admin Profile

4.1.19 Change Password

The screenshot shows the 'Change Password' page within the 'Event Management System | Admin Panel'. On the left is the same sidebar menu as in the previous figure. The main content area is titled 'Change Password' and contains a form with three password fields: 'Current Password', 'New Password', and 'Confirm Password'. Below these fields is a 'Change' button.

Fig:4.19 Change Password

4.2 User Module

4.2.1 About Us




Fig:4.20 About Us of EMS

4.2.2 All Events




Fig:4.21 Home Page Of EMS

4.2.3 Add News




Fig:4.22 Add News

4.2.4 User Signup

EMS

HomeAbout UsEventsNewsSignupLogin

HOME / SIGNUP

USER SIGNUP

Name

Username

Email Id

Phone Number

Select Gender

Password

Submit

Already Registered

 Signin here

EVENT CATEGORIES

Sports Party

Music Day

Kitty Party

Phone

1234567890

E-Mail

test@test.com

Test address Test City Test State IN-110091

Copyright 2019 All Rights Reserved

Fig:4.23 User SignUp

4.2.5 Change Password

EMS

[Home](#) [About Us](#) [Events](#) [News](#) [My Account](#)

HOME / CHANGE PASSWORD

MY ACCOUNT

My Profile

Change Password

My Booking

Logout

CHANGE PASSWORD


Current Password

New Password

Confirm Password


Password atleast one number and one uppercase and lowercase letter, and at least 6 or more characters

CHANGE




Phone

1234567890



E-Mail

test@test.com



Test address Test City Test State IN-110091

Copyright 2019 All Rights Reserved

Fig:4.24 Change Password

4.2.6 User Booking

EMS

[Home](#)[About Us](#)[Events](#)[News](#)[My Account](#)

HOME / MY BOOKINGS

MY ACCOUNT

My Profile

Change Password

My Booking

Logout

MY BOOKINGS

| # | Booking Id | Event Name | Booking Date | Booking Status | Action |
|---|------------|---------------------|---------------------|----------------|--------|
| 1 | 659452988 | Cricket Match event | 2019-06-10 00:18:20 | Confirmed | |

Phone

1234567890

E-Mail

test@test.com

Test address

Test City Test State IN-110091

Copyright 2019 All Rights Reserved

Fig:4.25 User Booking

4.2.7 Booking Detail

EMS

HomeAbout UsEventsNewsMy Account

HOME / MY BOOKINGS

MY ACCOUNT


My Profile


Change Password


My Booking

Logout


CRICKET MATCH EVENT BOOKING DETAILS

| | | | |
|---------------------|----------------------------|---|--|
| Booking Number | 659452988 | Booking Date | 2019-06-10 00:18:20 |
| Number of members | 4 | User Remark | Event booked successfully. Booking number is |
| Event Name | Cricket Match event | Event Date | 2019-06-13 To 2019-06-30 |
| Event Location | New Delhi | Booking Status | Confirmed |
| Admin Remark | Your booking is confirmed. | | |
| Last Updation Date | 2019-06-12 23:24:57 | | |
| Cancel this Booking | |  | |


Phone
1234567890



E-Mail
test@test.com



Test address Test City Test State IN-110091

Copyright 2019 All Rights Reserved

Fig:4.26 Booking Details

4.2.8 Password Recovery

EMS

HomeAbout UsEventsNewsSignupLogin

HOME / FORGOT PASSWORD

USER FORGOT PASSWORD (PASSWORD RECOVERY)

Username

Reg Phone Number

SUBMIT

[Already an account](#) Login here

EVENT CATEGORIES

Sports Party

Music Day

Kitty Party

Phone

1234567890

E-Mail

test@test.com

Test address Test City Test State IN-110091

Copyright 2019 All Rights Reserved

Fig:4.27 Password Recovery

CHAPTER 5

CODING

5.1 ADMIN MODULE

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
if(isset($_POST['update']))
{
$abtdetails=$_POST['aboutus'];
$pagetype="aboutus";
$sql="update tblpages set PageDetails=:abtdetails where PageType=:pagetype";
$query = $dbh->prepare($sql);
$query->bindParam(':abtdetails',$abtdetails,PDO::PARAM_STR);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM_STR);
$query->execute();
echo "<script>alert('Success : About us details updated
successfully');</script>";
echo "<script>window.location.href='about-us.php'</script>";
}
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <title>EMS | General Setting</title>
    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <script src="http://js.nicedit.com/nicEdit-latest.js"
type="text/javascript"></script>
    <script
type="text/javascript">bkLib.onDomLoaded(nicEditors.allTextAreas);</script>

    <style>
        .errorWrap padding: 10px;
```

```

        margin: 0 0 20px 0;
        background: #fff;
        border-left: 4px solid #dd3d36;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
    .succWrap{
        padding: 10px;
        margin: 0 0 20px 0;
        background: #fff;
        border-left: 4px solid #5cb85c;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>
<form method="post" name="generalsetting">
    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> About Us Page</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <?php
$pagetype="aboutus";
$sql = "SELECT * from tblpages where PageType=:pagetype";
$query = $dbh -> prepare($sql);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
?
                <div class="row">

```

```

        <div class="col-lg-12">
            <div class="panel panel-default">
                <div class="panel-heading">
                    About Us Page Details
                </div>
                <div class="panel-body">
                    <div class="row">
                        <div class="col-lg-12">

<!--About us page details -->
<div class="form-group">
<textarea class="form-control" name="aboutus" required><?php echo
htmlentities($row->PageDetails);?></textarea>
</div>

<!--Button -->
<div class="form-group" align="center">
<button type="submit" class="btn btn-primary" name="update">Update</button>
</div>

                        </div>
                    </div>
                </div>
            </div>
            <!-- /.row (nested) -->
        </div>
        <!-- /.panel-body -->
    </div>
    <!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<?php } } ?>

</form>
</div>
    <!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>

```

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
if(isset($_POST['add']))
{
$cat=$_POST['category'];
$decrption=$_POST['description'];
$status=1;
$sql="INSERT INTO tblcategory(CategoryName,CategoryDescription,IsActive)
VALUES(:cat,:decrption,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':cat',$cat,PDO::PARAM_STR);
$query->bindParam(':decrption',$decrption,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
$msg="Category created successfully.";
}
else
{
$error="Something went wrong. Please try again";
}
}
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <title>EMS | Add Category</title>

    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <style>
        .errorWrap {
            padding: 10px;
            margin: 0 0 20px 0;

```

```

        background: #fff;
        border-left: 4px solid #dd3d36;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
    .succWrap{
        padding: 10px;
        margin: 0 0 20px 0;
        background: #fff;
        border-left: 4px solid #5cb85c;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> Add Category</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Add Category
                    </div>
                    <div class="panel-body">
                        <div class="row">
                            <div class="col-lg-6">
<form role="form" method="post" >
<!-- Success / Error Message -->
    <?php if($error){?><div class="errorWrap"><strong>ERROR</strong> : <?php echo
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

```

```

<!--Category Name -->
<div class="form-group">
<label>Category</label>
<input class="form-control" type="text" name="category" autocomplete="off"
required autofocus>
</div>
<!--New Pasword -->
<div class="form-group">
<label>Description</label>
<textarea class="form-control" name="description" autofocus required></textarea>
</div>

<!--Button -->
<div class="form-group" align="center">
<button type="submit" class="btn btn-primary" name="add">Add</button>
</div>

        </form>
    </div>

    </div>
    <!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>

```

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
if(isset($_POST['add']))
{
// Posted Values
$catid=$_POST['category'];
$spnserid=$_POST['sponser'];
$ename=$_POST['eventname'];
$ediscription=$_POST['eventdescription'];
$esdate=$_POST['eventstartdate'];
$eedate=$_POST['eventenddate'];
$elocation=$_POST['eventlocation'];
$entimage=$_FILES["eventimage"]["name"];
$status=1;
// get the image extension
$extension = substr($entimage,strlen($entimage)-4,strlen($entimage));
// allowed extensions
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
// Validation for allowed extensions .in_array() function searches an array for a
specific value.
if(!in_array($extension,$allowed_extensions))
{
echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";
}
else
{
//rename the image file
$eventimage=md5($entimage).$extension;
// Code for move image into directory
move_uploaded_file($_FILES["eventimage"]["tmp_name"],"eventimages/".$eventimage);
// Query for insertion data into database
$sql="INSERT
INTO  tblevents(CategoryId,SponserId,EventName,EventDescription,EventStartDate,Ev
entEndDate,EventLocation,EventImage,IsActive)
VALUES(:catid,:spnserid,:ename,:ediscription,:esdate,:eedate,:elocation,:eventima
ge,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':catid',$catid,PDO::PARAM_STR);
$query->bindParam(':spnserid',$spnserid,PDO::PARAM_STR);

```



```

$query->bindParam(':ename',$ename,PDO::PARAM_STR);
$query->bindParam(':edescription',$edescription,PDO::PARAM_STR);
$query->bindParam(':esdate',$esdate,PDO::PARAM_STR);
$query->bindParam(':eedate',$eedate,PDO::PARAM_STR);
$query->bindParam(':elocation',$elocation,PDO::PARAM_STR);
$query->bindParam(':eventimage',$eventimage,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
echo '<script>alert("Event created successfully")</script>';
echo "<script>window.location.href='manage-events.php</script>";
}
else
{
echo '<script>alert("Something went wrong. Please try again")</script>';
}

}
}
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <title>EMS | Add Event</title>

    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <style>
        .errorWrap {
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #dd3d36;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        }
        .succWrap{
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #5cb85c;

```

```

        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> Add Event</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Add Event
                    </div>
                    <div class="panel-body">
                        <div class="row">
                            <div class="col-lg-12">

<!-- Success / Error Message -->
<?php if($error){?><div class="errorWrap"><strong>ERROR</strong> : <?php echo
htmlentities($error); ?> </div><?php }
else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

<form role="form" method="post" enctype="multipart/form-data">

<!--category Name -->
<div class="form-group">
<label>Category</label>
<select class="form-control" name="category" autocomplete="off" required >
<option>Select</option>
<?php

```

```

$sql = "SELECT id,CategoryName,CategoryDescription,CreationDate,IsActive from
tblcategory";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{ ?>
<option value="<?php echo htmlentities($row->id);?>"><?php echo
htmlentities($row->CategoryName);?></option>
<?php }} ?>
</select>
</div>

<!--Sponser logo -->
<div class="form-group">
<label>Event Sponsors : </label>

<select class="form-control" name="sponser" autocomplete="off" required >
<option>Select</option>
<?php
$sql = "SELECT id,sponserName from tblsponsors";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{ ?>
<option value="<?php echo htmlentities($row->id);?>"><?php echo
htmlentities($row->sponserName);?></option>
<?php }} ?>
</select>

</div>

<!--Event name -->
<div class="form-group">
<label>Event Name</label>
<input class="form-control" type="text" name="eventname" autocomplete="off"
required autofocus>
</div>

<!--Event Description -->
<div class="form-group">

```

```

<label>Event Description</label>
<textarea class="form-control" type="text" name="eventdescription" rows="5"
autocomplete="off" required autofocus></textarea>
</div>

<!--Event Start date -->
<div class="form-group">
<label>Event Start Date</label>
<input class="form-control" type="date" name="eventstartdate" autocomplete="off"
required autofocus />
</div>

<!--Event End Date -->
<div class="form-group">
<label>Event End Date</label>
<input class="form-control" type="date" name="eventenddate" autocomplete="off"
required autofocus />
</div>

<!--Event Location -->
<div class="form-group">
<label>Event location</label>
<input class="form-control" type="text" name="eventlocation" autocomplete="off"
required autofocus />
</div>

<!--Event Featured Image -->
<div class="form-group">
<label>Event Featured Image</label>
<input class="form-control" type="file" name="eventimage" autocomplete="off"
required autofocus />
</div>

<!--Button -->
<button type="submit" class="btn btn-default" name="add">Add Event</button>
    </form>
  </div>

  </div>
  <!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>

```

```

        <!-- /#page-wrapper -->

    </div>
    <!-- /#wrapper -->

    <!-- jQuery -->
    <script src="../../vendor/jquery/jquery.min.js"></script>
    <script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
    <script src="../../vendor/metisMenu/metisMenu.min.js"></script>
    <script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
if(isset($_POST['add']))
{
$newstitle=$_POST['newstitle'];
$decrption=$_POST['description'];
$sql="INSERT INTO tblnews(NewsTitle,NewsDetails) VALUES(:newstitle,:decrption)";
$query = $dbh->prepare($sql);
$query->bindParam(':newstitle',$newstitle,PDO::PARAM_STR);
$query->bindParam(':decrption',$decrption,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
echo "<script>alert('Success : News added successfully ');</script>";
echo "<script>window.location.href='add-news.php'</script>";
}
else
{
echo "<script>alert('Error : Something went wrong. Please try again.
');</script>";
}
}
?>
<!DOCTYPE html>
<html lang="en">

<head>

```

```

<title>EMS | Add New</title>

<!-- Bootstrap Core CSS -->
<link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
<link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
<link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">

</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> Add News</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Add News
                    </div>
                    <div class="panel-body">
                        <div class="row">
                            <div class="col-lg-6">
<form role="form" method="post" >

<!--Category Name -->
<div class="form-group">
<label>News Title</label>
<input class="form-control" type="text" name="newstitle" autocomplete="off"
required autofocus>
</div>
<!--New Pasword -->

```

```

<div class="form-group">
<label>Description</label>
<textarea class="form-control" name="description" required></textarea>
</div>

```

```

<!--Button -->
<div class="form-group" align="center">
<button type="submit" class="btn btn-primary" name="add">Add</button>
</div>

```

```

</form>
</div>

```

```

</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /#page-wrapper -->

```

```

</div>
<!-- /#wrapper -->

```

```

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>

```

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
//Code for Category deletion
if(isset($_GET['ssdel']))

```

```

{
$sid=$_GET['ssdel'];

$sql = "SELECT sponserLogo from tblsponsors WHERE id=:id";
$query = $dbh -> prepare($sql);
$query -> bindParam(':id',$sid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
$path="sponsors/".$row->sponserLogo;
}}
unlink($path);
$sql = "delete from tblsponsors WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$sid, PDO::PARAM_STR);
$query -> execute();

$_SESSION['delmsg']="Sponser deleted";

}
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <title>EMS | Manage Users</title>

    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <!-- DataTables CSS -->
    <link href="../../vendor/datatables-plugins/dataTables.bootstrap.css"
rel="stylesheet">
    <!-- DataTables Responsive CSS -->
    <link href="../../vendor/datatables-responsive/dataTables.responsive.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,6
00,600i,700,700i,800,800i,900,900i" rel="stylesheet">
    <style>
        .errorWrap {

```



```

padding: 10px;
margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #dd3d36;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
padding: 10px;
margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #5cb85c;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

<div id="page-wrapper">
<div class="row">
<div class="col-lg-12">
<h1 class="page-header"> Manage Bookings</h1>
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row" style="margin-top:1%">
<div class="col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Manage Bookings
</div>

<div class="panel-body">
<div class="row">
<div class="col-lg-12">

```

```

        <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
            <thead>
                <tr>
                    <th>#</th>
                    <th>Booking Id</th>
                    <th>Event Name</th>
                    <th>FullName</th>
                    <th>Number of Members</th>
                    <th>Status</th>
                    <th>Booking Date</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
<?php
$sql = "SELECT tblbookings.id as
bid,tblbookings.BookingId,tblevents.EventName,tblusers.FullName,tblbookings.Numbe
rOfMembers,tblbookings.BookingStatus,tblbookings.BookingDate from tblbookings
left join tblusers on tblusers.UserId=tblbookings.UserId left join tblevents on
tblevents.id=tblbookings.EventId";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
    ?>

    <tr >
    <td><?php echo htmlentities($cnt);?></td>
    <td><?php echo htmlentities($row->BookingId);?></td>
    <td><?php echo htmlentities($row->EventName);?></td>
    <td><?php echo htmlentities($row->FullName);?></td>
    <td><?php echo htmlentities($row->NumberOfMembers);?></td>
    <td><?php echo htmlentities($row->BookingDate);?></td>

    <td><?php $status=$row->BookingStatus;
    if($status==""){
    echo htmlentities("Not Confirmed yet");
    } else {
    echo htmlentities("$status");
    }
    ?></td>
    <td>
    <a href="booking-details.php?bkid=<?php echo htmlentities($row->bid);?>"
    <i class="fa fa-file-text"></i>

```

```

</a>

                                </button>
                                </a></td>
</tr>
    <?php $cnt++;
    }} ?>

                                </tbody>
                                </table>
                                </div>

                                </div>
                                <!-- /.row (nested) -->
                                </div>
                                <!-- /.panel-body -->
                                </div>
                                <!-- /.panel -->
                                </div>
                                <!-- /.col-lg-12 -->
                                </div>
                                <!-- /.row -->
                                </div>
                                <!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
    <!-- DataTables JavaScript -->
    <script src="../../vendor/datatables/js/jquery.dataTables.min.js"></script>
    <script src="../../vendor/datatables-
plugins/dataTables.bootstrap.min.js"></script>
    <script src="../../vendor/datatables-
responsive/dataTables.responsive.js"></script>
    <script>
        $(document).ready(function() {
            $('#dataTables-example').DataTable({
                responsive: true
            });
        });
    </script>
</body>
</html>
<?php } ?>

```

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
// Code for remark updation
if(isset($_POST['updatebooking']))
{
$bkngid=intval($_GET['bkid']);
$adminremark=$_POST['adminremark'];
$status=$_POST['status'];
$sql="update tblbookings set AdminRemark=:adminremark,BookingStatus=:status
where id=:bkngid";
$query = $dbh->prepare($sql);
$query->bindParam(':bkngid', $bkngid, PDO::PARAM_STR);
$query->bindParam(':adminremark', $adminremark, PDO::PARAM_STR);
$query->bindParam(':status', $status, PDO::PARAM_STR);
$query->execute();
echo "<script>alert('Success: Booking details updated.');

```

```

.succWrap{
    padding: 10px;
    margin: 0 0 20px 0;
    background: #fff;
    border-left: 4px solid #5cb85c;
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> Booking Details</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">

                    <?php
                        $bid=intval($_GET['bkid']);
                        $sql = "SELECT tblbookings.id as
                        bid,tblbookings.BookingId,tblevents.EventName,tblevents.id as
                        eid,tblusers.FullName,tblbookings.NumberOfMembers,tblbookings.BookingStatus,tblbo
                        okings.BookingDate,tblusers.Emailid,tblusers.PhoneNumber,tblbookings.NumberOfMemb
                        ers,tblbookings.UserRemark,tblbookings.UserCancelRemark,tblbookings.AdminRemark,t
                        blbookings.LastUpdationDate from tblbookings left join tblusers on
                        tblusers.UserId=tblbookings.UserId left join tblevents on
                        tblevents.id=tblbookings.EventId where tblbookings.id=:bid ";
                        $query = $dbh -> prepare($sql);
                        $query->bindParam(':bid',$bid,PDO::PARAM_STR);
                        $query->execute();
                        $results=$query->fetchAll(PDO::FETCH_OBJ);
                        $cnt=1;
                        if($query->rowCount() > 0)

```

```

{
foreach($results as $row){
    ?>
    <div class="panel-heading">
        #<?php echo htmlentities($row->BookingId);?> Details
    </div>
    <div class="panel-body">
        <div class="row">
            <div class="col-lg-12">

<table width="100%" class="table table-striped table-bordered table-hover" >
<tr>
<th>Booking Id</th>
<td><?php echo htmlentities($row->BookingId);?></td>
<th>Booking Date</th>
<td><?php echo htmlentities($row->BookingDate);?></td>
<th>Event Name</th>
<td><a href="edit-event.php?sid=<?php echo htmlentities($row->eid);?>"
target="_blank"><?php echo htmlentities($row->EventName);?></a></td>
</tr>

<tr>
<th>Number of Members</th>
<td><?php echo htmlentities($row->NumberOfMembers);?></td>
<th>Booking Status</th>
<td colspan="3"><?php $status=$row->BookingStatus;
if($status==""){
echo htmlentities("Not Confirmed yet");
} else {
echo htmlentities("$status");
}
?></td>
</tr>

<tr>
<th>Full Name</th>
<td><?php echo htmlentities($row->FullName);?></td>
<th>Email Id</th>
<td><?php echo htmlentities($row->Emailid);?></td>
<th>Phone Number</th>
<td><?php echo htmlentities($row->PhoneNumber);?></td>
</tr>

<tr>
<th>User Remark</th>
<td colspan="5"><?php echo htmlentities($row->UserRemark);?></td>
</tr>

```

```

<?php if($row->UserCancelRemark!=""){?>
<tr>
<th>User Cancellation Remark</th>
<td colspan="5"><?php echo htmlentities($row->UserCancelRemark);?></td>
</tr>
<?php } ?>

<?php if($row->AdminRemark!=""){?>
<tr>
<th>Admin Remark</th>
<td colspan="5"><?php echo htmlentities($row->AdminRemark);?></td>
</tr>
<?php } ?>

<?php if($row->LastUpdationDate!=""){?>
<tr>
<th>Last Updation Date</th>
<td colspan="5"><?php echo htmlentities($row->LastUpdationDate);?></td>
</tr>
<?php } ?>

</table>

<?php if($status==""){?>
<div class="form-group" align="center">
<button type="button" class="btn btn-info btn-lg" data-toggle="modal" data-
target="#myModal">Take Action</button>
</div>
<?php } ?>                                </div>

                                </div>
                                <!-- /.row (nested) -->
</div>

<?php }} ?>

                                <!-- /.panel-body -->
                                </div>
                                <!-- /.panel -->
                                </div>
                                <!-- /.col-lg-12 -->
                                </div>
                                <!-- /.row -->
                                </div>
                                <!-- /#page-wrapper -->

                                </div>
                                <!-- /#wrapper -->

```

```

<!--Take action model-->
<div id="myModal" class="modal fade" role="dialog" style="margin-top:10%">
  <div class="modal-dialog">

    <!-- Modal content-->
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
        <h4 class="modal-title">Admin take action</h4>
      </div>
      <div class="modal-body">
        <form name="adminremark" method="post">
          <p><textarea placeholder="Admin remark" class="form-control"
name="adminremark" required="true"></textarea></p>
          <p><select name="status" required="true" class="form-control">
            <option value="Confirmed">Confirmed</option>
            <option value="Cancelled">Cancelled</option>
          </select></p>
          <p><button type="submit" class="btn btn-info btn-lg"
name="updatebooking">Submit</button></p>
        </form>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
      </div>
    </div>
  </div>

<!-- jQuery -->

  <script src="../../vendor/jquery/jquery.min.js"></script>
  <script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
  <script src="../../vendor/metisMenu/metisMenu.min.js"></script>
  <script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{

```



```

//Code for Category deletion
if(isset($_GET['ssdel']))
{
$cid=$_GET['ssdel'];

$sql = "SELECT sponserLogo from tblsponsors WHERE id=:id";
$query = $dbh -> prepare($sql);
$query -> bindParam(':id',$cid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
$path="sponsors/".$row->sponserLogo;
}}
unlink($path);
$sql = "delete from tblsponsors WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$cid, PDO::PARAM_STR);
$query -> execute();

$_SESSION['delmsg']="Sponser deleted";

}
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <title>EMS | Manage Users</title>

    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <!-- DataTables CSS -->
    <link href="../../vendor/datatables-plugins/dataTables.bootstrap.css"
rel="stylesheet">
    <!-- DataTables Responsive CSS -->
    <link href="../../vendor/datatables-responsive/dataTables.responsive.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,6
00,600i,700,700i,800,800i,900,900i" rel="stylesheet">

```

```

<style>
    .errorWrap {
        padding: 10px;
        margin: 0 0 20px 0;
        background: #fff;
        border-left: 4px solid #dd3d36;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
    .succWrap{
        padding: 10px;
        margin: 0 0 20px 0;
        background: #fff;
        border-left: 4px solid #5cb85c;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    }
</style>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
<!-- / Header -->
<?php include_once('includes/header.php');?>
<!-- / Leftbar -->
<?php include_once('includes/leftbar.php');?>
</nav>

    <div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header"> Cancelled Bookings</h1>
            </div>
            <!-- /.col-lg-12 -->
        </div>
        <!-- /.row -->
        <div class="row" style="margin-top:1%">
            <div class="col-lg-12">
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Cancelled Bookings
                    </div>

                    <div class="panel-body">
                        <div class="row">

```

```

        <div class="col-lg-12">
            <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                <thead>
                    <tr>
                        <th>#</th>
                        <th>Booking Id</th>
                        <th>Event Name</th>
                        <th>FullName</th>
                        <th>Number of Members</th>
                        <th>Status</th>
                        <th>Booking Date</th>
                    <th>Action</th>
                </tr>
            </thead>
            <tbody>

<?php
$status='Cancelled';
$sql = "SELECT tblbookings.id as
bid,tblbookings.BookingId,tblevents.EventName,tblusers.FullName,tblbookings.Numbe
rOfMembers,tblbookings.BookingStatus,tblbookings.BookingDate from tblbookings
left join tblusers on tblusers.Userid=tblbookings.UserId left join tblevents on
tblevents.id=tblbookings.EventId where tblbookings.BookingStatus=:status";
$query = $dbh -> prepare($sql);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
    ?>

    <tr >
        <td><?php echo htmlentities($cnt);?></td>
        <td><?php echo htmlentities($row->BookingId);?></td>
        <td><?php echo htmlentities($row->EventName);?></td>
        <td><?php echo htmlentities($row->FullName);?></td>
        <td><?php echo htmlentities($row->NumberOfMembers);?></td>
        <td><?php echo htmlentities($row->BookingDate);?></td>

        <td><?php $status=$row->BookingStatus;
        if($status==""){
            echo htmlentities("Not Confirmed yet");
        } else {
            echo htmlentities("$status");
        }
        ?></td>

```

```

<td>
<a href="booking-details.php?bkid=<?php echo htmlentities($row->bid);?>">
<i class="fa fa-file-text"></i>
</a>

</button>
</a></td>

</tr>
<?php $cnt++;
}} ?>

</tbody>
</table>
</div>

</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
<!-- DataTables JavaScript -->
<script src="../../vendor/datatables/js/jquery.dataTables.min.js"></script>
<script src="../../vendor/datatables-
plugins/dataTables.bootstrap.min.js"></script>
<script src="../../vendor/datatables-
responsive/dataTables.responsive.js"></script>
<script>
$(document).ready(function() {
    $('#dataTables-example').DataTable({
        responsive: true
    });
});
</script>
</body>

```

```

</html>
<?php
session_start();
$text = rand(10000,99999);
$_SESSION["vercode"] = $text;
$height = 25;
$width = 65;
$image_p = imagecreate($width, $height);
$black = imagecolorallocate($image_p, 0, 0, 0);
$white = imagecolorallocate($image_p, 255, 255, 255);
$font_size = 14;
imagestring($image_p, $font_size, 5, 5, $text, $white);
imagejpeg($image_p, null, 80);
?>
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['adminsession'])==0)
{
header('location:logout.php');
}
else{
if(isset($_POST['update']))
{

$evtid=intval($_GET['evntid']);
// Posted Values
$evntimage=$_FILES["eventimage"]["name"];
// get the image extension
$extension = substr($evntimage,strlen($evntimage)-4,strlen($evntimage));
// allowed extensions
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
// Validation for allowed extensions .in_array() function searches an array for a
specific value.
if(!in_array($extension,$allowed_extensions))
{
echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";
}
else
{
//rename the image file
$imgnewfile=md5($evntimage).$extension;
// Code for move image into directory
move_uploaded_file($_FILES["eventimage"]["tmp_name"],"eventimages/".$imgnewfile);
// Query for insertion data into database
$oldimage="eventimages/".$_SESSION['entimg'];
unlink($oldimage);

```

```

// Query for Updation data into database
$sql="update tblevents set EventImage=:evntimage where id=:evtid";
$query = $dbh->prepare($sql);
$query->bindParam(':evtid',$evtid,PDO::PARAM_STR);
$query->bindParam(':evntimage',$imgnewfile,PDO::PARAM_STR);
$query->execute();
$msg="Event Image updated successfully";
}
}
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <title>EMS | Edit Event Image</title>
    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">
    <style>
        .errorWrap {
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #dd3d36;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        }
        .succWrap{
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #5cb85c;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        }
    </style>
</head>
<body>
<div id="wrapper">
    <!-- Navigation -->
    <nav class="navbar navbar-default navbar-static-top" role="navigation"
style="margin-bottom: 0">
    <!-- / Header -->
    <?php include_once('includes/header.php');?>
    <!-- / Leftbar -->
    <?php include_once('includes/leftbar.php');?>

```

```

</nav>

<div id="page-wrapper">
    <div class="row">
        <div class="col-lg-12">
            <h1 class="page-header"> Edit Event Image</h1>
        </div>
        <!-- /.col-lg-12 -->
    </div>
    <!-- /.row -->
    <div class="row">
        <div class="col-lg-12">
            <div class="panel panel-default">
                <div class="panel-heading">
                    Edit Event Image
                </div>
                <div class="panel-body">
                    <div class="row">
                        <div class="col-lg-6">

<!-- Success / Error Message -->
        <?php if($error){?><div class="errorWrap"><strong>ERROR</strong> : <?php echo
htmlentities($error); ?> </div><?php }
        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

<form role="form" method="post" enctype="multipart/form-data">
<?php
$id=intval($_GET['evntid']);
$sql = "SELECT id,EventName,EventImage,PostingDate from tblevents where id=:eid";
$query = $dbh -> prepare($sql);
$query->bindParam(':eid',$id,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

<!--Sponser Logo -->
<div class="form-group">
<label>Event Image :</label>

</div>

```

```

<!--Sponser logo -->
<div class="form-group">
<label>New Image</label>
<input type="file" name="eventimage" required autofocus /></td>
</div>
<?php } }?>

<!--Button -->
<div class="form-group" align="center">
<button type="submit" class="btn btn-primary" name="update">Update</button>
</div>

        </form>
    </div>

        </div>
        <!-- /.row (nested) -->
    </div>
    <!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>
<script src="../../dist/js/sb-admin-2.js"></script>
</body>
</html>
<?php } ?>

```


5.2 USER MODULE CODING

```
<?php
session_start();
//database connection file
include('includes/config.php');
error_reporting(0);
// Code for Email Subscription
if(isset($_POST['subscribe']))
{

    // Getting Post values
    $emailid=$_POST['email'];
    // query for data insertion
    $sql="INSERT INTO tblsubscriber(UserEmail) VALUES(:emailid)";
    //preparing the query
    $query = $dbh->prepare($sql);
    //Binding the values
    $query->bindParam(':emailid',$emailid,PDO::PARAM_STR);
    //Execute the query
    $query->execute();
    //Check that the insertion really worked
    $lastInsertId = $dbh->lastInsertId();
    if($lastInsertId)
    {
        echo "<script>alert('Success : Successfully subscribed');</script>";
        echo "<script>window.location.href='index.php'</script>";
    }
    else
    {
        echo "<script>alert('Error : Something went wrong. Please try again');</script>";
    }
}

?>
<!doctype html>
<html class="no-js" lang="en">
    <head>
        <title>Event Management System | Home Page </title>
        <!-- bootstrap v3.3.6 css -->
        <link rel="stylesheet" href="css/bootstrap.min.css">
        <!-- animate css -->
        <link rel="stylesheet" href="css/animate.css">
        <!-- meanmenu css -->
        <link rel="stylesheet" href="css/meanmenu.min.css">
```

```

<!-- owl.carousel css -->
<link rel="stylesheet" href="css/owl.carousel.css">
<!-- icofont css -->
<link rel="stylesheet" href="css/icofont.css">
<!-- Nivo css -->
<link rel="stylesheet" href="css/nivo-slider.css">
<!-- animaton text css -->
<link rel="stylesheet" href="css/animate-text.css">
<!-- Metrial iconic fonts css -->
<link rel="stylesheet" href="css/material-design-iconic-font.min.css">
<!-- style css -->
<link rel="stylesheet" href="style.css">
<!-- responsive css -->
<link rel="stylesheet" href="css/responsive.css">
<!-- color css -->
<link href="css/color/skin-default.css" rel="stylesheet">

<!-- modernizr css -->
<script src="js/vendor/modernizr-2.8.3.min.js"></script>
</head>
<body>

<!--body-wraper-are-start-->
<div class="wrapper home-02">

    <!--slider header area are start-->
    <?php include_once('includes/header.php');?>
    <!-- header End-->
    <!--slider area are start-->
    <div class="slider-container slider-02 bg-overlay">
        <!-- Slider Image -->
        <div id="mainSlider" class="nivoSlider slider-image">
            
        </div>
    </div>
    <!--slider area are End-->
    <div class="down-arrow"> <a class="see-demo-btn" href="#about-
event"><i class="zmdi zmdi-long-arrow-down"></i></a> </div>
    </div>
    <!--slider header area are end-->
    <!-- Slider Caption 1 -->
    <div id="htmlcaption1" class="nivo-html-caption slider-
caption-1" >

        <div class="container">
            <div class="slide1-text">
                <div class="middle-text slide-def">
                    <div class="cap-dec wow fadeInDown" data-wow-
duration=".9s" data-wow-delay="0.2s" style="margin-top:-100px">

```

```

                <h1 align="center">Event Management
System</h1>
            </div>

        </div>
    </div>
</div>
<!--up comming events area-->
<div class="upcomming-events-area off-white ptb100">
    <div class="container">
        <div class="row">
            <div class="col-xs-12">
                <h1 class="section-title">Up Comming Events</h1>
            </div>
            <div class="total-upcomming-event col-md-12 col-sm-12
col-xs-12">

<?php
// Fetching Upcomong events
$isactive=1;
$sql = "SELECT EventName,EventLocation,EventStartDate,EventEndDate,EventImage,id
from tblevents where IsActive=:isactive order by id desc limit 5";
$query = $dbh -> prepare($sql);
$query->bindParam(':isactive',$isactive,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
    ?>
<div class="single-upcomming shadow-box">
                <div class="col-md-4 hidden-sm col-xs-12">
                    <div class="sue-pic">
                        EventName);?>" style="border:#000 1px solid">
                    </div>
                    <div class="sue-date-time text-center">
                        <span><?php echo htmlentities($row-
>EventStartDate);?></span>To
                        <span><?php echo htmlentities($row-
>EventEndDate);?></span>
                    </div>
                </div>
            </div>

```

```

        <div class="col-md-3 col-sm-5 col-xs-12">
            <div class="uc-event-title">
                <div class="uc-icon"><i class="zmdi zmdi-
globe-alt"></i></div>
                <a href="#"><?php echo htmlentities($row-
>EventName);?></a>
            </div>
        </div>
        <div class="col-md-2 col-sm-3 col-xs-12">
            <div class="venu-no">
                <p>Location : <?php echo
htmlentities($row->EventLocation);?></p>
            </div>
        </div>
        <div class="col-md-3 col-sm-4 col-xs-12">
            <div class="upcomming-ticket text-center">
                <a href="event-details.php?evntid=<?php echo
htmlentities($row->id);?>" class="btn-def bnt-2 small">View Details</a>
            </div>
        </div>
    </div>
<?php } } ?>

```

```

        </div>
    </div>
</div>
</div>
<!--up comming events area-->

```

```

<!--Counter area start-->
<div class="counter-area pb150">
    <div class="container">
        <div class="row">
            <div class="col-md-2 col-sm-4 col-xs-12">
                <div class="single-count text-center uppercase">
                    <div class="count-icon">
                        
                    </div>
                    <h3><span class="counter2">50</span></h3>
                    <p>+ Events</p>
                </div>
            </div>
            <div class="col-md-2 col-sm-4 col-xs-12">
                <div class="single-count text-center uppercase">
                    <div class="count-icon">
                        
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        <h3><span class="counter2">19</span></h3>
        <p>+ Location</p>
    </div>
</div>
<div class="col-md-2 col-sm-4 col-xs-12">
    <div class="single-count text-center uppercase">
        <div class="count-icon">
            
        </div>
        <h3><span class="counter2">12</span></h3>
        <p>+ Newtwork</p>
    </div>
</div>
<div class="col-md-2 col-sm-4 col-xs-12">
    <div class="single-count text-center uppercase">
        <div class="count-icon">
            
        </div>
        <h3><span class="counter2">90</span></h3>
        <p>+ Countries</p>
    </div>
</div>
<div class="col-md-2 col-sm-4 col-xs-12">
    <div class="single-count text-center uppercase">
        <div class="count-icon">
            
        </div>
        <h3><span class="counter2">5</span></h3>
        <p>Live Telecast</p>
    </div>
</div>
<div class="col-md-2 col-sm-4 col-xs-12">
    <div class="single-count text-center uppercase">
        <div class="count-icon">
            
        </div>
        <h3><span class="counter2">200</span></h3>
        <p>+Idea</p>
    </div>
</div>
</div>
</div>
</div>
<!--Counter area end-->

```

```

<!--call to action area start-->
<div class="call-to-action bg-overlay white-overlay pb100 pt85">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="cal-to-wrap">
                    <h1 class="section-title">Enter Your Email
Address For Events & News</h1>
                    <form method="post" name="subscribe">
                        <div class="input-box">
                            <input type="email" placeholder="Enter
your E-mail Address" class="info" name="email" required="true">
                            <button type="submit" name="subscribe"
class="send-btn"><i class="zmdi zmdi-mail-send"></i></button>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
<!--call to action area End-->

<!--information area are start-->
<?php include_once('includes/footer.php');?>
<!--footer area are start-->
</div>
<!--body-wrapper-are-end-->

<!--==== all js here=====>
<!-- jquery latest version -->
<script src="js/vendor/jquery-3.1.1.min.js"></script>
<!-- bootstrap js -->
<script src="js/bootstrap.min.js"></script>
<!-- owl.carousel js -->
<script src="js/owl.carousel.min.js"></script>
<!-- meanmenu js -->
<script src="js/jquery.meanmenu.js"></script>
<!-- Nivo js -->
<script src="js/nivo-slider/jquery.nivo.slider.pack.js"></script>
<script src="js/nivo-slider/nivo-active.js"></script>
<!-- wow js -->
<script src="js/wow.min.js"></script>
<!-- Vedio js -->
<script src="js/video.js"></script>
<!-- Youtube Background JS -->
<script src="js/jquery.mb.YTPlayer.min.js"></script>
<!-- datepicker js -->

```

```

<script src="js/bootstrap-datepicker.js"></script>
<!-- waypoint js -->
<script src="js/waypoints.min.js"></script>
<!-- onepage nav js -->
<script src="js/jquery.nav.js"></script>
<!-- Google Map js -->
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBuU_0_uLMnFM-
2oWod_fzC0atPZj7dHlU"></script>
<script src="js/google-map.js"></script>
<!-- animate text JS -->
<script src="js/animate-text.js"></script>
<!-- plugins js -->
<script src="js/plugins.js"></script>
<!-- main js -->
<script src="js/main.js"></script>
</body>
</html>
<?php

// Only process POST requests.
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    // Get the form fields and remove whitespace.
    $name = strip_tags(trim($_POST["name"]));
    $name = str_replace(array("\r", "\n"), array(" ", " "), $name);
    $email = filter_var(trim($_POST["email"]), FILTER_SANITIZE_EMAIL);
    $subject = trim($_POST["subject"]);
    $message = trim($_POST["message"]);

    // Check that data was sent to the mailer.
    if ( empty($name) OR empty($subject) OR empty($message) OR
!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        // Set a 400 (bad request) response code and exit.
        http_response_code(400);
        echo "Please complete the form and try again.";
        exit;
    }

    // Set the recipient email address.
    // FIXME: Update this to your desired email address.
    $recipient = "admin@devitems.com";

    // Set the email subject.
    $subject = "New contact from $name";

    // Build the email content.
    $email_content = "Name: $name\n";
    $email_content .= "Email: $email\n\n";

```

```

$email_content .= "Subject: $subject\n\n";
$email_content .= "File: $file\n\n";
$email_content .= "Message:\n$message\n";

// Build the email headers.
$email_headers = "From: $name <$email>";

// Send the email.
if (mail($recipient, $subject, $email_content, $email_headers)) {
    // Set a 200 (okay) response code.
    http_response_code(200);
    echo "Thank You! Your message has been sent.";
} else {
    // Set a 500 (internal server error) response code.
    http_response_code(500);
    echo "Oops! Something went wrong and we couldn't send your message.";
}

} else {
    // Not a POST request, set a 403 (forbidden) response code.
    http_response_code(403);
    echo "There was a problem with your submission, please try again.";
}

?>

<?php
session_start();
error_reporting(0);
include('includes/config.php');

?>

<!doctype html>
<html class="no-js" lang="en">
    <head>

        <title>Event Management System | user signin </title>
        <!-- bootstrap v3.3.6 css -->
        <link rel="stylesheet" href="css/bootstrap.min.css">
        <!-- animate css -->
        <link rel="stylesheet" href="css/animate.css">
        <!-- meanmenu css -->
        <link rel="stylesheet" href="css/meanmenu.min.css">
        <!-- owl.carousel css -->
        <link rel="stylesheet" href="css/owl.carousel.css">
        <!-- icofont css -->

```



```

<link rel="stylesheet" href="css/icofont.css">
<!-- Nivo css -->
<link rel="stylesheet" href="css/nivo-slider.css">
<!-- animaton text css -->
<link rel="stylesheet" href="css/animate-text.css">
<!-- Metrial iconic fonts css -->
<link rel="stylesheet" href="css/material-design-iconic-font.min.css">
<!-- style css -->
<link rel="stylesheet" href="style.css">
<!-- responsive css -->
<link rel="stylesheet" href="css/responsive.css">
<!-- color css -->
<link href="css/color/skin-default.css" rel="stylesheet">

<!-- modernizr css -->
<script src="js/vendor/modernizr-2.8.3.min.js"></script>
</head>
<body>
<!--body-wraper-are-start-->
<div class="wrapper single-blog">

    <!--slider header area are start-->
    <div id="home" class="header-slider-area">
        <!--header start-->
        <?php include_once('includes/header.php');?>
        <!-- header End-->
    </div>
    <!--slider header area are end-->

    <!-- breadcumb-area start-->
    <div class="breadcumb-area bg-overlay">
        <div class="container">
            <ol class="breadcrumb">
                <li><a href="index.php">Home</a></li>
                <li class="active">All Events</li>
            </ol>
        </div>
    </div>
    <!-- breadcumb-area end-->
    <div class="upcomming-events-area off-white ptb100">
        <div class="container">
            <div class="row">
                <div class="col-xs-12">
                    <h1 class="section-title">Up Comming Events</h1>
                </div>
                <div class="total-upcomming-event col-md-12 col-sm-12
col-xs-12">
<?php

```

```

// Fetching Upcoming events
$isactive=1;
$sql = "SELECT EventName,EventLocation,EventStartDate,EventEndDate,EventImage,id
from tblevents where IsActive=:isactive order by id desc ";
$query = $dbh -> prepare($sql);
$query->bindParam(':isactive',$isactive,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
    ?>



![<?php echo htmlentities($row-
>EventName);?>](admin/eventimages/<?php echo
htmlentities($row->EventImage);?>)



<?php echo htmlentities($row-
>EventStartDate);?></span>To
<?php echo htmlentities($row-
>EventEndDate);?></span>



<i class="zmdi zmdi-
globe-alt"></i></div>



Location : <?php echo
htmlentities($row->EventLocation);?></p>


```

```

                                </div>
<?php } } else { ?>
<p>No Record Found</p>
<?php } ?>

                                <hr />

                                </div>
                                </div>
                                </div>
                                </div>
                                <!--up comming events area-->
                                <!--main blog area start-->

                                <!--information area are start-->
                                <?php include_once('includes/footer.php');?>
                                <!--footer area are start-->
</div>
<!--body-wrapper-are-end-->

<!--==== all js here=====>
<!-- jquery latest version -->
<script src="js/vendor/jquery-3.1.1.min.js"></script>
<!-- bootstrap js -->
<script src="js/bootstrap.min.js"></script>
<!-- owl.carousel js -->
<script src="js/owl.carousel.min.js"></script>
<!-- meanmenu js -->
<script src="js/jquery.meanmenu.js"></script>
<!-- Nivo js -->
<script src="js/nivo-slider/jquery.nivo.slider.pack.js"></script>
<script src="js/nivo-slider/nivo-active.js"></script>
<!-- wow js -->
<script src="js/wow.min.js"></script>
<!-- Youtube Background JS -->
<script src="js/jquery.mb.YTPlayer.min.js"></script>
<!-- datepicker js -->
<script src="js/bootstrap-datepicker.js"></script>
<!-- waypoint js -->
<script src="js/waypoints.min.js"></script>
<!-- onepage nav js -->
<script src="js/jquery.nav.js"></script>
<!-- animate text JS -->
<script src="js/animate-text.js"></script>
<!-- plugins js -->
<script src="js/plugins.js"></script>
<!-- main js -->
<script src="js/main.js"></script>
</body></html>

```

CHAPTER 6

TESTING

6.1 INTRODUCTION

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionalities of components, sub assemblies, and/or a finished product it is the process of exercising software with the intent of ensuring that the software system meets its requirements and user expectations and does not fail in an unacceptable manner. There are various types of tests. Each test type addresses a specific testing requirement.

6.2 TYPES OF TESTING

6.2.1 Unit Testing

Unit testing focuses verification effort on the smallest unit of software design, the module. The unit testing, we have is white box oriented and some modules the steps are conducted in parallel.

6.2.2. Integration Testing

Testing is done for each module. After testing all the modules, the modules are integrated and testing of the final system is done with the test data, specially designed to show that the system will operate successfully in all its aspects conditions. Thus the system testing is a confirmation that all is correct and an opportunity to show the user that the system works. The purpose of integration testing is to verify functional, performance and reliability requirements placed on major design items. These "design items", i.e. assemblages (or groups of units), are exercised through their interfaces using black box testing, success and error cases being simulated via appropriate parameter and data inputs. Simulated usage of shared data areas and inter-process communication is tested and individual subsystems are exercised through their input interface.

6.2.3 System Testing

System testing ensures that the entire integrated software system meets requirements. It tests a configuration to ensure known and predictable results. An example of system testing is the configuration oriented system integration test. System testing is based on process descriptions and flows, emphasizing pre-driven process links and integration points.

CHAPTER 7

CONCLUSION

The “**Event Management System**” was successfully designed and is tested for accuracy and quality. During this project we have accomplished all the objectives and this project meets the needs of the organization. The developed will be used in searching, retrieving and generating information for the concerned requests.

Goals Achieved

- Reduced entry work
- Easy retrieval of information
- Reduced errors due to human intervention
- User friendly screens to enter the data
- Portable and flexible for further enhancement
- Web enabled.
- Fast finding of information request

CHAPTER 8

REFERENCES

- www.w3schools.com
- *php.net*
- *en.wikipedia.org/wiki/PHP*
- www.hotscripts.com/category/php/
- www.apache.org
- www.mysql.com/click.php?e=35050