

Name: Ayushi Srivastava
SRN No.: PES1UG24CS105
Semester: V
Section: B
Course Code: UE24CS341A
Course Name: Software Engineering

LAB-1

Project name: Podcast Guest Scheduling & Outline Builder


Link: <https://github.com/AyushiSrivastava7/SE-Labs-PES1UG24CS105/tree/main>

1. Complete Requirements Table

ID	Type	Description	Priority	Acceptance Criteria	Rationale
FR-001	Functional	Guests can pick an interview time slot and submit their discussion topics as bullet points, along with a link to their bio.	High	Pass: Slot is booked, a calendar invite is sent, and the topic outline is attached to the episode board. Fail: A booking goes through on a date that should've been blocked.	Core flow for getting a guest scheduled and capturing what they want to talk about.
FR-002	Functional	The host can approve or reject a guest's booking request.	High	Pass: Host selects approve/reject and the booking status updates accordingly. Fail: The request stays "pending" even after the host has decided.	Gives the host control over who makes it onto the schedule.
FR-003	Functional	The system auto-generates a timestamped run-of-show document from the approved topics and episode schedule.	High	Pass: The document includes every approved topic with timestamps, in chronological order. Fail: Any approved topic or timestamp is missing.	This is the production reference the team relies on during recording.
FR-004	Functional	Both the guest and host get notified whenever a booking is approved, rejected, or rescheduled.	Medium	Pass: Both parties receive a notification with the updated booking details. Fail: Either party doesn't receive it.	Keeps everyone in the loop on scheduling changes.

FR-005	Functional	The host can edit the auto-generated run-of-show before it's finalized that is add, change, or remove items.	Medium	Pass: Host edits an outline item and the saved document reflects it. Fail: The edit isn't reflected.	Lets the host fix or polish notes the system generated automatically.
NFR-001	Non-functional	The run-of-show sheet must generate in under 1 second.	High	Pass: At least 95 of 100 generation requests complete within 1 second under test load. Fail: More than 5 requests take longer than 1 second.	Keeps production moving without delay right before recording.
NFR-002	Non-functional	Guest info and episode outlines are only visible to authorized podcast participants.	High	Pass: An unauthorized user attempting access gets an access-denied response. Fail: An unauthorized user can view guest or episode details.	Protects private guest info and unreleased podcast content.

2. UML Diagram



3. Use case and alternate case

Use Case:

UC-01 – Book Interview Slot

Primary Actor: Podcast Guest

Goal: To choose a suitable interview slot and share the topics they would like to discuss along with their bio link.

Flow:-

1. The guest opens the podcast booking page.
2. The system shows the interview slots that are currently available.
3. The guest chooses a preferred date and time.
4. The system checks whether the selected slot is still available.
5. The guest enters the topics they would like to discuss in the interview as bullet points.
6. The guest adds a link to their bio or profile.
7. The guest submits the booking request.
8. The system saves the request and marks it as “Pending Approval”.
9. The submitted topics are added to the relevant episode board.
10. The system sends a notification to the host about the new booking request.

Alternate Flow – Selected Slot Is No Longer Available

A1. When the system checks the selected slot, it finds that the slot has already been booked or blocked.

A2. The system tells the guest that the selected time is no longer available.

A3. The system shows the other available interview slots.

A4. The guest chooses another suitable slot.

A5. The system checks the new slot and, if available, the guest continues by entering their discussion topics and bio link.

Postconditions:-

The booking request is saved with a “Pending Approval” status.

The guest's discussion topics and bio link are saved with the booking.

The host is notified about the new request.

The system ensures that the same interview slot is not booked twice.