Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha				**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

Experiment 4

Aim: To set up a Continuous Integration Pipeline using Jenkins/GitHub Act.

Lab Outcome: Mapped LO3

LO3: Build and manage automated CI/CD pipelines for application development, testing, packaging and deployment.

Theory:

- Continuous Integration (CI) & Continuous Delivery (CD)

➢ Continuous Integration (CI): A modern DevOps development practice where developers merge their code changes frequently into a central shared repository (such as GitHub). Every commit triggers an automated build and execution of tests.

  ○ Primary Objective: Detect integration bugs and software defects early in the software development lifecycle (SDLC), preventing "integration hell" when multiple developers work simultaneously.

➢ Continuous Delivery / Continuous Deployment (CD): An extension of CI where code changes are automatically prepared (Delivery) or deployed directly (Deployment) to testing or production environments once all continuous integration builds pass successfully.

- Overview of Jenkins

➢ Jenkins Server: An open-source automation server written in Java that serves as the foundation for CI/CD pipelines.

➢ Core Responsibilities:

  ○ Automation: Automates repetitive engineering tasks, including code compilation, unit testing, static code analysis, artifact generation, and deployment.

Name: Ayush Kushwaha				**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

- Plugin Ecosystem: Supports thousands of plugins to integrate seamlessly with version control systems (Git, SVN), build tools (Maven, Gradle, npm), and deployment platforms (Docker, Kubernetes, AWS).
- Event Triggers: Can trigger workflows automatically via Git webhooks, scheduled cron jobs, or manually through its Web User Interface (UI).

● Jenkins Architecture

➢ Jenkins Master (Controller): Handles configuration, schedules jobs, monitors build executors, dispatches builds to agents, and serves the Web UI.

➢ Jenkins Agents (Nodes/Workers): External machines or containers that execute the actual build steps dispatched by the Controller, allowing distributed execution and scaling.

● Types of Jenkins Pipelines

A Jenkins Pipeline is a suite of plugins that supports implementing and integrating continuous delivery pipelines into Jenkins using code (often stored in a Jenkinsfile). There are two main types of pipeline syntaxes:

A. Declarative Pipeline

➢ Syntax Format: Enclosed inside a pipeline {} block.

➢ Characteristics:

- Strict, predefined structure designed to be simple, highly readable, and maintainable for standard CI/CD workflows.
- Offers superior syntax validation and error checking directly within the Jenkins UI prior to execution.
- Organized strictly into defined sections such as agent, stages, stage, and steps.

Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha				**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

B. Scripted Pipeline

- ➢ Syntax Format: Enclosed inside a node {} block.
- ➢ Characteristics:
  - Built using full Apache Groovy scripting capability, offering maximum procedural flexibility and control.
  - Ideal for advanced, dynamic scenarios requiring complex control loops, conditional execution, or specialized logic.
  - Requires a higher learning curve due to its unstructured, code-heavy nature.


Execution:

Step 1: Java (JDK) Installation Verification

```
C:\Users\LENOVO>java -version
java version "22.0.2" 2024-07-16
Java(TM) SE Runtime Environment (build 22.0.2+9-70)
Java HotSpot(TM) 64-Bit Server VM (build 22.0.2+9-70, mixed mode, sharing)
```

Step 2: Jenkins Server Launch

Downloaded the Generic Java package (jenkins.war) from the official website.




Executed Jenkins using the --enable-future-java flag to support JDK 22:


Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha				**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**




Step 3: Web Setup & Admin Configuration




Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**






Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science


Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**




Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**







Step 4: Creating Pipelines

Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**





Code:


```
pipeline {    agent
any    stages {
```

Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

```
stage('Hello') {
steps {
            echo 'Hello, Jenkins!!'
        }
    }
  }
}
```




Output:


Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**



Step 5: Creating Scripted Pipeline




Code: node {


stage('Hello') {

Name: Ayush Kushwaha			**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

```
    echo 'Hello, Scripted Jenkins Pipeline!'
  }
}
```



Output:



Thadomal Shahani Engineering College, Bandra

Department of Artificial Intelligence & Data Science

Name: Ayush Kushwaha				**Subject: ASD&D**
TE - 1	**Batch: T13**	**Sem: 5**	**Roll No: 54**	**Date:07/08/2026**

Conclusion:

Through this experiment, we learned the fundamentals of Continuous Integration (CI) and how Jenkins automates build and deployment workflows to eliminate manual integration errors. We gained hands-on experience verifying Java environments and deploying a standalone Jenkins server via the command-line interface. Additionally, we explored both Declarative and Scripted pipeline syntaxes, understanding how to structure automated build stages using code. By monitoring the console logs, we successfully executed and verified both pipeline builds. Overall, this experiment demonstrated how Jenkins serves as a crucial CI/CD automation tool.