

Result Grid





Filter Rows:

Export: 

Wrap Cell Content: 

Fetch rows: 




	Store	Date	Weekly_Sales	Holiday_Flag	Temperature	Fuel_Price	CPI	Unemployment
▶	1	05-02-2010	1643690.9	0	42.31	2.572	211.0963582	8.106
	1	12-02-2010	1641957.44	1	38.51	2.548	211.2421698	8.106
	1	19-02-2010	1611968.17	0	39.93	2.514	211.2891429	8.106
	1	26-02-2010	1409727.59	0	46.63	2.561	211.3196429	8.106
	1	05-03-2010	1554806.68	0	46.5	2.625	211.3501429	8.106
	1	12-03-2010	1439541.59	0	57.79	2.667	211.3806429	8.106
	1	19-03-2010	1472515.79	0	54.58	2.72	211.215635	8.106
	1	26-03-2010	1404429.92	0	51.45	2.732	211.0180424	8.106
	1	02-04-2010	1594968.28	0	62.27	2.719	210.8204499	7.808
	1	09-04-2010	1545418.53	0	65.86	2.77	210.6228574	7.808
	1	16-04-2010	1466058.28	0	66.32	2.808	210.4887	7.808
	1	23-04-2010	1391256.12	0	64.84	2.795	210.4391228	7.808

walmart sales 2.11

```

2 • use sale;
3 • select * from walmart_sales;
4 • SELECT
5     YEAR(STR_TO_DATE(Date, '%d-%m-%Y')) AS order_year,
6     MONTH(STR_TO_DATE(Date, '%d-%m-%Y')) AS order_month,
7     SUM(Weekly_Sales) AS total_revenue,
8     COUNT(*) AS weeks_count
9 FROM
10    walmart_sales
11 GROUP BY
12    YEAR(STR_TO_DATE(Date, '%d-%m-%Y')),
13    MONTH(STR_TO_DATE(Date, '%d-%m-%Y'))

```

Result Grid 
 Filter Rows: 
 Export:  Wrap Cell Content: 

	order_year	order_month	total_revenue	weeks_count
▶	2010	2	190332983.04	180
	2010	3	181919802.5	180
	2010	4	231412368.0500001	225
	2010	5	186710934.34000003	180
	2010	6	192246172.36000004	180
	2010	7	232580125.9800001	225
	2010	8	187640110.89000002	180
	2010	9	177267896.36999997	180
	2010	10	217161824.02	225
	2010	11	202853370.14	180
	2010	12	288760532.71999997	225

Result 3 x

```
17
18 SELECT
19     YEAR(STR_TO_DATE(Date, '%d-%m-%Y')) AS order_year,
20     MONTH(STR_TO_DATE(Date, '%d-%m-%Y')) AS order_month,
21     SUM(Weekly_Sales) AS total_revenue
22 FROM
23     walmart_sales
24 GROUP BY
25     YEAR(STR_TO_DATE(Date, '%d-%m-%Y')),
26     MONTH(STR_TO_DATE(Date, '%d-%m-%Y'))
27 ORDER BY
28     total_revenue DESC
29 LIMIT 3;
30
31
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows: |




	order_year	order_month	total_revenue
▶	2010	12	288760532.71999997
	2011	12	288078102.4800002
	2012	6	240610329.28999984

Result Grid  
Form Editor

```

31 • SELECT
32     MONTH(STR_TO_DATE(Date, '%d-%m-%Y')) AS order_month,
33     SUM(Weekly_Sales) AS monthly_revenue
34 FROM
35     walmart_sales
36 WHERE
37     YEAR(STR_TO_DATE(Date, '%d-%m-%Y')) = 2010
38 GROUP BY
39     MONTH(STR_TO_DATE(Date, '%d-%m-%Y'))
40 ORDER BY
41     order_month;
42

```

Result Grid   Filter Rows:  | Export:  | Wrap Cell Content: 

order_month	monthly_revenue
2	190332983.04
3	181919802.5
4	231412368.0500001
5	186710934.34000003
6	192246172.36000004
7	232580125.9800001
8	187640110.89000002

Result 5 ▾