

File Edit Selection View Go Run Terminal Help

EXPLORER

- NXT_REST
 - .next
 - app
 - components
 - Footer.js U
 - Hero.js U
 - Navbar.js
 - node_modules
 - public
 - .gitignore
 - eslint.config.mjs
 - jsconfig.json
 - next.config.mjs
 - package-lock.json
 - package.json
 - postcss.config.mjs
 - README.md

components > Footer.js > f Footer

```
1 import React from 'react'
2
3 export default function Footer() {
4   return (
5     <div>
```

PROBLEMS OUTPUT DEBUG CONSOLE PORTS CHAT TERMINAL

- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git config --global user.name "Ayush Rawat"
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git config --global user.email "ayushrf@gmail.com"
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git init
- Initialized empty Git repository in D:/Web Development/NextJs/RoutesNext/nxt_rest/.git/
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git add .
- warning: in the working copy of 'components/Navbar.js', CRLF will be replaced by LF the next time Git touches it
- warning: in the working copy of 'package.json', CRLF will be replaced by LF the next time Git touches it
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git remote add origin https://github.com/Ayushrf121/TBI-Deliverables.git
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git commit -m "First Commit"
- [master (root-commit) 7f304d6] First Commit
- 18 files changed, 6261 insertions(+)
- create mode 100644 .gitignore
- create mode 100644 README.md
- create mode 100644 app/favicon.ico
- create mode 100644 app/globals.css
- create mode 100644 app/layout.js
- create mode 100644 app/page.js
- create mode 100644 components/Navbar.js
- create mode 100644 eslint.config.mjs
- create mode 100644 jsconfig.json
- create mode 100644 next.config.mjs
- create mode 100644 package-lock.json
- create mode 100644 package.json
- create mode 100644 postcss.config.mjs
- create mode 100644 public/file.svg
- create mode 100644 public/globe.svg
- create mode 100644 public/next.svg
- create mode 100644 public/vercel.svg
- create mode 100644 public/window.svg
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git branch -M main
- PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git push -u origin main
- Enumerating objects: 23, done.
- Counting objects: 100% (23/23), done.

powerShell

node

> OUTLINE

> TIMELINE

File Edit Selection View Go Run Terminal Help

next_rest

EXPLORER

NXT_REST

.next

app

components

Card.js

Footer.js

Hero.js

Navbar.js

node_modules

public

.gitignore

eslint.config.mjs

jsconfig.json

next.config.mjs

package-lock.json

package.json

postcss.config.mjs

README.md

components > Hero.js > Hero

3 export default function Hero() {

4 return (

5 <section className="w-full bg-gray-50 py-16 px-6 text-center border-b border-gray-200">

6 <h1 className="text-3xl md:text-5xl font-extrabold text-gray-900 tracking-tight mb-4">

7 TBI SIP-2026

8 </h1>

9 <p className="text-gray-600 text-base md:text-lg mb-6 leading-relaxed">

10 This program is initialized to make the student fully AI assisted programmers.

11 </p>

12 <div className="max-w-2xl mx-auto grid grid-cols-2 gap-2">

13 <Card

14 title="Idea Definition"

15 description "This is to make the understanding of what actually the developer wants to deliver."

PROBLEMS

OUTPUT

DEBUG CONSOLE

PORTS

CHAT

TERMINAL

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git status

On branch main

Your branch is up to date with 'origin/main'.

Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: app/page.js

modified: components/Navbar.js

deleted: public/file.svg

deleted: public/globe.svg

deleted: public/next.svg

deleted: public/vercel.svg

Untracked files:

(use "git add <file>..." to include in what will be committed)

components/Card.js

components/Footer.js

components/Hero.js

no changes added to commit (use "git add" and/or "git commit -a")

PS D:\Web Development\NextJs\RoutesNext\nxt_rest>

powershell

node

File Edit Selection View Go Run Terminal Help

EXPLORER

NXT_REST

.next

app

components

Card.js

Footer.js

Hero.js

Navbar.js

node_modules

public

.gitignore

eslint.config.mjs

jsconfig.json

next.config.mjs

package-lock.json

package.json

postcss.config.mjs

README.md

page.js M

Navbar.js M

Card.js A

Footer.js A

components > Card.js > fx Card

1 export default function Card({ title, description }) {

2 return (

3 <div className="bg-white border border-gray-200 rounded-xl p-6 shadow-sm hover:shadow-md transition">

4 <h3 className="text-lg font-semibold text-gray-900 mb-2">{title}</h3>

5 <p className="text-gray-600 text-sm leading-relaxed">{description}</p>

6 </div>

7);

8 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

PORTS

CHAT

TERMINAL

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: app/page.js

new file: components/Card.js

new file: components/Footer.js

new file: components/Hero.js

modified: components/Navbar.js

deleted: public/file.svg

deleted: public/globe.svg

deleted: public/next.svg

deleted: public/vercel.svg

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: components/Hero.js

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git add .

+ ...

powershell

node

File Edit Selection View Go Run Terminal Help

next_rest

EXPLORER

NXT_REST

components

Card.js

Footer.js

Hero.js

Navbar.js

node_modules

public

.gitignore

eslint.config.mjs

jsconfig.json

next.config.mjs

package-lock.json

package.json

postcss.config.mjs

README.md

page.js

Navbar.js

Card.js

Footer.js

components > Card.js > ...

```
1 export default function Card({ title, description }) {
2   <div className="bg-white border border-gray-200 rounded-xl p-6 shadow-sm hover:shadow-md transition /
3   <h3 className="text-lg font-semibold text-gray-900 mb-2">{title}</h3>
4   <p className="text-gray-600 text-sm leading-relaxed">{description}</p>
5   </div>
6 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

PORTS

CHAT

TERMINAL

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git add .

warning: in the working copy of 'components/Card.js', CRLF will be replaced by LF the next time Git touches it

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git commit -m "feat: Implement skeleton component structure"

[main 0bb56fe] feat: Implement skeleton component structure

9 files changed, 33 insertions(+), 12 deletions(-)

create mode 100644 components/Card.js

create mode 100644 components/Footer.js

create mode 100644 components/Hero.js

delete mode 100644 public/file.svg

delete mode 100644 public/globe.svg

delete mode 100644 public/next.svg

delete mode 100644 public/vercel.svg

PS D:\Web Development\NextJs\RoutesNext\nxt_rest> git push -u origin main

Enumerating objects: 16, done.

Counting objects: 100% (16/16), done.

Delta compression using up to 12 threads

Compressing objects: 100% (8/8), done.

Writing objects: 100% (10/10), 1.46 KiB | 298.00 KiB/s, done.

Total 10 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (2/2), completed with 2 local objects.

To https://github.com/Ayushrf121/TBI-Deliverables.git

7f304d6..0bb56fe main -> main

branch 'main' set up to track 'origin/main'.

PS D:\Web Development\NextJs\RoutesNext\nxt_rest>

powershell

node

File Edit Selection View Go Run Terminal Help

← → nrt_rest

EXPLORER

NXT_REST

..next

app

about

page.js

dashboard

page.js

login

page.js

favicon.ico

globals.css

layout.js

page.js

components

Card.js

Footer.js

Hero.js

Navbar.js

node_modules

public

.gitignore

eslint.config.mjs

jsconfig.json

next.config.mjs

package-lock.json

package.json

postcss.config.mjs

README.md

page.js app M

Navbar.js

Card.js

page.js ...about

page.js ...dashboard

page.js ...login

Footer.js

app > dashboard > page.js > fx page

1 import Footer from '@components/Footer'

2 import Navbar from '@components/Navbar'

3 import React from 'react'

4

5 export default function page() {

6 return (

7 <div className='flex flex-col items-center '>

8 <Navbar />

9 <div className='flex flex-col items-center justify-between'>

10 <h1 className='text-2xl font-extrabold'>Dashboard</h1>

11 <p>I am Dashboard Page</p>

12 </div>

PROBLEMS

OUTPUT

DEBUG CONSOLE

PORTS

CHAT

TERMINAL

1 file changed, 43 insertions(+)

PS D:\Web Development\NextJs\RoutesNext\nrt_rest> git push -u origin main

Enumerating objects: 7, done.

PS D:\Web Development\NextJs\RoutesNext\nrt_rest> git add .

warning: in the working copy of 'components/Hero.js', CRLF will be replaced by LF the next time Git touches it ...

remote: Resolving deltas: 100% (2/2), completed with 2 local objects.

To https://github.com/Ayushrf121/TBI-Deliverables.git

0bb56fe..20fcea7 main -> main

warning: in the working copy of 'app/about/page.js', CRLF will be replaced by LF the next time Git touches it

warning: in the working copy of 'app/dashboard/page.js', CRLF will be replaced by LF the next time Git touches it

warning: in the working copy of 'app/login/page.js', CRLF will be replaced by LF the next time Git touches it

PS D:\Web Development\NextJs\RoutesNext\nrt_rest> git commit -m "fix: adjust mobile text wrapping and implement placeholder routes"

[main 874ef37] fix: adjust mobile text wrapping and implement placeholder routes

• 3 files changed, 48 insertions(+)

create mode 100644 app/about/page.js

create mode 100644 app/dashboard/page.js

create mode 100644 app/login/page.js

PS D:\Web Development\NextJs\RoutesNext\nrt_rest> git push -u origin main

Enumerating objects: 11, done.

• Counting objects: 100% (11/11), done.

Delta compression using up to 12 threads

Compressing objects: 100% (6/6), done.

Writing objects: 100% (9/9), 1.01 KiB | 129.00 KiB/s, done.

Total 9 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)

powerShell

node

main*

0

Ln 10, Col 66

Spaces: 4


UTF-8

CRLF

JavaScript

Inline suggestions limit reached

Go Live



Create Next App

localhost:3000

Dimensions: iPhone 14 Pro Max 430 x 932 75% No throttling 'Save-Data': default

DevApp

Home About Dashboard Login

TBI SIP-2026

This program is initialized to make the student fully AI assisted programmers.

Idea Definition

This is to make the understanding of what actually the developer wants to deliver.

Problem Submission

Once the whole project get completed student can submit their here.

UI/UX Prototyping

Focusing on user-centered design principles to architect intuitive, clean, and highly responsive digital interfaces.

Full-Stack Integration

Connecting modern frontend skeletons with robust backend runtime architectures and relational databases.

Version Control & CI/CD

Maintaining clean repository health with strictly prefixed

PoC Review & Evaluation

Demonstrating operational milestones to Proof of

Elements

Console

Sources

Network

Performance

Memory

Application

Styles

Computed

Layout

Event Listeners

Filter (*)

element.style { }

Layer utilities

.text-center { layout.css?_8404384:364 text-align: center; }

Layer utilities

.py-16 { layout.css?_8404384:361 padding-block: calc(var(--spacing) * 16); }

Layer utilities

.px-6 { layout.css?_8404384:352 padding-inline: calc(var(--spacing) * 6); }

Layer utilities

.bg-gray-50 { layout.css?_8404384:340 background-color: var(--color-gray-50); }

Layer utilities

.border-gray-200 { layout.css?_8404384:334 border-color: var(--color-gray-200); }

What's new X

What's new in DevTools 149

See all new features

DevTools for agents

