Surgical Application Guide: Skin Seal

Skin Seal: The Premier Topical Adhesive for Surgical Precision and Healing

A Comprehensive Guide to Skin Seal's Applications in Surgical Procedures"

Introduction

Welcome to the Skin Seal Surgical Application Guide. This catalogue highlights the versatility and reliability of Skin Seal in a wide range of surgical contexts, offering healthcare professionals an advanced solution for wound closure, infection prevention, and faster recovery. Whether you're performing dermatologic surgery, orthopaedic procedures, or paediatric care, Skin Seal provides a safe, effective, and efficient alternative to traditional sutures and staples.

Key Benefits:

- **Seamless Closure** – Effective in a variety of surgical applications.
- **Reduced Healing Time** – Promotes faster recovery with minimal scarring.
- **Waterproof & Antimicrobial** – Ideal for protecting wounds from infection.
- **Easy Application** – No needles, no sutures, just quick and reliable closure.

"Explore the catalogue to discover how **Skin Seal** enhances surgical outcomes across diverse procedures

C Section Surgery

To use **Skin Seal**, a topical skin adhesive, during **C-section (Cesarean section) surgery**, it's essential to follow a sterile, step-by-step protocol for optimal wound closure and healing. Here's a general guideline tailored for Skin Seal use in this procedure:

How to Use Skin Seal in C-Section Surgery

1. Pre-Application Preparation

- **Ensure hemostasis:** Before applying Skin Seal, confirm that bleeding has completely stopped.
- **Clean and dry the wound:** Gently blot the skin surrounding the incision with sterile gauze. The skin must be clean and dry for proper adhesive bonding.
- **Approximate wound edges:** Use standard sutures or subcuticular sutures to bring the skin edges together. Skin Seal is not for deep tissue closure — only for topical use.

2. Application of Skin Seal

- **Open the Skin Seal applicator** according to instructions.
- **Express the adhesive gently:** Hold the applicator tip just above the incision site.
- **Apply a thin layer:** Apply a **thin, even layer** of Skin Seal over the approximated skin edges. Avoid pooling.
- **Cover the entire length** of the incision site in a continuous motion, ensuring full coverage.

3. Drying Time

- **Allow to dry fully (30–60 seconds):** Do not touch or cover the area until the adhesive has completely polymerized (dried). Drying may take slightly longer in humid environments.
- **Avoid excess adhesive:** Do not apply multiple thick layers. One even layer is usually sufficient.

4. Post-Application

- **Do not apply ointments or creams** over the adhesive.
- **Protect the site:** Avoid heavy dressing over the adhesive; a light, breathable dressing can be used if necessary.
- **Instruct the patient:** The adhesive will slough off naturally in 5–10 days. Advise against scrubbing or picking at it.

Key Benefits in C-Section Use

- Provides a waterproof, flexible seal.
- Reduces risk of infection compared to staples or exposed sutures.
- Offers better cosmetic outcomes (less scarring).
- Eliminates the need for suture/staple removal.

SkinSeal
just seal & heal

Pediatric Lacerations

Here's a guide for using **Skin Seal** (topical skin adhesive) in the treatment of **pediatric lacerations**, emphasizing safety, effectiveness, and ease of use in children.

How to Use Skin Seal for Pediatric Lacerations

1. Patient Selection

- **Ideal for:** Simple, clean, straight lacerations <5 cm in length, not under high tension.
- **Not suitable for:** Bites, heavily contaminated wounds, bleeding wounds, or those over joints with significant movement unless immobilized.

---

2. Preparation

- **Calm the child:** Use age-appropriate distraction or mild sedation if necessary.
- **Clean the wound thoroughly:** Irrigate with sterile saline; remove all debris.
- **Achieve hemostasis:** Bleeding must be fully controlled before adhesive use.
- **Dry surrounding skin:** Use sterile gauze to ensure a dry surface—moisture affects bonding.

---

3. Wound Closure

- **Approximate the wound edges:** Gently pinch or use forceps to align the skin edges.
- **Apply Skin Seal:**
  - Crack or activate the Skin Seal applicator per instructions.
  - Express a small amount of adhesive and apply **a thin layer over** the approximated skin edges.
  - Work quickly but carefully. Avoid applying adhesive inside the wound.
- **Hold for 30–60 seconds:** Keep the edges approximated until the adhesive dries and hardens.
- **One layer is usually enough.** If needed, a second thin layer can be applied once the first has dried.

---

4. Post-Application Care

- **Avoid ointments, lotions, or bandages** that may disrupt the seal.
- **No stitches to remove.** The adhesive naturally sloughs off in 5–10 days.

- **Keep dry for 24 hours.** After that, brief exposure to water is okay—no soaking or scrubbing.
- **Advise parents:** Watch for signs of infection (redness, swelling, pus, fever) and avoid disturbing the adhesive.

Advantages in Pediatric Use

- **Painless closure** – no need for needle-based suturing in many cases.
- **Fast application time** – ideal for children who may not tolerate prolonged procedures.
- **Good cosmetic results** – minimal scarring with proper wound alignment.
- **No follow-up needed for removal** – simplifies care for parents and providers.

SkinSeal
just seal & heal

General & Minimally Invasive Use of Skin Seal

Topical Skin Adhesive – Clinical Guidelines

Indications

- Simple, clean lacerations
- Surgical incisions (e.g., laparoscopic port sites, cesarean incisions)
- Minor cuts and abrasions
- Pediatric and geriatric wound closure
- Areas not under high tension or frequent movement

Advantages of Minimally Invasive Closure with Skin Seal

- **No needles or sutures required**
- **Quick application** – closure in minutes
- **Painless** – ideal for children and anxious patients
- **Excellent cosmetic outcomes**
- **Eliminates need for follow-up visits** to remove sutures/staples
- **Antibacterial barrier** – helps protect the wound

Step-by-Step Application

1. Wound Assessment & Preparation

- Confirm wound is **clean, superficial, and not bleeding**.
- Achieve full **hemostasis**.
- Clean with **sterile saline**; ensure **skin is dry**.
- **Do not use** on infected, deep, or high-tension wounds.

2. Approximate Wound Edges

- Use **manual approximation** or forceps.
- Ensure **precise alignment** of skin edges before applying adhesive.

3. Application of Skin Seal

- Crack and prime the applicator.
- Apply a **thin, even layer** of Skin Seal **across the closed skin edges**.
- **Avoid placing adhesive into the wound itself**.
- Allow to **dry for 30–60 seconds** without touching.

4. Post-Application Care

- Avoid covering with occlusive dressings.
- Keep dry for the first **24 hours**.
- Adhesive will naturally fall off in **5–10 days**.
- Do not apply ointments or creams over the adhesive.

When Not to Use Skin Seal

- High-tension wounds or gaping cuts
- Jagged or heavily contaminated wounds
- Over mucosal surfaces, hairy areas, or joints with high movement
- In patients with known cyanoacrylate allergies

SkinSeal
just seal & heal

Using Skin Seal in Laparoscopic Surgeries

Topical Skin Adhesive – Protocol for Port Site Closure

Why Use Skin Seal in Laparoscopy?

- Ideal for **small trocar incisions (5–12 mm)**
- **Minimally invasive** skin closure without sutures or staples
- **Faster operating room turnover** – no suture removal needed
- Provides a **flexible, waterproof, antimicrobial barrier**
- Promotes **better cosmetic outcomes**

Indications

- Closure of **port-site incisions** after laparoscopic procedures:
  - Cholecystectomy
  - Appendectomy
  - Hernia repair
  - GYN laparoscopies (e.g., tubal ligation)
- Incisions must be:
  - Clean and dry
  - Well approximated
  - Not under tension

SkinSeal
just seal & heal

Application Steps

1. Wound Site Preparation

- Ensure **hemostasis** is achieved.
- Irrigate and clean port sites with sterile saline.
- Dry the skin completely.

2. Skin Approximation

- Use **subcuticular sutures** or **manual approximation** to bring skin edges together.
- Skin Seal is for **topical use only** – not for closing deeper tissue layers.

3. Adhesive Application

- Activate Skin Seal applicator.
- Apply a **thin, even layer** over the **approximated skin edges**.
- Avoid letting adhesive enter the wound itself.

- Let dry for **30–60 seconds**. Do not apply dressing until fully set.

4. Postoperative Care

- Leave open to air or apply a light dressing.
- Keep dry for 24 hours.
- No suture removal required – the adhesive sloughs off naturally in 5–10 days.
- Avoid scrubbing or using ointments over the adhesive.

Clinical Benefits

- **Saves closure time** in the OR
- **No follow-up visit** for suture removal
- **Lower infection risk** compared to staples
- **Reduces postoperative pain** and scarring

SkinSeal
just seal & heal

Using Skin Seal in Cleft Lip Repair

Topical Skin Adhesive – Post-Surgical Skin Closure Guide

Purpose in Cleft Lip Repair

- Used **in addition to subcuticular sutures** to seal the superficial skin layer.
- Enhances **cosmetic healing** and reduces tension on delicate skin.
- **Eliminates external sutures** that might need removal in infants.

When to Use Skin Seal

- After **primary cleft lip repair** (Millard, Tennison-Randall, or other techniques).
- To **seal the epidermal layer** after dermal/subdermal suturing.
- In pediatric patients where **minimally invasive, atraumatic closure** is ideal.

Application Protocol

1. Pre-Application

- Ensure **hemostasis** and **precise skin approximation** with internal sutures.
- Gently cleanse the skin with sterile saline.
- Pat the skin **completely dry** with sterile gauze.

2. Applying Skin Seal

- Gently bring the wound edges together if needed.
- Crack the Skin Seal applicator and express a small amount of adhesive.
- Apply a **thin layer over the closed incision**, avoiding excess or pooling.
- **Do not allow adhesive to enter the wound**—apply only to the surface.
- Hold edges for **30–60 seconds** until dry and bonded.

3. Drying and Dressing

- Allow to fully polymerize (dry) before applying a light protective dressing if needed.
- Keep dry for 24–48 hours.
- Adhesive film will **naturally peel off** in 5–10 days.

Special Considerations for Pediatric Use

- Use **only after full hemostasis**—bleeding may compromise bonding.
- **Avoid adhesives near the nostrils or mucosal surfaces.**
- Reassure parents: no painful suture removal is needed.
- **Monitor for signs of allergic reaction** or wound dehiscence.

Advantages

- **Less scarring** – superior aesthetic results on the face
- **Reduces need for dressing changes**
- **Non-invasive** – ideal for infants and toddlers
- **Supports tissue edge integrity** during early healing

SkinSeal
just seal & heal

Using Skin Seal After Scar Excision

Topical Skin Adhesive – For Clean, Aesthetic Skin Closure

Purpose

- To close the skin after surgical **excision of hypertrophic, keloid, or disfiguring scars**.
- Helps ensure **clean wound healing** with minimal additional scarring.
- Ideal for use on the **face, trunk, limbs**, or other areas where appearance matters.

Indications

- Post-excision closure of:
  - Keloid or hypertrophic scars
  - Acne or trauma-related scars
  - Surgical revision scars
- Best for **linear, low-tension wounds** <5 cm after excision.
- Skin Seal is used **on top of sutured or approximated edges**.

Step-by-Step Application

1. Wound Preparation

- After excising the scar and achieving desired tissue contouring:
  - Ensure **hemostasis** is complete.
  - Irrigate the site with sterile saline.
  - Dry the skin edges thoroughly.

2. Skin Closure

- Use **deep dermal sutures** if necessary to eliminate tension.
- **Approximate skin edges** using subcuticular sutures or manually.

3. Applying Skin Seal

- Activate and prime the applicator.
- Apply a **thin, even layer** of adhesive along the approximated skin edges.
- Do **not allow adhesive to enter the wound**.
- Hold edges in position for **30–60 seconds** until fully dry.

4. Post-Application Care

- Leave open to air or apply a light protective dressing.
- Keep dry for 24–48 hours.
- Skin Seal film will peel off naturally in **5–10 days**.
- Avoid ointments, creams, or friction over the area.

Advantages in Scar Excision Closure

- **Minimizes additional scarring**
- **No suture removal required** (if subcuticular closure used)
- **Improves patient satisfaction** with cosmetic outcome
- **Simple, fast, and atraumatic**

SkinSeal
just seal & heal

Using Skin Seal in Skin Graft Procedures

Topical Skin Adhesive – For Graft Edge Closure and Donor Site Management

---

Applications in Skin Grafting

- **Split-thickness skin grafts (STSG)**
- **Full-thickness skin grafts (FTSG)**
- Used to:
  - **Seal skin edges** at the donor or recipient site
  - Secure dressing interfaces in low-tension areas
  - Provide a **barrier against infection and contamination**

Not for:

- Securing the graft itself to the wound bed — use sutures, staples, or tie-over dressings for graft fixation.
- Areas with significant movement or tension unless supported with additional closure techniques.

How to Use Skin Seal in Skin Graft Procedures

1. Donor Site Closure

- After harvesting:
  - Achieve complete **hemostasis**.
  - Approximate donor site edges if closed primarily (common in FTSG).
  - Dry the skin around the incision thoroughly.
  - Apply **Skin Seal over the approximated skin edges** to seal and protect.

2. Graft Edge Sealing (Recipient Site)

- After placing and fixing the graft:
  - Once graft is secured with sutures/staples and covered with a bolster dressing, Skin Seal can be used **around the dressing edges** or at **graft-periphery skin closure points**.
  - Helps prevent **fluid ingress** and supports **barrier function**.

3. Drying & Aftercare

- Allow Skin Seal to **fully dry (30–60 seconds)** before covering.
- Avoid applying adhesive directly over open wound beds or non-viable tissue.
- Skin Seal film will naturally shed in **5–10 days**.

Advantages in Skin Grafting

- Provides a **clean, sealed wound edge** with improved cosmetic outcomes
- Reduces need for **external sutures or staples** in certain low-tension zones
- Minimizes trauma and **reduces infection risk**
- Ideal for **pediatric and cosmetic applications**

SkinSeal
just seal & heal

Using Skin Seal for Episiotomy & Perineal Tears

Topical Skin Adhesive – For External Perineal Skin Closure

Purpose

- Used to **seal the external skin layer** after suturing deeper tissues in **episiotomies (usually mediolateral)** or **1st- and 2nd-degree perineal tears**.
- Enhances **healing comfort**, reduces irritation from sutures, and improves **cosmetic outcomes**.

When to Use Skin Seal

- **After layered closure** of vaginal mucosa and perineal muscle with absorbable sutures.
- For **sealing the final skin layer** when:
  - Wound is **clean and dry**
  - Skin edges are well approximated
  - There is **no active bleeding or infection**

Contraindications

- **3rd- or 4th-degree tears** (involving anal sphincter) – requires deeper layered suturing only.
- Infected or contaminated wounds
- Active bleeding or skin under high tension

Application Steps

1. Wound Preparation

- After completing deep sutures:
  - Irrigate the area with sterile saline.
  - Gently blot the external skin dry using sterile gauze.
  - Ensure **skin edges are aligned** and tension-free.

2. Applying Skin Seal

- Activate and prime the Skin Seal applicator.
- Apply a **thin, continuous line of adhesive** over the approximated perineal skin edges.

- Avoid letting adhesive enter the wound itself.
- Allow to **dry for 30–60 seconds**.
- No dressing needed unless otherwise indicated.

3. Aftercare

- Keep the area clean and dry for the first **24 hours**.
- Skin Seal naturally sloughs off in **5–10 days**.
- Avoid applying creams, ointments, or sitz baths until adhesive has shed.

Advantages

- **Reduces suture-related discomfort and inflammation**
- **No external stitches to remove**
- **Improves mobility and hygiene** in postpartum period
- Better **cosmetic healing** and patient satisfaction

SkinSeal
just seal & heal

Using Skin Seal in Tubectomy (Female Sterilization) Surgery

Topical Skin Adhesive – For Skin Closure After Tubal Ligation

---

Purpose

- To close small incisions made during **minimally invasive tubectomy** (laparoscopic sterilization).
- Enhances cosmetic outcomes, reduces scarring, and promotes faster healing by sealing the skin edges without the need for sutures or staples.
- Provides a **flexible, waterproof, and antimicrobial barrier** over the incision.

Indications

- Ideal for **small incision sites** (usually 5–10 mm) used in **laparoscopic tubectomy**.
- **Clean, low-tension wounds** that are well approximated.
- Used in **postoperative skin closure** once hemostasis is achieved and deeper layers have been closed.

Application Protocol

1. Post-Procedure Wound Preparation

- After completing the tubectomy procedure:
  - Ensure **hemostasis** is achieved at the incision sites.
  - Cleanse the incisions with **sterile saline** and ensure they are **dry**.
  - Use **manual approximation** or sutures for deeper layers as needed.

2. Skin Closure

- Use **Skin Seal** for **topical skin closure**:
  - Activate the applicator and apply a **thin layer** of Skin Seal over the clean, approximated skin edges.
  - Ensure **even coverage** of the entire wound site but avoid excess pooling.
  - Allow **30–60 seconds** for the adhesive to dry and form a protective layer.

3. Aftercare and Monitoring

- Keep the incisions clean and dry for the first **24–48 hours**.
- No sutures or staples need to be removed, as the adhesive will naturally shed in **5–10 days**.

SkinSeal just seal & heal

- Advise the patient to **avoid scrubbing** or applying ointments over the adhesive during the healing period.
- **Monitor for signs of infection** (redness, swelling, discharge, or fever).

Advantages in Tubectomy Procedures

- **Minimal scarring** compared to sutures or staples.
- **Reduces post-operative discomfort** by eliminating external sutures.
- **Promotes faster recovery** with less wound care maintenance.
- Ideal for **pediatric or geriatric patients** who may have sensitivity to traditional sutures.

SkinSeal
just seal & heal

Using Skin Seal in Circumcision Procedures

Topical Skin Adhesive – For Skin Closure After Circumcision

Purpose

- **Skin Seal** is used to close the skin after **circumcision**, especially for minor cases or in infants, to provide a clean, smooth closure with minimal scarring.
- Ideal for **protecting the surgical site**, promoting **quick healing**, and offering **comfort** without the need for sutures or staples.

Indications

- After **circumcision** of the **foreskin**, especially in **newborns and infants**.
- **Clean, straight incisions** that are not under high tension.
- Used for **external skin closure** after the deeper tissue has been sutured.

Contraindications

- **Infected or contaminated** wounds.
- **High-tension incisions** where additional closure support is needed.
- Not recommended for **deeper tissue closure**; the adhesive is only for **topical use**.

Application Protocol

1. Post-Surgical Wound Preparation

- After performing circumcision:
  - Ensure **hemostasis** at the incision site.
  - Clean the wound with **sterile saline**.
  - **Dry the skin** surrounding the incision completely with sterile gauze.

2. Applying Skin Seal

- Once the incision is clean and dry:
  - Activate the **Skin Seal applicator** and express a small amount of adhesive.
  - **Apply a thin, even layer** of adhesive across the closed skin edges, ensuring that the edges are well approximated.

- Avoid allowing the adhesive to enter the wound itself—apply only to the surface of the skin.
- Hold for **30–60 seconds** to allow the adhesive to bond and set.

3. Aftercare

- Allow the adhesive to **dry completely** for **24–48 hours**.
- Avoid **direct contact with water** during this period (bathing or submerging the area should be avoided).
- Skin Seal naturally sheds in **5–10 days**.
- **No suture removal** required.
- Advise the patient or caregiver to avoid using ointments or creams on the adhesive.

Advantages

- **Faster and more comfortable healing** for circumcision wounds.
- **Minimal scarring**, promoting better cosmetic results.
- **Eliminates the need for suture removal**.
- Provides a **waterproof barrier** to reduce the risk of infection.
- **Non-invasive and painless** closure technique, making it ideal for pediatric use.

SkinSeal
just seal & heal

Using Skin Seal in Dental Practice

Topical Skin Adhesive – For Soft Tissue Closure After Dental Procedures

---

Purpose

- **Skin Seal** is used in **dental procedures** to close small incisions or cuts in the soft tissue (oral mucosa, lips, and gums).
- Ideal for providing a **barrier against infection**, minimizing scarring, and promoting **quicker healing** after oral surgery or other dental procedures.

Indications

- After **simple extractions** (if the wound is clean and not too deep).
- For **soft tissue lacerations** caused by dental tools or accidents.
- In **minor surgical procedures** (e.g., gingivectomy, frenectomy).
- To **seal oral mucosa** after biopsy or soft tissue grafting.
- **Lip lacerations** or cuts from dental tools that require surface-level closure.

Contraindications

- **Deep or complex oral wounds** (requiring sutures for proper healing).
- **Infected or heavily contaminated wounds**.
- **Mucosal areas** that are constantly moist, unless the wound is very superficial and not at risk of reopening.

Application Protocol

1. Pre-Application

- Ensure **hemostasis** at the wound site.
- Clean the area thoroughly with **sterile saline**.
- **Dry the wound edges** with sterile gauze.

2. Wound Approximation

- Gently **align** and **approximate** the edges of the soft tissue wound (lip, mucosa, gum).
- Ensure **minimal tension** on the wound edges to avoid disruption of the adhesive.

3. Applying Skin Seal

- **Activate the Skin Seal applicator** by cracking it, then squeeze to release a small amount of adhesive.
- **Apply a thin, even layer** of adhesive along the wound edges.
- Be careful to **avoid the adhesive inside the wound**; it should only be applied to the skin or mucosal edges.
- Hold the wound closed for **30–60 seconds** to allow the adhesive to bond properly.

4. Aftercare

- Keep the wound dry and avoid vigorous activities for **24–48 hours**.
- **No direct water exposure** (e.g., no mouth rinses or foods that may irritate the site) during this period.
- Skin Seal will **slough off naturally** in **5–10 days**.
- **Monitor for infection** or irritation at the wound site.

Advantages in Dental Practice

- **Minimizes discomfort** and need for follow-up care (no suture removal).
- Provides a **clean, smooth closure** for small oral wounds, improving aesthetic outcomes.
- **Reduces risk of infection** by creating an antimicrobial barrier.
- Ideal for **children or anxious patients** where traditional sutures may cause distress.
- **Non-invasive, quick application**—saves time and reduces procedural trauma.

SkinSeal just seal & heal

Using Skin Seal for Minor Cuts and Abrasions

Topical Skin Adhesive – For Fast and Effective Wound Closure

Purpose

- **Skin Seal** is used to **close and seal minor cuts, abrasions, and scrapes**.
- Provides a **waterproof**, **antibacterial** barrier that helps protect the wound from dirt, bacteria, and moisture while promoting faster healing.
- Ideal for use on **superficial, non-contaminated skin injuries** that don't require stitches or staples.

Indications

- **Minor cuts**, **abrasions**, or **scrapes** on the arms, legs, hands, or face.
- **Superficial lacerations** where edges are clean and can be easily approximated.
- **Non-infected wounds** that require a **quick, painless closure**.
- **Pediatric or geriatric patients** where traditional sutures or bandages may be less practical.

Contraindications

- **Deep or large wounds** requiring sutures or staple closure.
- **Infected wounds** or those showing signs of pus, swelling, or redness.
- **Mucosal areas** (inside the mouth, eyes, or other moist surfaces).
- **Active bleeding** that cannot be controlled.

Application Protocol

1. Wound Preparation

- **Clean the wound** gently with **sterile saline** or mild antiseptic to remove any debris.
- Ensure **hemostasis** (stop any active bleeding).
- Pat the area dry with **sterile gauze**.

2. Wound Approximation

- **Align the skin edges** gently to approximate the wound edges.
- If the edges are not naturally aligned, you can gently **hold them together** for a few moments before applying the adhesive.

3. Applying Skin Seal

- **Activate the Skin Seal applicator** by cracking and priming it.
- Apply a **thin, even layer** of adhesive directly over the wound, ensuring that it covers the edges and any small gaps.
- **Avoid putting adhesive directly into the wound**—it should be applied only to the skin surface.
- Allow the adhesive to **dry for 30–60 seconds** until it forms a solid bond.

4. Aftercare

- **Do not disturb the adhesive** for 24 hours; it should be left to bond securely to the skin.
- Avoid **submerging** the area in water (e.g., swimming, soaking in a bath) for the first 24 hours.
- The adhesive will naturally shed in **5–10 days**.
- If the wound area shows signs of irritation or infection, remove the adhesive gently with saline or warm water and seek medical advice.

Advantages

- **Quick and easy application**—saves time, no need for stitches or staples.
- Provides a **waterproof barrier** that keeps the wound clean and protected.
- **Painless** and **non-invasive**.
- **Promotes faster healing** and **reduces scarring**.
- Can be used in **children** or patients with needle phobia, eliminating the need for sutures.

SkinSeal
just seal & heal

Using Skin Seal for Post-Surgical Skin Closures

Topical Skin Adhesive – For Fast, Effective Wound Closure After Surgery

---

Purpose

- **Skin Seal** is used to close the external skin layer in **post-surgical wound closures** after procedures that do not require deep suturing, staples, or when additional support is needed.
- Provides a **waterproof**, **antimicrobial**, and **flexible barrier** to promote optimal healing and minimize the risk of infection.
- Ideal for **low-tension, well-approximated wounds**.

Indications

- After **minor surgical procedures** such as:
  - **Mole excision**
  - **Cyst removal**
  - **Laparoscopic incisions** (after the internal sutures are in place)
  - **Dermatologic surgeries** (skin grafts, excisions, etc.)
  - **Circumcision** or other genital surgeries
  - **Dental procedures** requiring skin closure
- Used **in addition to sutures** or when **subcuticular suturing** is employed for wound closure.

Contraindications

- **Large or deep surgical wounds** that require sutures or staples for internal tissue closure.
- **Infected or severely contaminated wounds**.
- **High-tension incisions** where the skin may pull apart during healing.
- **Mucosal surfaces**, such as inside the mouth, nose, or eyes.
- **Active bleeding** wounds.

Application Protocol

1. Post-Surgery Wound Preparation

- After completing the surgical procedure and achieving **hemostasis**:
  - Cleanse the wound gently with **sterile saline** or an appropriate antiseptic solution.

    - **Dry the skin** around the incision thoroughly with sterile gauze to ensure the adhesive bonds effectively.
    - **Align and approximate the wound edges** carefully to ensure that the incision is well-closed and free of tension.

2. Applying Skin Seal

- **Activate the applicator** and express a small amount of adhesive.
- **Apply a thin, even layer** over the closed skin edges, ensuring the adhesive covers all exposed skin without entering the wound itself.
- Hold the edges together for **30–60 seconds** to ensure the adhesive bonds to the skin.

3. Drying and Aftercare

- Allow the adhesive to dry completely before applying any external dressings (this usually takes **30–60 seconds**).
- **Keep the wound dry** for **24–48 hours** to allow the adhesive to set properly.
- The adhesive will naturally shed in **5–10 days** as the wound heals.
- **Avoid submerging the wound** in water (e.g., bathing, swimming) during the first 24 hours post-application.

4. Monitoring for Infection

- Watch for signs of infection, such as **increased redness, swelling, warmth**, or **discharge** from the wound site.
- If infection is suspected, remove the adhesive carefully with sterile saline and seek medical attention.

Advantages

- **Reduces scarring** by ensuring a smooth, uniform closure.
- **No need for suture removal**, which reduces patient discomfort and follow-up visits.
- **Faster healing** by providing a **protected, moisture-proof environment** that minimizes disruption to the healing process.
- **Minimizes the risk of infection** by creating an **antimicrobial barrier** over the wound.
- Ideal for use in **cosmetic procedures** or on visible body areas where scarring is a concern (e.g., face, neck).

SkinSeal
just seal & heal

Using Skin Seal in Emergency First Aid

Topical Skin Adhesive – For Quick, Effective Wound Closure in Emergencies

---

Purpose

- **Skin Seal** is used in **emergency first aid** situations to quickly **close minor cuts, abrasions, and small lacerations**.
- Provides a **waterproof**, **antibacterial**, and **protective barrier** to the wound, preventing further contamination and promoting faster healing.
- Ideal for **non-urgent or minor wounds** where professional medical treatment is not immediately available or where traditional bandages or sutures are impractical.

Indications

- **Minor cuts** or **abrasions** on the arms, legs, or face.
- **Small lacerations** with clean, well-approximated edges.
- **Paper cuts**, **scrapes**, or **abrasions** that are not contaminated.
- **Minor facial wounds** (invisible areas, such as the eyebrow or chin) in cases where a neat, cosmetically pleasing closure is desired.
- **Outdoor or wilderness emergencies**, where medical facilities are not immediately available.

Contraindications

- **Deep or large wounds** that require sutures or staples.
- **Infected or heavily contaminated wounds**.
- **High-tension or large lacerations** that may require more significant surgical intervention.
- **Mucosal areas**, such as inside the mouth, nose, or genital region.
- **Wounds with active bleeding** that cannot be stopped by simple pressure.

Application Protocol

1. Wound Preparation

- **Clean the wound** with **sterile saline** or **clean water** if sterile saline is unavailable.
- **Stop any active bleeding** by applying gentle pressure with sterile gauze.

- Once bleeding has been controlled, gently **cleanse the wound** to remove any debris, dirt, or foreign material.
- **Dry the wound area** thoroughly with a clean, sterile gauze pad.

2. Wound Approximation

- **Align the wound edges** carefully by gently pulling the skin together. For small lacerations or abrasions, this may be done manually to ensure the wound is well approximated.
- If necessary, use **tweezers or a sterile instrument** to assist with wound edge alignment.

3. Applying Skin Seal

- **Activate the Skin Seal applicator** by cracking it and squeezing the applicator to dispense the adhesive.
- **Apply a thin, even layer** of Skin Seal over the wound, ensuring the adhesive is spread along the wound edges but not inside the wound itself.
- Hold the wound edges together for **30–60 seconds** until the adhesive is fully bonded.
- Avoid excessive pressure or pulling on the wound to prevent disruption of the bond.

4. Aftercare

- Once the adhesive has dried, the wound is sealed, and you can cover the area with a **non-stick dressing** if necessary.
- Advise the patient to **keep the wound dry** for **24–48 hours** to allow the adhesive to bond fully.
- Skin Seal will naturally shed in **5–10 days**, depending on the size of the wound.
- If the wound shows signs of infection (e.g., increased redness, swelling, pus, or fever), remove the adhesive with sterile saline and seek medical care.

Advantages in Emergency First Aid

- **Quick and easy application** for immediate wound closure and protection.
- Provides a **waterproof barrier** to help prevent infection and promote faster healing.
- **Reduces scarring** by providing a neat, even closure without the need for sutures or staples.
- Ideal for **outdoor, wilderness, or travel emergency situations** where immediate access to medical care is limited.
- **Pain-free** application, which is especially helpful for children, elderly, or sensitive individuals.