
INTEGRACIÓN CONTINUA

Carlos Ayuso Iglesias

Informe Sonnar Cloud



Bugs

En este caso solo hay 3 Bugs

```
1.Bug en createQuestion(Major):

Add "lang" and/or "xml:lang" attributes to this "<html>" element

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"

xmlns:h="http://xmlns.jcp.org/jsf/html"

xmlns:f="http://xmlns.jcp.org/jsf/core">

Se arregla añadiendo lang="es"

<html lang="es" kmlns="http://www.w3.org/1999/xhtml"

xmlns:h="http://xmlns.jcp.org/jsf/html"

xmlns:f="http://xmlns.jcp.org/jsf/core">

<hthree lang is the lang i
```

```
2.Bug en queryQuestion(Major):
Add "lang" and/or "xml:lang" attributes to this "<html>" element
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml"</pre>
       xmlns:h="http://xmlns.jcp.org/jsf/html"
       xmlns:f="http://xmlns.jcp.org/jsf/core">
Se arregla añadiendo lang="es"
<html lang="es" xmlns="http://www.w3.org/1999/xhtml"</pre>
       xmlns:h="http://xmlns.jcp.org/jsf/html"
       xmlns:f="http://xmlns.jcp.org/jsf/core">
3.Bug en hibernate.cfg.xml(Critical):
♠♠ Use "validate" or remove this property.
cproperty name="hibernate.hbm2ddl.auto">create
Se arregla cambiando el contenido de "create" a "validate"
Code Smells
1.Code Smell(Minor) en BLFacadeimplementation:
 Remove this empty statement.
};
Se arregla borrando ";"
```

```
2.Code Smell(Minor) en HibernateDataAccess:

⊕ Person Remove this unused import 'javax.persistence.EntityManager'.

import javax.persistence.EntityManager;
Se arregla borrando el import
3.Code Smell(Major) en QueryBean:
 ⊕ Replace the synchronized class "Vector" by an unsynchronized one such as "ArrayList" or "LinkedList".
List<Event> allEvents = new Vector<Event>();
Se arregla inicializando bien la lista, con arrayList y no con vector
 List<Event> allEvents = new ArrayList<Event>();
4.Code Smell(Major) en BLFacadeImplementation:
 This block of commented-out lines of code should be removed.
//dbManager.open();
Se arregla borrando el comentario
5.Code Smell(Critical) en HibernateDataAccess:
The Define a constant instead of duplicating this literal "Who will win the match?" 3 times. [+3 locations]
 else if (Locale.getDefault().equals(new Locale("en"))) {
     Duplication
     q1=ev1.addQuestion( 1 "Who will win the match?",1);
     q2=ev1.addQuestion("Who will score first?",2);
     Duplication
     q3=ev11.addQuestion(2 "Who will win the match?",1);
     q4=ev11.addQuestion("How many goals will be scored in the match?"
     Duplication
     q5=ev17.addQuestion( [3] "Who will win the match?",1);
     q6=ev17.addQuestion("Will there be goals in the first half?",2);
Se crea una constante con el string "Who will win the match?" y se utiliza dicha
constante para añadir las question
else if (Locale.getDefault().equals(new Locale("en"))) {
    final String p = "Who will win the match?";
    Duplication
    q1=ev1.addQuestion(1 p,1);
     q2=ev1.addQuestion("Who will score first?",2);
    Duplication
    q3=ev11.addQuestion(p,1);
    q4=ev11.addQuestion("How many goals will be scored in the match?",2);
    Duplication
    q5=ev17.addQuestion(p,1);
    q6=ev17.addQuestion("Will there be goals in the first half?",2);
}
```

Informe Sonnar Cloud mejorado

