

# **American International University- Bangladesh**

**CSC 3215: Web Technologies** 

CO2 and CO4 Evaluation Finished Project Report Fall 2019-2020

**Project Title: Online Polling System** 

**Section:** H

Student Name	Student Id	
HABIBA NASREEN	18-36565-1	
MAHBUBUR RAHMAN	18-36569-1	
SHAFIN TALUKDER	18-36588-1	
ARSHAD HASSAN AYWON	18-36601-1	

#### **Project Description:**

The project is basically based on online polling and it has been build up with a survey process system. This is an idea by which organizations, companies, clubs etc can make a survey and know the desires of their audience. First of all when one enters to the website it will take the individual to the home page where the features of "survey create" and "survey history" are shown. That particular individual can not access to any of those features until the individual is not logged in. To have the access one needs to log in first. So from the homepage the individual will go to the log in form. Now if the individual is new to the website than it is a must to sign up first. There is a way available to go to the sign up form from the log in form. Then after signing up properly the individual will log in to the system with the correct information's. One point to be noted that there is navigation bar where some options are available by which the individual can come to know a little about the system. After a successful log in the individual will be taken to the homepage again and now the individual can have the access of the features. From there the individual can basically do two things. First they can see the current and previous surveys and in that particular portion the individual can also download or print a particular survey. Second the individual can make their own surveys as well. When they will be creating a survey they can also have a view of a dummy survey with the information's that the individual have provided while creating the survey and finally the individual can log out from the system.

#### **Project Folder Structure:**

- 1. Homepage is the first form to be shown and the code has been implemented in the index.php and style.css
- 2. First index.php is connected with the login.php file. The login portion has been implemented in login.php and login.css
- 3. To do the login it needs to sign up first. So login.php is connected with signup.php and the whole code for the sign up portion has been implemented in the signup.php,signup.js and signup.css files.
- 4. After signing up the "signup.php" has been connected with "login.php" so it will take to the login page. Then "login.php" is connected with "index.php" so by logging in, it will take to the homepage directly.
- 5. Then "index.php" is connected with "History.php". In that file the "SURVEY HISTORY" part has been implemented. The other files are "bullying.php", "bullying.css", "Digitalilliteracy.php", "Digitalilliteracy.css", "History.php", "History.css", "OnlineSafetySurvey.php" and "OnlineSafetySurvey.css" under which the codes of the features of "SURVEY HISTORY" is implemented.
- 6. The homepage means "index.php" is also connected with the "makequestions.html". The other files linked with "makequestion.html" are "aboutus.html", "getSurvey.php", "help.html", "help.css", "mqstyle.css", "myScript.css", "new.css", "setSurvey.php", "getSurvey.php", survey.php" and "survey.css" under which the codes of the features of "CREATE SURVEY" is implemented.

#### **Core Modules of the Project:**

# <u>Login.php</u>, login.css) <u>Login.php</u>

```
<?php
$db = mysqli_connect("localhost","root", "","survey");
if(isset($_POST['submit_button'])){
    $email=$_POST['email'];
    $password=$_POST['password'];

    if(!empty($_POST['rememberme'])){
        setcookie('email',$email,time()+60*60*7);
}</pre>
```



```
setcookie('password',$password,time()+60*60*7);
       }
    session_start();
    $email = $_POST['email'];
    $password = md5($_POST['password']);
    $sql = "SELECT * FROM people WHERE email='$email' AND password='$password'";
    $verify = mysqli_query($db, $sql);
    if(mysqli num rows($verify)==1){
    $row= mysqli_fetch_assoc($verify);
    $_SESSION['userid']=$row['id'];
    $_SESSION['username']=$row['name'];
    $_SESSION['phone'] = $row['phone'];
    $_SESSION['address'] = $row['address'];
    $_SESSION['email']=$email;
    $_SESSION['password']=$password;
    header("location:index.php");
    }else{
        ?>
        <script>
        alert("Incorrect email/password combination. Check and proceed again.");
        </script>
       <?php
       // echo "Incorrect email/password combination. Check and proceed again.";
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <title>PROJECT</title>
        <link rel="stylesheet" type="text/css" href="login.css">
        <!--<li>k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">-->
        <h1 >WELCOME TO THE PORTAL</h1>
        <!--<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
        <a class="navbar-brand" href="#">Final Project</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarTogglerDemo01" aria-controls="navbarTogglerDemo01" aria-expanded="false" aria-
label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarTogglerDemo01">
```



```
 <a class="nav-link" herf='#'>About us</a>
            <a class="nav-link" herf='#'>Help centra</a>
            <a class="nav-link" herf='#'>Contact</a>
       </div>
       </nav>-->
   </head>
   <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-</pre>
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"</pre>
integrity="sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H661ZH81PoY1FhbGU+6BZp6G7niu735Sk71N"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"</pre>
integrity="sha384-B4gt1jrGC7Jh4AgTPSdUt0Bvf08shuf57BaghqFfP1YxofvL8/KUEfYiJ0MMV+rV"
crossorigin="anonymous"></script>
<script src='login.js'></script>
   <body>
       <fieldset>
       <legend align="center"><h2>"LOGIN"</h2></legend>
       <form method="post" action="login.php">
          EMAIL:
                 <input type="email" name="email" required>
              PASSWORD:
                 <input type="password" name="password" required>
              <input name="rememberme" id="remember" type="checkbox" value="1"
required>
              <label>Remember me</label>
              <button><input type="submit" name="submit_button" value="Login"
required></button>
              <a href="signup.php">Sign Up</a>
              <script src="login.js"></script>
   </fieldset>
       </form>
```



```
</body>
</html>
                                           Login.css
body{
    margin-top: 50px;
    background-image: url('abstract-background-concept_23-2148486860.jpg');
}
h1{
    text-align: center;
    background-position: center;
    background-image: url('view.png');
    color:rgb(0, 0, 0);
    font-size:250%;
}
h2{
    text-align: center;
    font-size: 250%;
    color:red;
    font-size:200%;
}
p{
    text-align: left;
table{
input[type="submit"]{
    width: 100px;
    cursor: pointer all-scroll;
    background-color: orangered;
    color: white;
}
                              Homepage (index.php,style.css)
                                           index.php
<?php
 session_start();
 $loggedin = false;
if(isset($_SESSION['userid']))
{
     $loggedin = true;
}
?>
```



```
<!DOCTYPE html>
<head>
   <meta charset="utf-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <title>Online Survey System</title>
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <!-- Google-fonts -->
   k
href="https://fonts.googleapis.com/css2?family=Raleway:wght@300;400;900&family=Roboto:wght@300;
400;500;600;700&display=swap"
       rel="stylesheet">
   k
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500&display=swap"
rel="stylesheet">
   <!-- Bootstrap CSS -->
   <link rel="stylesheet" href="css/bootstrap/dist/css/bootstrap.min.css">
   <link rel="stylesheet" href="css/bootstrap-social/bootstrap-social.css">
   <!-- Font-awesome CSS -->
   <link rel="stylesheet" href="css/font-awesome/css/font-awesome.min.css">
   <!-- Style CSS -->
   <link rel="stylesheet" href="style.css">
</head>
<body>
   <!-- navbar -->
   <div class="top area">
       <div class="container">
           <nav class="navbar navbar-expand-sm navbar-dark fixed-top">
               <a class="navbar-brand text-uppercase" href="#" data-toggle="tooltip" data-</pre>
placement="bottom"
                   title="Online Polling System - Logo"><img src="logo.jpg" height ="50px"
width = "100px"></a>
               <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav"
                   aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
                   <span class="navbar-toggler-icon"></span>
               </button>
               <div class="collapse navbar-collapse" id="navbarNav">
                   <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
role="button"
                               data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                               <span class="fa fa-bar-chart"></span> Survey Info
                           <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                               <a class="dropdown-item" href="#Create_Survey" data-</pre>
toggle="tooltip"
                                   data-placement="bottom" title="Create a New Survey?">Create
Survey <span
```



```
class="fa fa-line-chart"></span></a>
                             <a class="dropdown-item" href="#Current Survey" data-</pre>
toggle="tooltip"
                                data-placement="bottom" title="See The Current
Survey">Current Survey <span
                                    class="fa fa-check-square-o"></span></a>
                             <a class="dropdown-item" href="#Survey History" data-</pre>
toggle="tooltip"
                                data-placement="bottom" title="View The All Previous
Survey">Survey History<span
                                    class="fa fa-history"></span> </a>
                         </div>
                     <a data-toggle="modal" data-target="#reserveModal" class="nav-link"</pre>
href="#"><span
                                class="fa fa-user"></span> User
                             Info</a>
                     <a href="login.php" style="color: seashell;" ><span</pre>
                                class="fa fa-sign-in"></span> Login</a>
                     <a href="logout.php" style="color: seashell;"><span</pre>
                                class="fa fa-sign-out"></span> Logout</a>
                     <!-- <li class="nav-item">
                         <a class="nav-link" id="" href="#">Logout</a>
                      </div>
          </nav>
       </div>
   </div>
   <!-- user-info-modal -->
   <div id="reserveModal" class="modal fade" role="dialog">
       <div class="modal-dialog modal-lg" role="content">
          <!-- Modal content-->
           <div class="modal-content">
              <div class="modal-header">
                  <h4 class="modal-title">User Info</h4>
                  <button type="button" class="close" data-dismiss="modal">&times;</button>
              <div class="modal-body">
                  <?php if($loggedin){ ?>
                  <form>
                      <div class="form-group row">
                         <div class="card-body">
                             <dl class="row">
                                <dt class="col-6"><span class="fa fa-user"></span>
Name:</dt>
                                <dd class="col-6"><?php echo $_SESSION['username'] ?></dd>
                                <dt class="col-6"><span class="fa fa-phone"></span>
Phone:</dt>
                                <dd class="col-6"><?php echo $_SESSION['phone'] ?></dd>
```



```
<dt class="col-6"><span class="fa fa-envelope"></span>
Email:</dt>
                                    <dd class="col-6"><?php echo $_SESSION['email'] ?></dd>
                                </dl>
                            </div>
                        </div>
                        <div class="form-group row">
                            <div class="col-12 row align-items-center justify-content-center">
                                <button type="submit" class="btn btn-primary" data-</pre>
toggle="tooltip"
                                    data-placement="right" title="View or Edit User Info">
                                    More Info <span class="fa fa-arrow-right"></span>
                                </button>
                            </div>
                            <div class="col-12 row align-items-center justify-content-center"</pre>
                                style="padding-top: 10px;">
                                <button type="button" class="btn btn-danger" data-</pre>
dismiss="modal">Cancel</button>
                            </div>
                        </div>
                    </form>
                    <?php } ?>
                </div>
            </div>
        </div>
    </div>
    <!-- user-info-modal -->
    <div class="welcome-content d-flex align-items-center justify-content-center">
        <div class="welcome-area">
            <div class="container">
                <div class="row">
                    <div class="col-12">
                        <div class="welcome-text text-center">
                            <span class="text-uppercase">Welcome to our website
user!</span><br>
                            <span class="text-uppercase"><?php if($loggedin) echo</pre>
$_SESSION['username'] ?></span>
                        </div>
                    </div>
                    <div class="online-p-area">
                        <div class="col-12 text-center">
                            <span class="h4">Online Polling System</span>
                        <div class="col-12 text-justify text-center p-content">
                            >Dear user, an online poll is a survey in which participants
communicate responses via Internet, typically by completing a questionnaire in a webpage. We
allow anyone to participate here for free. You can create survey, see current surveys and also
check the history. We hope this system benefits you.
                            User must Login
before creating survey!
                            <span class="g-text">Good luck!</span>
                            <section id="section10" class="demo">
                                <a class="d-none d-lg-block d-xl-block" href="#go-</pre>
survey"><span></span>Scroll</a>
                            </section>
```



```
</div>
                    </div>
                </div>
            </div>
        </div>
        <!-- welcome area -->
    </div>
    <!-- go-survey -->
    <div class="go-survey" id="go-survey">
        <div class="container">
            <div class="row" style="padding-bottom: 80px">
                <div class="col-sm-8" id="Create_Survey">
                    <img class="survey-img img-fluid" src="img/cre-survey.png" alt="">
                </div>
                <div class="btn-current-survey row align-items-center col-4 col-sm-4">
                    <a href="#" class="btn" data-toggle="tooltip" data-placement="bottom"</pre>
                    title="Create A New Survey?"><button type="button" class="btn btn-create-s"
id="makeq" ><?php if($loggedin){ ?><a href="makequestion.html"> <?php } ?>Create
Survey</a></button></a>
                    <script>
                        document.getElementById('makeq').addEventListener("click",logincheck())
                    function logincheck(){
                    var sessionid = <?php if($loggedin) echo $_SESSION['userid']; else echo ""</pre>
?>
                   // console.log(sessionid);
                    if(sessionid==""||sessionid==null){ console.log("please Log in");
                    //alert("please Log in");
            }
        }
        </script>
                </div>
            </div>
            <div class="dropdown-divider"></div>
            <div class="row" style="padding: 80px 0 80px 0">
                <div class=" col-sm-4" id="Current_Survey">
                    <img class="survey-img img-fluid" src="img/current.png" alt="">
                </div>
                <div class="btn-current-survey row align-items-center order-sm-first col-sm-8">
                    <a href="#" class="btn"><button type="button" class="btn btn-current-s"</pre>
data-toggle="tooltip"
                            data-placement="bottom" title="See The Current Survey!"><a
href="History.php">Current Survey</a></button></a>
                </div>
            </div>
            <div class="dropdown-divider"></div>
            <div class="row" style="padding-top: 80px;">
                <div class="col-sm-8" id="Survey_History">
                    <img class="survey-img img-fluid" src="img/history.png" alt="">
                </div>
                <div class="btn-current-survey row align-items-center col-4 col-sm-4">
                    <a href="#" class="btn"><button type="button" class="btn btn-history-s"
data-toggle="tooltip"
                            data-placement="bottom" title="Viw All Previous Survey Data"><a
href="History.php"> Survey History</a></button></a>
                </div>
```



```
</div>
       </div>
   </div>
   <!-- go-survey -->
   <!-- Site footer -->
   <footer class="site-footer">
       <div class="container">
          <div class="row">
              <div class="col-sm-12 col-md-6">
                  <h6>About</h6>
                  An online poll is a survey in which participants
communicate responses via
                     Internet, typically by completing a questionnaire in a web page. We
allow anyone to participate
                     here for free. You can create survey, see current surveys and also
check the history. Before
                     creating a new survey or checking history you require to log in. We
hope this system benefits
                     you.
              </div>
              <div class="col-xs-6 col-md-3">
                  <h6>Categories</h6>
                  <a href="http://scanfcode.com/category/c-language/">C</a>
                     <a href="http://scanfcode.com/category/front-end-development/">UI</a>
Design</a>
                     <a href="http://scanfcode.com/category/back-end-
development/">PHP</a>
                     <a href="http://scanfcode.com/category/java-programming-</pre>
language/">Java</a>
                     <a href="http://scanfcode.com/category/android/">Android</a>
                     <a</li>
href="http://scanfcode.com/category/templates/">Templates</a>
                  </div>
              <div class="col-xs-6 col-md-3">
                  <h6>Quick Links</h6>
                  <a href="http://scanfcode.com/about/">About Us</a>
                     <a href="http://scanfcode.com/contact/">Contact Us</a>
                     <a href="http://scanfcode.com/contribute-at-
scanfcode/">Contribute</a>
                     <a href="http://scanfcode.com/privacy-policy/">Privacy
Policy</a>
                     <a href="http://scanfcode.com/sitemap/">Sitemap</a>
                  </div>
          </div>
          <hr>>
       </div>
       <div class="container">
          <div class="row">
              <div class="col-md-8 col-sm-6 col-xs-12">
                  Copyright © 2020 All Rights Reserved by
                     <a href="#">0. P. S - Online Polling System</a>.
```



```
</div>
               <div class="col-md-4 col-sm-6 col-xs-12">
                   <a class="facebook" href="#"><i class="fa fa-
facebook"></i></a>
                       <a class="twitter" href="#"><i class="fa fa-twitter"></i></a>
                       <a class="dribbble" href="#"><i class="fa fa-
dribbble"></i></a>
                       <a class="linkedin" href="#"><i class="fa fa-
linkedin"></i></a>
                   </div>
           </div>
       </div>
   </footer>
    <!-- jQuery first, then Bootstrap JS. -->
   <script src="js/jquery/dist/jquery.slim.min.js"></script>
   <script src="js/popper.js/dist/umd/popper.min.js"></script>
   <script src="css/bootstrap/dist/js/bootstrap.min.js"></script>
</body>
</html>
                                        style.css
   margin: 0;
   padding: 0;
html {
   font-family: 'Roboto', sans-serif;
   color: #555;
   font-size: 16px;
   line-height: 28px;
   scroll-behavior: smooth;
}
.navbar-brand {
   font-family: 'Raleway',
       sans-serif;
   font-weight: 700px;
   font-size: 30px;
}
.navbar {
   padding-top: 20px;
   padding-bottom: 20px;
   font-size: 20px;
}
.dropdown-menu a:hover {
   color: #FFF;
   background: rgba(58, 133, 191, 0.75);
```



```
}
.welcome-content {
    background-image: linear-gradient(rgb(231 234 237 / 19%), rgb(56 30 52 / 65%)),
        url(img/bg_img_2.jpg);
    background-size: cover;
    background-position: center;
    height: 100vh;
    background-attachment: fixed;
}
.navbar-dark {
    background-color: rgb(24, 24, 24);
}
.welcome-text {
    color: white;
    font-size: 350%;
    font-weight: 600;
    font-family: 'Raleway', sans-serif;
}
.online-p-area {
    color: white;
    font-size: 130%;
    text-align: justify;
    padding-top: 30px;
}
.p-content {
    padding-top: 25px;
    font-weight: 300;
}
.online-p-area .h2 {
    font-size: 80%;
}
.g-text {
    font-weight: 500;
.go-survey {
    padding-top: 80px;
    padding-bottom: 80px;
}
/* scroll-animation */
.demo a {
    position: absolute;
    left: 47%;
    top: 157px;
    z-index: 2;
    display: inline-block;
```



```
-webkit-transform: translate(0, -\overline{50\%});
    transform: translate(0, -50%);
    color: #fff;
    font: normal 400 20px/1 'Raleway',
        sans-serif;
    letter-spacing: .1em;
    text-decoration: none;
    transition: opacity .3s;
}
.demo a:hover {
    opacity: .5;
section {
    position: relative;
section::after {
    position: absolute;
    bottom: 0;
    left: 0;
    content: '';
    width: 100%;
    height: 80%;
}
section h1 {
    position: absolute;
    top: 50%;
    left: 50%;
    z-index: 2;
    -webkit-transform: translate(-50%, -50%);
    transform: translate(-50%, -50%);
    color: #fff;
    font: normal 300 64px/1 'Roboto', sans-serif;
    text-align: center;
    white-space: nowrap;
}
#section10 a {
    padding-top: 80px;
}
#section10 a span {
    position: absolute;
    top: 0;
    left: 50%;
    width: 30px;
    height: 50px;
    margin-left: -15px;
    border: 2px solid #fff;
    border-radius: 50px;
    box-sizing: border-box;
}
#section10 a span::before {
    position: absolute;
    top: 10px;
    left: 50%;
```



```
content: '';
    width: 6px;
    height: 6px;
    margin-left: -3px;
    background-color: #fff;
    border-radius: 100%;
    -webkit-animation: sdb10 2s infinite;
    animation: sdb10 2s infinite;
    box-sizing: border-box;
}
@-webkit-keyframes sdb10 {
    0% {
        -webkit-transform: translate(0, 0);
        opacity: 0;
    }
    40% {
        opacity: 1;
    }
    80% {
        -webkit-transform: translate(0, 20px);
        opacity: 0;
    }
    100% {
        opacity: 0;
}
@keyframes sdb10 {
    0% {
        transform: translate(0, 0);
        opacity: 0;
    }
    40% {
        opacity: 1;
    }
    80% {
        transform: translate(0, 20px);
        opacity: 0;
    }
    100% {
        opacity: 0;
    }
}
/* scroll-animation */
/* button */
.btn-create-s {
    font-family: 'Raleway',
        sans-serif;
```



```
font-size: 30px;
    color: #00BFA6;
    letter-spacing: 1px;
    line-height: 15px;
    border: 2px solid #00BFA6;
    border-radius: 40px;
    background: transparent;
    transition: all 0.3s ease 0s;
    padding: 20px 40px 20px 40px;
}
.btn-create-s:hover {
    color: #FFF;
    background: #00BFA6;
    border: 2px solid #00BFA6;
}
.btn-current-s {
    font-family: 'Raleway',
        sans-serif;
    font-size: 30px;
    color: rgba(58, 133, 191, 0.75);
    letter-spacing: 1px;
    line-height: 15px;
    border: 2px solid rgba(58, 133, 191, 0.75);
    border-radius: 40px;
    background: transparent;
    transition: all 0.3s ease 0s;
    padding: 20px 40px 20px 40px;
}
.btn-current-s:hover {
    color: #FFF;
    background: rgba(58, 133, 191, 0.75);
    border: 2px solid rgba(58, 133, 191, 0.75);
.btn-history-s {
    font-family: 'Raleway',
        sans-serif;
    font-size: 30px;
    color: rgba(240, 173, 78, 0.75);
    letter-spacing: 1px;
    line-height: 15px;
    border: 2px solid rgba(240, 173, 78, 0.75);
    border-radius: 40px;
    background: transparent;
    transition: all 0.3s ease 0s;
    padding: 20px 40px 20px 40px;
}
.btn-history-s:hover {
    color: #FFF;
    background: rgb(240, 173, 78, 0.75);
    border: 2px solid rgba(240, 173, 78, 0.75);
}
```



```
/* button */
.survey-img {
    height: 300px;
.dropdown-divider {
    border-top: 4px solid #e9ecef !important;
}
.site-footer {
    background-color: #26272b;
    padding: 45px 0 20px;
    font-size: 15px;
    line-height: 24px;
    color: #737373;
}
.site-footer hr {
    border-top-color: #bbb;
    opacity: 0.5
.site-footer hr.small {
    margin: 20px 0
.site-footer h6 {
   color: #fff;
    font-size: 16px;
    text-transform: uppercase;
    margin-top: 5px;
    letter-spacing: 2px
.site-footer a {
    color: #737373;
.site-footer a:hover {
    color: #3366cc;
    text-decoration: none;
}
.footer-links {
    padding-left: 0;
    list-style: none
}
.footer-links li {
    display: block
.footer-links a {
    color: #737373
}
```

```
.footer-links a:active,
.footer-links a:focus,
.footer-links a:hover {
    color: #3366cc;
    text-decoration: none;
}
.footer-links.inline li {
    display: inline-block
}
.site-footer .social-icons {
    text-align: right
.site-footer .social-icons a {
    width: 40px;
    height: 40px;
    line-height: 40px;
    margin-left: 6px;
    margin-right: 0;
    border-radius: 100%;
    background-color: #33353d
.copyright-text {
    margin: 0
@media (max-width:991px) {
    .site-footer [class^=col-] {
        margin-bottom: 30px
    }
}
@media (max-width:767px) {
    .site-footer {
        padding-bottom: 0
    }
    .site-footer .copyright-text,
    .site-footer .social-icons {
        text-align: center
    }
}
.social-icons {
    padding-left: 0;
    margin-bottom: 0;
    list-style: none
}
.social-icons li {
    display: inline-block;
    margin-bottom: 4px
}
.social-icons li.title {
    margin-right: 15px;
    text-transform: uppercase;
```



```
color: #96a2b2;
    font-weight: 700;
    font-size: 13px
}
.social-icons a {
    background-color: #eceeef;
    color: #818a91;
    font-size: 16px;
    display: inline-block;
    line-height: 44px;
    width: 44px;
    height: 44px;
    text-align: center;
    margin-right: 8px;
    border-radius: 100%;
    -webkit-transition: all .2s linear;
    -o-transition: all .2s linear;
    transition: all .2s linear
}
.social-icons a:active,
.social-icons a:focus,
.social-icons a:hover {
    color: #fff;
    background-color: #29aafe
}
.social-icons.size-sm a {
    line-height: 34px;
    height: 34px;
    width: 34px;
    font-size: 14px
}
.social-icons a.facebook:hover {
    background-color: #3b5998
}
.social-icons a.twitter:hover {
    background-color: #00aced
}
.social-icons a.linkedin:hover {
    background-color: #007bb6
}
.social-icons a.dribbble:hover {
    background-color: #ea4c89
}
@media (max-width:767px) {
    .social-icons li.title {
        display: block;
        margin-right: 0;
        font-weight: 600
    }
}
```

CREATE SURVEY(makequestion.html,survey.php,survey.css,myScript.js)



#### makequestion.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
   <title>Make Question</title>
   <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="mqstyle.css">
</head>
<body>
   <div class="video">
   <video autoplay muted loop id="myVideo">
       <source src="video/vd.mp4" type="video/mp4">
       Your browser does not support HTML5 video.
     </video>
     <button id="myBtn" onclick="myFunction()">mute</button>
   </div>
   <div class="content">
   <!--Navigation-->
   <nav class="navbar navbar-expand-lg navbar-dark">
       <button class="navbar-toggler" data-toggle="collapse" data-target="#navMenu">
           <span class="navbar-toggler-icon"></span>
       </button>
       <div class="collapse navbar-collapse" id="navMenu">
           <a href="index.php" class="nav-link">Home</a>
               <a href="help.html" target=" blank" class="nav-link">Help</a>
               <a href="aboutus.html" target="_blank" class="nav-link">About Us</a>
               <a href="survey.php" target="_blank" class="nav-link">Previous Survey</a>
               </div>
   </nav>
<!--first questions-->
<div class="container" >
<div id="setOuestion">
   <div class="setSurveyName">
       <label id="sN">Survey Name</label>
       <input type = "text" name ="surveyName" id="surveyName" placeholder="Enter Survey Name</pre>
here">
       <button class="btn" onclick="checkSurevy()">OK</button>
   </div>
```



```
<div class="questionType">
        <label>Select Question Type:</label>
        <select class="qType" id="qType">
            <option value="1">Multiple Select</option>
            <option value="2">Single Select</option>
            <option value="3">Text</option>
           <!-- <option value="4">Progress Bar</option> -->
        </select>
        <button class="btn" onclick="checkType()">OK</button>
    </div>
    <div class="question">
        Question
        <textarea name="question" id="question" cols="30" rows="3"></textarea>
    <div id="questionOption">
    </div>
    <div id="addButton">
    </div>
    <div id="addQuestion">
    </div>
    </div>
</div>
<div id="demoQuestion" >
    <!--Get the survey name from surveyName input-->
    <div id="demoSurveyName"></div>
    <!--Get the question from surveyName input-->
    <div id="demoQuestionAdd">
    </div>
</div>
<!--Pop up alert-->
<div class="form-popup" id="checkBefore">
    Create New Survey?
    <button class="btn btn-danger" onclick="closep()" >Cancel</button>
    <button class="btn btn-success" onclick="surveyQuestion()" >Yes</button>
</div>
</div>
</div>
 <script src="myScript.js"></script>
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-</pre>
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"</pre>
integrity="sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H661ZH81PoY1FhbGU+6BZp6G7niu735Sk71N"
crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"</pre>
integrity="sha384-B4gt1jrGC7Jh4AgTPSdUt0Bvf08shuf57BaghqFfP1YxofvL8/KUEfYiJ0MMV+rV"
crossorigin="anonymous"></script>
</body>
```



**Online Polling System** </html> survey.php <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Survey</title> <link rel="stylesheet"</pre> href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z" crossorigin="anonymous"> <link rel="stylesheet" href="survey.css"> <body> <!--Navigation--> <nav class="navbar navbar-expand-lg navbar-dark"> <button class="navbar-toggler" data-toggle="collapse" data-target="#navMenu"> <span class="navbar-toggler-icon"></span> </button> <div class="collapse navbar-collapse" id="navMenu"> <a href="index.php" class="nav-link">Home</a> <a href="help.html" target="\_blank" class="nav-link">Help</a> <a href="aboutus.html" target="\_blank" class="nav-link">About Us</a> <a href="makequestion.html" target="\_blank" class="nav-link">Make Survey</a> </div> </nav> <button class="btn btn-success" id="get" > get </button> <div class="container"> <div id="survey"></div> </div> <?php if(isset(\$\_GET['flag'])){ if(\$\_GET['flag']==1){ // echo "ok"; }

<script src="myScript.js"></script>

}

?>

```
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-</pre>
DfXdz2htPH01sSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"</pre>
integrity="sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H661ZH81PoY1FhbGU+6BZp6G7niu735Sk71N"
crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"</pre>
integrity="sha384-B4gt1jrGC7Jh4AgTPSdUt0Bvf08shuf57BaghqFfPlYxofvL8/KUEfYiJ0MMV+rV"
crossorigin="anonymous"></script>
</body>
</html>
                                           survey.css
.navbar{
    background-color: rgb(50, 60, 151);
#get{
    margin-top: 20px;
    margin-left: 20px;
    background-color: rgb(50, 60, 151);
  }
.container{
    background-color: rgb(244, 244, 245);
#survey{
    margin-left: 200px;
    margin-top: 30px;
  }
#surveyName{
      color: rgb(155, 40, 6);
      font-size: xx-large;
label{
    margin-left: 5px;
}
.options{
    margin-left: 20px;
}
.textQ{
    margin-left: 20px;
    margin-bottom: 10px;
}
                                          myScript.js
var mainObject ={};
var tcount =0;
//video
function myFunction() {
 var video = document.getElementById("myVideo");
 var btn = document.getElementById("myBtn");
  if (video.muted) {
    video.unmuted();
    btn.innerHTML = "unmuted";
  } else {
```



```
video.muted();
    btn.innerHTML = "muted";
}
function checkSurevy() {
    var input = document.getElementById("surveyName").value;
    var data = "Survey name"; //deafult name
    if (input.trim() != '') {
            data = input;
            mainObject.Survey_name = data;
      }
      document.getElementById("demoSurveyName").innerHTML = data;
      console.log(mainObject);
  }
var selectedOption;
var totalOption=2;
var deleteoptionbtn =false;
function deletefromOption(el){
    var elementr = document.getElementById("rdop"+(totalOption-1));
    elementr.remove();
    var element1 = document.getElementById("qlabel"+(totalOption-1));
    elementl.remove();
    totalOption--;
    // need to remove extra <br>
    var tbr = document.getElementById("questionOption").getElementsByTagName('br');
    for(var i=tbr.length-1;i>1;i--){
      tbr[i].remove();
    } //...
    if(totalOption<3){
      el.remove(); deleteoptionbtn =false; // remove the button
function addOption( flag,j ){
 var element = document.getElementById("questionOption");
 var radioYes=[];
 var tc=false;
    var lblYes=[];
        for(var i=0 ;i<j;i++){
          radioYes[i] = document.createElement("input");
          radioYes[i].setAttribute("name", "q1");
          /*creating label for Text to Radio button*/
         lblYes[i] = document.createElement("input");
         lblYes[i].setAttribute("class", "optionrc" );
          if(selectedOption==2){
        /* create a radio button */
        radioYes[i].setAttribute("type", "radio");
        else if(selectedOption==1){
          /* create a radio button */
          radioYes[i].setAttribute("type", "checkbox");
        else if(selectedOption==3){
           /* create a radio button */
           if(flag) radioYes[i].setAttribute("id", "rdop"+i ); // for normal option
           else {var top = totalOption-1; radioYes[i].setAttribute("id", "rdop"+top );} //for
extra option
         /*add radio button to Div*/
         element.appendChild(radioYes[i]);
```



```
tc=true;
           break;
        /*Set id of new created radio button*/
        radioYes[i].setAttribute("id", "rdop"+ i );
        else radioYes[i].setAttribute("id", "rdop"+(totalOption-1 ));
        if(flag)
        lblYes[i].setAttribute("id", "qlabel"+i );
           else lblYes[i].setAttribute("id", "qlabel"+(totalOption-1 ));
         /*add radio button to Div*/
         element.appendChild(radioYes[i]);
         /*add label to Div*/
         element.appendChild(lblYes[i]);
         textYes = document.createElement("br");
         element.appendChild(textYes);
    if(!tc&&flag){
      /*add button to Div*/
      var btn = document.createElement("BUTTON");
      btn.setAttribute("class","btn subbtn");
      btn.setAttribute("onclick", "addMoreOption()");
      btn.innerHTML="Add option";
      document.getElementById("addButton").appendChild(btn);
     if(totalOption>2&&!deleteoptionbtn){
      var deletebtn = document.createElement("button");
      deletebtn.setAttribute("class", "btn btn-danger deleteOption");
      deletebtn.setAttribute("id","optiondelete");
      deletebtn.setAttribute("onclick", "deletefromOption(this)");
      deletebtn.textContent = 'X';
      document.getElementById('addButton').appendChild(deletebtn);
      deleteoptionbtn=true;
     }
}
//check which type question
function checkType(){
    var e = document.getElementById("qType");
    selectedOption = e.options[e.selectedIndex].value;
    console.log(selectedOption);
     // get the target div
    var element = document.getElementById("questionOption");
    element.innerHTML=""; // removing previous type
    document.getElementById("addButton").innerHTML="";
    document.getElementById("addQuestion").innerHTML="";
   addOption(true,2);
    /*add button to Div*/
    var btn = document.createElement("BUTTON");
    btn.setAttribute("class","btn addQ");
    btn.setAttribute("onclick", "addQuestionToDemo()");
    btn.innerHTML="Add Question";
    document.getElementById("addQuestion").appendChild(btn);
function addMoreOption(){
  console.log("Add more");
 totalOption++;
  addOption(false,1);
```



```
var qLength = 0;
var donebtnAdded =false,opt=true,deletebtnadded=false;
function deletefromdemo(el){
  //console.log(element.parentNode);
 ///console.log(element.id);
// console.log(mainObject[tcount-1]);
 var cq= qLength-1;
 var element = document.getElementById("dq"+cq);
  element.remove(); qLength--;
  delete mainObject[tcount-1]; tcount--;
  if(tcount==0){
    el.remove(); deletebtnadded =false;
  if(tcount<2&&donebtnAdded){</pre>
    document.getElementById('donebtn').remove();
    donebtnAdded=false;
  //mainObject = mainObject.slice(element.id);
}
function addQuestionToDemo(){
 var question = document.getElementById("question").value;
  var qOption=[];
  if(selectedOption!=3){
  for(var i=0;i<totalOption;i++){</pre>
      qOption[i] = document.getElementById("qlabel"+i).value;
      if(qOption[i].trim() == '' ) opt = false;
  }}
  if (question.trim() != ''&& opt) {
    // adding name, type
    mainObject[tcount]={};
    mainObject[tcount].type = selectedOption;
    mainObject[tcount].name = question;
  var label= document.createElement("label");
  var text = document.createTextNode((qLength+1)+". "+question);
  label.appendChild(text);
  var div = document.createElement("div");
  div.setAttribute("id","dq"+qLength);
  document.getElementById("demoQuestionAdd").appendChild(div);
  document.getElementById("dq"+qLength).appendChild(label);
  document.getElementById("dq"+qLength).appendChild( document.createElement("br"));
 var radioYes=[];
  var tc=false;
 var lblYes=[];
 var element = document.getElementById("dq"+qLength);
  console.log(totalOption);
  //creating mainobject option
  mainObject[tcount].option ={};
  mainObject[tcount].optionLength = totalOption.toString();
  for(var i=0;i<totalOption;i++){</pre>
          radioYes[i] = document.createElement("input");
          radioYes[i].setAttribute("name", "dqo1"+qLength);
```



}

```
if(selectedOption==2){
        /* create a radio button */
        radioYes[i].setAttribute("type", "radio");
        else if(selectedOption==1){
          /* create a radio button */
          radioYes[i].setAttribute("type", "checkbox");
        else if(selectedOption==3){
           /* create a text field */
           lblYes[i] = document.createElement("input");
           lblYes[i].setAttribute("id", qLength+ "dqlabel"+i );
         /*add radio button to Div*/
         element.appendChild(lblYes[i]);
          //addin to object
           break;
        }
         /*creating label for Text to Radio button*/
         lblYes[i] = document.createElement("label");
         var text = document.createTextNode(document.getElementById("qlabel"+i).value);
         lblYes[i].appendChild(text);
        /*Set id of new created radio button*/
        radioYes[i].setAttribute("id",qLength+ "demoQRadio"+i );
        lblYes[i].setAttribute("id", "dqlabel"+i );
         /*add radio button to Div*/
         element.appendChild(radioYes[i]);
         /*add label to Div*/
         element.appendChild(lblYes[i]);
         textYes = document.createElement("br");
         element.appendChild(textYes);
         //adding to object
         mainObject[tcount].option[i] =document.getElementById("qlabel"+i).value;
       // qOpt[i] = document.getElementById("qlabel"+i).value;
}
tcount++;
if(tcount>1&&!donebtnAdded){
  var doneBtn = document.createElement("button");
  doneBtn.setAttribute("class","btn donebtn");
  doneBtn.setAttribute("id","donebtn");
  doneBtn.setAttribute("onclick", "openPop()");
  doneBtn.innerHTML="Done";
  document.getElementById("demoQuestion").appendChild(doneBtn);
  donebtnAdded=true;
if(tcount>0 && !deletebtnadded){
  var deletebtn = document.createElement("button");
  deletebtn.setAttribute("class", "btn btn-danger delete");
  deletebtn.setAttribute("id",qLength);
  deletebtn.setAttribute("onclick", "deletefromdemo(this)");
  deletebtn.textContent = 'X';
  document.getElementById('demoQuestion').appendChild(deletebtn);
  deletebtnadded=true;
}
document.getElementById("question").value="";
totalOption=2;
```



```
qLength++;
  } opt=true;
}
function openPop(){
  console.log(mainObject);
  console.log(JSON.stringify(mainObject));
 var ce = document.getElementById("demoSurveyName");
  if(ce.innerHTML!=""&&ce.innerHTML!="Survey name")
 document.getElementById("checkBefore").style.display = "block";
function closep() {
 document.getElementById("checkBefore").style.display = "none";
function surveyQuestion(){
  setCookie("jsonQuestion", JSON.stringify(mainObject), 10);
  setSurvey();
 window.location="survey.php?flag=1";
function setSurvey() {
 var req = new XMLHttpRequest();
 var sm = "name="+JSON.stringify(mainObject);
 var ln = "length="+tcount;
  console.log(ln);
  console.log(qLength);
  console.log(sm);
  req.open('POST', 'setSurvey.php', true);
  req.setRequestHeader('Content-type', 'application/x-www-form-urlencoded');
  req.onload = function() {
  }
 req.send(sm+'&'+ln);
function setCookie(cname, cvalue, exday) {
 var d = new Date();
 d.setTime(d.getTime() + (exday*24*60*60*1000));
 var expires = "expires="+ d.toUTCString();
 document.cookie = cname + "=" + cvalue + ";" + expires + ";path=/";
  console.log("OK COOKIE");
}
// survey.php
document.getElementById('get').addEventListener('click', getSurvey);
function getSurvey() {
    var req = new XMLHttpRequest();
    req.open('GET','getSurvey.php',true );
    req.onload = function(){
        if(req.status==200){
        var namez = JSON.parse(req.responseText);
        var jsurvey = JSON.parse(namez[0]['survey']);
       // console.log(namez);
        var display = '<label id='+"surveyName"+'>'+ jsurvey['Survey_name']+'</label>';
        var display1 = jsurvey[1]['type'];
        var length = namez[0]['length'];
       // console.log(jsurvey);
        //console.log(display);
```



```
//console.log(display1);
       // console.log(length);
       // console.log("length"+jsurvey[0]['optionLength']);
       for(var i=0;i<length;i++){</pre>
            console.log(jsurvey[i]);
            var qno = i+1;
            display+='<div class='+"questionfinal"+' >' + '<label class='+"qName"+'>' + qno
+'.' + jsurvey[i]['name'] + '</label>';
            // add json data to display
            if(jsurvey[i]['type']==3){ // for text field
                 display+= '<br><input class='+"textQ"+' >' ;
                 console.log("text ok");
            else{ // for radio and checkbox
                display+= '<div class='+"options"+' >';
                if(jsurvey[i]['type']==1){ // checkbox
                    for(var j=0;j<jsurvey[i]['optionLength'];j++){</pre>
                        display+= '<input class='+"checkboxOption"+ ' type="checkbox" name='+i+</pre>
' >' + '<label>' + jsurvey[i]['option'][j] + '</label>' +'<br>';
                       console.log("check ok");
                else if(jsurvey[i]['type']==2){ // radio button
                    for(var j=0;j<jsurvey[i]['optionLength'];j++){</pre>
                        display+= '<input class='+"radioOption"+ ' type="radio" name='+i+ ' >'
+ '<label>' + jsurvey[i]['option'][j] + '</label>' +'<br>';
                    } console.log("radio ok");
                display+='</div>'+'</div>';
            }
        //console.log(display);
       document.getElementById('survey').innerHTML=display;
       /* display +='<div class='+"users"+' >' +'<div class='+"im"+' >'+'<img
src="'+people[i].avatar_url+' width="100px" height="100px" >' +'</div>'+'<div class='+"unLi"+'</pre>
>'+'' +'ID: '+people[i].id+'' +'Login: '+people[i].login+'' +"<a href
= '"+ people[i].repos_url +"'>Repos:'" + people[i].repos_url + '</a>'+''+''
+'</div>'+'</div>';
                document.getElementById('showme').innerHTML = display;*/
    }
}
    req.send();
}
```

CO2 and CO4 Evaluation: Project Report Evaluation						
Completeness (5)	Validation (5)	Feature Implementation (5)	Concept Understanding (5)	Promptness (5)	Total (25)	