HOSOSHI — Design Handoff

For the frontend developer (Next.js / React / TypeScript). Design source: the HOSOSHI design canvas (one board = one screen).

1. How to use the design

- Use the PDF of all boards as the visual reference, and open each board's HTML zip (or the canvas link) for exact styles. Each board is one screen. Click an element and inspect it: all spacing, colors and sizes are written as inline styles, so exact values can be read directly.
- Shared decorative CSS (nav slash, wave band, brush lines, paper texture) lives in the `<style>` block at the top of each board. Copy it into global CSS.
- Everything in square brackets (`[n]` , `[name]` , `[measured]`) or `—` is **data from the API**. Never hardcode these. Missing values must render as `—`.

2. Design tokens

Token	Value	Use
ink	`#16202E`	body text
muted	`#566175`	secondary text, labels
indigo (primary)	`#373587`	primary buttons, selected states, links
red (brand)	`#B1323D`	stamps, thread, active-tab slash, wordmark
paper	`#F3EFE7`	page background
card	`#FBF9F5`	card background
border	`#D8D0C0`	card borders
ring	`#C9BDA6`	outer line of the double card frame
SAFE	bg `#E3F3E8` , text `#175C32`	status
HUMAN REVIEW	bg `#FFF1D6` , text `#7A4800`	status

Token	Value	Use
HUMAN REQUIRED	bg `#FDE7E9`, text `#8F1A25`	status

Fonts (Google Fonts): IBM Plex Sans 400/500/600 (UI), Shippori Mincho 600 (headings, stamps), Oswald 500 (HOSOSHI wordmark).

Spacing: 4, 8, 12, 16, 20, 24, 32 px. Page padding 28px 32px. **Radius:** 4 (badges), 6 (buttons), 8 (cards). No drop shadows; cards use a border plus a second outer line: `box-shadow: 0 0 0 3px #F3EFE7, 0 0 0 4px #C9BDA6`.

3. Screens and suggested routes

Board	Route
Dashboard	`/`
Workflows list	`/workflows`
Workflow Detail	`/workflows/[id]`
Step Intelligence	`/workflows/[id]/steps/[stepId]`
Results	`/workflows/[id]/results`
Automation list	`/automation`
Automation Analysis	`/automation/[workflowId]/analysis`
Run	`/automation/runs/[runId]`
Human Approval	`/automation/runs/[runId]/approval`
Execution Complete	`/automation/runs/[runId]/complete`
Activity	`/activity`
States	reference only (not a route)

Every page shows: nav, wave band, breadcrumb, content. The breadcrumb must always match the route.

4. Components

- **AppShell / Nav:** centered layout. Two tabs, logo, two tabs. The active tab uses the slash effect (section 5).

- **Breadcrumb:** links separated by `/`, last item bold and not a link.
- **Card:** variant `thread` adds a 2px red line along the top edge (20px inset on both sides).
- **MetricCard:** label (12px, uppercase, letter-spaced), value (24-26px), caption. Value `null` renders `—`.
- **StatusBadge:** SAFE, HUMAN REVIEW, HUMAN REQUIRED and run statuses WAITING FOR APPROVAL, COMPLETED, FAILED. Always icon + text + color, never color alone.
- **HankoStamp:** square with 1.5px red border, Mincho font, rotated -3deg / +2deg alternating. Used for step numbers, evidence types (POLICY, DECISION, INCIDENT) and the COMPLETED stamp.
- **WorkflowThread:** red 2px line with one cord and one chamfered paper tag per step (any number of steps; wrap or scroll when too many). Selected tag: 2px indigo frame, filled red stamp, 10px lower.
- **EvidenceRow:** stamp + source id (monospace) + excerpt + Open source button. Must link to a real source.
- **ConfidenceIndicator:** 3 small bars + label (High / Medium / Low confidence). No percentages.
- **ApprovalPanel:** decision card with red 2px border, comment field (required when rejecting), Approve, Reject, Review details, and a "what happens next" text.
- **ExecutionTimeline:** rows of stamp + step name + time. Stamp states: done (green check), review (!), waiting (II), pending (circle), failed (!).
- **ComparisonTable (Results):** Metric, Original, AI-assisted, Difference. Must support better, worse and unchanged results.
- **EmptyState / ErrorState / LoadingState:** see the States board. Each has a label, a plain message and one or more next-step buttons.

5. Nav slash effect

- Two copies of the tab text. The upper copy is clipped above a diagonal line, the lower copy below it. Upper moves (-3px, -2px), lower moves (+4px, +3px). A red tapered line (3px, rotated -12deg) crosses the cut.
- The second copy is `aria-hidden`. Screen readers read the label once.
- **Animation:** plays once when a tab becomes active. Blade sweeps 150 ms (scaleX 0 to 1), then halves slide apart 200 ms, ease-out, 150 ms delay. Total under 400 ms.
- `prefers-reduced-motion`: no animation, show the final cut.

6. Decorative CSS (copy from boards)

- **Washi paper:** two repeating-linear-gradients over `#F3EFE7`, opacity about 3%.
- **Wave band:** `.sg`, red seigaiha arcs with a thin paper-colored ring on dark ink `#16202E`, with a 3px indigo (#373587) bottom border.
- **Brush divider:** gradient line that fades at both ends, replacing 1px rules between rows and sections.
- **Title swipe:** `h1::after`, a small red clipped shape under each page title.

7. Behavior rules

- The system never auto-approves. Manager approval always stops the run until a human decides.
- AI conclusions always show confidence and sources. If no sources are found, show the Empty (no evidence) state.
- AI failure must not block the page: show the AI-unavailable message and keep the rest usable.
- Results show measured values only. No estimates or placeholders in production.

8. Accessibility

- Real `<button>` and `<a>` elements. Visible focus ring on all controls (indigo, 2px).
- Status never relies on color alone. Text contrast at least 4.5:1.
- Respect `prefers-reduced-motion`.

9. Not designed yet

- Tablet and mobile layouts. Suggestion: the step tags stack vertically along the red thread, tables scroll horizontally inside their card, nav tabs collapse into a menu.
- Hover and focus states, and the workflow discovery animation.