```
allstar@Abdullahis-MacBook-Pro-5 desktop % ls
allstar@Abdullahis-MacBook-Pro-5 desktop % cd solution.c
cd: not a directory: solution.c
allstar@Abdullahis-MacBook-Pro-5 desktop % gcc solution.c -o solution
allstar@Abdullahis-MacBook-Pro-5 desktop % ./solution

=== MAIN MENU ===
a) Outbound Flight
b) Inbound Flight
c) Quit
Enter choice: a

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: d
Enter seat number (1-48) or 0 to cancel: 5
Enter first name: Jon
Enter last name: Snow
Seat assigned successfully.

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: a
Empty seats: 47

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: b
Empty seats:
Seat 1
Seat 2
```

```
allstar@Abdullahis-MacBook-Pro-5 desktop % ./solution
Seat 41
Seat 42
Seat 43
Seat 44
Seat 45
Seat 46
Seat 47
Seat 48

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: c
Assigned seats (alphabetical):
Jon Snow - Seat 5

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: e
Enter seat number to delete (or 0 to cancel): 5
Seat assignment removed.

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: a
Empty seats: 48

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
```

Code File Edit Selection View Go Run Terminal Window Help Sun Apr 5 1:59 PM

Search

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

You can open a remote repository or pull request without cloning.

Open Remote Repository

To learn more about how to use Git and source control in VS Code read our docs.

You can also open a Java project folder, or create a new Java project by clicking the button below.

Create Java Project

OUTLINE

TIMELINE

MAVEN

Welcome | solution.c | basen.c | myname.c

Users > allstar > Desktop > solution.c > flightMenu

```
void flightMenu(Seat plane[]) {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

solution

```
allstar@Abdullahis-MacBook-Pro-5 desktop % ./solution
Empty seats: 48

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: b
Empty seats:
Seat 1
Seat 2
Seat 3
Seat 4
Seat 5
Seat 6
Seat 7
Seat 8
Seat 9
Seat 10
Seat 11
Seat 12
Seat 13
Seat 14
Seat 15
Seat 16
Seat 17
Seat 18
Seat 19
Seat 20
Seat 21
Seat 22
Seat 23
Seat 24
Seat 25
Seat 26
Seat 27
Seat 28
Seat 29
Seat 30
Seat 31
Seat 32
Seat 33
Seat 34
```

Launchpad 0 0 clangd: idle Ln 181, Col 2 Spaces: 4 UTF-8 LF C

ChatGPT can make mistakes. Check important info.

Code File Edit Selection View Go Run Terminal Window Help Sun Apr 5 1:59 PM

Search

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

You can open a remote repository or pull request without cloning.

Open Remote Repository

To learn more about how to use Git and source control in VS Code read our docs.

You can also open a Java project folder, or create a new Java project by clicking the button below.

Create Java Project

OUTLINE

TIMELINE

MAVEN

Welcome | solution.c | basen.c | myname.c

Users > allstar > Desktop > solution.c > flightMenu

```
157    void flightMenu(Seat plane[]) {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS solution

```
allstar@Abdullahis-MacBook-Pro-5 desktop % ./solution
Seat 44
Seat 45
Seat 46
Seat 47
Seat 48

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: c
Assigned seats (alphabetical):

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: d
Enter seat number (1-48) or 0 to cancel: 23
Enter first name: Lebron
Enter last name: James
Seat assigned successfully.

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: c
Assigned seats (alphabetical):
Lebron James - Seat 23

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
```

Launchpad 0 0 clangd: idle Ln 181, Col 2 Spaces: 4 UTF

ChatGPT can make mistakes. Check important info.

Code File Edit Selection View Go Run Terminal Window Help Sun Apr 5 2:00 PM

Search

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

You can open a remote repository or pull request without cloning.

Open Remote Repository

To learn more about how to use Git and source control in VS Code read our docs.

You can also open a Java project folder, or create a new Java project by clicking the button below.

Create Java Project

OUTLINE

TIMELINE

MAVEN

Welcome | solution.c | basen.c | myname.c

Users > allstar > Desktop > solution.c > flightMenu

```
157    void flightMenu(Seat plane[]) {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS zsh

```
allstar@Abdullahis-MacBook-Pro-5 desktop % ./solution
e) Delete a seat assignment
f) Return to main menu
Enter choice: c
Assigned seats (alphabetical):

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: d
Enter seat number (1-48) or 0 to cancel: 23
Enter first name: Lebron
Enter last name: James
Seat assigned successfully.

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: c
Assigned seats (alphabetical):
Lebron James - Seat 23

--- FLIGHT MENU ---
a) Show number of empty seats
b) Show list of empty seats
c) Show alphabetical list
d) Assign a seat
e) Delete a seat assignment
f) Return to main menu
Enter choice: f

=== MAIN MENU ===
a) Outbound Flight
b) Inbound Flight
c) Quit
Enter choice: c
Exiting program...
allstar@Abdullahis-MacBook-Pro-5 desktop %
```

Launchpad 0 0 clangd: idle Ln 181, Col 2 Spaces: 4 UTF-8 LF C

ChatGPT can make mistakes. Check important info.