

## ▼ Basic Python

### ▼ 1. Split this string

```
s = "Hi there Sam!"

s.split()

['Hi', 'there', 'Sam!']
```

### ▼ 2. Use .format() to print the following string.

Output should be: The diameter of Earth is 12742 kilometers.

```
planet = "Earth"
diameter = 12742

txt = "The diameter of {} is {} kilometers."
txt.format(planet, diameter)

'The diameter of Earth is 12742 kilometers.'
```

### ▼ 3. In this nest dictionary grab the word "hello"

```
d = {'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}

d['k1'][3]['tricky'][3]['target'][3]

'hello'
```

## ▼ Numpy

```
import numpy as np
```

### ▼ 4.1 Create an array of 10 zeros?

## 4.2 Create an array of 10 fives?

```
np.zeros(10)

array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])

np.ones(10)*5

array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

### ▼ 5. Create an array of all the even integers from 20 to 35

```
np.arange(20,35,2)

array([20, 22, 24, 26, 28, 30, 32, 34])
```

### ▼ 6. Create a 3x3 matrix with values ranging from 0 to 8

```
np.arange(0, 9).reshape(3,3)

array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

### ▼ 7. Concatenate a and b

```
a = np.array([1, 2, 3]), b = np.array([4, 5, 6])
```

```
a = np.array([1, 2, 3])
b = np.array([4, 5, 6])
np.concatenate((a, b))

array([1, 2, 3, 4, 5, 6])
```

### ▼ Pandas

### ▼ 8. Create a dataframe with 3 rows and 2 columns

```
import pandas as pd
```

```
data = {'Name': ['Tom', 'nick', 'krish'],
        'Age': [20, 21, 19]}
pd.DataFrame(data)
```

	Name	Age
0	Tom	20
1	nick	21
2	krish	19



## 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023

```
import pandas
from datetime import date, timedelta

sdate = date(2023,1,1)
edate = date(2023,2,11)
print(pandas.date_range(sdate,edate-timedelta(days=1),freq='d'))


DatetimeIndex(['2023-01-01', '2023-01-02', '2023-01-03', '2023-01-04',
                '2023-01-05', '2023-01-06', '2023-01-07', '2023-01-08',
                '2023-01-09', '2023-01-10', '2023-01-11', '2023-01-12',
                '2023-01-13', '2023-01-14', '2023-01-15', '2023-01-16',
                '2023-01-17', '2023-01-18', '2023-01-19', '2023-01-20',
                '2023-01-21', '2023-01-22', '2023-01-23', '2023-01-24',
                '2023-01-25', '2023-01-26', '2023-01-27', '2023-01-28',
                '2023-01-29', '2023-01-30', '2023-01-31', '2023-02-01',
                '2023-02-02', '2023-02-03', '2023-02-04', '2023-02-05',
                '2023-02-06', '2023-02-07', '2023-02-08', '2023-02-09',
                '2023-02-10'],
              dtype='datetime64[ns]', freq='D')
```

## 10. Create 2D list to DataFrame

```
lists = [[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]

lists = [[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]

pd.DataFrame(lists, columns=['Id', 'Name', 'Marks'])
```

	Id	Name	Marks	
0	1	aaa	22	
1	2	bbb	25	
2	3	ccc	24	

[Colab paid products](#) - [Cancel contracts here](#)

✓ 0s completed at 21:47

