


Welcome X postgres/postgres@PostgreSQL 17*



Query

```
1 CREATE TABLE Airline_info(
2     airline_id INT PRIMARY KEY,
3     airline_code VARCHAR(30) NOT NULL,
4     airline_name VARCHAR(50) NOT NULL,
5     airline_country VARCHAR (50) NOT NULL,
6     created_at TIMESTAMP NOT NULL,
7     updated_at TIMESTAMP NOT NULL,
8     info VARCHAR(50) NOT NULL
9 );
```

Execute script

F5


Scratch Pad X

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 59 msec.

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

```
1 CREATE TABLE Airport (
2     airport_id INT PRIMARY KEY,
3     airport_name VARCHAR(50) NOT NULL,
4     country VARCHAR(50) NOT NULL,
5     state VARCHAR(50) NOT NULL,
6     city VARCHAR(50) NOT NULL,
7     created_at TIMESTAMP NOT NULL,
8     updated_at TIMESTAMP NOT NULL
9 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 58 msec.

✓ Query returned successfully in 58 msec. X

Total rows: Query complete 00:00:00.058

CRLF Ln 9, Col 3

Welcome X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit

Query

```
1 CREATE TABLE Baggage_check (
2     baggage_check_id INT PRIMARY KEY,
3     check_result VARCHAR(50) NOT NULL,
4     created_at TIMESTAMP NOT NULL,
5     updated_at TIMESTAMP NOT NULL,
6     booking_id INT NOT NULL,
7     passenger_id INT NOT NULL
8 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 53 msec.

✓ Query returned successfully in 53 msec. ✘

Total rows: Query complete 00:00:00.053

CRLF Ln 8, Col 3

Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
1 CREATE TABLE Baggage (
2     baggage_id INT PRIMARY KEY,
3     weight_in_kg DECIMAL(4,2) NOT NULL,
4     created_at TIMESTAMP NOT NULL,
5     updated_at TIMESTAMP NOT NULL,
6     booking_id INT NOT NULL
7 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 51 msec.

✓ Query returned successfully in 51 msec. ✘

Total rows: Query complete 00:00:00.051

CRLF Ln 7, Col 3

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

```
1 CREATE TABLE Boarding_pass (
2     boarding_pass_id INT PRIMARY KEY,
3     booking_id INT NOT NULL,
4     seat VARCHAR(50) NOT NULL,
5     boarding_time TIMESTAMP NOT NULL,
6     created_at TIMESTAMP NOT NULL,
7     updated_at TIMESTAMP NOT NULL
8 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 53 msec.

✓ Query returned successfully in 53 msec. X

Total rows: Query complete 00:00:00.053

CRLF Ln 8, Col 3

Welcome X postgres/postgres@PostgreSQL 17*



Query

```
1 CREATE TABLE Booking_flight (
2     booking_flight_id INT PRIMARY KEY,
3     booking_id INT NOT NULL,
4     flight_id INT NOT NULL,
5     created_at TIMESTAMP NOT NULL,
6     updated_at TIMESTAMP NOT NULL
7 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 51 msec.

✓ Query returned successfully in 51 msec. ✘

Total rows: Query complete 00:00:00.051

CRLF Ln 7, Col 3

Welcome X postgres/postgres@PostgreSQL 17*



Query

```
1 CREATE TABLE Booking (
2     booking_id INT PRIMARY KEY,
3     flight_id INT NOT NULL,
4     passenger_id INT NOT NULL,
5     booking_platform VARCHAR(50) NOT NULL,
6     created_at TIMESTAMP NOT NULL,
7     updated_at TIMESTAMP NOT NULL,
8     status VARCHAR(50) NOT NULL,
9     price DECIMAL(7,2) NOT NULL
10 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 54 msec.

✓ Query returned successfully in 54 msec. ✘

Total rows: Query complete 00:00:00.054

CRLF Ln 10, Col 3

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

```
1 CREATE TABLE Flights (
2     flight_id INT PRIMARY KEY,
3     sch_departure_time TIMESTAMP NOT NULL,
4     sch_arrival_time TIMESTAMP NOT NULL,
5     departing_airport_id INT NOT NULL,
6     arriving_airport_id INT NOT NULL,
7     departing_gate VARCHAR(50) NOT NULL,
8     arriving_gate VARCHAR(50) NOT NULL,
9     airline_id INT NOT NULL,
10    act_departure_time TIMESTAMP NOT NULL,
11    act_arrival_time TIMESTAMP NOT NULL,
12    created_at TIMESTAMP NOT NULL,
13    updated_at TIMESTAMP NOT NULL
14 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 58 msec.

Query returned successfully in 58 msec.

Total rows: Query complete 00:00:00.058

CRLF Ln 14, Col 3

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
1 CREATE TABLE Passengers (
2     passenger_id INT PRIMARY KEY,
3     first_name VARCHAR(50) NOT NULL,
4     last_name VARCHAR(50) NOT NULL,
5     date_of_birth DATE NOT NULL,
6     gender VARCHAR(50) NOT NULL,
7     country_of_citizenship VARCHAR(50) NOT NULL,
8     country_of_residence VARCHAR(50) NOT NULL,
9     passport_number VARCHAR(20) NOT NULL,
10    created_at TIMESTAMP NOT NULL,
11    updated_at TIMESTAMP NOT NULL
12 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE


Query returned successfully in 85 msec.

✓ Query returned successfully in 85 msec. ✘

Total rows: Query complete 00:00:00.085

CRLF Ln 12, Col 3

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

```
1 CREATE TABLE Security_check (
2     security_check_id INT PRIMARY KEY,
3     check_result VARCHAR(20) NOT NULL,
4     created_at TIMESTAMP NOT NULL,
5     updated_at TIMESTAMP NOT NULL,
6     passenger_id INT NOT NULL
7 );
```

Scratch Pad X

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 48 msec.

✓ Query returned successfully in 48 msec. ✘

Total rows: Query complete 00:00:00.048

CRLF Ln 7, Col 3

Object Explorer Dashboard X Properties X Statistics X Dependencies X Dependents X Processes X

Activity State Configuration Logs System

Database sessions

Total Active Idle

4
2
0

Transactions per second

Transactions Commits Rollbacks

4
2
0

Tuples in

Inserts Updates Deletes

30
20
10
0

Tuples out

Fetched Returned

1.5K
1K
500
0

Block I/O

Reads Hits

200
100
0

Tables (10)

- airline_info
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- security_check
- Trigger Functions
- Types
- Views


Subscriptions

Login/Group Roles

Tablespaces (2)

- pg_default

Welcome X postgres/postgres@PostgreSQL 17*



Query

```
1 ALTER TABLE airline_info  
2 RENAME TO Airline;
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 56 msec.


✓ Query returned successfully in 56 msec. ✘



Total rows: 1 Query complete 00:00:00.056

CRLF Ln 2, Col 19

Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
1 ALTER TABLE booking
2 RENAME COLUMN price TO ticket_price;
```

Scratch Pad X

Data Output Messages Notifications


ALTER TABLE

Query returned successfully in 48 msec.

✓ Query returned successfully in 48 msec. ✘



Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
1 ALTER TABLE flights
2 ALTER COLUMN departing_gate TYPE TEXT;
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE


Query returned successfully in 48 msec.

✓ Query returned successfully in 48 msec. ✘

Total rows: Query complete 00:00:00.048

CRLF Ln 2, Col 39

Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
1 ALTER TABLE airline
2 DROP COLUMN info;
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 49 msec.


✓ Query returned successfully in 49 msec. ✘

Total rows: Query complete 00:00:00.049


CRLF Ln 2, Col 18




Object Explorer



Dashboard X Properties X Statistics X Dependencies X Dependents X Processes X




> Procedures
> 1..3 Sequences
Tables (10)
> airline
> airport
> baggage
> baggage_check
> boarding_pass
> booking
 Columns (8)
 booking_id
 flight_id
 passenger_id
 booking_plate
 created_at
 updated_at
 status
 ticket_price
> Constraints
> Indexes
> RLS Policies
> Rules
> Triggers
> booking_flight
flights
 Columns (12)
> Constraints
> Indexes





Object Explorer



Dashboard

Properties

Statistics

Dependencies

Dependents

Processes



Procedures
Sequences
Tables (10)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
Columns (12)
flight_id
sch_departure_time
sch_arrival_time
departing_airport_id
arriving_airport_id
departing_gate
arriving_gate
airline_id
act_departure_time
act_arrival_time
created_at
updated_at
Constraints
Indexes
RLS Policies
Rules

Activity State Conf

departing_gate

General Definition Constraints Variables Security SQL

Database sessions

Data type: text

Length/Precision: 4

Scale: 2

Compression:


Tuples in

Collation: pg_catalog."default"

Statistics:

Storage: EXTENDED

i ? Close Reset Save





Object Explorer



Dashboard X Properties X Statistics X Dependencies X Dependents X Processes X



- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1..3 Sequences
- > Tables (10)
 - airline

Columns (6)

- airline_id
- airline_code
- airline_name
- airline_count
- created_at
- updated_at

Constraints**Indexes****RLS Policies****Rules****Triggers****airport****baggage****baggage_check****boarding_pass****booking****booking_flight**

Activity State Configuration Logs System

Database sessions

Total Active Idle

4

2

0

Transactions per second

Transactions Commits Rollbacks

6

4

2

0

Tuples in

Inserts Updates Deletes

1

0.75

0.5

0.25

0

Tuples out

Fetched Returned

6K

4K

2K

0

Block I/O

Reads Hits

1K

500

0

0.5

0.25

0

0.5

0.25

0

0.5

0.25

0

Welcome X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit

Query

```
1 ALTER TABLE Security_check
2 ADD CONSTRAINT fk_security_passenger
3 FOREIGN KEY (passenger_id) REFERENCES Passengers(passenger_id);
4
5 ALTER TABLE Booking
6 ADD CONSTRAINT fk_booking_passenger
7 FOREIGN KEY (passenger_id) REFERENCES Passengers(passenger_id);
8
9 ALTER TABLE Baggage_check
10 ADD CONSTRAINT fk_baggagecheck_passenger
11 FOREIGN KEY (passenger_id) REFERENCES Passengers(passenger_id);
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE


Query returned successfully in 61 msec.

✓ Query returned successfully in 61 msec. ✘

Total rows: Query complete 00:00:00.061

CRLF Ln 11, Col 64

Welcome X postgres/postgres@PostgreSQL 17*



Query

```
1 ALTER TABLE Baggage_check
2 ADD CONSTRAINT fk_baggagecheck_booking
3 FOREIGN KEY (booking_id) REFERENCES Booking(booking_id);
4
5 ALTER TABLE Baggage
6 ADD CONSTRAINT fk_baggage_booking
7 FOREIGN KEY (booking_id) REFERENCES Booking(booking_id);
8
9 ALTER TABLE Boarding_pass
10 ADD CONSTRAINT fk_boardingpass_booking
11 FOREIGN KEY (booking_id) REFERENCES Booking(booking_id);
12
13 ALTER TABLE Booking_flight
14 ADD CONSTRAINT fk_bookingflight_booking
15 FOREIGN KEY (booking_id) REFERENCES Booking(booking_id);
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 59 msec.

✓ Query returned successfully in 59 msec. ✘

Total rows: Query complete 00:00:00.059

CRLF Ln 15, Col 57

Welcome X postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

No limit

Query

```
1 ALTER TABLE Booking_flight
2 ADD CONSTRAINT fk_bookingflight_flight
3 FOREIGN KEY (flight_id) REFERENCES Flights(flight_id);
```

Scratch Pad X

Data Output Messages Notifications

ALTER TABLE


Query returned successfully in 51 msec.

✓ Query returned successfully in 51 msec. X

Total rows: Query complete 00:00:00.051

CRLF Ln 3, Col 55

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

Scratch Pad X

```
1 ALTER TABLE Flights
2 ADD CONSTRAINT fk_flights_departure_airport
3 FOREIGN KEY (departing_airport_id) REFERENCES Airport(airport_id);
4
5 ALTER TABLE Flights
6 ADD CONSTRAINT fk_flights_arrival_airport
7 FOREIGN KEY (arriving_airport_id) REFERENCES Airport(airport_id);
```

Data Output Messages Notifications


ALTER TABLE

Query returned successfully in 50 msec.

✓ Query returned successfully in 50 msec. X

Total rows: Query complete 00:00:00.050


CRLF Ln 7, Col 66



pgAdmin 4

[File](#) [Object](#) [Tools](#) [Edit](#) [View](#) [Window](#) [Help](#)

Welcome X postgres/postgres@PostgreSQL 17* X

[Query](#)

```
1 ALTER TABLE Flights  
2 ADD CONSTRAINT fk_flights_airline  
3 FOREIGN KEY (airline_id) REFERENCES Airline(airline_id);
```

[Scratch Pad](#) X[Data Output](#) [Messages](#) [Notifications](#)

ALTER TABLE


Query returned successfully in 46 msec.

Query returned successfully in 46 msec. X

Total rows: Query complete 00:00:00.046

CRLF Ln 3, Col 57

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (180, 'DL', 'United Airl
181 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (181, 'G4', 'American Ai
182 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (182, 'HA', 'Emirates',
183 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (183, 'F9', 'Qatar Airwa
184 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (184, 'AA', 'Air France'
185 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (185, 'AA', 'Singapore A
186 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (186, 'AS', 'British Air
187 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (187, 'DL', 'United Airl
188 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (188, 'WN', 'Lufthansa',
189 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (189, 'HA', 'Qatar Airwa
190 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (190, 'AS', 'Qatar Airwa
191 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (191, 'G4', 'Lufthansa',
192 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (192, 'B6', 'United Airl
193 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (193, 'UA', 'Delta Airli
194 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (194, 'AS', 'United Airl
195 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (195, 'WN', 'British Air
196 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (196, 'UA', 'Southwest A
197 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (197, 'B6', 'Lufthansa',
198 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (198, 'DL', 'Singapore A
199 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (199, 'UA', 'Singapore A
200 insert into airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at) values (200, 'AA', 'Air France'
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 61 msec.

Total rows: Query complete 00:00:00.061

✓ Query returned successfully in 61 msec. ✘

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

```
180 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (180, 'Ukiah Municipal Airport',  
181 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (181, 'Virginia Highlands Airport',  
182 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (182, 'Lalmonirhat Airport', 'Chi  
183 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (183, 'Sydney Bankstown Airport',  
184 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (184, 'Amderma Airport', 'Kazakhs  
185 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (185, 'Mbuji Mayi Airport', 'Chin  
186 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (186, 'Sacramento Airport', 'Kaza  
187 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (187, 'Soekarno-Hatta Internation  
188 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (188, 'Pinto Martins Internationa  
189 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (189, 'Medicine Hat Airport', 'Gr  
190 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (190, 'Lyon-Bron Airport', 'Great  
191 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (191, 'Ibo Airport', 'Korea', 'St  
192 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (192, 'Belo sur Tsiribihina Airpo  
193 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (193, 'Kōchi Ryōma Airport', 'Chi  
194 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (194, 'Ponta do Ouro Airport', 'K  
195 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (195, 'Bam Airport', 'Great Brita  
196 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (196, 'Front Royal Warren County  
197 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (197, 'Pisa International Airport  
198 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (198, 'Sam Neua Airport', 'Kazakh  
199 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (199, 'Sunan Shuofang Internation  
200 insert into airport (airport_id, airport_name, country, state, city, created_at, updated_at) values (200, 'Karamay Airport', 'Kazakh  
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 85 msec.

Total rows: Query complete 00:00:00.085

✓ Query returned successfully in 85 msec. X

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
181 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
182 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
183 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
184 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
185 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
186 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
187 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
188 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
189 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
190 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
191 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
192 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
193 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
194 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
195 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
196 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
197 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
198 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
199 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
200 insert into Passengers (passenger_id, first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, pas
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 57 msec.

Total rows: Query complete 00:00:00.057

✓ Query returned successfully in 57 msec. X

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
180 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
181 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
182 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
183 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
184 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
185 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
186 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
187 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
188 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
189 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
190 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
191 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
192 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
193 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
194 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
195 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
196 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
197 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
198 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
199 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
200 insert into Flights (flight_id, sch_departure_time, sch_arrival_time, departing_airport_id, arriving_airport_id, departing_gate, arrivi
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 51 msec.

✓ Query returned successfully in 51 msec. ✘

Total rows: Query complete 00:00:00.051

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (180
181 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (181
182 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (182
183 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (183
184 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (184
185 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (185
186 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (186
187 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (187
188 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (188
189 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (189
190 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (190
191 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (191
192 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (192
193 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (193
194 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (194
195 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (195
196 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (196
197 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (197
198 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (198
199 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (199
200 insert into Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) values (200
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 53 msec.

Total rows: Query complete 00:00:00.053

✓ Query returned successfully in 53 msec. X

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query Query History

```
180 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (180, 32.84, '2023-06-24 15:16:27', '2021-0
181 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (181, 97.55, '2020-11-07 13:22:44', '2022-0
182 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (182, 51.57, '2023-02-23 17:56:21', '2022-0
183 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (183, 72.31, '2020-12-07 10:43:58', '2024-0
184 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (184, 14.62, '2021-06-24 16:19:43', '2022-0
185 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (185, 9.02, '2023-09-12 13:36:48', '2023-09
186 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (186, 45.02, '2024-06-28 22:23:03', '2021-0
187 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (187, 36.76, '2024-01-30 20:37:42', '2024-0
188 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (188, 38.85, '2021-10-16 01:53:14', '2022-0
189 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (189, 47.27, '2024-03-25 02:52:45', '2024-0
190 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (190, 5.8, '2019-12-04 07:40:43', '2021-06-
191 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (191, 0.3, '2020-11-19 05:37:33', '2022-12-
192 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (192, 69.91, '2021-09-21 21:25:48', '2024-0
193 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (193, 4.03, '2021-06-18 18:50:15', '2022-10
194 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (194, 16.48, '2019-05-20 01:36:42', '2023-0
195 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (195, 28.35, '2022-02-12 06:37:16', '2022-0
196 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (196, 71.91, '2020-12-02 09:14:58', '2023-1
197 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (197, 60.56, '2022-12-22 00:26:10', '2023-1
198 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (198, 77.02, '2023-11-08 06:34:27', '2024-0
199 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (199, 1.91, '2019-03-10 06:31:38', '2024-06
200 insert into Baggage (baggage_id, weight_in_kg, created_at, updated_at, booking_id) values (200, 46.32, '2020-04-01 19:22:48', '2024-0
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 69 msec.

✓ Query returned successfully in 69 msec. ✘

Total rows: Query complete 00:00:00.069

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (180, 180, 287, '2025-06-18')  
181 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (181, 181, 43, '2025-06-18')  
182 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (182, 182, 5, '2024-11-22')  
183 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (183, 183, 330, '2025-02-18')  
184 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (184, 184, 245, '2025-05-18')  
185 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (185, 185, 14, '2025-06-18')  
186 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (186, 186, 19, '2025-06-18')  
187 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (187, 187, 241, '2025-04-18')  
188 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (188, 188, 203, '2024-12-18')  
189 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (189, 189, 443, '2024-12-18')  
190 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (190, 190, 208, '2024-11-18')  
191 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (191, 191, 241, '2025-06-18')  
192 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (192, 192, 147, '2025-04-18')  
193 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (193, 193, 322, '2025-09-18')  
194 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (194, 194, 385, '2025-09-18')  
195 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (195, 195, 295, '2025-08-18')  
196 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (196, 196, 78, '2025-01-18')  
197 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (197, 197, 486, '2025-02-18')  
198 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (198, 198, 376, '2024-10-18')  
199 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (199, 199, 265, '2025-05-18')  
200 insert into Boarding_pass (boarding_pass_id, booking_id, seat, boarding_time, created_at, updated_at) values (200, 200, 437, '2025-03-18')  
201
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 50 msec.

✓ Query returned successfully in 50 msec. ✘

Total rows: 201 Query complete 00:00:00.050

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit ▾

Query History

Scratch Pad X

```
180 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (180, 180, 180, '2024-01-18 04:3
181 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (181, 181, 181, '2024-08-07 04:1
182 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (182, 182, 182, '2022-05-06 12:0
183 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (183, 183, 183, '2024-08-22 05:4
184 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (184, 184, 184, '2023-08-11 07:1
185 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (185, 185, 185, '2021-01-04 16:5
186 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (186, 186, 186, '2024-02-07 09:2
187 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (187, 187, 187, '2022-01-11 01:3
188 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (188, 188, 188, '2024-03-19 11:4
189 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (189, 189, 189, '2023-03-02 10:2
190 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (190, 190, 190, '2021-10-05 12:0
191 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (191, 191, 191, '2021-05-19 23:1
192 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (192, 192, 192, '2022-01-02 08:5
193 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (193, 193, 193, '2022-07-25 05:1
194 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (194, 194, 194, '2024-03-06 10:5
195 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (195, 195, 195, '2024-01-10 00:2
196 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (196, 196, 196, '2021-09-01 20:5
197 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (197, 197, 197, '2024-01-05 04:5
198 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (198, 198, 198, '2021-09-13 20:1
199 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (199, 199, 199, '2022-05-17 21:5
200 insert into Booking_flight (booking_flight_id, booking_id, flight_id, created_at, updated_at) values (200, 200, 200, '2022-09-28 22:1
201
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 55 msec.

Total rows: Query complete 00:00:00.055

CRLF

Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (180, 'pending', '2021-05-21 00:00:00.000', '2021-05-21 00:00:00.000', 1)
181 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (181, 'pending', '2022-06-15 00:00:00.000', '2022-06-15 00:00:00.000', 2)
182 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (182, 'pass', '2023-12-05 23:59:59.000', '2023-12-05 23:59:59.000', 3)
183 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (183, 'pass', '2022-06-15 00:00:00.000', '2022-06-15 00:00:00.000', 4)
184 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (184, 'fail', '2022-12-10 00:00:00.000', '2022-12-10 00:00:00.000', 5)
185 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (185, 'fail', '2024-09-10 12:00:00.000', '2024-09-10 12:00:00.000', 6)
186 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (186, 'error', '2024-01-10 00:00:00.000', '2024-01-10 00:00:00.000', 7)
187 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (187, 'error', '2022-06-20 00:00:00.000', '2022-06-20 00:00:00.000', 8)
188 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (188, 'pass', '2024-02-02 00:00:00.000', '2024-02-02 00:00:00.000', 9)
189 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (189, 'error', '2022-12-03 00:00:00.000', '2022-12-03 00:00:00.000', 10)
190 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (190, 'error', '2021-11-27 00:00:00.000', '2021-11-27 00:00:00.000', 11)
191 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (191, 'pending', '2022-05-01 00:00:00.000', '2022-05-01 00:00:00.000', 12)
192 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (192, 'error', '2021-09-18 00:00:00.000', '2021-09-18 00:00:00.000', 13)
193 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (193, 'error', '2024-04-11 00:00:00.000', '2024-04-11 00:00:00.000', 14)
194 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (194, 'error', '2024-02-16 00:00:00.000', '2024-02-16 00:00:00.000', 15)
195 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (195, 'error', '2023-11-07 00:00:00.000', '2023-11-07 00:00:00.000', 16)
196 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (196, 'fail', '2024-08-01 23:59:59.000', '2024-08-01 23:59:59.000', 17)
197 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (197, 'pending', '2024-09-01 00:00:00.000', '2024-09-01 00:00:00.000', 18)
198 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (198, 'fail', '2023-08-20 00:00:00.000', '2023-08-20 00:00:00.000', 19)
199 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (199, 'fail', '2023-07-09 00:00:00.000', '2023-07-09 00:00:00.000', 20)
200 insert into Security_check (security_check_id, check_result, created_at, updated_at, passenger_id) values (200, 'pending', '2021-05-15 00:00:00.000', '2021-05-15 00:00:00.000', 21)
```

Data Output Messages Notifications

INSERT 0 1


Query returned successfully in 46 msec.

✓ Query returned successfully in 46 msec. ✘

Total rows: 200 Query complete 00:00:00.046

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
180 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (180, 'fail', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
181 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (181, 'fail', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
182 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (182, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
183 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (183, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
184 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (184, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
185 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (185, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
186 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (186, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
187 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (187, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
188 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (188, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
189 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (189, 'fail', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
190 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (190, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
191 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (191, 'fail', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
192 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (192, 'fail', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
193 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (193, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
194 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (194, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
195 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (195, 'pending', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
196 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (196, 'pending', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
197 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (197, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
198 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (198, 'pass', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
199 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (199, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
200 insert into Baggage_check (baggage_check_id, check_result, created_at, updated_at, booking_id, passenger_id) values (200, 'error', '2012-01-01 00:00:00+00', '2012-01-01 00:00:00+00', 1, 1)
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 50 msec.

✓ Query returned successfully in 50 msec. ✘

Total rows: 1 Query complete 00:00:00.050

CRLF Ln 201, Col 1

Welcome X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit

Query

```
1 INSERT INTO Airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at)
2 VALUES (201, 'KZ', 'KazAir', 'Kazakhstan', NOW(), NOW());
```

Scratch Pad X

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 49 msec.

✓ Query returned successfully in 49 msec. X

Total rows: Query complete 00:00:00.049

CRLF Ln 2, Col 58

Welcome X postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

No limit ▾

Query

```
1 UPDATE Airline
2   SET airline_country = 'Turkey'
3 WHERE airline_name = 'KazAir';
```

Scratch Pad X

Data Output Messages Notifications

UPDATE 1


Query returned successfully in 51 msec.

✓ Query returned successfully in 51 msec. X

Total rows: Query complete 00:00:00.051

CRLF Ln 3, Col 31

Welcome X postgres/postgres@PostgreSQL 17* X



Query Query History

```
1 INSERT INTO Airline (airline_id, airline_code, airline_name, airline_country, created_at, updated_at)
2 VALUES
3 (202, 'AE', 'AirEasy', 'France', NOW(), NOW()),
4 (203, 'FH', 'FlyHigh', 'Brazil', NOW(), NOW()),
5 (204, 'FF', 'FlyFly', 'Poland', NOW(), NOW());
```

Scratch Pad X

Data Output Messages Notifications

INSERT 0 3


Query returned successfully in 52 msec.

✓ Query returned successfully in 52 msec. X

Total rows: Query complete 00:00:00.052

CRLF Ln 5, Col 47

Welcome X postgres/postgres@PostgreSQL 17*



Query

Query History

```
1 DELETE FROM Booking_flight
2 WHERE flight_id IN (
3     SELECT flight_id FROM Flights
4     WHERE sch_arrival_time BETWEEN '2024-01-01' AND '2024-12-31 23:59:59'
5 );
6
```

Scratch Pad X

Data Output

Messages

Notifications


DELETE 200

Query returned successfully in 56 msec.

✓ Query returned successfully in 56 msec. ✘

Total rows: Query complete 00:00:00.056



CRLF Ln 6, Col 1



pgAdmin 4

[File](#) [Object](#) [Tools](#) [Edit](#) [View](#) [Window](#) [Help](#)

Welcome X postgres/postgres@PostgreSQL 17* X

[Query](#) [Query History](#)

```
1 DELETE FROM Flights  
2 WHERE sch_arrival_time BETWEEN '2024-01-01' AND '2024-12-31 23:59:59';
```

[Scratch Pad](#) X[Data Output](#) [Messages](#) [Notifications](#)

DELETE 200

Query returned successfully in 61 msec.

Query returned successfully in 61 msec.

Total rows: Query complete 00:00:00.061

CRLF Ln 2, Col 71

Welcome X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit

Query

```
1 UPDATE Booking
2 SET ticket_price = ticket_price * 1.15;
```

Scratch Pad X

Data Output Messages Notifications

UPDATE 200


Query returned successfully in 50 msec.

✓ Query returned successfully in 50 msec. ✅

Total rows: Query complete 00:00:00.050

CRLF Ln 2, Col 40

Welcome X postgres/postgres@PostgreSQL 17*



```
1  DELETE FROM Baggage_check
2  WHERE booking_id IN (
3      SELECT booking_id FROM Booking WHERE ticket_price < 10000
4  );
5
6  DELETE FROM Baggage
7  WHERE booking_id IN (
8      SELECT booking_id FROM Booking WHERE ticket_price < 10000
9  );
10
11 DELETE FROM Boarding_pass
12 WHERE booking_id IN (
13     SELECT booking_id FROM Booking WHERE ticket_price < 10000
14 );
15
16 DELETE FROM Booking_flight
17 WHERE booking_id IN (
18     SELECT booking_id FROM Booking WHERE ticket_price < 10000
19 );
20
21 DELETE FROM Booking
22 WHERE ticket_price < 10000;
23
```

Data Output Messages Notifications

DELETE 200

Query returned successfully in 89 msec.

✓ Query returned successfully in 89 msec. ✘

Total rows: Query complete 00:00:00.089

CRLF Ln 23, Col 1